

Listagem das Borboletas Catalogadas em Rancho Grande

HESPERIIDAE			
Hesperinae			
<i>Aides aegita</i>	(Hewitson)	<i>Dubiella dubius</i>	(Stoll)
<i>Aides brino</i>	(Stoll)	<i>Dubiella fiscella</i>	(Hewitson)
<i>Aides duma argyrina</i>	(Cowan)	<i>Ebusus ebusus ebusus</i>	(Stoll)
<i>Anthoptus calcarea</i>	(Schaus)	<i>Enosis angularis angularis</i>	(Möschler)
<i>Anthoptus epictetus</i>	(Fabricius)	<i>Enosis blotta</i>	Evans
<i>Anthoptus insignis</i>	(Plötz)	<i>Enosis immaculata demon</i>	Evans
<i>Apastus menes</i>	(Stoll)	<i>Enosis pruinosa agassus</i>	(Mabille)
<i>Apastus gracilis smarti</i>	Evans	<i>Euphyes peneia</i>	(Godman)
<i>Arita arita</i>	(Schaus)	<i>Eutocus facilis</i>	(Plötz)
<i>Aroma aroma</i>	(Hewitson)	<i>Eutocus matildae vinda</i>	Evans
<i>Arotis pandora</i>	(Lindsey)	<i>Evansiella near cordela</i>	(Plötz)
<i>Artines focus</i>	Evans	<i>Flaccilla aecas</i>	(Stoll)
<i>Artines rica</i>	Steinhauer&Austin	<i>Hansa hyboma</i>	(Plötz)
<i>Callimormus corados</i>	(C.Felder)	<i>Hylephila phyleus phyleus</i>	(Drury)
<i>Callimormus juvenus</i>	Scudder	<i>Justinia maculata</i>	(Bell)
<i>Callimormus radiola radiola</i>	(Mabille)	<i>Lento near ferrago</i>	(Plötz)
<i>Callimormus saturnus</i>	(Herrich - Schäffer)	<i>Lento krexoides lora</i>	Evans
<i>Calpodes ethlius</i>	(Stoll)	<i>Lento lento</i>	(Mabille)
<i>Cantha celeus</i>	(Mabille)	<i>Lento xanthina</i>	(Mabille)
<i>Cantha roraimae</i>	(Bell)	<i>Ludens ludens</i>	(Mabille)
<i>Carystoides basoches</i>	(Lastreille)	<i>Lycas godarti boisduvalii</i>	(Ehrmann)
<i>Carystoides cathaea</i>	(Hewitson)	<i>Methionopsis dolor</i>	Evans
<i>Carystoides maroma</i>	(Möschler)	<i>Methionopsis ina</i>	(Plötz)
<i>Carystoides noseda</i>	(Hewitson)	<i>Methionopsis purus</i>	Bell
<i>Carystoides</i>	sp.(3)	<i>Methionopsis</i>	sp.
<i>Carystus hocus</i>	Evans	<i>Mnaseas bicolor inca</i>	Bell
<i>Caristus phorcus phorcus</i>	(Cramer)	<i>Mnasicles hicetaon</i>	Godman
<i>Caristus senex</i>	(Plötz)	<i>Mnasilus allubitus</i>	(Butler)
<i>Cobalopsis miaba</i>	(Schaus)	<i>Mnasitheus chrysophrys</i>	(Mabille)
<i>Cobalopsis nero</i>	(Herrich - Schäffer)	<i>Mnasitheus</i>	sp.*
<i>Cobalus calvina</i>	(Hewitson)	<i>Moeris striga striga</i>	(Geyer)
<i>Cobalus virbius virbius</i>	(Cramer)	<i>Moeros moeros</i>	(Möschler)
<i>Conga chydaea</i>	(Butler)	<i>Molo mango</i>	(Guénée)
<i>Corticea corticea</i>	(Plötz)	<i>Morys compta compta</i>	(Butler)
<i>Corticea lysias potex</i>	Evans	<i>Morys geisa geisa</i>	(Möschler)
<i>Cymaenes alumna</i>	(Butler)	<i>Morys</i>	sp.
<i>Cymaenes campestris</i>	Mielke	<i>Naevolus orius</i>	(Mabille)
<i>Cymaenes chela</i>	Evans	<i>Nastra chao</i>	(Mabille)
<i>Cymaenes laureolus</i>	(Schaus)	<i>Neoxeniades braesia braesia</i>	(Hewitson)
<i>Cymaenes laza</i>	Mielke	<i>Neoxeniades cinicia</i>	(Hewitson)
<i>Cymaenes tripunctata</i>	(Lastreille)	<i>Neoxeniades seron</i>	(Godman)
<i>Cymaenes uruba</i>	(Plötz) group	<i>Neoxeniades</i>	sp.
<i>Cymaenes uruba taberi</i>	(Wecks)	<i>Niconiades nabona</i>	Evans
<i>Cymaenes</i>	sp.	<i>Niconiades xanthaphes</i>	Hübner
<i>Cynea bistrigula</i>	(Herrich - Schäffer)	<i>Niconiades yoka</i>	Evans
<i>Cynea conta</i>	Mielke	<i>Nyctelius nyctelius nyctelius</i>	(Latreille)
<i>Cynea corsiana</i>	(Möschler)	<i>Onophas columbaria columbaria</i>	(Herrich - Schäffer)
<i>Cynea cyrus rhino</i>	Evans	<i>Orphe gerasa</i>	(Hewitson)
<i>Cynea diluta</i>	(Herrich - Schäffer)	<i>Orphe vatinius</i>	Godman
<i>Cynea iquita</i>	(Bell)	<i>Orses cynisca</i>	(Swainson)
<i>Cynea irma</i>	(Möschler)	<i>Orthos orthos</i>	(Godman)
<i>Cynea robba robba</i>	Evans *	<i>Orthos trinka</i>	Evans
<i>Dalla</i>	sp.	<i>Panoquina chapada</i>	Evans
<i>Damas clavus</i>	(Herrich - Schäffer)	<i>Panoquina fusina fusina</i>	(Hewitson)
<i>Damas immacula</i>	Nicolay	<i>Panoquina hecebolus</i>	(Scudder)
<i>Decinea decinea pruda</i>	Evans	<i>Panoquina ocola</i>	(W.H.Edwards)
<i>Decinea lucifer</i>	(Hübner)	<i>Panoquina pauper grapte</i>	(H.H.Druce)
<i>Decinea percusius</i>	(Godman)	<i>Panoquina sylvicola</i>	(Herrich - Schäffer)

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Papias near phainis</i>	Godman	<i>Turesis basta</i>	Evans
<i>Papias phaeomelas</i>	(Hübner)	<i>Turesis lucas</i>	(Fabricius)
<i>Papias subcostulata subcostulata</i>	(Herrich - Schäffer)	<i>Vacerra bonfillius bonfillius</i>	(Latreille)
<i>Paracarystus kypargyra</i>	(Herrich - Schäffer)	<i>Vacerra caniola caniola</i>	(Herrich - Schäffer)
<i>Paracarystus menestries rona</i>	(Hewitson)	<i>Vehilius inca</i>	(Scudder)
<i>Parphorus decorus</i>	(Herrich - Schäffer)	<i>Vehilius putus</i>	Bell
<i>Parphorus storax storax</i>	(Mabille)	<i>Vehilius sticomenes sticomenes</i>	(Butler)
<i>Parphorus</i>	sp.	<i>Vehilius vetulus</i>	(Mabille)
<i>Peba verames</i>	(Schaus)	<i>Venas caeruleans</i>	(Mabille)
<i>Penicula advena advena</i>	(Draudt)	<i>Venas evans</i>	(Butler)
<i>Perichares deceptus</i>	(Butler & Druce)	<i>Vertica ibis</i>	Evans
<i>Perichares philetes philetes</i>	(Gmelin)	<i>Vertica umber</i>	(Herrich - Schäffer)
<i>Perichares</i>	sp.	<i>Vertica verticalis</i>	(Plötz)
<i>Phanes aletes</i>	(Geyer)	<i>Vettius fantasos</i>	(Stoll)
<i>Phanes near almoda</i>	(Hewitson)	<i>Vettius marcus marcus</i>	(Fabricius)
<i>Phanes near rezia</i>	(Plötz)	<i>Vettius monacha</i>	(Plötz)
<i>Phlebodes campo sifax</i>	Evans	<i>Vettius phyllus phyllus</i>	(Cramer)
<i>Phlebodes obido</i>	(Bell)	<i>Vettius richardi</i>	(Weeks)
<i>Phlebodes virgo</i>	Evans *	<i>Vettius triangularis</i>	(Hübner)
<i>Phlebodes</i>	sp.	<i>Virga virginius</i>	(Möschler)
<i>Polites vibex catilina</i>	(Plötz)	<i>Wallengrenia premnas</i>	(Wallengren)
<i>Pompeius amblyspila</i>	(Mabille)	<i>Xeniades chalestra chalestra</i>	(Hewitson)
<i>Pompeius pompeius</i>	(Latreille)	<i>Zariaspes mys</i>	(Hübner)
<i>Propapias proximus</i>	(Bell)	<i>Zenis jebus</i>	(Plötz)
<i>Propertius phineux</i>	(Cramer)		
<i>Propertius near propertius</i>	(Fabricius)		
<i>Psoralis</i>	(?) sp.		
<i>Pyrrhopygopsis socrates</i>	(Ménétriés)		
<i>Quasimellana angra</i>	Evans		
<i>Quasimellana barbara</i>	(William&Bell)		
<i>Quasimellana</i>	sp.(2)	<i>Ablepsis amazonensis</i>	(Bell)
<i>Quinta cannae</i>	(Herrich - Schäffer)	<i>Ablepsis azines</i>	(Hewitson)
<i>Remella remus</i>	(Fabricius)	<i>Ablepsis</i>	sp.
<i>Saliana antoninus</i>	(Latreille)	<i>Achlyodes busirus busirus</i>	(Cramer)
<i>Saliana chiomara</i>	(Hewitson)	<i>Achlyodes busirus heros</i>	Ehrmann
<i>Saliana esperi</i>	Evans	<i>Achlyodes minna</i>	Evans
<i>Saliana fusta</i>	Evans	<i>Achlyodes mithridates thraso</i>	(Hübner)
<i>Saliana hewitsonii</i>	(Riley)	<i>Aethilla echina echina</i>	Hewitson
<i>Saliana longirostris</i>	(Sepp)	<i>Aguna albistria abistria</i>	(Plötz)
<i>Saliana nigel</i>	Evans	<i>Aguna asander asander</i>	(Hewitson)
<i>Saliana saladin culta</i>	Evans	<i>Aguna aurunce</i>	(Hewitson)
<i>Saliana salius</i>	(Cramer)	<i>Aguna coelus</i>	(Stoll)
<i>Saliana salona</i>	Evans	<i>Aguna metophis</i>	(Latreille)
<i>Saliana triangularis</i>	(Kaye)	<i>Aguna</i>	sp.(9)
<i>Saturnus saturnus saturnus</i>	(Fabricius)	<i>Anastrus obscurus narva</i>	Evans
<i>Saturnus tiberius tiberius</i>	(Möschler)	<i>Anastrus petius petius</i>	(Möschler)
<i>Sodalia sodalis</i>	(Butler)	<i>Anastrus sempiternus simplicor</i>	(Möschler)
<i>Styriodes quadrinotata</i>	(Mabille)	<i>Anastrus tolimus robigus</i>	(Plötz)
<i>Synapte malitiosa antistia</i>	(Plötz)	<i>Anisochoria pedalioidina pedalioidina</i>	(Butler)
<i>Synapte silius</i>	(Latreille)	<i>Antigonus erosus</i>	(Hübner)
<i>Talides sinois sinois</i>	Hübner	<i>Antigonus liborius liborius</i>	(Plötz)
<i>Telles arcalaus</i>	(Stoll)	<i>Antigonus nearchus</i>	(Latreille)
<i>Tellona variegata</i>	(Hewitson)	<i>Astrartes alardus alardus</i>	(Stoll)
<i>Thargella caura caura</i>	(Plötz)	<i>Astrartes alector hopfferi</i>	(Plötz)
<i>Thespies dalman</i>	(Latreille)	<i>Astrartes anaphus anaphus</i>	(Cramer)
<i>Thoon modius</i>	(Mabille)	<i>Astrartes apastus apastus</i>	(Cramer)
<i>Thracides cleantes telmela</i>	(Hewitson)	<i>Astrartes aulus</i>	(Plötz)
<i>Thracides nanea nanea</i>	(Hewitson)	<i>Astrartes cretatus adoba</i>	Evans
<i>Thracides phidon</i>	(Cramer)	<i>Astrartes enotrus</i>	(Stoll)
<i>Thracides smaragdulus</i>	(Herrich - Schäffer)	<i>Astrartes fulgerator</i>	(Walch)
<i>Thracides thrasea</i>	(Hewitson)	<i>Astrartes halesius</i>	(Hewitson)
<i>Tigasis simplex</i>	(Bell)	<i>Astrartes janeira</i>	(Schaus)
<i>Tramba tromba</i>	Evans	<i>Astrartes latimargo tinda</i>	Evans

HESPERIIDAE

Pyrginae

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Astraptes talus</i>	(Cramer)	<i>Dyscophellus ramusis ramusis</i>	(Stoll)
<i>Astraptes tucuti</i>	(Williams)	<i>Dyscophellus</i>	sp.
<i>Augiades crinitus</i>	(Stoll)	<i>Ebrietas anacreon anacreon</i>	(Staudinger)
<i>Augiades epimethea bicolor</i>	(Mabille & Boulet)	<i>Ebrietas evanidus</i>	Mabille
<i>Autochton longipennis</i>	(Plötz)	<i>Ebrietas infanda</i>	(Butler)
<i>Autochton neis</i>	(Geyer)	<i>Entheus eumelus ninyas</i>	Druce
<i>Autochton zarex</i>	(Hübner)	<i>Entheus gentius</i>	(Cramer)
<i>Bolla atahualpai</i>	(Lindsey)	<i>Entheus priassus telemus</i>	Mabille
<i>Bolla cupreiceps</i>	(Mabille)	<i>Entheus</i>	sp. (2)
<i>Bolla</i>	sp.	<i>Epargyreus clavicornis clavicornis</i>	(Herrich & Schäffer)
<i>Bungalotis astylos</i>	(Cramer)	<i>Epargyreus exadeus exadeus</i>	(Cramer)
<i>Bungalotis erythus</i>	(Cramer)	<i>Epargyreus socus sinus</i>	(Hübner)
<i>Bungalotis gagarini</i>	Mielke	<i>Eracon biternata</i>	(Mabille)*
<i>Bungalotis lactos</i>	Evans	<i>Eracon clinias</i>	(Mabille)
<i>Bungalotis midas</i>	(Cramer)	<i>Eracon paulinus</i>	(Stoll)
<i>Cabirus procas junta</i>	Evans	<i>Eracon pebana</i>	Evans
<i>Calliades zeutus</i>	(Möschler)	<i>Eracon</i>	sp.
<i>Camptopleura auxo</i>	(Möschler)	<i>Gesta gesta gesta</i>	(Herrich & Schäffer)
<i>Camptopleura impressus</i>	(Mabille)	<i>Gesta heteroptera</i>	(Plötz) *
<i>Camptopleura theramenes</i>	Mabille	<i>Gindanes brebisson phagesia</i>	(Hewitson)
<i>Carrhenes bamba</i>	Evans	<i>Gorgopas trochilus</i>	(Hopffer)
<i>Carrhenes callipetes</i>	Godman & Salvin?	<i>Gorgythion begga pyralina</i>	(Möschler)
<i>Carrhenes canescens leada</i>	(Butler)	<i>Gorgythion beggina escalphoides</i>	Evans
<i>Carrhenes fuscescens conia</i>	Evans	<i>Gorgythion plautia</i>	(Möschler)
<i>Celaenorrhinus astrigera</i>	(Butler)	<i>Grais stigmaticus stigmaticus</i>	(Mabille)
<i>Celaenorrhinus jao</i>	(Mabille)	<i>Haemactis albamarita</i>	Austin
<i>Celaenorrhinus savia</i>	(Evans)	<i>Helias phalaenoides phalaenoides</i>	(Fabricius)
<i>Celaenorrhinus shema ochra</i>	Evans	<i>Heliopetes alana</i>	(Reakirt)
<i>Celaenorrhinus syllius</i>	C. & R. Felder)	<i>Heliopetes arsalte arsalte</i>	(Linnaeus)
<i>Celaenorrhinus</i>	sp. (3)	<i>Heliopetes macaira orbigera</i>	(Mabille)
<i>Cephise cephise</i>	(Herrich - Schäffer)	<i>Heliopetes omrina</i>	(Butler)
<i>Cephise</i>	sp. (6)	<i>Heliopetes petrus</i>	(Hübner)
<i>Charidia lucaria lucaria</i>	(Hewitson)	<i>Heronia labriaris</i>	(Butler)
<i>Chioides catillus catillus</i>	(Cramer)	<i>Hyalothyruis infernalis</i>	(Möschler)
<i>Chiomara mithrax</i>	(Möschler)	<i>Hyalothyruis leucomelas</i>	(Geyer)
<i>Chryoptectrum bahiana</i>	(Herrich - Schäffer)	<i>Hyalothyruis neleus neleus</i>	(Linnaeus)
<i>Chryoptectrum orpheus</i>	(Plötz)	<i>Hypocryptothrix teutas</i>	(Hewitson)
<i>Chryoptectrum otriades</i>	(Hewitson)	<i>Iliana purpurascens</i>	(Mabille & Boulet)
<i>Chryoptectrum perna</i>	Evans	<i>Marela tamyris tamba</i>	Evans
<i>Chryoptectrum perniciosus perniciosus</i>	(Herrich - Schäffer)	<i>Marela tamyroides</i>	(C. & R. Felder)
<i>Chryoptectrum pervivax</i>	(Hübner)	<i>Mictis crispus crispus</i>	(Herrich & Schäffer)
<i>Clito clito</i>	(Fabricius)	<i>Milanion alcaricus</i>	(Plötz)
<i>Clito littera anda</i>	Evans	<i>Milanion hemes hemes</i>	(Cramer)
<i>Clito sompa</i>	Evans *	<i>Milanion hemstinus</i>	(Mabille & Boulet)
<i>Clito zelotes</i>	(Hewitson)	<i>Milanion marciana</i>	Godman & Salvin
<i>Codatractus</i>	sp.	<i>Milanion pilumnus pilumnus</i>	Mabille & Boulet
<i>Cogia calchas</i>	(Herrich - Schäffer)	<i>Milanion</i>	sp.
<i>Conognathus platon</i>	C. & R. Felder	<i>Morvina falisca falia</i>	Evans
<i>Cyloglypha thrasibulus thrasibulus</i>	(Fabricius)	<i>Morvina fissimacula rema</i>	Evans
<i>Cyloglypha tiasis</i>	(Godman & Salvin)	<i>Morvina Morvus cyclopa</i>	Evans
<i>Cyclosemia earina</i>	(Hewitson)	<i>Morvina</i>	sp.
<i>Cyclosemia herennius herennius</i>	(Stoll)	<i>Mylon extincta</i>	Mabille & Boulet
<i>Diaseus lacaena variegata</i>	(Plötz)	<i>Mylon menippus</i>	(Fabricius)
<i>Drephalys alcmon</i>	(Cramer)	<i>Mylon pelopidas</i>	(Fabricius)
<i>Drephalys croceus</i>	Austin	<i>Myrinia laddeyi</i>	(Bell)
<i>Drephalys oriander</i>	(Hewitson)	<i>Myrinia myris</i>	(Mabille)
<i>Drephalys phoenicoides</i>	(Mabille & Boulet)	<i>Myrinia santa monka</i>	Evans
<i>Drephalys tortus</i>	Austin	<i>Narcosius colossus grandensis</i>	(Möschler)
<i>Dyscophellus diaphorus</i>	(Mabille & Boulet)	<i>Narcosius hercules</i>	(Bell)
<i>Dyscophellus erythras</i>	(Mabille)	<i>Narcosius mura</i>	(Williams)
<i>Dyscophellus euribates euribates</i>	(Stoll)	<i>Narcosius nazeraeus</i>	Steinhausner
<i>Dyscophellus nicephorus</i>	(Hewitson)	<i>Narcosius odysseus</i>	Austin
<i>Dyscophellus porcius porcius</i>	(C. & R. Felder)	<i>Narcosius parisi parisi</i>	(Williams)

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Narcosius pseudomura</i>	Austin	<i>Porphyrogenes spanda</i>	Evans
<i>Narcosius samson</i>	(Evans)	<i>Porphyrogenes suva</i>	Evans
<i>Narcosius steinhauseri</i>	Austin	<i>Porphyrogenes vulpecula</i>	(Plötz)
<i>Nascus broteas</i>	(Cramer)	<i>Porphyrogenes zohra stresa</i>	Evans
<i>Nascus paullinae</i>	(Sepp)	<i>Porphyrogenes</i>	sp. (6)
<i>Nascus phocus</i>	(Cramer)	<i>Proteides mercurius mercurius</i>	(Fabricius)
<i>Nascus solon solon</i>	(Plötz)	<i>Pyrdalus corbulo corbulo</i>	(Stoll)
<i>Nisoniades bessus</i>	(Möschler)	<i>Pyrgus oileus orcus</i>	(Stoll)
<i>Nisoniades borra</i>	(Bell)	<i>Pythonides assecla</i>	Mabille
<i>Nisoniades brazia</i>	Evans	<i>Pythonides eminus eminus</i>	Bell *
<i>Nisoniades brunneata</i>	(Williams & Bell)	<i>Pythonides herennius herennius</i>	Geyer
<i>Nisoniades castolus</i>	(Hewitson)	<i>Pythonides jovianus crameri</i>	(Mabille & Boulet)
<i>Nisoniades evansi</i>	Steinhauser	<i>Pythonides jovianus fabricii</i>	Kirby
<i>Nisoniades macarius</i>	(Herrich-Schäffer)	<i>Pythonides lerina</i>	(Hewitson)
<i>Nisoniades maura</i>	(Mabille & Boulet)	<i>Pythonides limaea limaea</i>	(Hewitson)*
<i>Nisoniades mimas</i>	(Cramer)	<i>Pythonides</i>	sp.
<i>Nisoniades near mimas</i>	(Cramer)	<i>Quadrus cerialis</i>	(Stoll)
<i>Nisoniades</i>	sp.	<i>Quadrus contubernalis contubernalis</i>	(Mabille)
<i>Ouleus dilla baru</i>	Nicolay	<i>Quadrus deyrollei porta</i>	Evans
<i>Ouleus fatinitza</i>	(Plötz)	<i>Quadrus fanda</i>	Evans
<i>Ouleus fridericus fridericus</i>	(Geyer)	<i>Ridens</i>	sp.
<i>Ouleus juxta juxta</i>	(Bell)	<i>Salatis salatis</i>	(Stoll)
<i>Ouleus</i>	sp.	<i>Sarmientoia similis</i>	Mielke
<i>Paches exosa</i>	(Butler)	<i>Sostrata festiva</i>	(Erichson)
<i>Paches loxus loxana</i>	Evans	<i>Sostrata pussila pussila</i>	Godman & Salvin
<i>Pachyneuria herophile</i>	(Hayward)	<i>Spathilepia clonius</i>	(Cramer)
<i>Pachyneuria lista</i>	Evans	<i>Spioniades abbreviata</i>	(Mabille) ssp.
<i>Paramimus scurra herberti</i>	Godman & Salvin	<i>Spioniades artemides</i>	(Stoll)
<i>Pellicia near costimacula</i>	Herrich-Schäffer	<i>Staphilus chlora</i>	Evans
<i>Pellicia dimiata meno</i>	(Mabille)	<i>Staphilus epicaste epicaste</i>	(Mabille)
<i>Pellicia klugi</i>	Williams & Bell	<i>Staphilus lizeri lizeri</i>	(Hayward)
<i>Pellicia simulator</i>	Williams & Bell	<i>Staphilus minor minor</i>	Schaus
<i>Pellicia near theon</i>	Plötz	<i>Staphilus oeta</i>	(Plötz)
<i>Pellicia vecina vecina</i>	(Schaus)	<i>Staphilus putumayo putumayo</i>	(Bell)
<i>Phanus ecitonorum</i>	Austin	<i>Tarsoctenus corytus corba</i>	Evans
<i>Phanus marshallii</i>	Kirby	<i>Tarsoctenus praecia plutia</i>	(Hewitson)
<i>Phanus obscurior prestoni</i>	L. Miller	<i>Telemiades amphion misitheus</i>	Mabille
<i>Phanus vitreus</i>	(Stoll)	<i>Telemiades antiope tosca</i>	Evans
<i>Phareas coeleste</i>	Westwood	<i>Telemiades avitus</i>	(Stoll)
<i>Phocides metrodorus metrodorus</i>	Bell	<i>Telemiades delalande</i>	(Latreille)
<i>Phocides padrona</i>	Evans	<i>Telemiades epicalus epicalus</i>	Hübner
<i>Phocides pigmalion hewitsonius</i>	(Mabille)	<i>Telemiades laogonus laogonus</i>	(Hewitson)
<i>Phocides polybius phanias</i>	(Burmeister)	<i>Telemiades litanicus</i>	(Hewitson) *
<i>Phocides vulcanides</i>	Röber	<i>Telemiades nicomedes nicomedes</i>	(Möschler)
<i>Plumbago plumbago</i>	(Plötz)	<i>Telemiades penidas</i>	(Hewitson)
<i>Polyctor fera fera</i>	(Weeks)	<i>Telemiades squanda</i>	Evans
<i>Polyctor polyctor polyctor</i>	(Prittwitz)	<i>Telemiades trenda</i>	Evans
<i>Polyctor</i>	sp.	<i>Telemiades</i>	sp. (3)
<i>Polygonus leo leo</i>	(Gmelin)	<i>Timochreon satyrus tampa</i>	Evans
<i>Polygonus manueli manueli</i>	Bell & Comstock	<i>Tosta</i>	sp.
<i>Polythrix near auginus</i>	(Hewitson)	<i>Trina geometrina geometrina</i>	(C. & R. Felder)
<i>Polythrix callias</i>	(Mabille)	<i>Typhedanus crameri</i>	McHenry
<i>Polythrix caunus</i>	(Herrich-Schäffer)	<i>Typhedanus galbula</i>	(Plötz)
<i>Polythrix near caunus</i>	(Herrich-Schäffer)	<i>Typhedanus optica goya</i>	Evans
<i>Polythrix ceculus</i>	(Herrich-Schäffer)	<i>Typhedanus undulatus</i>	(Hewitson)
<i>Polythrix eudoxus</i>	(Stoll)	<i>Udranomia kikkawai</i>	(Weeks)
<i>Polythrix gyges</i>	Evans	<i>Udranomia orcinus</i>	(C. & R. Felder)
<i>Polythrix near metallescens</i>	(Mabille)	<i>Udranomia spitzii</i>	(Hayward)
<i>Polythrix minvanes</i>	(Williams)	<i>Udranomia</i>	sp.
<i>Polythrix octomaculata octomaculata</i>	(Sepp)	<i>Urbanus acawoios</i>	(Williams)
<i>Porphyrogenes near boliva</i>	Evans	<i>Urbanus albimargo takuta</i>	Evans
<i>Porphyrogenes passalus</i>	(Herrich-Schäffer)	<i>Urbanus belli</i>	(Hayward)
<i>Porphyrogenes sorocula</i>	(Mabille & Boulet)	<i>Urbanus chalco</i>	(Hübner)

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Calydna calyce</i>	Hewitson	<i>Euselasia euroas</i>	(Hewitson)
<i>Calydna carneia</i>	Hewitson	<i>Euselasia euyone</i>	(Hewitson)
<i>Calydna charila</i>	Hewitson	<i>Euselasia eurypus</i>	(Hewitson)
<i>Calydna chaseba</i>	Hewitson	<i>Euselasia eustola</i>	Stichel
<i>Calydna euthria</i>	Westwood	<i>Euselasia eutychnus</i>	(Hewitson)
<i>Calydna hiria</i>	(Godart)	<i>Euselasia fabia</i>	(Godman)
<i>Calydna maculosa</i>	Bates	<i>Euselasia near gelanor</i>	(Stoll)
<i>Calydna morio</i>	(Stichel)	<i>Euselasia near gordios</i>	Stichel
<i>Calydna punctata</i>	C & R. Felder	<i>Euselasia kartopus</i>	Stichel
<i>Calydna</i>	sp	<i>Euselasia labdacus</i>	(Stoll)
<i>Caria near sponsa</i>	Staudinger	<i>Euselasia melaphaea</i>	(Hübner)
<i>Caria mantinea</i>	(C. & R. Felder)	<i>Euselasia mys</i>	Herrich - Schäffer
<i>Caria trochilus arete</i>	(C. & R. Felder)	<i>Euselasia nannothis</i>	Stichel
<i>Caria near trochilus</i>	Erichson	<i>Euselasia ocalea</i>	(H.H.Druce)
<i>Cariomothis fulvus</i>	Lathy	<i>Euselasia orba</i>	Stichel
<i>Cartea vitula</i>	(Hewitson)	<i>Euselasia orfita</i>	(Cramer)
<i>Chalodeta near chaenitus</i>	(Hewitson)	<i>Euselasia near pellonia</i>	Stichel
<i>Chalodeta chelonis</i>	(Hewitson)	<i>Euselasia pelor</i>	(Hewitson)
<i>Chalodeta theodora</i>	(C. & R. Felder)	<i>Euselasia phelina</i>	(H.Druce)
<i>Chamaelimnas</i>	sp.(2)	<i>Euselasia phyrigia</i>	Stichel
<i>Charis</i>	sp.(4)	<i>Euselasia praecipua</i>	Stichel
<i>Chorinea amazon</i>	(Saunders)	<i>Euselasia serapis</i>	Stichel
<i>Chorinea timandra</i>	(Saunders)	<i>Euselasia uria</i>	(Hewitson)
<i>Colaciticus near johnstoni</i>	(Dannatt)	<i>Euselasia near uzita</i>	(Hewitson)
<i>Cremna heteroea</i>	Bates	<i>Euselasia near violetta</i>	(Bates)
<i>Cremna meleagris</i>	Höpffer	<i>Euselasia</i>	sp. (16)
<i>Crocozona caecias</i>	(Hewitson)	<i>Exoplisia cadmeis</i>	(Hewitson)
<i>Cyrenia martis</i>	Westwood	<i>Helicopsis</i>	sp.
<i>Emesis aurelia</i>	Bates	<i>Hyphilaria near anophthalma</i>	(C. & R. Felder)
<i>Emesis cereus</i>	(Linnaeus)	<i>Hyphilaria nicia</i>	Hübner
<i>Emesis condigna</i>	Stichel	<i>Hyphilaria near nicia</i>	Hübner
<i>Emesis fatimella</i>	Westwood	<i>Hyphilaria parthenis</i>	(Westwood)
<i>Emesis mandana</i>	(Cramer)	<i>Isapis egyptus</i>	(Cramer)
<i>Emesis near mandana</i>	(Cramer)	<i>Ithomeis</i>	sp.
<i>Emesis near cocypore</i>	(Geyer)	<i>Ithomiola floralis</i>	C. & R. Felder
<i>Emesis progne</i>	(Godman)	<i>Juditha azan completa</i>	(Lathy)
<i>Emesis spreta</i>	Bates	<i>Juditha molpe</i>	(Hübner)
<i>Emesis temesa</i>	(Hewitson)	<i>Lasaja narses</i>	Staudinger
<i>Emesis</i>	sp.	<i>Lasaja oileus</i>	Godman
<i>Esthemopsis sericina</i>	(Bates)	<i>Lasaja pseudomeris</i>	Clench
<i>Esthemopsis</i>	sp.	<i>Lemonias zygia</i>	Hübner
<i>Eunogyra satyrus</i>	Westwood	<i>Lepricornis incerta</i>	Staudinger
<i>Eurybia halimede emidiata</i>	Stichel	<i>Lepricornis melanchroia</i>	C. & R. Felder
<i>Eurybia near rubeolata</i>	Stichel	<i>Lepricornis unicolor</i>	(Godman & Salvin)?
<i>Eurybia stillifera</i>	Stichel	<i>Lepricornis</i>	sp.
<i>Eurybia dardus sannio</i>	Stichel	<i>Leucochimona hyphea</i>	(Cramer)
<i>Eurybia</i>	sp.	<i>Leucochimona matatha</i>	(Hewitson)
<i>Euselasia alcmena</i>	(H.Druce)	<i>Lyropteryx near apollonia</i>	Westwood
<i>Euselasia angulata</i>	(Bates)	<i>Lyropteryx diadocis</i>	Stichel
<i>Euselasia brevicauda</i>	Lathy	<i>Melanis near aegates</i>	(Hewitson)
<i>Euselasia cafuso</i>	Bates	<i>Melanis andania</i>	(Hewitson)
<i>Euselasia calligramma</i>	(Bates)	<i>Melanis assimulata</i>	Stichel
<i>Euselasia near clithra</i>	(Bates)	<i>Melanis cercopes</i>	(Hewitson)
<i>Euselasia crinina</i>	Stichel	<i>Melanis marathon</i>	(Stichel)
<i>Euselasia crinon</i>	Stichel	<i>Melanis near marathon</i>	(C. & R. Felder)
<i>Euselasia near dolichos</i>	Staudinger	<i>Melanis near nigretta</i>	(C. & R. Felder)
<i>Euselasia euboea</i>	(Hewitson)	<i>Melanis near pronostriga</i>	(Seitz)
<i>Euselasia eugeon</i>	(Hewitson)	<i>Melanis near xarifa</i>	(Hewitson)
<i>Euselasia enaeus</i>	(Hewitson)	<i>Menander clotho</i>	(Stichel)
<i>Euselasia eumenes</i>	(Hewitson)	<i>Menander menander</i>	(Stoll)
<i>Euselasia euodias</i>	(Hewitson)	<i>Menander near nitida</i>	(Butler)
<i>Euselasia euphyla</i>	Stichel	<i>Mesene eromena</i>	Stichel
<i>Euselasia euriteus</i>	(Cramer)	<i>Mesene near eupteryx</i>	Bates

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Mesene fenestrella</i>	Bates	<i>Phales heliconides</i>	(Herrich - Schäffer)
<i>Mesene leucophrys</i>	Bates	<i>Rhetus arcus</i>	(Linnaeus)
<i>Mesene paraena</i>	Bates	<i>Rhetus periander</i>	(Cramer)
<i>Mesene near phareus</i>	(Cramer)	<i>Sarota acanthoides</i>	(Herrich - Schäffer)
<i>Mesene near silaris</i>	Godman & Salvin	<i>Sarota chrysus</i>	(Stoll)
<i>Mesene</i>	sp. (3)	<i>Sarota gyas</i>	(Cramer)
<i>Mesophthalma idotea</i>	(Westwood)	<i>Sarota spicata</i>	(Staudinger) ?
<i>Mesosemia near antaerice</i>	Hewitson	<i>Semomesia croesus meana</i>	(Hewitson)
<i>Mesosemia near caypsio amacula</i>	Stichel	<i>Semomesia semiatra</i>	(Seitz)
<i>Mesosemia near coea</i>	Hübner	<i>Semomesia tenella</i>	(Stichel)
<i>Mesosemia cyanrira</i>	Stichel	<i>Setabis buckleyi</i>	(Gose - Smith)
<i>Mesosemia near epidus</i>	Hewitson	<i>Setabis butleri</i>	(Bates)
<i>Mesosemia eumene</i>	(Cramer)	<i>Setabis epitus</i>	(Cramer)
<i>Mesosemia furia</i>	Stichel	<i>Setabis flammula</i>	(Bates)
<i>Mesosemia gigantea</i>	Stichel	<i>Setabis gelasine</i>	(Bates)
<i>Mesosemia ibycus</i>	Hewitson	<i>Setabis lagus inquinata</i>	(Bates)
<i>Mesosemia jucunda</i>	Stichel	<i>Setabis salvini</i>	(Staudinger)
<i>Mesosemia latizonata</i>	Butler	<i>Setabis striata</i>	(H.H.Druce)
<i>Mesosemia lycorias</i>	Stichel	<i>Setabis tapaja</i>	(Saunders)
<i>Mesosemia near macella</i>	Hewitson	<i>Setabis velutina</i>	(Butler)
<i>Mesosemia near modica</i>	Stichel	<i>Stalachtis calliope</i>	(Linnaeus)
<i>Mesosemia philocles egabella</i>	Bates	<i>Stalachtis phlegia</i>	(Cramer)
<i>Mesosemia near polyglauca</i>	Stichel	<i>Symmachia accusatrix</i>	Westwood
<i>Mesosemia scotina</i>	Stichel	<i>Symmachia cribrellum</i>	Stichel
<i>Mesosemia thera</i>	Godman	<i>Symmachia falcistrigata</i>	Stichel
<i>Mesosemia ulrica</i>	(Cramer)	<i>Symmachia miron</i>	Grose - Smith
<i>Mesosemia visenda</i>	Stichel	<i>Symmachia phaedra</i>	(Bates)
<i>Mesosemia</i>	sp. (11)	<i>Symmachia punctata</i>	Butler
<i>Metacharis lucius</i>	(Fabricius)	<i>Symmachia technema</i>	Stichel
<i>Metacharis regalis</i>	Butler	<i>Symmachia</i>	sp.
<i>Metacharis</i>	sp.	<i>Synargis abaris</i>	(Cramer)
<i>Mimocastnia rothschildi</i>	Seitz	<i>Synargis agle</i>	(Hewitson)
<i>Monethe albertus</i>	C. & R. Felder	<i>Synargis calyce</i>	(C. & R. Felder)
<i>Napaea lucilia</i>	(Möschler)	<i>Synargis near chaonia</i>	(Hewitson)
<i>Napaea near eucharila</i>	(Bates)	<i>Synargis near gela</i>	(Hewitson)
<i>Napaea near nepos</i>	(Fabricius)	<i>Synargis ochra</i>	(Bates)
<i>Notheme eumeus diadema</i>	Stichel	<i>Synargis orestes</i>	(Cramer)
<i>Nymphidium acherois</i>	(Boisduval)	<i>Synargis phylleus</i>	(Cramer)
<i>Nymphidium azanoides amazonensis</i>	Callaghan	<i>Synargis regulus</i>	(Fabricius)
<i>Nymphidium baetia</i>	Hewitson	<i>Synargis tytia</i>	(Cramer)
<i>Nymphidium caricae</i>	(Linnaeus)	<i>Syrmatia lamia</i>	Bates
<i>Nymphidium chione undimargo</i>	Seitz	<i>Syrmatia nyx</i>	(Hübner)
<i>Nymphidium derufata</i>	Lathy	<i>Thermone pais</i>	(Hübner)
<i>Nymphidium fulminans</i>	Bates	<i>Theope apheles</i>	Bates
<i>Nymphidium leucosia medusa</i>	H.H.Druce	<i>Theope comosa</i>	Stichel
<i>Nymphidium lisimon</i>	(Stoll) ssp.	<i>Theope decorata</i>	Godman & Salvin
<i>Nymphidium mantus</i>	(Cramer)	<i>Theope discus</i>	Bates
<i>Nymphidium minuta</i>	H.H.Druce	<i>Theope eudocia</i>	Westwood
<i>Nymphidium omois</i>	H.H.Druceewitson	<i>Theope near hypoleuca</i>	Bates
<i>Nymphidium phintobaphis erythraicum</i>	Hewitson	<i>Theope leucanthe</i>	Bates
<i>Nymphidium</i>	sp. (05)	<i>Theope lycaenina</i>	Bates
<i>Panara phereclus</i>	(Linnaeus)	<i>Theope near pedias</i>	Herrich - Schäffer
<i>" Panara "sicora</i>	Hewitson	<i>Theope near talna</i>	Godman & Salvin
<i>Pandemos pasiphae</i>	(Cramer)	<i>Theope thebais</i>	Hewitson
<i>Paraphthonia near molione</i>	(Godman)	<i>Theope near thepusa</i>	Hewitson
<i>Parcella amarynthina</i>	(C. & R. Felder)	<i>Theope near thestias</i>	Hewitson
<i>Parnes nycteis</i>	Westwood	<i>Theope</i>	sp. (5)
<i>Parnes philotes</i>	Westwood	<i>Thisbe irenea</i>	(Stoll)
<i>Perophthalma tullius</i>	(Fabricius)	<i>Thisbe palilis</i>	Stichel
<i>Phaenochitonia eanes</i>	(Godman)	<i>Thysanota galena</i>	(Bates)
<i>Phaenochitonia pyrophlegia</i>	Stichel	<i>Uraneis hyalina</i>	(Butler)
<i>Phaenochitonia sophistes</i>	(Bates)	<i>Xenandra prasinata</i>	(Thieme)
<i>Phaenochitonia</i>	sp.	<i>Xenandra pulcherrima</i>	(Herrich - Schäffer)

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Xylinias cynosema</i>	Hewitson ?	<i>Rekoa palegon</i>	(Cramer)
<i>Zelotaea phasma</i>	Bates	<i>Strymon near bazochii</i>	(Godart)
unidentified species 3		<i>Strymon basilides</i>	(Geyer)
		<i>Strymon bubastus</i>	(Stoll)
		<i>Strymon crambusa</i>	(Hewitson)
		<i>Strymon crossoea</i>	(Hewitson)
		<i>Strymon faunalia</i>	(Hewitson)
		<i>Strymon mulucha</i>	(Hewitson)
		<i>Strymon</i>	sp. (2)
		<i>Thecla buphonia</i>	Hewitson
<i>Arawacus aetolus separata</i>	(Lathy)	<i>Thecla calus</i>	(Godart)
<i>Arawacus near dumenelii</i>	(Godart)	<i>Thecla celmus</i>	(Cramer)
<i>Arcas imperialis</i>	(Cramer)	<i>Thecla near centoripa</i>	Hewitson
<i>Arcas magnifica</i>	Austin & Johnson	<i>Thecla near cerata</i>	Hewitson
<i>Arcas marginata</i>	Austin & Johnson	<i>Thecla cissusa</i>	Hewitson
<i>Arcas tuneta</i>	(Hewitson)	<i>Thecla cupentus</i>	(Stoll)
<i>Arcas viriditas</i>	Austin & Johnson	<i>Thecla cyllarus</i>	(Cramer)
<i>Calycopis atrius</i>	(Herrich - Schäffer)	<i>Thecla demonassa</i>	Hewitson
<i>Chalybs near janias</i>	(Cramer)	<i>Thecla near epidus</i>	Godman & Salvin
<i>Chlorostrymon telea</i>	(Hewitson)	<i>Thecla falerina</i>	Hewitson
<i>Cyanophrys</i>	sp. (2)	<i>Thecla halciones</i>	(Butler & H.Druce)
<i>Cycnus phalerus</i>	(Linnaeus)	<i>Thecla hemon</i>	(Cramer)
<i>Evenus gabriela</i>	(Cramer)	<i>Thecla hesperitis</i>	(Butler & H.Druce)
<i>Evenus ganymedes</i>	(Cramer)	<i>Thecla mecrida</i>	Hewitson
<i>Evenus regalis</i>	(Cramer)	<i>Thecla near minyia</i>	Hewitson
<i>Evenus tagyra</i>	(Hewitson)	<i>Thecla near una</i>	Hewitson
<i>Iaspis ambiguanota</i>	Austin & Johnson	<i>Thecla volumen</i>	H.H.Druce
<i>Iaspis flava</i>	Austin & Johnson	<i>Thecla viresco</i>	H.H.Druce
<i>Iaspis fumosa</i>	Austin & Johnson	<i>Theclopsis lydus</i>	(Hübner)
<i>Iaspis grandis</i>	Austin & Johnson	<i>Thestius pholeus</i>	(Cramer)
<i>Iaspis minuta</i>	Austin & Johnson	<i>Tmolus cydrara</i>	(Hewitson)
<i>Iaspis ornata</i>	Austin & Johnson	<i>Tmolus echion</i>	(Linnaeus)
<i>Iaspis purpurata</i>	Austin & Johnson	<i>Tmolus mutina</i>	(Hewitson)
<i>Iaspis rubicunda</i>	Austin & Johnson	<i>Tmolus opalia</i>	(Hewitson)
<i>Iaspis rufa</i>	Austin & Johnson	unidentified species (121)	
<i>Iaspis sinenota</i>	Austin & Johnson		
<i>Iaspis thabena</i>	(Hewitson)		
<i>Iaspis verania</i>	(Hewitson)		
<i>Janthecla leea</i>	Venables & Robbins		
<i>Janthecla malvina</i>	(Hewitson)		
<i>Janthecla rocena</i>	(Hewitson)		
<i>Janthecla sista</i>	(Hewitson)		
<i>Lamprospilus genius</i>	Geyer	<i>Doxocopa agathina agathina</i>	(Cramer)
<i>Macusia satyroides</i>	(Hewitson)	<i>Doxocopa felderi</i>	(Godman & Salvin)
<i>Michaelus ira</i>	(Hewitson)	<i>Doxocopa griseldis</i>	(C. & R. Felder)
<i>Michaelus jebus</i>	(Godart)	<i>Doxocopa lavinia</i>	(Butler)
<i>Michaelus thordesa</i>	(Hewitson)	<i>Doxocopa linda</i>	(C. & R. Felder)
<i>Michaelus vibidia</i>	(Hewitson)	<i>Doxocopa selina</i>	(Bates)
<i>Ministrymon phrutus</i>	(Geyer)		
<i>Ministrymon</i>	sp. (2)		
<i>Mithras nautes</i>	(Cramer)		
<i>Ocaria ocrisia</i>	(Hewitson)		
<i>Olyntus avoca</i>	(Hewitson)		
<i>Olyntus essus</i>	(Herrich-Schäffer)		
<i>Olyntus nitor</i>	(H.H.Druce)		
<i>Paiwarria telemus</i>	(Cramer)	<i>Aponarope sutor</i>	(Stichel)
<i>Panthiades bitias bitias</i>	(Cramer)	<i>Brassolis sophorae</i>	(Linnaeus)
<i>Panthiades boreas</i>	(C. & R. Felder)	<i>Caligo eurilochus</i>	(Cramer)
<i>Panthiades pelion</i>	(Cramer)	<i>Caligo idomeneus</i>	(Linnaeus)
<i>Parrhasius orgia teleontes</i>	(Druce)	<i>Caligo illioneus</i>	(Cramer)
<i>Parrhasius polibetes</i>	(Cramer)	<i>Caligo teucer</i>	(Linnaeus)
<i>Pseudolycaena marsyas</i>	(Linnaeus)	<i>Catoblepia berecynthia</i>	(Cramer)
<i>Rekoa meton</i>	(Cramer)	<i>Catoblepia soranus</i>	(Westwood)

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Catoblepia xanthicles orientalis</i>	Bristow	<i>Lycorea pasinuntia pasinuntia</i>	(Stoll)		
<i>Eryphanis automedon</i>	(Cramer)				
<i>Narope cyllabarus</i>	Westwood	NYMPHALIDAE			
<i>Narope cyllastros</i>	Doubleday				
<i>Opsiphanes cassiae rubigatus</i>	Stichel				
<i>Opsiphanes cassina</i>	C. & R. Felder				
<i>Opsiphanes invirae</i>	(Hübner)				
<i>Opsiphanes quiteria</i>	(Stoll)				
<i>Selenophanes cassiope</i>	(Cramer)				
NYMPHALIDAE		<i>Actinote pellenea</i>	Hübner		
		<i>Agraulis vanillae</i> near <i>catella</i>	(Stichel)		
		<i>Dione juno juno</i>	(Cramer)		
		<i>Dryadula phaetusa</i>	(Linnaeus)		
		<i>Dryas julia titio</i>	(Stichel)		
		<i>Eueides aliphera</i>	(Godart)		
Charaxinae		<i>Eueides isabella brunea</i>	Stichel		
		<i>Eueides lampeto lampeto</i>	Bates		
		<i>Eueides lybia lybia</i>	(Fabricius)		
		<i>Eueides tales pytharoras</i>	Kirby		
		<i>Eueides vibilia unifasciatus</i>	Butler		
		<i>Euptoieta hegesia hegesia</i>	(Cramer)		
<i>Archaeoprepona amphimachus amphimachus</i>	(Fabricius)	<i>Heliconius antiochus antiochus</i>	(Linnaeus)		
<i>Archaeoprepona demophon demophon</i>	(Linnaeus)	<i>Heliconius aede lucretius</i>	Weymer		
<i>Archaeoprepona demophon thebias</i>	Fruhstorfer	<i>Heliconius burneyi huebneri</i>	Staudinger		
<i>Archaeoprepona licomedes</i>	(Cramer)	<i>Heliconius demeter eratosignis</i>	Joicey & Talbot		
<i>Archaeoprepona meander</i>	(Cramer)	<i>Heliconius doeis doris</i>	(Linnaeus)		
<i>Consul fabius</i>	(Cramer)	<i>Heliconius elevatus aquilina</i>	Neustetter		
<i>Fountainea halice</i>	(Godart)	<i>Heliconius erato vetustus</i>	Salvin		
<i>Fountainea ryphea ryphea</i>	(Cramer)	<i>Heliconius ethilla jaruensis</i>	K. Brown		
<i>Hypna clytemnestra clytemnestra</i>	(Cramer)	<i>Heliconius ethilla eucoma</i>	(Hübner)		
<i>Memphis anna</i>	(Staudinger)	<i>Heliconius hecale nigrofasciatus</i>	Weymer		
<i>Memphis arachne psammis</i>	(C. & R. Felder)	<i>Heliconius leucadia pseudorhea</i>	Staudinger		
<i>Memphis basilia</i>	(Cramer)	<i>Heliconius melpomene madeira</i>	Riley		
<i>Memphis glauce</i>	(C. & R. Felder)	<i>Heliconius metharme</i>	(Erichson)		
<i>Memphis leonida</i>	(Cramer)	<i>Heliconius numata jiparanaensis</i>	Neustetter		
<i>Memphis lynceus</i>	(Röber) ?	<i>Heliconius numata lenaeus</i>	Weymer		
<i>Memphis morvus stheno</i>	(Prittwitz)	<i>Heliconius numata silvana</i>	(Stoll)		
<i>Memphis oenomais</i>	(Boisduval)	<i>Heliconius ricini</i>	(Linnaeus)		
<i>Memphis offa</i>	(Druce)	<i>Heliconius sara thamar</i>	(Hübner)		
<i>Memphis philumena philumena</i>	(Doubleday)	<i>Heliconius wallacei flavescens</i>	Weymer		
<i>Memphis polycarmes</i>	(Fabricius)	<i>Philaethria dido</i>	(Linnaeus)		
<i>Memphis polyxo</i>	(Druce)				
<i>Memphis vicina</i>	(Staudinger)	NYMPHALIDAE			
<i>Memphis xenocles xenocles</i>	(Westwood)				
<i>Polygrapha xenocrates xenocrates</i>	(Westwood)				
<i>Prepona dexamenes</i>	Höpffer				
<i>Prepona eugenes</i>	Bates				
<i>Prepona laertes</i>	(Hübner)				
<i>Prepona omphale</i>	(Hübner)	Ithomiinae			
<i>Prepona pheridamas</i>	(Cramer)				
<i>Prepona pseudomphale</i>	LeMoult			<i>Aeria elara</i>	Hewitson
<i>Prepona rothschildi</i>	LeMoult			<i>Aeria elarina</i>	Oberthür
<i>Siderone marthesia</i>	(Cramer)			<i>Aeria eurimedia</i>	(Cramer)
<i>Zaretis itys</i>	(Cramer)			<i>Athyrtis mechanitis salvini</i>	Srnka
NYMPHALIDAE		<i>Callithomia lenea</i>	(Cramer)		
		<i>Callithomia alexirrhoe schulzi</i>	Haensch		
		<i>Ceratinia jamariensis</i>	D'Almeida		
		<i>Ceratinia neso</i>	Hübner		
		<i>Dircenna loreta</i>	Haensch		
		<i>Episcada sidonia</i>	Haensch		
Danainae		<i>Forbestra equicola equicoloides</i>	(Godman & Salvin)		
		<i>Danaus erismus plexaure</i>	(Godart)	<i>Garsauritis xanthostola</i>	(Bates)
		<i>Danaus gilippus gilippus</i>	Cramer	<i>Godyris zavaleta</i>	(Hewitson)
		<i>Danaus plexippus</i>	(Linnaeus)	<i>Heterosais nephele</i>	Bates
		<i>Ituna ilione</i>	Cramer	<i>Hypoleria cymo</i>	(Hübner) ?
		<i>Lycorea cleobaea</i>	(Godart)	<i>Hypoleria fausta</i>	Staudinger

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Dynamine pebana</i>	Staudinger	<i>Tirigidia acesta</i>	(Linnaeus)		
<i>Dynamine racidula</i>	(Hewitson)	<i>Vila semistalachtis</i>	Hall		
<i>Dynamine theseus</i>	C. & R. Felder				
<i>Ectima iona</i>	Doubleday	NYMPHALIDAE Morphinae			
<i>Ectima thecla astricta</i>	Fruhstorfer				
<i>Eunica alpais alpais</i>	(Godart)				
<i>Eunica amelia erroneata</i>	Oberthür				
<i>Eunica anna</i>	(Cramer)				
<i>Eunica bechina bechina</i>	(Hewitson)				
<i>Eunica caelina alycia</i>	Fruhstorfer			<i>Antirrhea murena</i>	Staudinger
<i>Eunica concordia</i>	(Hewitson)			<i>Antirrhea taygetina taygetina</i>	Butler
<i>Eunica eurota eurota</i>	(Cramer)			<i>Caerois chorinaeus</i>	(Fabricius)
<i>Eunica ingens</i>	Seitz			<i>Morpho achilles achilles</i>	(Linnaeus)
<i>Eunica malvina malvina</i>	Bates	<i>Morpho adonis</i>	(Cramer)		
<i>Eunica marsolia paraensis</i>	Jenkins	<i>Morpho cisseis phanodemus</i>	Hewitson		
<i>Eunica monima</i>	(Cramer)	<i>Morpho deidamia</i>	(Hübner)		
<i>Eunica mygdonia mygdonia</i>	(Godart)	<i>Morpho helenor helenor</i>	(Cramer)		
<i>Eunica orphise</i>	(Cramer)	<i>Morpho menelaus</i>	(Linnaeus)		
<i>Eunica pusilla</i>	Bates	<i>Morpho perseus</i>	(Cramer) group		
<i>Eunica sophonisba agele</i>	Seitz	<i>Morpho rhetenor</i>	(Cramer)		
<i>Eunica sydonia sydonia</i>	(Godart)				
<i>Eunica tatila bellaria</i>	Fruhstorfer	NYMPHALIDAE Nymphalinae			
<i>Eunica veronica</i>	Bates				
<i>Eunica viola</i>	Bates				
<i>Eunica volumna celma</i>	(Hewitson)				
<i>Haematera pyramus pyramus</i>	(Hübner)				
<i>Hamadryas amphinome amphinome</i>	(Linnaeus)				
<i>Hamadryas arinome arinome</i>	(Lucas)	<i>Anartia amathea</i>	(Linnaeus)		
<i>Hamadryas chlos chloe</i>	(Stoll)	<i>Anartia jatropha</i>	(Linnaeus)		
<i>Hamadryas februa februa</i>	(Hübner)	<i>Castilia angusta</i>	(Hewitson)		
<i>Hamadryas feronia feronia</i>	(Linnaeus)	<i>Castilia schmitzorum</i>	Austin & Mielke		
<i>Hamadryas iphthime iphthime</i>	(Bates)	<i>Castilia</i>	sp.		
<i>Hamadryas laodamia laodamia</i>	(Cramer)	<i>Chlosyne lacinia saundersi</i>	(Doubleday)		
<i>Hamadryas velutina velutina</i>	(Bates)	<i>Eresia clara</i>	Bates		
<i>Historis acheronta acheronta</i>	(Fabricius)	<i>Eresia eunice eunice</i>	(Hübner)		
<i>Historis odius orion</i>	(Fabricius)	<i>Euresia nauplius extensa</i>	(Hall)		
<i>Marpesia berania</i>	(Hewitson)	<i>Hypanartia lethe</i>	(Fabricius)		
<i>Marpesia chiron</i>	(Fabricius)	<i>Mazia amzonica</i>	(Bates)		
<i>Marpesia crethon</i>	(Fabricius)	<i>Napeocles jacunda</i>	(Hübner)		
<i>Marpesia egina</i>	(Bates)	<i>Ortilia gentina</i>	Higgins		
<i>Marpesia hermione</i>	(C. & R. Felder)	<i>Precis evarete</i>	(Cramer)		
<i>Marpesia livius livius</i>	(Kirby)	<i>Siproeta stelenes</i>	(Linnaeus)		
<i>Marpesia norica</i>	(Hewitson)	<i>Tegosa anieta</i>	Higgins		
<i>Marpesia orsilochus</i>	(Fabricius)	<i>Tegosa similis</i>	Higgins		
<i>Marpesia petreus</i>	(Cramer)	<i>Telenassa burchelli</i>	(Moulton)		
<i>Marpesia tutelina</i>	(Hewitson)				
<i>Marpesia capenas capenas</i>	(Hewitson)	NYMPHALIDAE Satyrinae			
<i>Nessaea hewitsonii hewitsonii</i>	(C. & R. Felder)				
<i>Nessaea obrina faventia</i>	Fruhstorfer				
<i>Nica flavilla flavilla</i>	Hübner				
<i>Panacea divalis</i>	(Bates)				
<i>Panacea prola</i>	(Doubleday)				
<i>Paulogramma peristera pujoli</i>	Oberthür	<i>Amphidecta calliomma</i>	(Felder)		
<i>Peria lamis</i>	(Cramer)	<i>Bia actorion</i>	(Linnaeus)		
<i>Pyrrhogrya amphiro</i>	(Bates)	<i>Caeruleptychia brixius</i>	(Godart)		
<i>Pyrrhogrya crameri nautaca</i>	Fruhstorfer	<i>Caeruleptychia coelestis</i>	(Butler)		
<i>Pyrrhogrya edocla</i>	Doubleday	<i>Caeruleptychia near cyanitaes</i>	(Butler)		
<i>Pyrrhogrya nearea</i>	(Linnaeus)	<i>Caeruleptychia helios</i>	(Weymer)		
<i>Pyrrhogrya otolais</i>	Bates	<i>Caeruleptychia lobelia</i>	(Butler) ?		
<i>Pyrrhogrya stratonicus</i>	Fruhstorfer	<i>Caeruleptychia pilata</i>	(Butler)		
<i>Smyrna blomfieldia</i>	(Fabricius)	<i>Caeruleptychia near tenera</i>	(Weymer)		
<i>Temenis laothoe laothoe</i>	(Cramer)	<i>Caeruleptychia near umbrosa</i>	(Butler)		
<i>Temenis pulchra</i>	Hewitson	<i>Caeruleptychia cephus</i>	(Fabricius)		

Listagem das Borboletas Catalogadas em Rancho Grande

<i>Enantia licina</i>	(Cramer)		
<i>Enantia near melite</i>	(Linnaeus)		
<i>Eurema albula</i>	(Cramer)		
<i>Eurema elathea</i>	(Hewitson)		
<i>Eurema furtadoi</i>	Casagrade & Mielke		
<i>Eurema leuce</i>	(Boisduval)		
<i>Eurema paulina</i>	(Bates0)		
<i>Eurema phiale</i>	(Cramer)		
<i>Eurema venusta</i>	(Boisduval)		
<i>Hesperocharis hirlanda hirlanda</i>	(Stoll)		
<i>Hesperocharis nera</i>	(Hewitson)		
<i>Itaballia demophile</i>	(Linnaeus)		
<i>Itaballia pisonis</i>	(Hewitson)		
<i>Leucidia brephos</i>	(Hübner)		
<i>Leucidia elvina</i>	(Godart)		
<i>Melete lycimnia</i>	(Cramer)		
<i>Perrhybris pyrtha</i>	(Fabricius)		
<i>Phoebis argante argante</i>	(Fabricius)		
<i>Phoebis philea</i>	(Linnaeus)		
<i>Phoebis sennae marcellina</i>	(Cramer)		
<i>Phoebis trite</i>	(Linnaeus)		
<i>Pseudopieris near nehemia</i>	(Boisduval)		