




# SU-412 / Sunray Grille

## Spec Sheet



### MODEL: SU-412

- Duct Size Dimensions: 10.00" x 2.25"
- Outside Dimensions: 12.00" x 3.50"
- Design Dimensions: 8.61" x 1.57"
- Free Air: 83%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-414 / Sunray Grille

## Spec Sheet



### MODEL: SU-414

- Duct Size Dimensions: 12.00" x 2.25"
- Outside Dimensions: 14.00" x 3.50"
- Design Dimensions: 10.37" x 1.57"
- Free Air: 83%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-416 / Sunray Grille

## Spec Sheet



### MODEL: SU-416

- Duct Size Dimensions: 14.00" x 2.25"
- Outside Dimensions: 16.00" x 3.50"
- Design Dimensions: 12.13" x 1.57"
- Free Air: 83%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-610 / Sunray Grille

## Spec Sheet



### MODEL: SU-610

- Duct Size Dimensions: 8.00" x 4.00"
- Outside Dimensions: 10.00" x 5.50"
- Design Dimensions: 6.85" x 3.33"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-612 / Sunray Grille

## Spec Sheet



### MODEL: SU-612

- Duct Size Dimensions: 10.00" x 4.00"
- Outside Dimensions: 12.00" x 5.50"
- Design Dimensions: 8.61" x 3.33"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-614 / Sunray Grille

## Spec Sheet



### MODEL: SU-614

- Duct Size Dimensions: 12.00" x 4.00"
- Outside Dimensions: 14.00" x 5.50"
- Design Dimensions: 10.37" x 3.33"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-616 / Sunray Grille

## Spec Sheet



### MODEL: SU-616

- Duct Size Dimensions: 14.00" x 4.00"
- Outside Dimensions: 16.00" x 5.50"
- Design Dimensions: 12.13" x 3.33"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____ LOCATION: _____ ARCHITECT: _____ ENGINEER: _____ CONTRACTOR: _____	SUBMITTED BY: _____  
--	-----------------------------



# SU-808 / Sunray Grille

## Spec Sheet



### MODEL: SU-808

- Duct Size Dimensions: 6.00" x 6.00"
- Outside Dimensions: 8.00" x 8.00"
- Design Dimensions: 5.09" x 5.09"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:

- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 3/16" not recommended
- Aluminum available in 3/16" only


JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	





# SU-812 / Sunray Grille

## Spec Sheet



### MODEL: SU-812

- Duct Size Dimensions: 10.00" x 6.00"
- Outside Dimensions: 12.00" x 8.00"
- Design Dimensions: 8.61" x 5.09"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-814 / Sunray Grille

## Spec Sheet



### MODEL: SU-814

- Duct Size Dimensions: 12.00" x 6.00"
- Outside Dimensions: 14.00" x 8.00"
- Design Dimensions: 10.37" x 5.09"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-816 / Sunray Grille

## Spec Sheet



### MODEL: SU-816

- Duct Size Dimensions: 14.00" x 6.00"
- Outside Dimensions: 16.00" x 8.00"
- Design Dimensions: 12.13" x 5.09"
- Free Air: 78%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-1010 / Sunray Grille

## Spec Sheet



### MODEL: SU-1010

- Duct Size Dimensions: 8.00" x 8.00"
- Outside Dimensions: 10.00" x 10.00"
- Design Dimensions: 6.85" x 6.85"
- Free Air: 76%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 3/16" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-1012 / Sunray Grille

## Spec Sheet



### MODEL: SU-1012

- Duct Size Dimensions: 10.00" x 8.00"
- Outside Dimensions: 12.00" x 10.00"
- Design Dimensions: 8.61" x 6.85"
- Free Air: 76%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 3/16" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-1014 / Sunray Grille

## Spec Sheet



### MODEL: SU-1014

- Duct Size Dimensions: 12.00" x 8.00"
- Outside Dimensions: 14.00" x 10.00"
- Design Dimensions: 10.37" x 6.85"
- Free Air: 76%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-1016 / Sunray Grille

## Spec Sheet



### MODEL: SU-1016

- Duct Size Dimensions: 14.00" x 8.00"
- Outside Dimensions: 16.00" x 10.00"
- Design Dimensions: 12.13" x 6.85"
- Free Air: 76%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:


- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 1/8" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	



# SU-1212 / Sunray Grille

## Spec Sheet



### MODEL: SU-1212

- Duct Size Dimensions: 10.00" x 10.00"
- Outside Dimensions: 12.00" x 12.00"
- Design Dimensions: 8.61" x 8.61"
- Free Air: 75%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:

- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 3/16" not recommended
- Aluminum available in 3/16" only


JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	





# SU-1414 / Sunray Grille

## Spec Sheet



### MODEL: SU-1414

- Duct Size Dimensions: 12.00" x 12.00"
- Outside Dimensions: 14.50" x 14.50"
- Design Dimensions: 10.37" x 10.36"
- Free Air: 76%
- Made in USA

#### OPTIONS:

- **Material:**  Aluminum  Steel
- **Thickness:**  1/8"  3/16"
- **Finish:**  Black  Champagne Bronze  Grey  
 Oil-Rubbed Bronze  Satin Nickel  Silver  
 Sun Gold  White
- With Holes (as shown)  
 No Holes (cross out holes on drawing)
- Underside Lip  No Underside Lip
- With Louver  Without Louver

#### NOTES:

- Pattern scale subject to change with size of grille
- Wall and Ceiling Installation: requires Holes/screws
- Floor Installation:
  - Requires Underside Lip when you choose No Holes
  - Thickness 3/16" not recommended
- Aluminum available in 3/16" only

JOB NAME: _____	SUBMITTED BY: _____
LOCATION: _____	
ARCHITECT: _____	
ENGINEER: _____	
CONTRACTOR: _____	