



8431 Murphy Drive  
Middleton, Wisconsin 53562

Telephone: 608-836-4400  
Facsimile: 608-831-9279  
www.intertek-ettsemko.com

## Certificate of Compliance

No. CF 14692 05-15-09-02

This is to certify that the under mentioned manufacturer

### DUNBARTON CORPORATION

1101 Technology Drive, Dothan, Alabama 36303  
Telephone: 1-334-794-0661; Fax: 1-334-793-7022

Is a Listed manufacturer or assembler of Product(s) specified below,  
under the Warnock Hersey (WH) label service.

### FIRE RESISTANT PRODUCT

REDIFRAME: Roll Formed Steel Knock-Down Door Frame using 18 or 20 gauge steel. Optional Kerf Gaskets Insert for installation in single swing or pairs in 20 minute (1/3 Hour), 45 minute (3/4 Hour), 60 minute (1 Hour), and 90 minute (1-1/2 Hour) locations in steel/wood stud drywall or masonry openings.

### TESTING STANDARD(S)

- UL10C – Standard for Positive Pressure Tests of Door Assemblies
- UBC 7-2 (1997) – Fire Tests of Door Assemblies
- NFPA 252 – Standard for Fire Tests of Door Assemblies
- CAN4 S104 - Standard Method for Fire Tests of Door Assemblies
- ANSI/NFPA 80 – Installation of Standard Fire Doors & Fire Windows

Additional Information:

This certificate is only valid under Intertek Inspection, and Labelling Services. Only those products bearing the Warnock Hersey registered certification mark should be considered as being covered by Intertek Certification and Surveillance Services.

Issued: 2009 June 15

Signed:

Timm J. Schaeffer  
Engineer / Manager of Inspections

