



8431 Murphy Drive
Middleton, Wisconsin 53562

Telephone: 608-836-4400
Facsimile: 608-831-9279
www.intertek-ettsemko.com

Certificate of Compliance

No. CF 14692 05-15-09-01

This is to certify that the under mentioned manufacturer

DUNBARTON CORPORATION

1101 Technology Drive, Dothan, Alabama 36303
Telephone: 1-334-794-0661; Fax: 1-334-793-7022

Is a Listed manufacturer or assembler of Product(s) specified below,
under the Intertek label service.

FIRE RESISTANT PRODUCT

REDIFLEX: Roll Formed Steel Adjustable Door Frame using 18 or 20 gauge base and 18 or 22 gauge closure sections. Optional Kerf Gaskets Insert for installation in single swing in 20 minute (1/3 Hour), 45 minute (3/4 Hour), 60 minute (1 Hour), and 90 minute (1-1/2 Hour) locations in steel/wood stud drywall or masonry openings.

TESTING STANDARD(S)

UL10C – Standard for Positive Pressure Tests of Door Assemblies
UBC 7-2 (1997) – Fire Tests of Door Assemblies
NFPA 252 – Standard for Fire Tests of Door Assemblies
ANSI/NFPA 80 – Installation of Standard Fire Doors & Fire Windows

Additional Information:

This certificate is only valid under Intertek Inspection, and Labelling Services. Only those products bearing the Warnock Hersey registered certification mark should be considered as being covered by Intertek Certification and Surveillance Services.

Issued: 2009 June 15

Signed:

Timm J. Schaeffer
Engineer / Manager of Inspections

