



The following excerpt has been taken from the Christopher & Dana Reeve Foundation Paralysis Resource Center website.

http://www.christopherreeve.org/site/c.mtKZKGMWKwG/b.4453413/k.5E2A/Autonomic_Dysreflexia.htm

Autonomic Dysreflexia

Autonomic dysreflexia (AD) is a potentially life threatening condition that can be considered a medical emergency. It mainly affects people with injuries at T-6 or higher. Although rare, some people with T-7 and T-8 injuries have developed autonomic dysreflexia.

AD requires quick and correct action. Serious AD can lead to a stroke. Because many health professionals are not familiar with this condition it is important for people who are at risk for AD, and the people close to them, to learn about it. It is important to know your normal blood pressure numbers and check your blood pressure often. If you see a big increase in your blood pressure this may be a sign of autonomic dysreflexia.

What to do

The first thing to do if AD is suspected is to sit up, or raise your head to 90 degrees. If you can lower your legs, do so. Next, loosen or remove anything tight. Most importantly, locate and remove the offending stimulus, if possible.

The signs of AD include:

- High blood pressure (higher than one's normal pressure)
- Pounding headache, flushed face
- Sweating above level of spinal injury
- Nasal stuffiness, nausea
- Slow pulse, lower than 60 beats per minute
- Goose flesh below level of spinal injury

AD is caused by an irritant below the level of injury, usually related to bladder or bowel function. Among the causes are:

- Irritation of bladder wall, urinary tract infection
- Blocked catheter
- Overfilled collection bag
- Over-distended or irritated bowel, constipation/impaction
- Hemorrhoids or anal infections

- Skin infection or irritation, cuts, bruises, abrasions
- Pressure sores (decubitus ulcer)
- Ingrown toenails
- Burns (including sunburn, burns from using hot water)
- Tight or restrictive clothing
- Sexual activity
- Menstrual cramps
- Labor and delivery
- Abdominal conditions (gastric ulcer, colitis, peritonitis)
- Bone fractures

AD can be prevented.

- Relieve pressure in bed/chair -- frequently
- Use #15 sunscreen, watch water temperatures
- Adhere to bowel program, faithfully
- Keep catheters clean and stick to catheterization schedule

What happens during an episode of AD?

Autonomic dysreflexia means an over-activity of the autonomic nervous system – the part of the system that controls things you don't have to think about, such as heart rate, breathing, digestion, etc. AD can occur when an irritating stimulus is introduced to the body below the level of injury. The stimulus sends nerve impulses to the spinal cord, where they travel upward until they are blocked at the level of injury.

Since the impulses cannot reach the brain, a reflex is activated that increases activity of the sympathetic portion of autonomic nervous system. This results in spasms and a narrowing of the blood vessels, which causes a rise in the blood pressure. Nerve receptors in the heart and blood vessels detect this rise in blood pressure and send a message to the brain.

The brain then sends a message to the heart, causing the heartbeat to slow down and the blood vessels above the level of injury to dilate. However, the brain cannot send messages below the level of injury, due to the spinal cord lesion, and therefore the blood pressure cannot be regulated.

Medications are generally used only if the offending trigger/stimulus cannot be identified and removed - or when an episode persists even after removal of the suspected cause. Potentially useful agents include: Nitroglycerine, Clonidine, Hydralazine, Minipress, Catapres.

Sources: Paralyzed Veterans of America, Spinal Injuries Association, London, National Spinal Cord Injury Association, Miami Project to Cure Paralysis/University of Miami School of Medicine

Web Sites

<http://www.ChristopherReeve.org/adcard>

Christopher & Dana Reeve Foundation: Autonomic Dysreflexia Wallet Cards

Free AD wallet cards for adults and children. You may download a copy or order a laminated version from the Reeve Foundation. The order form is online at the above link or you may call us toll-free 800-539-7309 x7224. Feel free to share the information on the card with your medical team as it was developed with the help of physicians at the Kennedy Krieger Institute.

<https://craighospital.org/resources/disreflexia-autónoma>

Craig Hospital: Autonomic Dysreflexia

<http://www.pva.org>

Paralyzed Veterans of America (PVA)

The Paralyzed Veterans of America, in support of The Consortium for Spinal Cord Medicine, offers authoritative clinical practice guidelines for autonomic dysreflexia. Note that PVA offers one document for the consumer or patient and a different one for the healthcare professional. Download for free at PVA's site.

<http://calder.med.miami.edu/pointis/automatic.html>

University of Miami School of Medicine: Other Conditions of Spinal Cord Injury – Autonomic Dysreflexia (Hyperreflexia)

This page provides information on symptoms, causes, treatment, and prevention of AD.

<http://www.uab.edu/medicine/sci/daily-living/managing-personal-health/secondary-medical-conditions/autonomic-dysreflexia>

Spinal Cord Injury Information Network: Autonomic Dysreflexia

The Spinal Cord Injury Information Network features articles and references for AD and all other SCI conditions.

<http://emedicine.medscape.com/article/322809-overview>

Medscape: Autonomic Dysreflexia in Spinal Cord Injury

This page has clinical information on AD.

<http://www.apparelyzed.com/autonomic.html>

Apparelyzed: Autonomic Dysreflexia and Hyperreflexia

This page has information on AD and its causes.

Online Videos

http://sci.washington.edu/info/forums/reports/autonomic_dysreflexia.asp

Northwest Regional Spinal Cord Injury System: Autonomic Dysreflexia. Seattle: University of Washington, 2007. (35 minutes)

This page has text and video of an October 9, 2007 presentation by Janna Friedlv, MD, assistant professor in the Department of Rehabilitation Medicine at the University of Washington.



REEVE FOUNDATION

LENDING LIBRARY

The following booklets are available for free loan from the PRC library. For more information, please visit the online catalog at:

<http://www1.youseemore.com/ReevePRC/default.asp>

They are also available for free download from Paralyzed Veterans of America (PVA). Go to www.pva.org, click on *Publications* at the top, then click on *Guidelines and Publications* on the left, then click *Download CPGs and Consumer Guides*, and then click *Consumer Guides* (for “Autonomic Dysreflexia: What You Should Know”) or *Clinical Practice Guidelines* (for “Acute Management of Autonomic Dysreflexia”).

Booklets

- **Autonomic Dysreflexia: What You Should Know.** Washington, DC: Consortium for Spinal Cord Medicine (CSCM), 1997.
Written for the consumer. Available from Paralyzed Veterans of America as a free PDF file.
- **Acute Management of Autonomic Dysreflexia: Individuals with Spinal Cord Injury Presenting to Health-Care Facilities.** Washington, DC: Consortium for Spinal Cord Medicine (CSCM), 2001. 2nd edition.
Written for the physician or other health care professional. Available from Paralyzed Veterans of America as a free PDF file.

The information contained in this message is presented for the purpose of educating and informing you about paralysis and its effects. Nothing contained in this message should be construed nor is intended to be used for medical diagnosis or treatment. It should not be used in place of the advice of your physician or other qualified health care provider.

Should you have any health care related questions, please call or see your physician or other qualified health care provider promptly. Always consult with your physician or other qualified health care provider before embarking on a new treatment, diet or fitness program. You should never disregard medical advice or delay in seeking it because of something you have read in this message.

This project was supported, in part by grant number 90PR3002, from the U.S. Administration for Community Living, Department of Health and Human Services, Washington, D.C. 20201. Grantees undertaking projects under government sponsorships are encouraged to express freely their findings and conclusions. Points of view or opinions do not, therefore, necessarily represent official Administration for Community Living policy.