SAFETY DATA SHEET

1. Identification

Product identifier Multi Green II

Other means of identification

Product code 32084

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label. **Manufacturer/Importer/Supplier/Distributor information**

Manufacturer

Company name Regal Chemical Company

Address 600 Branch Dr.

Alpharetta, GA 30004

United States

Telephone (770) 475-4837
Website www.regalchem.com
E-mail Not available.

Emergency phone number (770) 475-4837

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 2A Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 1

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Causes serious eye irritation. May cause damage to organs through

prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to aquatic life with long

Category 1

lasting effects.

Precautionary statement

Prevention Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when

using this product. Avoid release to the environment. Wear eye/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical advice/attention if you feel unwell. Rinse mouth. If eye irritation persists: Get medical

advice/attention. Collect spillage.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

16.6% of the mixture consists of component(s) of unknown acute oral toxicity. 34.79% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 34.79% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
FERROUS SULFATE		7782-63-0	10 - < 20*
Cupric Sulfate, pentahydrate		7758-99-8	1 - < 3*
Manganese Sulfate, monohydrate		10034-96-5	1 - < 3*
Zinc Sulfate		7733-02-0	1 - < 3*
Propylene glycol		57-55-6	< 0.1*
Other components below reportable leve	els		70 - < 80

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

Get medical advice/attention if you feel unwell. Get medical attention if symptoms occur.

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye Most important irritation. Prolonged exposure may cause chronic effects. symptoms/effects, acute and

delayed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim Indication of immediate medical attention and special

under observation. Symptoms may be delayed. treatment needed

General information If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show

this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing Do not use water jet as an extinguisher, as this will spread the fire. media

During fire, gases hazardous to health may be formed. Specific hazards arising from the chemical

Special protective equipment Self-contained breathing apparatus and full protective clothing must be worn in case of fire. and precautions for firefighters

Move containers from fire area if you can do so without risk. Fire-fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials. Specific methods

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Multi Green II SDS US

Methods and materials for containment and cleaning up

Large Spills: This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Do not breathe mist or vapor. Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

-	its for Air Contaminants (29 CFR 1910.100 Type	Value	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
US. ACGIH Threshold Lin			
Components	Туре	Value	Form
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guid	e to Chemical Hazards		
Components	Туре	Value	Form
Cupric Sulfate, pentahydrate (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
Manganese Sulfate, monohydrate (CAS	STEL	3 mg/m3	Fume.
10034-96-5)			
10034-96-5)	TWA	1 mg/m3	Fume.
•	TWA vironmental Exposure Level (WEEL) Guide	· ·	Fume.
•		· ·	Fume.
US. AIHA Workplace Env	vironmental Exposure Level (WEEL) Guide	es	
US. AIHA Workplace Env Components Propylene glycol (CAS	vironmental Exposure Level (WEEL) Guide Type	Value 10 mg/m3	Form
US. AIHA Workplace Env Components Propylene glycol (CAS 57-55-6)	vironmental Exposure Level (WEEL) Guide Type TWA	Value 10 mg/m3 the ingredient(s). ir changes per hour) should belicable, use process enclosue in airborne levels below reconstants.	Form Aerosol. De used. Ventilation rates res, local exhaust ventilation, mmended exposure limits. If
US. AIHA Workplace Env Components Propylene glycol (CAS 57-55-6) logical limit values propriate engineering introls	rironmental Exposure Level (WEEL) Guide Type TWA No biological exposure limits noted for Good general ventilation (typically 10 a should be matched to conditions. If appor other engineering controls to maintai exposure limits have not been establish	Value 10 mg/m3 the ingredient(s). ir changes per hour) should to the ingredient should be the	Form Aerosol. De used. Ventilation rates res, local exhaust ventilation mmended exposure limits. If
US. AIHA Workplace Env Components Propylene glycol (CAS 57-55-6) logical limit values propriate engineering introls	Type TWA No biological exposure limits noted for a should be matched to conditions. If appor or other engineering controls to maintait exposure limits have not been establish eyewash station.	Value 10 mg/m3 the ingredient(s). ir changes per hour) should be the lidicable, use process enclosure in airborne levels below recomed, maintain airborne levels	Form Aerosol. De used. Ventilation rates res, local exhaust ventilation mmended exposure limits. If
US. AIHA Workplace Env Components Propylene glycol (CAS 57-55-6) logical limit values propriate engineering itrols	Type TWA No biological exposure limits noted for a should be matched to conditions. If appor or other engineering controls to maintait exposure limits have not been establish eyewash station.	Value 10 mg/m3 the ingredient(s). ir changes per hour) should the should be should	Form Aerosol. De used. Ventilation rates res, local exhaust ventilation mmended exposure limits. If

Material name: Multi Green II
913 Version #: 02 Revision date: 01-29-2016 Issue date: 01-29-2016

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid.

Color Not available. Odor Not available. **Odor threshold** Not available.

Ha 6 - 6.5

Salt-Out / Crystallization Temp Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available. range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

1.28 g/cm3 (typical) Relative density

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available.

Other information

Viscosity

Percent volatile 61.27 % estimated Pounds per gallon 10.7 lb/gal (typical)

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

Material name: Multi Green II SDS US

11. Toxicological information

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Inhalation Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure by inhalation.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

irritation.

Information on toxicological effects

Acute toxicity Harmful if swallowed. Not known.

Product	Species	Test Results
Multi Green II (CAS Mixtur	re)	
Acute		
Oral		
LD100	Mouse	2218.8274 mg/kg estimated
LD50	Mouse	16289.8936 mg/kg estimated
	Rat	33478.8633 mg/kg estimated
Other		
LD100	Mouse	9085.252 mg/kg estimated
LD50	Mouse	3982.5667 mg/kg estimated
	Rabbit	402.0101 g/kg estimated
Components	Species	Test Results
Cupric Sulfate, pentahydra	ate (CAS 7758-99-8)	
Acute		
Oral		50 #
LD100	Mouse	50 mg/kg
LD50	Rat	960 mg/kg
Other	-	
LD50	Rabbit	> 8 g/kg
	hydrate (CAS 10034-96-5)	
Acute		
<i>Oral</i> LD100	Mouse	305 mg/kg
Other	Wouse	303 Hig/kg
LD100	Mouse	146 mg/kg
LD50	Mouse	64 mg/kg
Propylene glycol (CAS 57-		o u mg/kg
Acute	-55-0)	
Oral		
LD50	Dog	19 g/kg
	Guinea pig	18.4 g/kg
	Mouse	23.9 g/kg
	Rabbit	18 g/kg
	Rat	30 g/kg
Other	1 (6)	oo gang
LD50	Mouse	6630 mg/kg
	Rat	6423 mg/kg
		€ . <u>−</u> € g g

Material name: Multi Green II SDS US

Components Species Test Results

Zinc Sulfate (CAS 7733-02-0)

Acute

Dermal

LD50 Rat > 2000 mg/kg

Oral

LD50 Rat 623 mg/kg

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Causes serious eye irritation.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicityThis product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

12. Ecological information

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
Multi Green II (CAS M	lixture)		
Aquatic			
Crustacea	EC50	Daphnia	372.5025 mg/l, 48 hours estimated
Fish	LC50	Fish	33.1317 mg/l, 96 hours estimated
Components		Species	Test Results
Cupric Sulfate, pentah	nydrate (CAS 7758-	99-8)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.0058 - 0.0073 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/l, 96 hours
Manganese Sulfate, m	nonohydrate (CAS	10034-96-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Propylene glycol (CAS	6 57-55-6)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	29485 - 39339 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

Components		Species	Test Results
Zinc Sulfate (CAS 773	33-02-0)		
Aquatic			
Algae	LC50	Green algae (Chlorella vulgaris)	5 mg/l, 24 hours
Crustacea	EC50	Amphipod (Crangonyx pseudogracilis)	15.1 - 24.5 mg/l, 96 hours
		Rotifer (Philodina acuticornis)	0.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	10.62 - 11.3 mg/l, 5 days
			0.168 - 0.25 mg/l, 96 hours
		Fish (Lepidocephalichthyes guntea)	76 - 118.8 mg/l, 24 hours

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Propylene glycol -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 781 lbs (73 gallons); 354 kg (276 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

DOT

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate, pentahydrate RQ = 781)

Transport hazard class(es)

Class 9
Subsidiary risk Label(s) 9
Packing group III
Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

Packaging exceptions 155
Packaging non bulk 203
Packaging bulk 241

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

IATA

UN number UN3082

UN proper shipping name Environmentally hazardous substance, liquid, n.o.s. (Cupric Sulfate, pentahydrate)

Transport hazard class(es)

9 Class Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 91

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo Allowed. aircraft

Allowed. Cargo aircraft only

IMDG

UN3082 **UN** number

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cupric Sulfate, **UN** proper shipping name

pentahydrate)

Transport hazard class(es)

Class 9 Subsidiary risk Ш Packing group **Environmental hazards**

Marine pollutant Yes F-A, S-F **EmS**

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

General information Not DOT regulated in domestic (USA ground) transportation in package sizes less than 781 lbs (73

gallons); 354 kg (276 liters). The DOT transportation information below is for shipments with

package sizes equal to or exceeding this value.

DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

FERROUS SULFATE (CAS 7782-63-0) Listed. Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed. Zinc Sulfate (CAS 7733-02-0) Listed.

Material name: Multi Green II SDS US

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Cupric Sulfate, pentahydrate	7758-99-8	1 - < 3	
Manganese Sulfate, monohydrate	10034-96-5	1 - < 3	
Zinc Sulfate	7733-02-0	1 - < 3	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

FERROUS SULFATE (CAS 7782-63-0)

Zinc Sulfate (CAS 7733-02-0)

US. New Jersey Worker and Community Right-to-Know Act

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Propylene glycol (CAS 57-55-6)

Zinc Sulfate (CAS 7733-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

FERROUS SULFATE (CAS 7782-63-0)

Propylene glycol (CAS 57-55-6)

Zinc Sulfate (CAS 7733-02-0)

US. Rhode Island RTK

FERROUS SULFATE (CAS 7782-63-0)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Zinc Sulfate (CAS 7733-02-0)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Country(s) or regionInventory nameOn inventory (yes/no)*JapanInventory of Existing and New Chemical Substances (ENCS)No

KoreaExisting Chemicals List (ECL)NoNew ZealandNew Zealand InventoryYes

Philippines Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

 Issue date
 01-29-2016

 Revision date
 01-29-2016

Version # 02

Disclaimer The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision Information Transport Information: Material Transportation Information