



## Main Manuscript for

## Reimagine Fire Science for the Anthropocene

Jacquelyn K. Shuman<sup>1</sup>, Jennifer K. Balch<sup>2</sup>, Rebecca T. Barnes<sup>3</sup>, Philip E. Higuera<sup>4</sup>, Christopher I. Roos<sup>5</sup>, Dylan W. Schwilk<sup>6</sup>, E. Natasha Stavros<sup>2</sup>, Tirtha Banerjee<sup>7</sup>, Megan M. Bela<sup>8,9</sup>, Jacob Bendix<sup>10</sup>, Sandro Bertolino<sup>11</sup>, Solomon Bililign<sup>12</sup>, Kevin D. Bladon<sup>13</sup>, Paulo Brando<sup>14</sup>, Robert E. Breidenthal<sup>15</sup>, Brian Buma<sup>16</sup>, Donna Calhoun<sup>17</sup>, Leila M. V. Carvalho<sup>18</sup>, Megan E. Cattau<sup>19</sup>, Kaelin M. Cawley<sup>20</sup>, Sudeep Chandra<sup>21</sup>, Melissa L. Chipman<sup>22</sup>, Jeanette Cobian-Iñiguez<sup>23</sup>, Erin Conlisk<sup>24</sup>, Jonathan D. Coop<sup>25</sup>, Alison Cullen<sup>26</sup>, Kimberley T. Davis<sup>4</sup>, Archana Dayalu<sup>27</sup>, Fernando De Sales<sup>28</sup>, Megan Dolman<sup>19</sup>, Lisa M. Ellsworth<sup>29</sup>, Scott Franklin<sup>30</sup>, Christopher H. Guiterman<sup>8,31</sup>, Matthew Hamilton<sup>32</sup>, Erin J. Hanan<sup>33</sup>, Winslow D. Hansen<sup>34</sup>, Stijn Hantson<sup>35</sup>, Brian J. Harvey<sup>36</sup>, Andrés Holz<sup>37</sup>, Tao Huang<sup>19</sup>, Matthew D. Hurteau<sup>38</sup>, Nayani T. Ilangakoon<sup>2</sup>, Megan Jennings<sup>39</sup>, Charles Jones<sup>18</sup>, Anna Klimaszewski-Patterson<sup>40</sup>, Leda N. Kobziar<sup>41</sup>, John Kominoski<sup>42</sup>, Branko Kosovic<sup>43</sup>, Meg A. Krawchuk<sup>44</sup>, Paul Laris<sup>45</sup>, Jackson Leonard<sup>46</sup>, S. Marcela Loria-Salazar<sup>47</sup>, Melissa Lucash<sup>48</sup>, Hussam Mahmoud<sup>49</sup>, Ellis Margolis<sup>50</sup>, Toby Maxwell<sup>51</sup>, Jessica L. McCarty<sup>52</sup>, David B. McWethy<sup>53</sup>, Rachel S. Meyer<sup>54</sup>, Jessica R. Miesel<sup>55</sup>, W. Keith Moser<sup>46</sup>, R. Chelsea Nagy<sup>2</sup>, Dev Niyogi<sup>56</sup>, Hannah M. Palmer<sup>57</sup>, Adam Pellegrini<sup>58</sup>, Benjamin Poulter<sup>59</sup>, Kevin Robertson<sup>60</sup>, Adrian V. Rocha<sup>61</sup>, Mojtaba Sadegh<sup>62</sup>, Fernanda Santos<sup>63</sup>, Facundo Scordo<sup>64,65</sup>, Joseph O. Sexton<sup>66</sup>, A. Surjalal Sharma<sup>67</sup>, Alistair M. S. Smith<sup>68,69</sup>, Amber J. Soja<sup>70,71</sup>, Christopher Still<sup>44</sup>, Tyson Swetnam<sup>72</sup>, Alexandra D. Syphard<sup>73</sup>, Morgan W. Tingley<sup>74</sup>, Ali Tohidi<sup>75</sup>, Anna T. Trugman<sup>18</sup>, Merritt Turetsky<sup>76</sup>, J. Morgan Varner<sup>60</sup>, Yuhang Wang<sup>77</sup>, Thea Whitman<sup>78</sup>, Stephanie Yelenik<sup>79</sup>, Xuan Zhang<sup>57</sup>

<sup>1</sup>Climate and Global Dynamics Laboratory, National Center for Atmospheric Research, Boulder, CO, USA

<sup>2</sup>Earth Lab, CIRES, University of Colorado Boulder, Boulder, CO, USA

<sup>3</sup>Environmental Studies Program, Colorado College, Colorado Springs, CO, USA

<sup>4</sup>Department of Ecosystem and Conservation Sciences, University of Montana, Missoula, MT, USA

<sup>5</sup>Department of Anthropology, Southern Methodist University, Dallas, TX, USA

<sup>6</sup>Department of Biological Sciences, Texas Tech University, Lubbock, TX, USA

<sup>7</sup>University of California, Irvine, CA, USA

- 36 <sup>8</sup>Cooperative Institute for Research in Environmental Sciences (CIRES), University of Colorado at  
37 Boulder, Boulder, CO, USA
- 38 <sup>9</sup>NOAA Chemical Sciences Laboratory, Boulder, CO, USA
- 39 <sup>10</sup>Department of Geography and the Environment, Syracuse University, Syracuse, NY, USA
- 40 <sup>11</sup>Department of Life Sciences and Systems Biology, University of Turin, Torino, Italy
- 41 <sup>12</sup>Department of Physics, North Carolina A&T State University, Greensboro, NC, USA
- 42 <sup>13</sup>Department of Forest Engineering, Resources, and Management, Oregon State University,  
43 Corvallis, OR, USA
- 44 <sup>14</sup>Earth System Science, University of California Irvine, Irvine, CA USA
- 45 <sup>15</sup>Department of Aeronautics & Astronautics, University of Washington, Seattle, WA, USA
- 46 <sup>16</sup>Integrative Biology, University of Colorado Denver, Denver, CO, USA
- 47 <sup>17</sup>Department of Mathematics, Boise State University, Boise, ID, USA
- 48 <sup>18</sup>Department of Geography, University of California Santa Barbara, Santa Barbara, CA, USA
- 49 <sup>19</sup>Human-Environment Systems, Boise State University, Boise, ID, USA
- 50 <sup>20</sup>National Ecological Observatory Network, Battelle, Boulder, CO, USA
- 51 <sup>21</sup>Global Water Center, University of Nevada, Reno, NV, USA
- 52 <sup>22</sup>Department of Earth and Environmental Sciences, Syracuse University, Syracuse, NY, USA
- 53 <sup>23</sup>Department of Mechanical Engineering, University of California Merced, Merced, CA, USA
- 54 <sup>24</sup>Point Blue Conservation Science, Petaluma, CA, USA
- 55 <sup>25</sup>Clark School of Environment and Sustainability, Western Colorado University, Gunnison, CO,  
56 USA
- 57 <sup>26</sup>Evans School of Public Policy and Governance, University of Washington, Seattle, WA, USA
- 58 <sup>27</sup>Atmospheric and Environmental Research, Lexington, MA, USA
- 59 <sup>28</sup>Department of Geography, San Diego State University, San Diego, CA, USA
- 60 <sup>29</sup>Department of Fisheries, Wildlife, & Conservation Sciences, Oregon State University, Corvallis,  
61 OR, USA
- 62 <sup>30</sup>School of Biological Sciences, University of Northern Colorado, Greeley, CO, USA
- 63 <sup>31</sup>NOAA's National Centers for Environmental Information (NCEI), Boulder, CO, USA
- 64 <sup>32</sup>School of Environment and Natural Resources, The Ohio State University, Columbus, OH, USA
- 65 <sup>33</sup>Department of Natural Resources and Environmental Science, University of Nevada, Reno, NV,  
66 USA
- 67 <sup>34</sup>Cary Institute of Ecosystem Studies, Millbrook, NY, USA

- 68 <sup>35</sup>Faculty of Natural Sciences, Universidad del Rosario, Bogotá, Colombia
- 69 <sup>36</sup>School of Environmental and Forest Sciences, University of Washington, Seattle, WA, USA
- 70 <sup>37</sup>Department of Geography, Portland State University, Portland, OR, USA
- 71 <sup>38</sup>Department of Biology, University of New Mexico, Albuquerque, NM, USA
- 72 <sup>39</sup>Institute for Ecological Monitoring & Management, San Diego State University, San Diego, CA,  
73 USA
- 74 <sup>40</sup>Department of Geography, California State University Sacramento, Sacramento, CA, USA
- 75 <sup>41</sup>College of Natural Resources, University of Idaho, Coeur d'Alene, ID, USA
- 76 <sup>42</sup>Institute of Environment & Department of Biological Sciences, Florida International University,  
77 Miami, FL, USA
- 78 <sup>43</sup>Weather Systems & Assessment Program, National Center for Atmospheric Research, Boulder,  
79 CO, USA
- 80 <sup>44</sup>Department of Forest Ecosystems and Society, Oregon State University, Corvallis, OR, USA
- 81 <sup>45</sup>Department of Geography, California State University Long Beach, Long Beach, CA, USA
- 82 <sup>46</sup>Rocky Mountain Research Station, U.S.D.A. Forest Service, Flagstaff, AZ, USA
- 83 <sup>47</sup>School of Meteorology, University of Oklahoma, Norman, OK, USA
- 84 <sup>48</sup>Department of Geography, University of Oregon, Eugene, OR, USA
- 85 <sup>49</sup>Department of Civil & Environmental Engineering, Colorado State University, Fort Collins, CO,  
86 USA
- 87 <sup>50</sup>U.S. Geological Survey, Fort Collins Science Center, New Mexico Landscapes Field Station,  
88 Los Alamos, NM, USA
- 89 <sup>51</sup>Department of Biological Sciences, Boise State University, Boise, ID, USA
- 90 <sup>52</sup>Department of Geography and Geospatial Analysis Center, Miami University, Oxford, OH, USA
- 91 <sup>53</sup>Department of Earth Sciences, Montana State University, Bozeman, MT, USA
- 92 <sup>54</sup>Department of Ecology & Evolutionary Biology, University of California Santa Cruz, Santa Cruz,  
93 CA, USA
- 94 <sup>55</sup>Department of Plant, Soil and Microbial Sciences, Michigan State University, East Lansing, MI,  
95 USA
- 96 <sup>56</sup>Jackson School of Geosciences, and Cockrell School of Engineering, University of Texas at  
97 Austin, Austin, TX, USA
- 98 <sup>57</sup>Department of Life & Environmental Sciences, University of California Merced, Merced, CA,  
99 USA
- 100 <sup>58</sup>Department of Plant Sciences, University of Cambridge, Cambridge, UK
- 101 <sup>59</sup>NASA Goddard Space Flight Center, Greenbelt, MD, USA

102 <sup>60</sup>Tall Timbers Research Station and Land Conservancy, Tallahassee, FL, USA

103 <sup>61</sup>Department of Biological Sciences, University of Notre Dame, Notre Dame, IN, USA

104 <sup>62</sup>Department of Civil Engineering, Boise State University, Boise, ID, USA

105 <sup>63</sup>Environmental Sciences Division, Oak Ridge National Laboratory, Oak Ridge, TN, USA

106 <sup>64</sup>Global Water Center and the Department of Biology, University of Nevada, Reno, NV, USA

107 <sup>65</sup>Instituto Argentino de Oceanografía (IADO-CONICET-UNS), Bahía Blanca, Argentina

108 <sup>66</sup>terraPulse, Inc., North Potomac, MD, USA

109 <sup>67</sup>Department of Astronomy, University of Maryland, College Park, MD, USA

110 <sup>68</sup>Department of Earth and Spatial Sciences, College of Science, University of Idaho, Moscow, ID, USA

111

112 <sup>69</sup>Department of Forest, Rangeland, and Fire Science, College of Natural Resources, University

113 of Idaho, Moscow, ID, USA

114 <sup>70</sup>NASA Langley Research Center, NASA, Langley, VA, USA

115 <sup>71</sup>National Institute of Aerospace, NASA, Langley, VA, USA

116 <sup>72</sup>Data Science Institute, University of Arizona, Tucson, AZ, USA

117 <sup>73</sup>Conservation Biology Institute, La Mesa, CA, USA

118 <sup>74</sup>Ecology and Evolutionary Biology, University of California Los Angeles, Los Angeles, CA, USA

119 <sup>75</sup>Department of Mechanical Engineering, San Jose State University, San Jose, CA, USA

120 <sup>76</sup>Institute of Arctic & Alpine Research, University of Colorado Boulder, Boulder, CO, USA

121 <sup>77</sup>School of Earth & Atmospheric Sciences, Georgia Institute of Technology, Atlanta, GA, USA

122 <sup>78</sup>Department of Soil Science, University of Wisconsin-Madison, Madison, WI, USA

123 <sup>79</sup>Rocky Mountain Research Station, U.S.D.A. Forest Service, Reno, NV, USA

124

125 \*Jacquelyn K. Shuman, National Center for Atmospheric Research, Climate and Global Dynamics

126 Laboratory, P.O. Box 3000, Boulder, CO 80305, USA

127 **Email:** jkshuman@ucar.edu

128 **Author Contributions:**

129 All Authors - J.K.S., J.K.B., R.T.B, P.E.H, C.I.R, D.W.S, E.N.S., T.B., M.M.B., J.B., S.B., S.B.,

130 K.D.B, P.B., R.E.B, B.B, D.C., L.M.V.C., M.E.C., K.M.C., S.C., M.L.C., J.C.I., E.C., J.D.C., A.C.,

131 K.T.D., A.D., F.D., M.D, L.M.E., S.F., C.H.G., M.H., E.J.H, W.D.H., S.H., B.J.H., A.H., T.H.,

132 M.D.H, N.T.I., M.J., C.J., A.K.P., L.N.K., J.K., B.K., M.A.K., P.L., J.L., S.M.L.S., M.L., H.M., E.M.,

133 T.M., J.L.M., D.B.M, R.S.M., J.R.M, W.K.M., R.C.N., D.N., H.M.P., A.P., B.P., K.R., A.V.R., M.S.,

134 F.S., F.S., J.O.S., A.S.S., A.M.S.S., A.J.S., C.S., T.S., A.D.S., M.W.T., A.T., A.T.T., M.T., J.M.V.,

135 Y.W., T.W., S.Y., X.Z. designed and performed research; and J.K.S, J.K.B., R.T.B, P.E.H, C.I.R,

136 D.W.S, E.N.S. wrote the paper.

**Competing Interest Statement:** The authors declare no competing interest.

**Classification:** Biological, Health, and Medical Sciences/Environmental Sciences, Physical Sciences and Engineering/Sustainability Science

**Keywords:** wildfire, climate change, resilience, wildland-urban interface, social-ecological systems

## **Abstract**

Fire is an integral component of ecosystems globally and a tool that humans have harnessed for millennia. Altered fire regimes are a fundamental cause and consequence of global change, impacting people and the biophysical systems on which they depend. As part of the newly emerging Anthropocene, marked by human-caused climate change and radical changes to ecosystems, fire danger is increasing, and fires are having increasingly devastating impacts on human health, infrastructure, and ecosystem services. Increasing fire danger is a vexing problem that requires deep transdisciplinary, trans-sector, and inclusive partnerships to address. Here, we outline barriers and opportunities in the next generation of fire science and provide guidance for investment in future research. We synthesize insights needed to better address the long-standing challenges of innovation across disciplines to (i) promote coordinated research efforts; (ii) embrace different ways of knowing and knowledge generation; (iii) promote exploration of fundamental science; (iv) capitalize on the “firehose” of data for societal benefit; and (v) integrate human and natural systems into models across multiple scales. Fire science is thus at a critical transitional moment. We need to shift from observation and modeled representations of varying components of climate, people, vegetation, and fire to more integrative and predictive approaches that support pathways towards mitigating and adapting to our increasingly flammable world, including the utilization of fire for human safety and benefit. Only through overcoming institutional silos and accessing knowledge across diverse communities can we effectively undertake research that improves outcomes in our more fiery future.

## **Significance Statement**

Fires can be both useful to and supportive of human values, safe communities and ecosystems, and threatening to lives and livelihoods. Climate change, fire suppression, and living closer to the wildland-urban interface have helped create a global wildfire crisis. There is an urgent, ethical need to live more sustainably with fire. Applying existing scientific knowledge to support communities in addressing the wildfire crisis remains challenging. Fire has historically been studied from distinct disciplines, as an ecological process, a human hazard, or an engineering challenge. In isolation, connections among human and non-human aspects of fire are lost. We describe five ways to re-envision fire science and stimulate discovery that help communities better navigate our fiery future.

## **Main Text**

### **Introduction**

Fire is a long-standing natural disturbance and a fundamental component of ecosystems globally (1). Fire is also an integral part of human existence (2), used by people to manage landscapes for millennia (3). As such, fire - or broadly biomass burning - can take on many forms: fires managed for human benefit or ecosystem health include prescribed or cultural burning, and response management beyond suppression; fires viewed as an immediate threat to human values are

typically suppressed, and under increasingly extreme conditions have an increased chance of escaping suppression efforts. Fires can be ignited intentionally (e.g., prescribed or cultural burning and arson) or unintentionally (e.g., accidental human-caused or lightning-caused). They can happen in the wildlands and into human developed areas as in the wildland-urban interface (WUI). In the Anthropocene<sup>1</sup>, the current era characterized by the profound influence of human impacts on planetary processes and the global environment (4), ***fires from lightning and unplanned human-related ignitions (including arson; henceforth referenced as wildfires)*** result in increasingly negative impacts on economic (e.g. loss of structures and communities), public health (e.g. loss of life, air pollution, water and soil contamination), and ecological aspects of society (e.g. shifts in vegetation, carbon storage) (5).

Recent decades have seen a substantial increase globally in the length of fire seasons (6), the time of year when conditions are conducive to sustain fire spread, increased area burned in many regions, and projected increases in human exposure and sensitivity to fire disasters (7–11). Fire seasons are occurring months earlier in Arctic and boreal regions (12). In the western United States, the area burned in the 21<sup>st</sup> century has nearly doubled compared to the late 20<sup>th</sup> century, enabled by warmer and drier conditions from anthropogenic climate change, resulting in dry, flammable vegetation (13). Fire activity in the 21<sup>st</sup> century is increasingly exceeding the range of historical variability characterizing boreal (14) and Rocky Mountain subalpine (15) forest ecosystems for millennia. Unprecedented fires in the Pantanal tropical wetland in South America (16) and ongoing peatland fires across tropical Asia (17) exemplify the global scope of recent fire extremes.

Shifts in wildfire patterns **can** come with increasingly negative human and ecological impacts. Globally, dangerous smoke levels are more common as a result of wildfires (9, 10, 18, 19). The 2019-2020 Australian wildfire season produced fires that were larger, more intense, and more numerous than in the historical record (20), injecting the largest amount of smoke into the stratosphere observed in the satellite era (21, 22) and impacting water supplies for millions of residents (23). While extreme fire events capture public attention and forest fire emissions continue to rise (24, 25), the ongoing decline of burned-area across some fire-dependent ecosystems might have equally large social and environmental impacts. Global burned area has decreased by approximately 25% over the last two decades, with the strongest decreases observed across fire-dependent tropical savanna ecosystems and attributed to human interactions (26). Decreases across these systems are important, as maintaining diverse wildfire patterns can be essential for biodiversity or achieving conservation goals (27).

Humans are fundamental drivers of changing wildfire activity via climate change, fire suppression, land development, and population growth (26, 28–30). Human-driven climate change is aggravating fire danger across western North America (13, 31, 32), Europe (33, 34), and Australia (35). Exacerbated by this increasing fire danger from heavy fuel loads and greater flammability from drought and tree mortality, human-caused ignitions increased wildfire occurrence and extended fire seasons within parts of the US (28), and it is these human-caused wildfires that are most destructive to homes and property (36). Concurrent with these challenges is a growing recognition that Indigenous peoples have been living with fire as an essential Earth-system process (30). Although some Indigenous societies have lived in relatively low-density communities, others have lived at scales analogous to the modern wildland-urban interface for centuries, making Indigenous fire lessons relevant for the sustainability of post-industrial communities as well (e.g. 37).

As wildfire danger increases, we are only beginning to understand longer-term post-fire impacts. These include regeneration failure of vegetation (38, 39), changes to biodiversity through interactions with climate change, land use and biotic invasions (27), landslides and debris flows (40), contaminated water and soil (23, 41), and exposure to hazardous air quality for days to weeks in regions that can extend thousands of kilometers from smoke sources (9, 10, 19, 42). Increasing wildfire activity and associated negative impacts are expected to continue over the 21<sup>st</sup> century, as greenhouse gas emissions continue to rise (7, 43, 44).

<sup>1</sup> The Anthropocene currently has no formal status in the Divisions of Geologic Time.  
<https://pubs.usgs.gov/fs/2018/3054/fs20183054.pdf>

The rapid pace of changing fire activity globally is a significant challenge to the scientific community, in both understanding and communicating change. Even the metrics we use to quantify “fire” come up short in many instances. For example, total area burned and ecological fire severity are useful for characterizing some key dimensions of fire, but often do not capture negative human impacts. For example, the 2021 Marshall Fire in Colorado, U.S.A., was less than 2,500 hectares, but was more destructive, in terms of structures lost, than the two largest wildfires in recorded Colorado history, each of which burned approximately 80,000 hectares. The 2018 Mati Fire in Greece burned only 1,276 hectares, but destroyed or damaged 3,000 homes and was the second-deadliest weather-related disaster in Greece (11). While evidence suggests increasing aridity will lead to more burning (7, 32, 43, 45), the 2021 Marshall Fire and 2018 Mati Fire remind us that fire area burned is a poor indicator of the negative impacts of wildfires on the built environment.

Given the shifts in wildfire activity and its increasingly devastating impacts, the need to fund research and adopt policy to address fire-related challenges continues to grow. These challenges may be best addressed with coordinated proactive and collective governance through engagement of scientists, managers, policy-makers and citizens (23). A recent United Nations’ report recognized extreme wildfires as a globally relevant crisis, highlighting the scope of this challenge (46). To address this crisis we need to recast how we study fire as an inherently transdisciplinary, convergent research domain to find solutions that cross academic, managerial, and social boundaries. As society urgently looks for strategies to mitigate the impacts of wildfires, the scientific community must deliver a coherent understanding of the diverse causes, impacts, management paths and likely future of fire on Earth that considers the integrated relationships between humans and fire. Humans are not only affected by fire, but are also fundamental to its behavior and impact through our changes to the biosphere and our values, behaviors, and conceptions of risk.

The challenge of understanding the integrated role of humans and fire during the Anthropocene is an opportunity to catalyze the next generation of scientists and scientific discovery. It requires funding that develops collaborative, transdisciplinary science, dissolves disciplinary boundaries and aligns research goals across traditional academic fields and ways of knowing. This represents an opportunity to build scientific practices that are respectful and inclusive of all, by creating spaces to share and co-produce knowledge between and among all stakeholders. Such practice demands multi-scale data collection and analysis to develop models that test our understanding, support safer communities, and provide long-term projections. By reinventing the training of scientists to reflect this transdisciplinary, multi-stakeholder, data-driven approach, we can help revolutionize community practices and provide information needed by communities to be able to better live with fire - in all its forms - in our increasingly flammable world.

Here we identify five key challenges as a call to action to advance the study of fire as a fundamental aspect of life on Earth (Figure 1).

1. Integrate across disciplines by promoting coordination among physical, biological, and social sciences
2. Embrace different ways of knowing and knowledge generation to identify resilience pathways
3. Use fire as a lens to address fundamental science questions
4. Capitalize on the “firehose” of data to support community values
5. Develop coupled models that include human dimensions to better anticipate future fire

These challenges are a synthesis of discussions of a group of mainly U.S.A. based researchers at the National Science Foundation's Wildfire in the Biosphere workshop. The challenges of fire science extend beyond national borders, and our hope is that funding agencies, land stewards, and the larger fire science research community will join to address them. Within each call-to-action challenge we describe the nature of the challenge, address the social impacts, identify fundamental scientific advances necessary, and propose pathways to consider across communities as we address our place in a more fiery future (Supplementary Table 1). Acting on these challenges will assist in better addressing the immediate impacts of fire, as well as post-fire impacts (e.g., landslides, vegetation shifts). The focus on immediate needs is not meant to undermine the importance of longer-term impacts of fires, which in many ways are less understood, rather to highlight their urgency.

## Discussion

1: Challenge: Integrate across disciplines by promoting coordination among physical, biological, and social sciences

*Wildfire is a biophysical and social phenomenon, and thus its causes and societal impacts cannot be understood through any single disciplinary lens.*

While studied for over a century, wildland fire science often remains siloed within disciplines such as forestry, ecology, anthropology, economics, engineering, atmospheric chemistry, physics, geosciences, and risk management. Within each silo, scientists often exclusively focus on fire from a specific perspective – fires as a human hazard, fire as a management tool, or fire as an ecological process. Collectively we have deep knowledge about specific pieces of fire science; however, to move fire science forward and answer fundamental questions about drivers and impacts of fire, we must break out of traditional silos (e.g., institutional type, research focus, academic vs management) (47) to a more holistic and integrated approach across social (48), physical, and biological sciences, and including Traditional Ecological Knowledge (49) (See Challenge 2).

Fire affects every part of the Earth system: the atmosphere, biosphere, hydrosphere, and lithosphere and plays a critical role in local to global water, carbon, nutrient, and climatic cycles by mediating the transfer of mass and energy at potentially large scales and in discrete pulses. Ecosystems and fire regimes are changing; we need to be prepared to anticipate tipping points and abrupt transitions to novel or alternative states. To fully understand the causes and consequences of shifting fire regimes we must accept fire as a process with feedbacks between social and ecological systems while increasing respect among diverse communities (e.g., 50). Rethinking collaborations across disciplines provides opportunities to determine shared values and goals (51) as well as new modes of practice that dismantle inequitable and exclusionary aspects of our disciplines (52). Team dynamics are particularly important in multi-disciplinary collaborations given the varied experiences, expertise and discipline-specific language used by team members. In many cases these differences, in addition to the historical and systematic inequities within STEM (Science, Technology, Engineering and Math) fields (e.g., 53, 54) have kept disciplines siloed and some groups excluded (55).

We need to build upon the adaptive, integrated knowledge and “use-inspired” approaches, such as those put forth by Kyker-Snowman et al. (56) and Wall et al. (57), by including empiricists, modelers, practitioners and domain experts from broad disciplines where they are involved at every stage of data collection, idea development, and model integration. In this approach, the two-way exchange of ideas is emphasized in order to effectively incorporate domain expertise and knowledge into models of systems that can not only improve understanding, but eventually move towards forecasting capability (See Challenge 5).



2: Challenge: Embrace different ways of knowing and knowledge generation to identify resilience pathways

*Fire is an intrinsic part of what makes humans human, such that all humans from diverse groups and perspectives can provide valuable insights; thus co-produced knowledge is a prerequisite to innovation in fire science.*

Given the urgent need to reduce wildfire disaster losses and to promote pathways to live sustainably with fire, it is critical to integrate knowledge from across disciplinary, organization, and community boundaries (58). Knowledge co-production offers a model that identifies and produces science needed to drive change (59) through iterative, sustained engagement with key stakeholders (60). Specifically, development of mitigation tools and strategies enables social-ecological systems to transform from a resistance mindset to a resilience mindset (61).

There exist millennia of knowledge by Indigenous peoples of Tribal Nations that hold Traditional Ecological Knowledge (TEK) of ancient burning practices (62–66) used to maintain healthy ecosystems. Indigenous and non-Indigenous place-based societies, such as traditional fire practitioners in Europe and elsewhere, have used fire to safeguard communities, promote desired resources and support cultural lifeways for centuries to millennia (37, 49, 67–72). Working together, scientists from diverse cultural perspectives can co-define resilience across ecocultural landscapes (73), using this knowledge to identify perspectives of resilience to wildfire (72, 74). Our fire science community needs to work with diverse communities to determine what is valuable, generating needed information on risk scenarios and potential resilience pathways in the face of a changing climate, while upholding data principles that respect Tribal sovereignty and intellectual property (75).

We must accept fire as a social-ecological phenomenon that operates across multiple scales in space and time: fire acutely affects ecosystems, humans, and the biosphere; fire is a selective pressure and driver of ecological change; and humans, including various management practices, influence fire behavior and impacts. We need to understand where vulnerable communities are before wildfires occur, to build better, create defensible spaces around homes, reduce unintended human ignitions (e.g, downed power lines), and promote Indigenous management strategies and prescribed burning practices where they could mitigate disaster risk (37). Returning fire to landscapes and developing a culture of fire tailored to specific settings is increasingly seen as the most effective path forward. *We repeatedly converged on the need for “sustainable” strategies for human communities to coexist with fire and smoke to become more aligned with TEK. Our authorship group, however, reflective of STEM disciplines more broadly, consists of non-Indigenous scientists. This situation emphasizes the need to prioritize collaboration with Indigenous scientists and community partners in developing ways to adapt to fire in a changing world.*

It is critical to recognize the human role in using fire in the environment, and bring that into our understanding of adapting management for a more firey world. In turn, this can inform development of coupled models (see Challenge 5) representing fire as a human-biophysical phenomenon and can be used for management. To do so, we need to understand different value systems and develop metrics through co-production, thus collectively defining what success looks like for all stakeholders. This perspective provides scientific support for adaptive management and policy in the face of continuing human-caused change, including climate change. The resist-accept-direct (RAD) framework is explicitly designed to guide management through ecological transformations (76), a scenario increasingly likely with unprecedented climate change and enabled by fire. Because fire can catalyze social and ecological transformations, the RAD framework will be particularly useful for coming decades. Applying decision frameworks such as RAD requires incorporating human values, perceptions, and dynamism into fire management, within and beyond natural sciences (51, 77). Thus the process itself offers potential for transdisciplinary innovation and inclusion of different ways of knowing (e.g. TEK) by requiring

interdisciplinary engagement, including paleo scientists, ecologists, traditional knowledge holders, cultural anthropologists, archeologists, remote sensing experts, modelers, policy scientists, and community and government partners.

In addition to working across disciplines we need to be aware of extant systems of oppression inherent in Western science(78). The lack of diversity among knowledge contributors in co-produced science and among scientists themselves fundamentally limits innovation, applicability, as well as being fundamentally unjust (79). Furthermore, as fire is a global ecosystem process, the research community should reflect a similar breadth in perspectives (80). However, fire science, not unlike many STEM fields, has problems with representation across all axes of identity, including gender, race, ethnicity, LGBTQA+, and disability (e.g. 81). For example, the majority of our authorship group work at U.S. institutions, likely limiting the scope of our discussions. To change course, we need to interrogate our own practices and limit opportunities for bias. Providing clarity and transparency about and throughout decision-making processes (grants, job postings, publications), training reviewers about bias, requiring the use of rubrics for all evaluations, and anonymizing application materials whenever possible, are all effective strategies to reduce gender and racial bias (82). Given the importance of representation, as a community we need to elevate a diverse group of role models (83), e.g., highlighting notable accomplishments of women-identifying fire scientists (84). To embrace diverse knowledge requires explicit consideration of equity in stakeholder participation and fire science recruitment and training from underrepresented backgrounds.

### 3. Challenge: Use fire as a lens to address fundamental science questions

*We should use fire to answer fundamental scientific questions within and across physical, biological, and social sciences.*

Fire is a ubiquitous and pervasive phenomenon, historically studied and tested in natural philosophy and scientific disciplines (85). It is also an ancient phenomenon with strong impacts on the Earth system and society across scales. Thus, fire is an excellent subject for asking basic questions in physical, biological, and social sciences. Here, we present three fundamental science areas that use fire to understand change: a) ecology and evolutionary biology; b) the evolution of *Homo sapiens*; and c) social dynamics.

Fire is a catalyst for advances in ecology and evolutionary biology, providing a lens to examine how life organizes across scales and how organismal, biochemical, and physiological traits and fire-related strategies evolve. Consequently, fire ecology provides a framework for predicting effects of dramatic environmental changes on ecosystem function and biodiversity across spatial and temporal scales (27, 86), especially where fire may have previously not been present or has been absent for extended periods (e.g., 87). Research is needed that targets the synergy of theoretical, experimental, and modeling approaches exploring the fundamental evolutionary processes of how organisms and communities function in dynamic and diverse fire environments. Fire allows researchers to investigate the fundamental and relative roles of traits and strategies across plant, animal, and microbial communities (27), and evaluate the influence of smoke on the function of airborne microbial communities (88), photosynthesis (89), and aquatic systems (90). A focus on fire has advanced evolutionary theory through the understanding of the evolution of plant traits and subsequent influence on the fire regime and selective environment, i.e., feedbacks (91). Fire-vegetation feedbacks may have driven the diversification and spread of flowering plants in the Cretaceous era (92, 93). This hypothesis builds upon processes observed at shorter time scales (e.g., the grass-fire cycle, 94) and suggests flowering plants fueled fire that opened space in gymnosperm-dominated forests. This functional diversity can be parameterized into land surface models (see Challenge 5) by using phylogenetic lineage-based functional types to characterize vegetation, and could enhance the ecological realism of these models (95). Critically needed is an understanding of the reciprocal effects of fire and organismal life history characteristics and functional traits that characterize Earth's fire regimes.

Fire provides an important lens through which we interpret major processes in human evolution. For example, the pyrophilic primate hypothesis (96) leverages observations from primatology (97) and functional generalization from other fire-forager species (98) to suggest that fire was critical for the evolution of larger-brained and big-bodied *Homo erectus* in sub-saharan Africa by 1.9 million years ago. These populations relied upon fire-created environments and may have expanded burned areas from natural fire starts, all without the ability to start fires on their own. Fire-starting became a staple technology around 400,000 years ago (99), after which human ancestors could use fire in fundamentally new ways, including to further change their own selective environment (100). For example, at least some Neandertal (*Homo sapiens neandertalensis*) groups in Europe used fire to intentionally change their local environment more than 100,000 years ago (101), and Middle Stone Age people (*Homo sapiens sapiens*) in east Africa may have done the same shortly thereafter (3).

Fire illuminates social dynamics and can be a lens through which we examine fundamental issues in human societies, and even the dynamics of gendered knowledge (102). Specifically, fire questions convenient assumptions about population density and human-environmental impacts. For example, small populations of Maori hunter-gatherers irreversibly transformed non-fire-adapted South Island New Zealand plant communities when they arrived in the 13th century CE (103, 104), whereas large populations of Native American farmers at densities comparable to the modern wildland-urban interface subtly changed patch size, burn area, and fire-climate relations in fire adapted pine forests over the past millennium (37). Similarly, in an ethnographic context much Aboriginal burning is done by women (105) and male uses of fire tend to have different purposes (106) with potential implications for varied social and environmental pressures on gendered fire uses, goals, and outcomes.

Answering fundamental fire science questions about evolutionary biology and the dynamics of human societies could help illuminate the role of humans in cross-scale pyrogeography. This is especially important in the Anthropocene as species, communities, and ecosystems arising from millennial-scale evolutionary processes respond to new disturbance regimes and novel ecosystem responses (107). Moreover, with increasing extreme fire behavior in many regions (16, 17, 35, 108), human societies must learn to live more sustainably with fire in the modern context (109). Fire is a catalyst for exploring fundamental questions and highlights the need for interagency fire-specific funding programs to support basic science. The direct benefits to society of fire research are well acknowledged, but fire scientists are not organized as a broad community to argue for coordinated efforts to support basic science. Current fire-focused funding sources are usually limited to narrowly applied projects, while funders of basic science treat fire as a niche area. The result is duplicated efforts and competition for limited funds instead of coordination across an integrated fire science community.

#### 4. Challenge: Capitalize on the “firehose” of data to support community values

*We need funding to harness the data revolution and aid our understanding of fire.*

The volume, type, and use of data now available to study fire in the biosphere is greater than ever before - a metaphorical “firehose” delivering vast amounts of information. Multidisciplinary science campaigns to study fire behavior and emissions are data intensive and essential for improving applications from local, regional to global scales (e.g. ABoVE - 110, MOYA - 111, FASMEE - 112, FIREX-AQ - 113, MOYA/ZWAMPS - 114, WE-CAN - 115). Observation networks supported by the U.S. National Science Foundation (e.g., NEON, National Ecological Observatory Network, 116) and the Smithsonian sponsored ForestGEO plots (117, 118) are uniquely valuable for the duration and intensity of data collection. Additionally, there are dozens of public satellites, and even more private ones, orbiting the planet collecting remote-sensing data related to pre-, active, and post-fire conditions and effects, thereby facilitating geospatial analysis from local, to regional and global scales (119, 120). Terabases of genome-level molecular data on organisms spanning

from microbes to plants and animals are readily generated (121). Finally, laboratory, field, and incident data exist like never before, where in the past there was limited availability.

While these data exist, there are challenges with the spatial and temporal frequency and coverage and duration of observations. Airborne flight campaigns cover a limited domain in space and time, while geostationary satellites provide high temporal resolution with relatively coarse spatial resolution and polar orbiting satellites provide higher spatial resolution, but lower temporal resolution. These tradeoffs in resolution and coverage lead to different data sources providing conflicting estimates of burned area (122, 123). We need investment in laboratory and field infrastructure for studying fire across a range of scales and scenarios (124) and continued work comparing and accounting for biases across existing data streams. We must develop infrastructure and support personnel to collect real-time observation data on prescribed or cultural fires (125) and wildfires in both wildlands and the wildland-urban interface across scales: from the scale of flames (i.e., centimeters and seconds) to airshed (kilometers and hours), to fire regimes (regions and decades).

Furthermore, many measures of fire processes and impacts are inferred from static datasets (126), while fires and their effects are inherently dynamic; collecting observations that capture these dynamics, such as the response of wind during a fire event, would greatly reduce uncertainties in forecasting the impacts of fire on social-ecological systems. For fast-paced, local processes like fire behavior and the movement of water and smoke, we need more high frequency observations from laboratory and field-based studies, such as the role of flame-generated buoyancy in fire spread (127), to update empirical relationships, some established by decades-old research and still used in models (128, 129). For centennial- to multi-millennial processes covering regions and continents, we need paleoclimate and paleoecological data sets that cover the variation in fire regimes (e.g., low severity vs. high severity) across ecoregions (130, 131).

We need technologies that collect data relevant for better understanding fire impacts on ecosystems and humans. New technology (e.g., ground-, air-, and space-borne lidars, radars, [hyperspectral] spectrometers, and [multispectral] radiometers) would enable measurements to help characterize surface and atmospheric structure and chemistry and better understand human land cover and land use in conjunction with fire impacts on air and water quality, ecosystems, and energy balance. We must use molecular techniques to capture the direct and indirect effects of soil heating on soil organic matter composition (132), belowground biological communities (133, 134), organism physiology (135), and ecosystem function processes (136). Finally, laboratory work can help better understand the mechanisms of heat transfer (137, 138), firebrand ember generation, behavior and transport (139, 140), atmospheric emissions (141) and transformation of fire plumes (115).

One challenge is that these data are not well integrated for studying fire disturbance, as many were not specifically designed to examine the causes or effects of fire within an integrated social-ecological construct. For example, the use of diverse sets of multi-scale (tree, patch, local and regional landscape) and multi-proxy records (pollen and charcoal, tree-ring fire scars, tree cohort analysis, inventories, photographic imagery, surveys, and simulation modeling) can be used to determine structure, tree-species composition and fire regimes (72, 142) and departures from historical ranges of variability (15, 143). However, this type of integrated historical data across a spatiotemporal continuum is not readily accessible to fire scientists, policymakers and communities. Current capabilities of remote sensing measurements of vegetation properties (144) are also not easily ingested as relevant information for more traditional fire models (145). Finally, there is limited access to global datasets of research-quality event-based data (24, 146–149), which is necessary to advance the understanding of human and biophysical processes of fire.

Many of these data are housed in disciplinary databases, such as the International Multiproxy Paleofire Database (150), which can be challenging for non-specialists to access and use. We need to compile and merge these diverse data across spatial ( $m^2$  to Earth System) and temporal

(milli-seconds to millennia) scales to support integration across disciplines, research groups, and agencies. Previous work provides an extensible framework for co-aligned airborne and field sampling to support ecological, microbiological, biogeochemical and hydrological studies (112, 151). This work can be used to inform integration and coordination of data collection across platforms (field and remotely sensed), scales (flame to airshed), and systems (atmosphere, vegetation, soil, geophysical), to establish a network that will produce long-term, open-access, and multi-disciplinary datasets related to fire science. This effort requires a reevaluation of how we collect data, ensuring we do so in ways that address key societal needs (e.g., aiding in human adaptability and maintenance of biodiversity). It highlights the need to coordinate across laboratory, field and model-based research in designing future campaigns to develop, not only a common platform, but also a common language and coordinated data management across disciplines. Standardized data collection (e.g., observables, units, etc.) and protocols for quality control, archiving and curation will be essential to merge existing datasets (90) and create new ones.

In support of increased utility, we need to establish and use common metadata standards and a community of practice for open algorithms and code, informed by the FAIR data principles making data and code Findable on the web, digitally Accessible, Interoperable among different computing systems, and thus Reusable for later analyses (152) and data literacy communities such as PyOpenSci (<https://www.pyopensci.org/>) and ROpenSci (<https://ropensci.org/>). Implementation of FAIR principles are complemented by the CARE (Collective Benefit, Authority to Control, Responsibility, and Ethics) principles that protect Indigenous sovereignty and intellectual property (75). This requires not only building coordination among federal agencies, but also with state, local and Tribal governments and institutions. Such a community of practice, exemplary of ICON (Integrated, Collaborative, Open, Networked) science principles and practices (153), would facilitate more frequent collaborations across disciplines and lead to convergent research and data-intensive scientific discovery.

By compiling and merging diverse datasets, we can remove barriers to searching, discovering, and accessing information across disciplines, thereby accelerating scientific discovery to understand drivers and impacts of fire, helping support the development of more fire-resilient communities. There is considerable potential to harness this data revolution and explore cross-disciplinary research in the form of biomimicry adapted from long-term parallels from flora, fauna, and Indigenous peoples' responses to fire (154), management planning with Potential Operational Delineations (PODs; 155), and digital twins (156) that use coupled models including human dimensions (see Challenge 5) to adapt and test historical parallels and potential solutions for human communities and broader social-ecological systems.

5: Challenge: Develop coupled models that include human dimensions to better anticipate future fire

*To better anticipate future fire activity and its impacts on and feedback with social-ecological systems, we must develop coupled models that integrate human- and non-human dimensions.*

We need modeling frameworks that better represent fire in a social-ecological system, and that can be applied across multiple spatial and temporal scales spanning wildland-rural-urban gradients (8, 11, 20). Such frameworks should capture differences between managed and unmanaged fire as they relate to: preceding conditions, ignition sources (28), fire behavior and effects on ecosystems, humans, and the biosphere. Making this distinction between managed and unmanaged fire in modeling is essential to characterizing changes in the natural system due to the influence from human behavior (26). Fire has been a primary human tool in ecosystem management (30), and thus unraveling the variability in human-fire interactions over space and time (see Challenges 2 and 3) is necessary for understanding fire in the biosphere (26, 30, 69). There are multiple types of models that can benefit from better accounting for human interactions.

First, an improved forecasting system is needed to project both managed (e.g., prescribed burn and wildfire response) and unmanaged (i.e., wildfire) fire spread and smoke behavior, transport and transformation (112). This can aid society's strategic and managed response to fire in terms of community resilience (47, 74). Models of fire behavior and effects span spatial and temporal scales, but fundamental to each is the consideration of fuels, vegetation, and emissions. We must work to capture fuel heterogeneity, including the physiological dynamics that influence vegetation fuel loading (157), fuel moisture (158, 159), and the flammability of live and dead vegetation (160, 161). Fuel moisture and its variation in space and time have the capacity to alter fire behavior (162) and ecosystem vulnerability to wildfire (163). Currently, most models do not capture both these types of fuels *and* plant physiological dynamics, despite both influencing fire behavior, effects and subsequently land surface recovery. Several wildfire propagation models exist ranging from empirical to process-based (127, 164), but they either entirely focus on wildlands (112, 164) or pertain to limited aspects to wildfire behavior in communities focusing on interactions among a group of structures (165) and not on the heterogeneous landscapes of the wildland-urban interface (166, 167). We are making significant advances in capturing the impacts of fire on winds during an event (164) as well as on local weather conditions (168, 169), which both have the capacity to alter fire behavior and path. Advances in analytical approaches are making it possible to model community vulnerability (170) and risk (171) from a fire propagation perspective while accounting for the interaction between structures (172). However, to date, we do not have consensus on a model to assess the survivability of individual structures from wildfire events, as available urban fire spread models are not designed for these communities and underestimate the fire spread rate in most cases (172). Developing such models is vital for determining how to manage wildfire risk at the community level.

Second, land surface models, which simulate the terrestrial energy, water and carbon cycle) often represent fire occurrence and impacts, but omit key aspects or are parameterized in a simple manner (173). As such, there is a need to develop fire models within land surface models that integrate fire behavior and effects representative of the social-ecological environment within which humans interact with fires and subsequently influence impacts to terrestrial energy, water, and carbon cycles. The current generation of fire-enabled land surface models demonstrate that a lot of uncertainty is due to how the human impact on fires is currently represented, and exemplifies the need for a better representation of human dimensions within global fire models (174–177). Relationships between people and fire are driven by interactions between the social environment in which humans act (e.g. livelihood system, land tenure, land use), the physical environment (e.g., background fire regime, landscape patterns, land management legacies) and the policy sphere. The current generation of fire-enabled land surface models are not able to represent fire in this social-ecological environment, and thus struggle to represent both historical changes in global fire occurrence (26), as well as how these changes have impacted ecosystems and society with sufficient regional variability in the timing and type of human impacts on fires (174, 175). Additionally, current land surface models do not represent mixed fuel types between natural vegetation, managed land, and the built-environment, which influence fire spread, characteristics and impact directly. Land surface models rarely represent the effects of fire on organic matter (i.e., pyrogenic organic matter production (178), or the non-linear effects of repeated burning on soil carbon stocks (179). As this likely plays an important role in the net carbon balance of wildfires (178), these omissions may represent oversights in estimates of the impact of fires on carbon stocks (180). While land surface models often include simplified post-fire vegetation dynamics for seed dispersal and tree seedling establishment, competition during succession, formation of large woody debris, and decomposition (e.g., 157, 181), they exclude the influence humans have on these processes through land management.

Third, fire-enabled Earth system models, which seek to simulate the dynamic interactions and feedbacks between the atmosphere, oceans, cryosphere, lithosphere and land surface (as such incorporate land surface models), use a simplistic representation of fire simulating aggregate burned area rather than the spread and perimeters of individual fires (182). This is a challenge for projecting the broad scale impacts of fire on ecosystem resilience and functioning, because the temporal and spatial patterns of fire that vary as a function of managed versus unmanaged fire,

underpin whether and how ecosystems recover (183, 184). This further affects smoke emission speciation, formation and behavior of greenhouse gases, aerosols, and secondary pollutants that affect the climate system (185, 186) through the absorption and scattering of solar radiation and land surface albedo changes. Our limited understanding is due in part to challenges related to representing this complexity and the resulting processes and impacts within and across interacting model grid cells..

There is a need for the infrastructure to implement and nest models across multiple scales, linking from fine to coarse temporal and spatial scales and including a two-way coupling to allow interaction between models. This would, for example, allow Earth system models to better capture changing vegetation and fuels through time, as modeled in land surface models; this in turn would help modelers capture finer-scale dynamics such as interactions between fire and weather and human interactions with individual fire events (e.g., suppression efforts). Reducing uncertainties across scales provides an opportunity to use data-assimilation to benchmark against multiple types of data at sites, for various scales, fires (prescribed/cultural and wild), and under variable conditions (see Challenge 4). Advanced analytics in machine learning and artificial intelligence can help ease computational complexity (187–189) in such an integrated framework.

Nested, coupled modeling frameworks that integrate across physical, biological, and social systems will not only enhance our understanding of the connections, interactions and feedbacks among fire, humans, and the Earth system, but also enable adaptation and resilience planning if we create metrics to gauge the response of social-ecological systems to fire (e.g., 126, 190). These metrics would include fire impacts on ecosystem services, human health, ecosystem health, and sustainable financing through policies on fire suppression, air and water quality, and infrastructure stability. Recent progress in understanding the characteristics of western United States community archetypes, their associated adaptation pathways, and the properties of fire-adapted communities (191, 192) should be explored across a diverse set of communities and used to inform such metrics.

Metrics for risk and resilience would need to be incorporated in these nested, coupled models that include human dimensions so that projections before, during, and after a fire could allow for informed decision making. Risk includes not only the hazard, or potential hazard, of fire, but the exposure (directly by flame or indirectly from smoke) and vulnerability, as susceptibility, to be negatively impacted by the hazard; all of which are different for managed versus unmanaged fire (20, 108, 143). Using models to quantify risk could, for example, guide planned management shifts from fire suppression to increased use of prescribed burning as an essential component for managing natural resources (143, 193, 194), but is currently challenging to implement due to smoke effects (195). Next-generation, integrated human-fire models are necessary to help managers both locally, those who use prescribed fire near communities (125, 196), and regionally or nationally, those who report emissions. While such a comprehensive framework would address the specific needs of different stakeholders and policy makers, it would also be accessible and broadly comprehensible to the general public (e.g., fire paths forecast), similar to existing national warning systems for hurricanes and tornadoes. A focus on community resilience to wildfires expands the definition of risk beyond human impact to consider ecological and biological risk more holistically, as well as their role in a coupled social-ecological system. Integrating human behavior and decision dynamics into a nested modeling framework would allow for another dimension of feedback and interactions. Thus, integration of data and processes across scales within a nested, coupled modeling framework that incorporates human dimensions creates opportunities to both improve understanding of the dynamics that shape fire-prone systems and to better prepare society for a more resilient future with increased fire danger.

## **Conclusion**

*Now in the emerging era of the Anthropocene, where climate change and decoupling of historical land management have collided, society needs large-scale investment in the next generation of*

fire science to help us live more sustainably in our increasingly flammable world. Fire is a complex phenomenon that has profound effects on all elements of the biosphere and impacts human activities on a range of spatial and temporal scales. *We need a proactive fire research agenda.* Fire science has been reactive in that it responds to agency opportunities and conducts research in response to past fires. It is essential that we transition from this reactive stance to proactively thinking about tomorrow's needs by acknowledging and anticipating future fire activity. *This next generation of fire science will require significant new investment for a center that synthesizes across disciplines (Challenge 1), is diverse and inclusive (Challenge 2), innovative (Challenge 3), and data-driven (Challenge 4), while integrating coupled models that consider human dimensions and values (Challenge 5) (Figure 1, Supplementary Table 1).*

One cause of current fragmentation within the U.S.A is the narrow focus of major funding sources. Funding currently targets short term goals, on small, single-Principal Investigator-led research, usually aimed at one aspect of fire science; it should target a holistic reimagination of our relationship with fire entirely, across academic, managerial, and social boundaries. This will create a broader and deeper understanding of the multifaceted nature of fire, with less focus on case studies and more focus on case integration. International projects funded by the European Commission have implemented a multi- and interdisciplinary approach, but can still be improved. Support for applied research will be most effective by aiming at both short- and long-term applications and solutions. There are active and prominent discussions on the need to fund fire science across government, local and Indigenous entities that are all vested in understanding fire. These investments will be critical to advancing our ability to generate new insights into how we live more sustainably with fire. Fire will continue to have enormous societal and ecological impacts, and accelerate positive feedbacks with climate change over the coming decades. Understanding, mitigating, and managing those impacts will require addressing the presented five challenges to inform how we serve environmental and social justice by sustainably living and interacting with fire in our natural world.

## Data Sharing

All data is included in the manuscript and/or supporting information.

## Acknowledgments

This manuscript is a product of discussions at the Wildfire in the Biosphere workshop held in May 2021 funded by the U.S. National Science Foundation (NSF) through a contract to KnowInnovation. J.K.S. was supported as part of the Next Generation Ecosystem Experiments-Tropics, funded by the U.S. Department of Energy, Office of Science, Office of Biological and Environmental Research and by NASA Arctic Boreal Vulnerability Experiment Grant 80NSSC19M0107. R.T.B. was supported by NSF grant DEB-1942068. P.E.H. was supported by NSF grant DEB-1655121. J.K.B. and E.N.S. were supported by CIRES, University of Colorado Boulder. We thank Kathy Bogan with CIRES Communications for figure design and creation.

## References

1. K. K. McLauchlan, *et al.*, Fire as a fundamental ecological process: Research advances and frontiers. *J. Ecol.* **108**, 2047–2069 (2020).
2. M. J. Medler, Speculations about the Effects of Fire and Lava Flows on Human Evolution. *Fire Ecol.* **7**, 13–23 (2011).
3. J. C. Thompson, *et al.*, Early human impacts and ecosystem reorganization in southern-central Africa. *Sci. Adv.* **7**, eabf9776 (2021).
4. P. J. Crutzen, Geology of mankind. *Nature* **415**, 23–23 (2002).



- 742 5. D. M. J. S. Bowman, *et al.*, Vegetation fires in the Anthropocene. *Nat. Rev. Earth Environ.*  
743 (2020) <https://doi.org/10.1038/s43017-020-0085-3>.
- 744 6. W. M. Jolly, *et al.*, Climate-induced variations in global wildfire danger from 1979 to 2013. *Nat*  
745 *Commun* **6**, 7537 (2015).
- 746 7. D. M. J. S. Bowman, *et al.*, Human exposure and sensitivity to globally extreme wildfire  
747 events. *Nat. Ecol. Evol.* **1**, 0058 (2017).
- 748 8. V. C. Radeloff, *et al.*, Rapid growth of the US wildland-urban interface raises wildfire risk.  
749 *Proc. Natl. Acad. Sci.* **115**, 3314–3319 (2018).
- 750 9. L. M. David, *et al.*, Could the exception become the rule? “Uncontrollable” air pollution events  
751 in the U.S. due to wildland fires. *Environ. Res. Lett.* (2021) [https://doi.org/10.1088/1748-](https://doi.org/10.1088/1748-9326/abe1f3)  
752 [9326/abe1f3](https://doi.org/10.1088/1748-9326/abe1f3).
- 753 10. S. Augusto, *et al.*, Population exposure to particulate-matter and related mortality due to the  
754 Portuguese wildfires in October 2017 driven by storm Ophelia. *Environ. Int.* **144**, 106056  
755 (2020).
- 756 11. A. Ganteaume, R. Barbero, M. Jappiot, E. Maillé, Understanding future changes to fires in  
757 southern Europe and their impacts on the wildland-urban interface. *J. Saf. Sci. Resil.* **2**, 20–  
758 29 (2021).
- 759 12. J. L. McCarty, *et al.*, Reviews and syntheses: Arctic fire regimes and emissions in the 21st  
760 century. *Biogeosciences* **18**, 5053–5083 (2021).
- 761 13. Y. Zhuang, R. Fu, B. D. Santer, R. E. Dickinson, A. Hall, Quantifying contributions of natural  
762 variability and anthropogenic forcings on increased fire weather risk over the western United  
763 States. *Proc. Natl. Acad. Sci.* **118** (2021).
- 764 14. R. Kelly, *et al.*, Recent burning of boreal forests exceeds fire regime limits of the past 10,000  
765 years. *Proc. Natl. Acad. Sci.* **110**, 13055–13060 (2013).
- 766 15. P. E. Higuera, B. N. Shuman, K. D. Wolf, Rocky Mountain subalpine forests now burning  
767 more than any time in recent millennia. *Proc. Natl. Acad. Sci.* **118**, e2103135118 (2021).
- 768 16. R. Libonati, C. C. DaCamara, L. F. Peres, L. A. Sander de Carvalho, L. C. Garcia, Rescue  
769 Brazil’s burning Pantanal wetlands. *Nature* **588**, 217–219 (2020).
- 770 17. S. E. Page, A. Hooijer, In the line of fire: the peatlands of Southeast Asia. *Philos. Trans. R.*  
771 *Soc. B Biol. Sci.* **371**, 20150176 (2016).
- 772 18. D. A. Kalashnikov, J. L. Schnell, J. T. Abatzoglou, D. L. Swain, D. Singh, Increasing co-  
773 occurrence of fine particulate matter and ground-level ozone extremes in the western United  
774 States. *Sci. Adv.* **8**, eabi9386 (2022).
- 775 19. W. J. Requia, H. Amini, R. Mukherjee, D. R. Gold, J. D. Schwartz, Health impacts of wildfire-  
776 related air pollution in Brazil: a nationwide study of more than 2 million hospital admissions  
777 between 2008 and 2018. *Nat. Commun.* **12**, 6555 (2021).
- 778 20. R. H. Nolan, *et al.*, What Do the Australian Black Summer Fires Signify for the Global Fire  
779 Crisis? *Fire* **4**, 97 (2021).
- 780 21. E. Hirsch, I. Koren, Record-breaking aerosol levels explained by smoke injection into the  
781 stratosphere. *Science* **371**, 1269–1274 (2021).
- 782 22. P. Yu, *et al.*, Persistent Stratospheric Warming Due to 2019–2020 Australian Wildfire Smoke.  
783 *Geophys. Res. Lett.* **48**, e2021GL092609 (2021).
- 784 23. F.-N. Robinne, *et al.*, Scientists’ warning on extreme wildfire risks to water supply. *Hydrol.*

- 785        *Process.* **35**, e14086 (2021).
- 786    24. D. van Wees, *et al.*, Global biomass burning fuel consumption and emissions at 500-m  
787        spatial resolution based on the Global Fire Emissions Database (GFED). *Geosci. Model Dev.*  
788        *Discuss.*, 1–46 (2022).
- 789    25. B. Zheng, *et al.*, Increasing forest fire emissions despite the decline in global burned area.  
790        *Sci. Adv.* **7**, eabh2646 (2021).
- 791    26. N. Andela, *et al.*, A human-driven decline in global burned area. *Science* **356**, 1356–1362  
792        (2017).
- 793    27. L. T. Kelly, *et al.*, Fire and biodiversity in the Anthropocene. *Science* **370**, eabb0355 (2020).
- 794    28. J. K. Balch, *et al.*, Human-started wildfires expand the fire niche across the United States.  
795        *Proc. Natl. Acad. Sci.* **114**, 2946–2951 (2017).
- 796    29. Poulter Benjamin, Freeborn Patrick H., Jolly W. Matt, Varner J. Morgan, COVID-19  
797        lockdowns drive decline in active fires in southeastern United States. *Proc. Natl. Acad. Sci.*  
798        **118**, e2105666118 (2021).
- 799    30. D. M. J. S. Bowman, *et al.*, The human dimension of fire regimes on Earth. *J. Biogeogr.* **38**,  
800        2223–2236 (2011).
- 801    31. M. C. Kirchmeier-Young, N. P. Gillett, F. W. Zwiers, A. J. Cannon, F. S. Anslow, Attribution of  
802        the Influence of Human-Induced Climate Change on an Extreme Fire Season. *Earths Future*  
803        **7**, 2–10 (2019).
- 804    32. J. T. Abatzoglou, A. P. Williams, Impact of anthropogenic climate change on wildfire across  
805        western US forests. *Proc. Natl. Acad. Sci.* **113**, 11770–11775 (2016).
- 806    33. R. Barbero, J. T. Abatzoglou, F. Pimont, J. Ruffault, T. Curt, Attributing Increases in Fire  
807        Weather to Anthropogenic Climate Change Over France. *Front. Earth Sci.* **8** (2020).
- 808    34. M. Turco, *et al.*, Climate drivers of the 2017 devastating fires in Portugal. *Sci. Rep.* **9**, 13886  
809        (2019).
- 810    35. N. J. Abram, *et al.*, Connections of climate change and variability to large and extreme forest  
811        fires in southeast Australia. *Commun. Earth Environ.* **2**, 1–17 (2021).
- 812    36. N. Mietkiewicz, *et al.*, In the Line of Fire: Consequences of Human-Ignited Wildfires to  
813        Homes in the U.S. (1992–2015). *Fire* **3** (2020).
- 814    37. C. I. Roos, *et al.*, Native American fire management at an ancient wildland–urban interface in  
815        the Southwest United States. *Proc. Natl. Acad. Sci.* **118**, e2018733118 (2021).
- 816    38. J. D. Coop, *et al.*, Wildfire-Driven Forest Conversion in Western North American Landscapes.  
817        *BioScience* **70**, 659–673 (2020).
- 818    39. W. Rammer, *et al.*, Widespread regeneration failure in forests of Greater Yellowstone under  
819        scenarios of future climate and fire. *Glob. Change Biol.* **27**, 4339–4351 (2021).
- 820    40. M. A. Thomas, *et al.*, Postwildfire Soil-Hydraulic Recovery and the Persistence of Debris  
821        Flow Hazards. *J. Geophys. Res. Earth Surf.* **126**, e2021JF006091 (2021).
- 822    41. I. Campos, N. Abrantes, Forest fires as drivers of contamination of polycyclic aromatic  
823        hydrocarbons to the terrestrial and aquatic ecosystems. *Curr. Opin. Environ. Sci. Health* **24**,  
824        100293 (2021).
- 825    42. M. Burke, *et al.*, The changing risk and burden of wildfire in the United States. *Proc. Natl.*  
826        *Acad. Sci.* **118**, e2011048118 (2021).

- 827 43. J. T. Abatzoglou, *et al.*, Projected increases in western US forest fire despite growing fuel  
828 constraints. *Commun. Earth Environ.* **2** (2021).
- 829 44. D. Touma, S. Stevenson, F. Lehner, S. Coats, Human-driven greenhouse gas and aerosol  
830 emissions cause distinct regional impacts on extreme fire weather. *Nat. Commun.* **12**, 212  
831 (2021).
- 832 45. M. Turco, *et al.*, On the key role of droughts in the dynamics of summer fires in  
833 Mediterranean Europe. *Sci. Rep.* **7**, 81 (2017).
- 834 46. United Nations Environment Programme, “Spreading like Wildfire – The Rising Threat of  
835 Extraordinary Landscape Fires” (2022).
- 836 47. A. M. S. Smith, *et al.*, The Science of Firescapes: Achieving Fire-Resilient Communities.  
837 *BioScience* **66**, 130–146 (2016).
- 838 48. E. Kuligowski, Burning down the silos: integrating new perspectives from the social sciences  
839 into human behavior in fire research. *Fire Mater.* **41**, 389–411 (2017).
- 840 49. F. K. Lake, *et al.*, Returning Fire to the Land: Celebrating Traditional Knowledge and Fire. *J.*  
841 *For.* **115**, 343–353 (2017).
- 842 50. A. P. Fischer, *et al.*, Wildfire risk as a socioecological pathology. *Front. Ecol. Environ.* **14**,  
843 276–284 (2016).
- 844 51. P. E. Higuera, *et al.*, Integrating subjective and objective dimensions of resilience in fire-  
845 prone landscapes. *BioScience* **69**, 379–388 (2019).
- 846 52. V. B. Chaudhary, A. A. Berhe, Ten simple rules for building an antiracist lab. *PLOS Comput.*  
847 *Biol.* **16**, e1008210 (2020).
- 848 53. R. E. Bernard, E. H. G. Cooperdock, No progress on diversity in 40 years. *Nat. Geosci.* **11**,  
849 292–295 (2018).
- 850 54. E. Marín-Spiotta, *et al.*, Hostile climates are barriers to diversifying the geosciences in  
851 *Advances in Geosciences*, (Copernicus GmbH, 2020), pp. 117–127.
- 852 55. A. Mattheis, L. Nava, M. Beltran, E. West, Theory-Practice Divides and the Persistent  
853 Challenges of Embedding Tools for Social Justice in a STEM Urban Teacher Residency  
854 Program. *Urban Educ.*, 0042085920963623 (2020).
- 855 56. E. Kyker-Snowman, *et al.*, Increasing the spatial and temporal impact of ecological research:  
856 A roadmap for integrating a novel terrestrial process into an Earth system model. *Glob.*  
857 *Change Biol.* **28**, 665–684 (2022).
- 858 57. T. U. Wall, E. McNie, G. M. Garfin, Use-inspired science: making science usable by and  
859 useful to decision makers. *Front. Ecol. Environ.* **15**, 551–559 (2017).
- 860 58. L. Peek, J. Tobin, R. M. Adams, H. Wu, M. C. Mathews, A Framework for Convergence  
861 Research in the Hazards and Disaster Field: The Natural Hazards Engineering Research  
862 Infrastructure CONVERGE Facility. *Front. Built Environ.* **6** (2020).
- 863 59. A. V. Norström, *et al.*, Principles for knowledge co-production in sustainability research. *Nat.*  
864 *Sustain.* **3**, 182–190 (2020).
- 865 60. A. Bamzai-Dodson, A. E. Cravens, A. A. Wade, R. A. McPherson, Engaging with  
866 Stakeholders to Produce Actionable Science: A Framework and Guidance. *Weather Clim.*  
867 *Soc.* **13**, 1027–1041 (2021).
- 868 61. C. Béné, L. Doyen, From Resistance to Transformation: A Generic Metric of Resilience  
869 Through Viability. *Earths Future* **6**, 979–996 (2018).

- 870 62. R. W. Kimmerer, F. K. Lake, The Role of Indigenous Burning in Land Management. *J. For.*  
871 **99**, 36–41 (2001).
- 872 63. T. Marks-Block, W. Tripp, Facilitating Prescribed Fire in Northern California through  
873 Indigenous Governance and Interagency Partnerships. *Fire* **4**, 37 (2021).
- 874 64. J. Mistry, B. A. Bilbao, A. Berardi, Community owned solutions for fire management in  
875 tropical ecosystems: case studies from Indigenous communities of South America. *Philos.*  
876 *Trans. R. Soc. B Biol. Sci.* **371**, 20150174 (2016).
- 877 65. B. Bilbao, J. Mistry, A. Millán, A. Berardi, Sharing Multiple Perspectives on Burning: Towards  
878 a Participatory and Intercultural Fire Management Policy in Venezuela, Brazil, and Guyana.  
879 *Fire* **2**, 39 (2019).
- 880 66. P. Laris, S. Caillault, S. Dadashi, A. Jo, The Human Ecology and Geography of Burning in an  
881 Unstable Savanna Environment. *J. Ethnobiol.* **35**, 111–139 (2015).
- 882 67. M. R. Huffman, The Many Elements of Traditional Fire Knowledge: Synthesis, Classification,  
883 and Aids to Cross-cultural Problem Solving in Fire-dependent Systems Around the World.  
884 *Ecol. Soc.* **18**, 1–36 (2013).
- 885 68. D. Yibarbuk, *et al.*, Fire ecology and Aboriginal land management in central Arnhem Land,  
886 northern Australia: a tradition of ecosystem management. *J. Biogeogr.* **28**, 325–343 (2001).
- 887 69. C. I. Roos, *et al.*, Living on a flammable planet: interdisciplinary, cross-scalar and varied  
888 cultural lessons, prospects and challenges. *Philos. Trans. R. Soc. B Biol. Sci.* **371**, 20150469  
889 (2016).
- 890 70. M. R. Coughlan, Farmers, flames, and forests: Historical ecology of pastoral fire use and  
891 landscape change in the French Western Pyrenees, 1830–2011. *For. Ecol. Manag.* **312**, 55–  
892 66 (2014).
- 893 71. F. Seijo, R. Gray, Pre-Industrial Anthropogenic Fire Regimes in Transition: The Case of  
894 Spain and its Implications for Fire Governance in Mediterranean Type Biomes. *Hum. Ecol.*  
895 *Rev.* **19**, 58–69 (2012).
- 896 72. Knight Clarke A., *et al.*, Land management explains major trends in forest structure and  
897 composition over the last millennium in California's Klamath Mountains. *Proc. Natl. Acad. Sci.*  
898 **119**, e2116264119 (2022).
- 899 73. K. Copes-Gerbitz, S. Hagerman, L. Daniels, Situating Indigenous knowledge for resilience in  
900 fire-dependent social-ecological systems. *Ecol. Soc.* **26** (2021).
- 901 74. D. B. McWethy, *et al.*, Rethinking Resilience to Wildfire. *Nat. Sustain.* **2**, 797–804 (2019).
- 902 75. S. R. Carroll, *et al.*, The CARE Principles for Indigenous Data Governance. *Data Sci. J.* **19**,  
903 43 (2020).
- 904 76. G. W. Schuurman, *et al.*, Navigating Ecological Transformation: Resist–Accept–Direct as a  
905 Path to a New Resource Management Paradigm. *BioScience* (2021)  
906 <https://doi.org/10.1093/biosci/biab067> (December 20, 2021).
- 907 77. S. D. Crausbay, *et al.*, A Science Agenda to Inform Natural Resource Management  
908 Decisions in an Era of Ecological Transformation. *BioScience* **72**, 71–90 (2022).
- 909 78. A. A. Berhe, *et al.*, Scientists from historically excluded groups face a hostile obstacle course.  
910 *Nat. Geosci.* **15**, 2–4 (2022).
- 911 79. R. Haacker, M. Burt, M. Vara, Moving Beyond the Business Case for Diversity. *Eos* (2022)  
912 (March 29, 2022).

- 913 80. K. L. Riley, T. Steelman, D. R. P. Salicrup, S. Brown, On the need for inclusivity and diversity  
914 in the wildland fire professions. In: Hood, S.M.; Drury, S.; Steelman, T.; Steffens, R. [eds]  
915 *Proc. Fire Contin.-Prep. Future Wildland Fire*; 2018 May 21-24; Missoula, MT. Proc. RMRS-  
916 P-78. Fort Collins CO: US Dep. Agric. For. Serv. Rocky Mt. Res. Stn. P 2-7 (2020).
- 917 81. C. Macinnis-Ng, X. Zhao, Addressing Gender Inequities in Forest Science and Research.  
918 *Forests* **13**, 400 (2022).
- 919 82. B. Schneider, M. A. Holmes, "Science behind Bias" in *Addressing Gender Bias in Science &*  
920 *Technology*, ACS Symposium Series., (American Chemical Society, 2020), pp. 51–71.
- 921 83. H. Etzkowitz, C. Kemelgor, M. Neuschatz, B. Uzzi, J. Alonzo, The Paradox of Critical Mass  
922 for Women in Science. *Science* **266**, 51–54 (1994).
- 923 84. A. M. S. Smith, *et al.*, Recognizing Women Leaders in Fire Science. *Fire* **1**, 30 (2018).
- 924 85. S. J. Pyne, Fire in the mind: changing understandings of fire in Western civilization. *Philos.*  
925 *Trans. R. Soc. B Biol. Sci.* **371**, 20150166 (2016).
- 926 86. J. G. Pausas, J. E. Keeley, D. W. Schwilk, Flammability as an ecological and evolutionary  
927 driver. *J. Ecol.* **105**, 289–297 (2017).
- 928 87. J. R. P. Worth, *et al.*, Fire is a major driver of patterns of genetic diversity in two co-occurring  
929 Tasmanian palaeoendemic conifers. *J. Biogeogr.* **44**, 1254–1267 (2017).
- 930 88. L. N. Kobziar, *et al.*, Wildland fire smoke alters the composition, diversity, and potential  
931 atmospheric function of microbial life in the aerobiome. *ISME Commun.* **2**, 1–9 (2022).
- 932 89. K. S. Hemes, J. Verfaillie, D. D. Baldocchi, Wildfire-Smoke Aerosols Lead to Increased Light  
933 Use Efficiency Among Agricultural and Restored Wetland Land Uses in California's Central  
934 Valley. *J. Geophys. Res. Biogeosciences* **125**, e2019JG005380 (2020).
- 935 90. F.-N. Robinne, D. W. Hallema, K. D. Bladon, J. M. Buttle, Wildfire impacts on hydrologic  
936 ecosystem services in North American high-latitude forests: A scoping review. *J. Hydrol.* **581**,  
937 124360 (2020).
- 938 91. K. Laland, B. Matthews, M. W. Feldman, An introduction to niche construction theory. *Evol.*  
939 *Ecol.* **30**, 191–202 (2016).
- 940 92. W. J. Bond, A. C. Scott, Fire and the spread of flowering plants in the Cretaceous. *New*  
941 *Phytol.* **188**, 1137–1150 (2010).
- 942 93. W. J. Bond, J. J. Midgley, Fire and the Angiosperm Revolutions. *Int. J. Plant Sci.* **173**, 569–  
943 583 (2012).
- 944 94. C. M. D'Antonio, P. M. Vitousek, Biological invasions by exotic grasses, the grass/fire cycle,  
945 and global change. *Annu. Rev. Ecol. Syst.* **23**, 63–87 (1992).
- 946 95. D. M. Griffith, *et al.*, Lineage-based functional types: characterising functional diversity to  
947 enhance the representation of ecological behaviour in Land Surface Models. *New Phytol.*  
948 **228**, 15–23 (2020).
- 949 96. C. H. Parker, E. R. Keefe, N. M. Herzog, J. F. O'connell, K. Hawkes, The pyrophilic primate  
950 hypothesis. *Evol. Anthropol. Issues News Rev.* **25**, 54–63 (2016).
- 951 97. J. D. Pruetz, N. M. Herzog, Savanna Chimpanzees at Fongoli, Senegal, Navigate a Fire  
952 Landscape. *Curr. Anthropol.* **58**, S337–S350 (2017).
- 953 98. M. Bonta, *et al.*, Intentional Fire-Spreading by "Firehawk" Raptors in Northern Australia. *J.*  
954 *Ethnobiol.* **37**, 700–718 (2017).
- 955 99. K. MacDonald, F. Scherjon, E. van Veen, K. Vaesen, W. Roebroeks, Middle Pleistocene fire

- 956 use: The first signal of widespread cultural diffusion in human evolution. *Proc. Natl. Acad.*  
957 *Sci.* **118**, e2101108118 (2021).
- 958 100. K. N. Laland, M. J. O'Brien, Niche Construction Theory and Archaeology. *J. Archaeol.*  
959 *Method Theory* **17**, 303–322 (2010).
- 960 101. W. Roebroeks, *et al.*, Landscape modification by Last Interglacial Neanderthals. *Sci. Adv.*  
961 **7**, eabj5567.
- 962 102. C. Eriksen, *Gender and wildfire: landscapes of uncertainty* (Routledge, 2014).
- 963 103. D. B. McWethy, *et al.*, Rapid landscape transformation in South Island, New Zealand,  
964 following initial Polynesian settlement. *Proc. Natl. Acad. Sci.* **107**, 21343–21348 (2010).
- 965 104. G. L. Perry, J. M. Wilmshurst, M. S. McGlone, D. B. McWethy, C. Whitlock, Explaining  
966 fire driven landscape transformation during the Initial Burning Period of New Zealand's  
967 prehistory. *Glob. Change Biol.* **18**, 1609–1621 (2012).
- 968 105. R. Bliege Bird, D. W. Bird, B. F. Coddling, C. H. Parker, J. H. Jones, The “fire stick  
969 farming” hypothesis: Australian Aboriginal foraging strategies, biodiversity, and  
970 anthropogenic fire mosaics. *Proc. Natl. Acad. Sci.* **105**, 14796–14801 (2008).
- 971 106. D. M. J. S. Bowman, *et al.*, Pyrodiversity is the coupling of biodiversity and fire regimes in  
972 food webs. *Philos. Trans. R. Soc. B Biol. Sci.* **371**, 20150169 (2016).
- 973 107. J. G. Pausas, J. E. Keeley, Abrupt Climate-Independent Fire Regime Changes.  
974 *Ecosystems* **17**, 1109–1120 (2014).
- 975 108. V. Iglesias, J. K. Balch, W. R. Travis, US fires became larger, more frequent, and more  
976 widespread in the 2000s. *Sci. Adv.* **8** (2022).
- 977 109. M. A. Moritz, *et al.*, Learning to coexist with wildfire. *Nature* **515**, 58–66 (2014).
- 978 110. C. E. Miller, *et al.*, An overview of ABoVE airborne campaign data acquisitions and  
979 science opportunities. *Environ. Res. Lett.* **14**, 080201 (2019).
- 980 111. P. A. Barker, *et al.*, Airborne measurements of fire emission factors for African biomass  
981 burning sampled during the MOYA campaign. *Atmospheric Chem. Phys.* **20**, 15443–15459  
982 (2020).
- 983 112. Y. Liu, *et al.*, Fire behaviour and smoke modelling: model improvement and  
984 measurement needs for next-generation smoke research and forecasting systems. *Int. J.*  
985 *Wildland Fire* **28**, 570–588 (2019).
- 986 113. M. S. Johnson, K. Strawbridge, K. E. Knowland, C. Keller, M. Travis, Long-range  
987 transport of Siberian biomass burning emissions to North America during FIREX-AQ. *Atmos.*  
988 *Environ.* **252**, 118241 (2021).
- 989 114. MOYA/ZWAMPS Team, *et al.*, Isotopic signatures of methane emissions from tropical  
990 fires, agriculture and wetlands: the MOYA and ZWAMPS flights. *Philos. Trans. R. Soc. Math.*  
991 *Phys. Eng. Sci.* **380**, 20210112 (2022).
- 992 115. B. B. Palm, *et al.*, Quantification of organic aerosol and brown carbon evolution in fresh  
993 wildfire plumes. *Proc. Natl. Acad. Sci.* **117**, 29469–29477 (2020).
- 994 116. R. C. Nagy, *et al.*, Harnessing the NEON data revolution to advance open environmental  
995 science with a diverse and data-capable community. *Ecosphere* **12**, e03833 (2021).
- 996 117. K. J. Anderson-Teixeira, *et al.*, CTFS-ForestGEO: a worldwide network monitoring forests  
997 in an era of global change. *Glob. Change Biol.* **21**, 528–549 (2015).
- 998 118. J. A. Lutz, A. J. Larson, M. E. Swanson, Advancing fire science with large forest plots and

- 999 a long-term multidisciplinary approach. *Fire* **1**, 5 (2018).
- 1000 119. N. Gorelick, *et al.*, Google Earth Engine: Planetary-scale geospatial analysis for  
1001 everyone. *Remote Sens. Environ.* **202**, 18–27 (2017).
- 1002 120. M. J. Wooster, *et al.*, Satellite remote sensing of active fires: History and current status,  
1003 applications and future requirements. *Remote Sens. Environ.* **267**, 112694 (2021).
- 1004 121. J. K. Jansson, E. S. Baker, A multi-omic future for microbiome studies. *Nat. Microbiol.* **1**,  
1005 1–3 (2016).
- 1006 122. D. L. A. Gaveau, A. Descals, M. A. Salim, D. Sheil, S. Sloan, Refined burned-area  
1007 mapping protocol using Sentinel-2 data increases estimate of 2019 Indonesian burning.  
1008 *Earth Syst. Sci. Data* **13**, 5353–5368 (2021).
- 1009 123. R. Ramo, *et al.*, African burned area and fire carbon emissions are strongly impacted by  
1010 small fires undetected by coarse resolution satellite data. *Proc. Natl. Acad. Sci.* **118**,  
1011 e2011160118 (2021).
- 1012 124. A. M. S. Smith, *et al.*, Towards a new paradigm in fire severity research using dose–  
1013 response experiments. *Int. J. Wildland Fire* **25**, 158–166 (2016).
- 1014 125. C. B. Clements, *et al.*, Fire weather conditions and fire–atmosphere interactions observed  
1015 during low-intensity prescribed fires – RxCADRE 2012. *Int. J. Wildland Fire* **25**, 90–101  
1016 (2015).
- 1017 126. T. Yabe, P. S. C. Rao, S. V. Ukkusuri, S. L. Cutter, Toward data-driven, dynamical  
1018 complex systems approaches to disaster resilience. *Proc. Natl. Acad. Sci.* **119**, e2111997119  
1019 (2022).
- 1020 127. M. A. Finney, *et al.*, Role of buoyant flame dynamics in wildfire spread. *Proc. Natl. Acad. Sci.* **112**, 9833–9838 (2015).
- 1022 128. C. E. Van Wagner, Conditions for the start and spread of crown fire. *Can. J. For. Res.* **7**,  
1023 23–34 (1977).
- 1024 129. R. C. Rothermel, “A mathematical model for predicting fire spread in wildland fuels”  
1025 (USDA Forest Service, Intermountain Forest and Range Experiment Station, 1972).
- 1026 130. G. M. Davies, A. Gray, G. Rein, C. J. Legg, Peat consumption and carbon loss due to  
1027 smouldering wildfire in a temperate peatland. *For. Ecol. Manag.* **308**, 169–177 (2013).
- 1028 131. J. Cobian-Iñiguez, *et al.*, Wind Effects on Smoldering Behavior of Simulated Wildland  
1029 Fuels. *Combust. Sci. Technol.* **0**, 1–18 (2022).
- 1030 132. J. R. Miesel, W. C. Hockaday, R. K. Kolka, P. A. Townsend, Soil organic matter  
1031 composition and quality across fire severity gradients in coniferous and deciduous forests of  
1032 the southern boreal region. *J. Geophys. Res. Biogeosciences* **120**, 1124–1141 (2015).
- 1033 133. T. Whitman, *et al.*, Soil bacterial and fungal response to wildfires in the Canadian boreal  
1034 forest across a burn severity gradient. *Soil Biol. Biochem.* **138**, 107571 (2019).
- 1035 134. D. Revillini, *et al.*, Microbiome-mediated response to pulse fire disturbance outweighs the  
1036 effects of fire legacy on plant performance. *New Phytol.* **233**, 2071–2082 (2022).
- 1037 135. J. M. Varner, *et al.*, Tree crown injury from wildland fires: causes, measurement and  
1038 ecological and physiological consequences. *New Phytol.* **231**, 1676–1685 (2021).
- 1039 136. A. F. A. Pellegrini, *et al.*, Decadal changes in fire frequencies shift tree communities and  
1040 functional traits. *Nat. Ecol. Evol.* **5**, 504–512 (2021).
- 1041 137. D. Frankman, *et al.*, Measurements of convective and radiative heating in wildland fires.

- 1042 *Int. J. Wildland Fire* **22**, 157–167 (2012).
- 1043 138. A. Aminfar, *et al.*, Using Background-Oriented Schlieren to Visualize Convection in a  
1044 Propagating Wildland Fire. *Combust. Sci. Technol.* **192**, 2259–2279 (2020).
- 1045 139. S. L. Manzello, *et al.*, Firebrand generation from burning vegetation1. *Int. J. Wildland Fire*  
1046 **16**, 458–462 (2007).
- 1047 140. A. Tohidi, N. B. Kaye, Comprehensive wind tunnel experiments of lofting and downwind  
1048 transport of non-combusting rod-like model firebrands during firebrand shower scenarios.  
1049 *Fire Saf. J.* **90**, 95–111 (2017).
- 1050 141. K. Sekimoto, *et al.*, High- and low-temperature pyrolysis profiles describe volatile organic  
1051 compound emissions from western US wildfire fuels. *Atmospheric Chem. Phys.* **18**, 9263–  
1052 9281 (2018).
- 1053 142. R. K. Hagmann, *et al.*, Evidence for widespread changes in the structure, composition,  
1054 and fire regimes of western North American forests. *Ecol. Appl.* **31**, e02431 (2021).
- 1055 143. P. F. Hessburg, S. J. Prichard, R. K. Hagmann, N. A. Povak, F. K. Lake, Wildfire and  
1056 climate change adaptation of western North American forests: a case for intentional  
1057 management. *Ecol. Appl.* **31**, e02432 (2021).
- 1058 144. E. N. Stavros, *et al.*, ISS observations offer insights into plant function. *Nat. Ecol. Evol.* **1**,  
1059 1–5 (2017).
- 1060 145. E. N. Stavros, *et al.*, Use of imaging spectroscopy and LIDAR to characterize fuels for fire  
1061 behavior prediction. *Remote Sens. Appl. Soc. Environ.* **11**, 41–50 (2018).
- 1062 146. N. Andela, *et al.*, The Global Fire Atlas of individual fire size, duration, speed and  
1063 direction. *Earth Syst. Sci. Data* **11**, 529–552 (2019).
- 1064 147. J. K. Balch, *et al.*, FIRED (Fire Events Delineation): An Open, Flexible Algorithm and  
1065 Database of US Fire Events Derived from the MODIS Burned Area Product (2001–2019).  
1066 *Remote Sens.* **12**, 3498 (2020).
- 1067 148. L. A. St. Denis, N. P. Mietkiewicz, K. C. Short, M. Buckland, J. K. Balch, All-hazards  
1068 dataset mined from the US National Incident Management System 1999–2014. *Sci. Data* **7**,  
1069 64 (2020).
- 1070 149. J. San-Miguel-Ayanz, *et al.*, Comprehensive monitoring of wildfires in Europe: the  
1071 European forest fire information system (EFFIS) in J. Tiefenbacher [Ed.], *Approaches to*  
1072 *Managing Disaster – Assessing Hazards, Emergencies and Disaster Impacts*, IntechOpen  
1073 (2012).
- 1074 150. W. Gross, C. Morrill, E. Wahl, New advances at NOAA's World Data Service for  
1075 Paleoclimatology – Promoting the FAIR principles. *Past Glob. Change Mag.* **26**, 58–58  
1076 (2018).
- 1077 151. K. D. Chadwick, *et al.*, Integrating airborne remote sensing and field campaigns for  
1078 ecology and Earth system science. *Methods Ecol. Evol.* **11**, 1492–1508 (2020).
- 1079 152. M. D. Wilkinson, *et al.*, The FAIR Guiding Principles for scientific data management and  
1080 stewardship. *Sci. Data* **3**, 160018 (2016).
- 1081 153. A. E. Goldman, S. R. Emani, L. C. Pérez-Angel, J. A. Rodríguez-Ramos, J. C. Stegen,  
1082 Integrated, Coordinated, Open, and Networked (ICON) Science to Advance the  
1083 Geosciences: Introduction and Synthesis of a Special Collection of Commentary Articles.  
1084 *Earth Space Sci.* **9**, e2021EA002099 (2022).
- 1085 154. A. M. S. Smith, C. A. Kolden, D. M. J. S. Bowman, Biomimicry can help humans to



1086 coexist sustainably with fire. *Nat. Ecol. Evol.* **2**, 1827–1829 (2018).

1087 155. S. M. Greiner, *et al.*, Pre-season fire management planning: the use of Potential  
1088 Operational Delineations to prepare for wildland fire events. *Int. J. Wildland Fire* **30**, 170–178  
1089 (2020).

1090 156. P. Bauer, B. Stevens, W. Hazeleger, A digital twin of Earth for the green transition. *Nat.*  
1091 *Clim. Change* **11**, 80–83 (2021).

1092 157. E. J. Hanan, M. C. Kennedy, J. Ren, M. C. Johnson, A. M. S. Smith, Missing Climate  
1093 Feedbacks in Fire Models: Limitations and Uncertainties in Fuel Loadings and the Role of  
1094 Decomposition in Fine Fuel Accumulation. *J. Adv. Model. Earth Syst.* **14**, e2021MS002818  
1095 (2022).

1096 158. A. F. Talhelm, A. M. S. Smith, Litter moisture adsorption is tied to tissue structure,  
1097 chemistry, and energy concentration. *Ecosphere* **9**, e02198 (2018).

1098 159. R. H. Nolan, J. Hedo, C. Arteaga, T. Sugai, V. Resco de Dios, Physiological drought  
1099 responses improve predictions of live fuel moisture dynamics in a Mediterranean forest.  
1100 *Agric. For. Meteorol.* **263**, 417–427 (2018).

1101 160. R. H. Nolan, *et al.*, Linking Forest Flammability and Plant Vulnerability to Drought.  
1102 *Forests* **11**, 779 (2020).

1103 161. W. Ma, *et al.*, Assessing climate change impacts on live fuel moisture and wildfire risk  
1104 using a hydrodynamic vegetation model. *Biogeosciences* **18**, 4005–4020 (2021).

1105 162. W. M. Jolly, D. M. Johnson, Pyro-Ecophysiology: Shifting the Paradigm of Live Wildland  
1106 Fuel Research. *Fire* **1**, 8 (2018).

1107 163. K. Rao, A. P. Williams, N. S. Diffenbaugh, M. Yebra, A. G. Konings, Plant-water  
1108 sensitivity regulates wildfire vulnerability. *Nat. Ecol. Evol.* **6**, 332–339 (2022).

1109 164. J. L. Coen, W. Schroeder, Coupled weather-fire modeling: from research to operational  
1110 forecasting. *Fire Manag. Today* **75**, 39–45 (2017).

1111 165. K. McGrattan, *et al.*, Computational fluid dynamics modelling of fire. *Int. J. Comput. Fluid*  
1112 *Dyn.* **26**, 349–361 (2012).

1113 166. W. E. Mell, S. L. Manzello, A. Maranghides, D. Butry, R. G. Rehm, The wildland - urban  
1114 interface fire problem - current approaches and research needs. *Int. J. Wildland Fire* **19**, 238  
1115 (2010).

1116 167. E. Ronchi, S. M. V. Gwynne, G. Rein, P. Intini, R. Wadhvani, An open multi-physics  
1117 framework for modelling wildland-urban interface fire evacuations. *Saf. Sci.* **118**, 868–880  
1118 (2019).

1119 168. G. A. Grell, S. R. Freitas, A scale and aerosol aware stochastic convective  
1120 parameterization for weather and air quality modeling. *Atmospheric Chem. Phys.* **14**, 5233–  
1121 5250 (2014).

1122 169. G. Grell, S. R. Freitas, M. Stuefer, J. Fast, Inclusion of biomass burning in WRF-Chem:  
1123 impact of wildfires on weather forecasts. *Atmospheric Chem. Phys.* **11**, 5289–5303 (2011).

1124 170. H. Mahmoud, A. Chulahwat, Unraveling the Complexity of Wildland Urban Interface  
1125 Fires. *Sci. Rep.* **8**, 9315 (2018).

1126 171. H. Mahmoud, A. Chulahwat, Assessing wildland–urban interface fire risk. *R. Soc. Open*  
1127 *Sci.* **7**, 201183 (2020).

1128 172. N. Masoudvaziri, *et al.*, Streamlined wildland-urban interface fire tracing (SWUIFT):

- 1129 Modeling wildfire spread in communities. *Environ. Model. Softw.* **143**, 105097 (2021).
- 1130 173. S. Hantson, *et al.*, The status and challenge of global fire modelling. *Biogeosciences* **13**,  
1131 3359–3375 (2016).
- 1132 174. L. Teckentrup, *et al.*, “Sensitivity of simulated historical burned area to environmental  
1133 and anthropogenic controls: A comparison of seven fire models” (Biogeochemistry: Land,  
1134 2019) <https://doi.org/10.5194/bg-2019-42> (March 12, 2022).
- 1135 175. S. Venevsky, Y. Le Page, J. M. C. Pereira, C. Wu, Analysis fire patterns and drivers with  
1136 a global SEVER-FIRE v1.0 model incorporated into dynamic global vegetation model and  
1137 satellite and on-ground observations. *Geosci. Model Dev.* **12**, 89–110 (2019).
- 1138 176. M. Forkel, *et al.*, A data-driven approach to identify controls on global fire activity from  
1139 satellite and climate observations (SOFIA V1). *Geosci. Model Dev.* **10**, 4443–4476 (2017).
- 1140 177. E. Chuvieco, *et al.*, Human and climate drivers of global biomass burning variability. *Sci.*  
1141 *Total Environ.* **779**, 146361 (2021).
- 1142 178. M. W. Jones, C. Santín, G. R. van der Werf, S. H. Doerr, Global fire emissions buffered  
1143 by the production of pyrogenic carbon. *Nat. Geosci.* **12**, 742–747 (2019).
- 1144 179. A. F. A. Pellegrini, *et al.*, Fire frequency drives decadal changes in soil carbon and  
1145 nitrogen and ecosystem productivity. *Nature* **553**, 194–198 (2018).
- 1146 180. G. Lasslop, *et al.*, Global ecosystems and fire: Multi-model assessment of fire-induced  
1147 tree-cover and carbon storage reduction. *Glob. Change Biol.* **26**, 5027–5041 (2020).
- 1148 181. J. E. Stenzel, *et al.*, Fixing a snag in carbon emissions estimates from wildfires. *Glob.*  
1149 *Change Biol.* **25**, 3985–3994 (2019).
- 1150 182. S. Hantson, *et al.*, Quantitative assessment of fire and vegetation properties in  
1151 simulations with fire-enabled vegetation models from the Fire Model Intercomparison Project.  
1152 *Geosci. Model Dev.* **13**, 3299–3318 (2020).
- 1153 183. W. D. Hansen, D. Abendroth, W. Rammer, R. Seidl, M. G. Turner, Can wildland fire  
1154 management alter 21st-century subalpine fire and forests in Grand Teton National Park,  
1155 Wyoming, USA? *Ecol. Appl.* **30**, e02030 (2020).
- 1156 184. M. G. Turner, *et al.*, The magnitude, direction, and tempo of forest change in Greater  
1157 Yellowstone in a warmer world with more fire. *Ecol. Monogr.* **92**, e01485 (2022).
- 1158 185. J. T. Fasullo, *et al.*, Coupled Climate Responses to Recent Australian Wildfire and  
1159 COVID-19 Emissions Anomalies Estimated in CESM2. *Geophys. Res. Lett.* **48**,  
1160 e2021GL093841 (2021).
- 1161 186. Y. Zou, *et al.*, Using CESM-RESFire to understand climate–fire–ecosystem interactions  
1162 and the implications for decadal climate variability. *Atmospheric Chem. Phys.* **20**, 995–1020  
1163 (2020).
- 1164 187. Q. Zhu, *et al.*, Building a machine learning surrogate model for wildfire activities within a  
1165 global Earth system model. *Geosci. Model Dev.* **15**, 1899–1911 (2022).
- 1166 188. Y. Song, Y. Wang, Global Wildfire Outlook Forecast with Neural Networks. *Remote Sens.*  
1167 **12**, 2246 (2020).
- 1168 189. T. C. McCandless, B. Kosovic, W. Petzke, Enhancing wildfire spread modelling by  
1169 building a gridded fuel moisture content product with machine learning. *Mach. Learn. Sci.*  
1170 *Technol.* **1**, 035010 (2020).
- 1171 190. M. Altaweel, A. Virapongse, D. Griffith, L. Alessa, A. Kliskey, A typology for complex

1172 social-ecological systems in mountain communities. *Sustain. Sci. Pract. Policy* **11**, 1–13  
1173 (2015).

1174 191. T. B. Paveglio, From Checkers to Chess: Using Social Science Lessons to Advance  
1175 Wildfire Adaptation Processes. *J. For.* **119**, 618–639 (2021).

1176 192. M. Carroll, T. Paveglio, Using community archetypes to better understand differential  
1177 community adaptation to wildfire risk. *Philos. Trans. R. Soc. B Biol. Sci.* **371**, 20150344  
1178 (2016).

1179 193. K. C. Ryan, E. E. Knapp, J. M. Varner, Prescribed fire in North American forests and  
1180 woodlands: history, current practice, and challenges. *Front. Ecol. Environ.* **11**, e15–e24  
1181 (2013).


1182 194. M. E. Hunter, M. D. Robles, Tamm review: The effects of prescribed fire on wildfire  
1183 regimes and impacts: A framework for comparison. *For. Ecol. Manag.* **475**, 118435 (2020).

1184 195. C. A. Schultz, *et al.*, Policy barriers and opportunities for prescribed fire application in the  
1185 western United States. *Int. J. Wildland Fire* **28**, 874–884 (2019).

1186 196. J. K. Hiers, *et al.*, Prescribed fire science: the case for a refined research agenda. *Fire*  
1187 *Ecol.* **16**, 11 (2020).

1188  
1189  
1190

Figure



**Figure 1.** We need a proactive fire research agenda to support human values and create safe communities as impacts from lightning and unplanned human-caused wildfires increase in the Anthropocene. Such an agenda will span multiple disciplines and translate understanding to application while answering fundamental science questions, incorporating diverse and inclusive partnerships for knowledge co-production, capitalizing on the wealth of new and existing data, and developing models that integrate human dimensions and values.