

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
 New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

The following answers and explanations are true and complete to the best of SELLER'S knowledge. This statement has been prepared to assist prospective BUYERS in evaluating SELLER'S property. This disclosure is not a warranty of any kind by the SELLER, or any real estate FIRM representing the SELLER, and is not a substitute for any inspection by the BUYER. SELLERS authorize FIRM in this transaction to disclose the information in this statement to other real estate agents and to prospective buyers of this property.

NOTICE TO SELLER(S): COMPLETE ALL INFORMATION AND STATE NOT APPLICABLE OR UNKNOWN AS APPROPRIATE. IF ANY OF THE INFORMATION IN THIS PROPERTY DISCLOSURE FORM CHANGES FROM THE DATE OF COMPLETION, YOU ARE TO NOTIFY THE LISTING FIRM PROMPTLY IN WRITING.

1. SELLER: DANIEL FOURNIER CYNTHIA MARCHAND FOURNIER

2. PROPERTY LOCATION: 7 LONGVIEW CIR PELHAM NH 03076

3. CONDOMINIUM, CO-OP, PUD DISCLOSURE RIDER OR MULTIFAMILY DISCLOSURE RIDER ATTACHED? Yes No

4. SELLER: has has not occupied the property for 32 years.

5. WATER SUPPLY

Please answer all questions regardless of type of water supply.

a. TYPE OF SYSTEM: Public Private Seasonal Unknown
 Drilled Dug Other

b. INSTALLATION: Location: REAR OF HOUSE (WELL) FRONT OF HOUSE (PENNICHUK)
 Installed By: POLICY (WELL) CRISP CONSTRUCTION (PUBLIC) Date of Installation: 1994 (WELL) 2016 (PUBLIC)
 What is the source of your information? MEMORY

c. USE: Number of persons currently using the system: 2
 Does system supply water for more than one household? Yes No

d. MALFUNCTIONS: Are you aware of or have you experienced any malfunctions with the (public/private/other) water systems?
 Pump: Yes No N/A Quantity: Yes No
 Quality: Yes No Unknown
 If YES to any question, please explain in Comments below or with attachment.

e. WATER TEST: Have you had the water tested? Yes No Date of most recent test _____
 IF YES to any question, please explain in Comments below or with attachment.
 Are you aware of any test results reported as unsatisfactory or satisfactory with notations? Yes No
 IF YES, are test results available? Yes No
 What steps were taken to remedy the problem? _____

COMMENTS: TEST RESULTS AVAILABLE FROM PENNICHUK

6. SEWAGE DISPOSAL SYSTEM

a. TYPE OF SYSTEM: Public: Yes No Community/Shared: Yes No
 Private: Yes No Unknown
 Septic Design Available: Yes No

b. IF PUBLIC OR COMMUNITY/SHARED
 Have you experienced any problems such as line or other malfunctions? Yes No
 What steps were taken to remedy the problem? _____

c. IF PRIVATE:
 TANK: Septic Tank Holding Tank Cesspool Unknown Other
 Tank Size 1500 Gal. Unknown Other
 Tank Type Concrete Metal Unknown Other
 Location: FRONT OF HOUSE Location Unknown Date of Installation: 1994
 Date of Last Servicing: MAY 2026 Name of Company Servicing Tank: HAMM SEPTIC
 Have you experienced any malfunctions? Yes No
 Comments: _____

SELLER(S) INITIALS [Signature] / [Signature]

BUYER(S) INITIALS _____ / _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
 New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 7 LONGVIEW CIR PELHAM NH 03076

d. LEACH FIELD: Yes No Other _____
 IF YES, Location: FRONT YARD Size: _____ Unknown
 Date of installation of leach field: 1994 Installed By: TIM BELONIS EXCAVATING
 Have you experienced any malfunctions? Yes No
 Comments: _____

e. IS SYSTEM LOCATED ON "DEVELOPED WATERFRONT" as described in RSA 485-A? Yes No Unknown
 IF YES, has a site assessment been done? Yes No Unknown
 Source of Information: _____
 Comments: _____

FOR ADDITIONAL INFORMATION THE BUYER IS ENCOURAGED TO CONTACT THE NH DEPARTMENT OF ENVIRONMENTAL SERVICES SUBSURFACE SYSTEMS BUREAU

7. INSULATION	LOCATION	Yes	No	Unknown	If YES, Type	Amount	Unknown
	Attic or Cap	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>CELLULOSE</u>	<u>12"</u>	<input type="checkbox"/>
	Crawl Space	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>
	Exterior Walls	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>BATTING</u>	<u>6"</u>	<input type="checkbox"/>
	Floors	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>BATTING</u>	<u>4"</u>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>			<input type="checkbox"/>

8. HAZARDOUS MATERIAL

a. UNDERGROUND STORAGE TANKS - Current or previously existing:
 Are you aware of any past or present underground storage tanks on your property? Yes No Unknown
 IF YES: Are tanks currently in use? Yes No
 IF NO: How long have tank(s) been out of service? _____
 What materials are, or were, stored in the tank(s)? _____
 Age of tank(s): _____ Size of tank(s): _____
 Location: _____
 Are you aware of any past or present problems such as leakage, etc? Yes No
 Comments: _____
 If tanks are no longer in use, have the tanks been removed? Yes No Unknown
 Comments: _____

b. ASBESTOS - Current or previously existing:
 As insulation on the heating system pipes or ducts? Yes No Unknown
 In the siding? Yes No Unknown In the roofing shingles? Yes No Unknown
 In flooring tiles? Yes No Unknown Other _____ Yes No Unknown
 If YES, Source of information: _____
 Comments: _____

c. RADON/AIR - Current or previously existing:
 Has the property been tested? Yes No Unknown
 If YES: Date: _____ By: _____
 Results: _____ If applicable, what remedial steps were taken? _____
 Has the property been tested since remedial steps? Yes No
 Are test results available? Yes No
 Comments: _____

SELLER(S) INITIALS DSN / WMS

BUYER(S) INITIALS _____ / _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 7 LONGVIEW CIR PELHAM NH 03076

- d. RADON/WATER - **Current or previously existing:**
Has the property been tested? Yes No Unknown
If YES: Date: _____ By: _____
Results: _____ If applicable, what remedial steps were taken? _____
Has the property been tested since remedial steps? Yes No
Are test results available? Yes No Comments: _____
- e. LEAD-BASED PAINT - **Current or previously existing:**
Are you aware of lead-based paint on this property? Yes No
If YES: Source of information: _____
Are you aware of any cracking, peeling, or flaking lead-based paint? Yes No
Comments: _____
- f. Are you aware of any other hazardous materials? Yes No
If YES: Source of information: _____
Comments: _____

9. GENERAL INFORMATION

- a. Is this property subject to liens, encroachments, easements, rights-of-way, leases, restrictive covenants, attachments, life estates, or right of first refusal?
 Yes No Unknown If YES, Explain: 2000 SQUARE FOOT MINIMUM BUILDING + LAWN COVENANT.
What is your source of information? ORIGINAL DEED
- b. Is this property subject to special assessments, betterment fees, association fees, or any other transferable fees?
 Yes No Unknown If YES, Explain: _____
What is your source of information? _____
- c. Are you aware of any onsite landfills or any other factors, such as soil, flooding, drainage, etc?
 Yes No If YES, Explain: STUMP DUMP IN FRONT YARD
- d. Are you aware of any problems with other buildings on the property? Yes No
If YES, Explain: _____
- e. Are you receiving a tax exemption or reduction for this property for any reason including but not limited to current use, land conservation, etc.?
 YES NO UNKNOWN If YES, Explain: _____
- f. Is this property located in a Federally Designated Flood Hazard Zone? Yes No Unknown
Comments: _____
- g. Has the property been surveyed? Yes No Unknown If YES, By: EDWARD N. HERBERT ASSOC
If YES, is survey available? Yes No Unknown
- h. How is the property zoned? RESIDENTIAL
- i. Heating System Age: 32 Type: FHW / BASEBOARD Fuel: OIL Tank Location: BASEMENT
Owner of Tank: HOMEOWNER
Annual Fuel Consumption: 802 gal/YR Price: ~3.50/gal Gallons: 250
Date system was last serviced and by whom? MARCHANTS OIL
Secondary Heat Systems: HEAT PUMP INSTALLED 2023
Comments: _____
- j. Roof Age: 16 Type of Roof Covering: METAL
Moisture or leakage: NO
Comments: 50 YEAR NON-PRORATED TRANSFERABLE WARRANTY

SELLER(S) INITIALS DDSP | [Signature]

BUYER(S) INITIALS _____ | _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
 New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 7 LONGVIEW CIR PELHAM NH 03076

k. Foundation/Basement: Full Partial Other: _____ Type: CONCRETE

Moisture or leakage: SOME - FIXED IN 2016

Comments: CRACK - X CAME IN 2016

l. Chimney(s) How Many? 3 Lined? _____ Last Cleaned: _____ Problems? NO

Comments: DOUBLE - WALLED STEEL

m. Plumbing Type: COPPER / PVC Age: 32

Comments: _____

n. Domestic Hot Water: Age: 32 Type: INDIRECT Gallons: 50

o. Electrical System: # of Amps 200 Circuit Breakers Fuses

Comments: _____

Solar Panels: Leased Owned If leased, explain terms of agreement: _____

Comments: _____

p. Modifications: Are you aware of any modifications or repairs made without the necessary permits? Yes No

If Yes, please explain: BASEMENT WALLS

q. Pest Infestation: Are you aware of any past or present pest infestations? Yes No Type: ANTS / mice

Comments: WE HAVE HAD JP PEST SINCE 2009, MINIMAL PROBLEMS SINCE

r. Methamphetamine Production: Do you have knowledge of methamphetamine production ever occurring on the property?

(Per RSA 477:4-g) Yes No If YES, please explain: _____

s. Air Conditioning: Type: MINI SPLIT / DUCT Age: 3 Date Last Serviced and by whom: FEB 3 2026

Comments: DENRON HALL

t. Pool: Age: _____ Heated: Yes No Type: _____ Last Date of Service: _____

By Whom: _____

u. Generator: Portable: Yes No Whole House: Yes No Kw/Size: 8.5 Last Date of Service: SEP 2025

If Portable: Included Negotiable

Comments: HODKUP PANEL IN BASEMENT FOR 6 CIRCUITS

v. Internet: Type Currently Used at Property: FIBER AND CABLE

w. Other (e.g. Alarm System, Irrigation System, etc.) _____

Comments: PIPE AVAILABLE FOR IRRIGATION HODKUP TO WELL

NOTICE TO PURCHASER(S): PRIOR TO SETTLEMENT YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO ADJACENT PARCELS IN ACCORDANCE WITH THE TERMS AND CONDITIONS AS MAY BE CONTAINED IN PURCHASE AND SALES AGREEMENT AND DEPOSIT RECEIPT. YOU SHOULD EXERCISE WHATEVER DUE DILIGENCE YOU DEEM NECESSARY WITH RESPECT TO INFORMATION ON ANY SEXUAL OFFENDERS REGISTERED UNDER NH RSA CHAPTER 651-B. SUCH INFORMATION MAY BE OBTAINED BY CONTACTING THE LOCAL POLICE DEPARTMENT.

SELLER(S) INITIALS DDA, CMH

BUYER(S) INITIALS _____, _____

PROPERTY DISCLOSURE - RESIDENTIAL ONLY
New Hampshire Association of REALTORS® Standard Form



TO BE COMPLETED BY SELLER

PROPERTY LOCATION: 7 LONGVIEW CIR PELHAM NH 03076

10. **ADDITIONAL INFORMATION**

a. ATTACHMENT EXPLAINING CURRENT PROBLEMS, PAST REPAIRS, OR ADDITIONAL INFORMATION?

Yes No

b. ADDITIONAL COMMENTS:

ACKNOWLEDGEMENTS:

SELLER ACKNOWLEDGES THAT HE/SHE HAS PROVIDED THE ABOVE INFORMATION AND THAT SUCH INFORMATION IS ACCURATE, TRUE AND COMPLETE TO THE BEST OF HIS/HER KNOWLEDGE. SELLER AUTHORIZES THE LISTING BROKER TO DISCLOSE THE INFORMATION CONTAINED HEREIN TO OTHER BROKERS AND PROSPECTIVE PURCHASERS.

SELLER(S) MAY BE RESPONSIBLE AND LIABLE FOR ANY FAILURE TO PROVIDE KNOWN INFORMATION TO BUYER(S).

Daniel D. [Signature]
SELLER _____ DATE _____

[Signature]
SELLER _____ DATE _____

BUYER ACKNOWLEDGES RECEIPT OF THIS PROPERTY DISCLOSURE RIDER AND HEREBY UNDERSTANDS THE PRECEDING INFORMATION WAS PROVIDED BY SELLER AND IS NOT GUARANTEED BY BROKER/AGENT. THIS DISCLOSURE STATEMENT IS NOT A REPRESENTATION, WARRANTY OR GUARANTY AS TO THE CONDITION OF THE PROPERTY BY EITHER SELLER OR BROKER. BUYER IS ENCOURAGED TO UNDERTAKE HIS/HER OWN INSPECTIONS AND INVESTIGATIONS VIA LEGAL COUNSEL, HOME, STRUCTURAL OR OTHER PROFESSIONAL AND QUALIFIED ADVISORS AND TO INDEPENDENTLY VERIFY INFORMATION DIRECTLY WITH THE TOWN OR MUNICIPALITY.

BUYER _____ DATE _____

BUYER _____ DATE _____

SELLER(S) INITIALS DDA / [Signature]

BUYER(S) INITIALS _____ / _____