

# MATERIAL SAFETY DATA SHEET

## Section 1: Product & Company Identification

**Product Name:** Cable Clean® HF™

**Product Number (s):** 02170

Manufactured By: CRC Industries, Inc. (215) 674-4300  
885 Louis Drive, Warminster, PA 18974  
24-Hour Emergency Information: CHEMTREC (800) 424-9300

## Section 2: Composition/Information on Ingredients

Component	CAS NUMBER	ACGIH TLV	OSHA PEL	OTHER LIMITS	%
Petroleum Distillate	64742-48-9	NE	NE	NE	> 90
Carbon Dioxide	124-38-9	5000 ppm	10000 ppm	NE	< 10

## Section 3: Hazards Identification

### Emergency Overview

Appearance & Odor: Clear liquid with negligible odor.

Danger: Flammable. Harmful or Fatal if Swallowed. Contents Under Pressure.

### Potential Health Effects:

Inhalation: Headaches, dizziness, anesthesia, unconsciousness, irritation to respiratory tract and central nervous systems effects.  
Eyes: Irritation  
Skin: Defatting  
Ingestion: Gastrointestinal discomfort

Carcinogenicity: OSHA: No IARC: No NTP: No  
Chronic Overexposure: Dermatitis.  
Medical Conditions Aggravated by Exposure: NA

## Section 4: First Aid Measures

Inhalation: Remove to fresh air. Give artificial respiration if necessary.  
Eyes: Flush with large amounts of water for 15 minutes.  
Skin: Remove contaminated clothing and wash area with soap and water.  
Ingestion: Call a physician. Do not induce vomiting.

-----

--

## Section 5: Fire-Fighting Measures

Flashpoint:	147 °F	Method:	TCC	LEL:	0.6	UEL:	7.0
Extinguishing Media:	Foam, water fog, and dry chemical						
Hazardous Combustion Products:	CO (thermal)						
Fire-fighting Instructions:	Remove containers from fire area if possible. Use self-contained breathing apparatus for fire fighting. Aerosol cans may explode if heated above 120°F.						

NFPA:	Health:	1	Flammability:	2	Reactivity:	0	
HMIS:	Health:	1	Flammability:	2	Reactivity:	0	PPE: B

-----

--

## Section 6: Accidental Release Measures

Spill/Leak Procedures: Usually not a problem with aerosols. Area should be ventilated. Absorbent should be used to pick up excess material. All used and unused product should be disposed of in accordance with federal, state and local regulations.

-----

--

## Section 7: Handling and Storage

Handling Procedures: Store in a cool, dry area. Aerosol cans must be maintained below 120°F to prevent cans from exploding.

Aerosol Level: III

-----

--

## Section 8: Exposure Controls/Personal Protection

Engineering Controls: Adequate to prevent accumulation of vapors. Use mechanical means if necessary to maintain levels below the exposure limits. If working in a confined space, follow applicable OSHA regulations.

Respiratory: Use NIOSH/MSHA compliant respirators or self-contained breathing apparatus above exposure limits. Follow OSHA regulations 29 CFR 1910.134.

Protective Clothing/Equipment: Wear chemically protective gloves and safety glasses. Use a splash apron and boots if splashing occurs.

-----

--

## Section 9: Physical & Chemical Properties

**Product Name: Cable Clean® HF™****Product Number (s): 02170**

Physical State:	Liquid	Appearance & Odor:	Clear liquid, negligible odor
Specific Gravity:	0.77	Boiling Point:	365°F (initial)
Freezing Point:	ND	Vapor Pressure:	<10 mm @ 25 °C
Evaporation Rate:	<0.1 butyl acetate=1	Vapor Density (air = 1)	> 5
pH:	NA	Solubility:	Negligible in water

Volatile Organic Compounds: %:	97	g/L:	747	lbs./gal:	6.23
--------------------------------	----	------	-----	-----------	------

--

**Section 10: Stability and Reactivity**

Stability:	Stable	Hazardous Polymerization:	No
Chemical Incompatibilities:	Strong oxidizers.		
Conditions to Avoid:	Sources of ignition		
Hazardous Decomposition Products:	None		

--

**Section 11: Toxicological Information**

Long-term toxicological studies have not been conducted for this product. See Section 3 of this MSDS for acute symptoms of overexposure and carcinogenicity information.

--

**Section 12: Ecological Information**

Ecotoxicity:	No data available.
Environmental Fate:	No data available for biodegradation.

--

**Section 13: Disposal Considerations**

Disposal: This material if discarded may be hazardous waste under U.S. EPA RCRA regulations. All disposal activities must comply with federal, state and local regulations. Contact your local or state environmental agency for specific rules. Do not dump into sewers, on the ground or into any body of water.

--

**Section 14: Transportation Information**

Shipping Name:	Consumer Commodity		
Hazard Class:	ORM-D	UN Number:	NA
Label:	NA	Placard:	NA
Special Provisions:	NA	Packing Group:	NA

--

**Section 15: Regulatory Information**

TSCA:	All components are either listed under TSCA or are exempt.		
SARA Title III:	Section 311/312:	NA	
	Section 313*:	None	
CERCLA/Superfund (RQ):	NA		
Extremely Hazardous Substances:	No		
California Prop 65:	This product contains chemicals known to the State of California to cause cancer, birth defects and other reproductive harm.		

\* See section 2 for percentage

---

Section 16: Additional Information

Prepared By:	Michelle Milburn	Date:	January 13, 2004
Technical Information:	(800) 521-3168	CRC #:	493

This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label.

CAS:	Chemical Abstract Service	NA:	Not Applicable
ppm:	Parts per Million	ND:	Not Determined
TCC:	Tag Closed Cup	NE:	Not Established
LEL:	Lower Explosive Limit	g/L:	grams per Liter
UEL:	Upper Explosive Limit	lbs./gal:	pounds per gallon
PPE:	Personal Protection Equipment	RQ:	Reportable Quantity
COC:	Cleveland Closed Cup		