

Security Tech Germany



SAFETY CATALOG

ABUS ADVANTAGES



SAME DAY SHIPPING

Stock orders received by
6 p.m. EST ship the
same day!



LEADING PADLOCK MANUFACTURER

ABUS is the market-leading
padlock manufacturer
throughout the world



GLOBAL IMPACT

3,500+ Employees
25 Branch Offices



IN-HOUSE LASER ENGRAVING

In-house engraving is fast
and reliable – most orders
ship in 5 business days

KEY INTO EXISTING SYSTEMS

ABUS can provide locks to
match an existing keyway
in your facility



ABUS USA ★ PHOENIX, ARIZONA
UNITED STATES HEADQUARTERS AND WAREHOUSE

US headquarters provide
short lead times and fast
delivery



CHARTING & KEY STAMPING

Rely on ABUS to keep key
code records for your
facility




ENGINEERED TO HIGHEST GLOBAL STANDARDS

ABUS products are German
engineered and undergo
a series of extensive tests
to meet international
standards. ABUS product
quality is second to none.

95 YEARS OF INNOVATIVE PRODUCTS

August Bremicker and his
sons founded ABUS in 1924
in Volmarstein, Germany



Security Tech Germany

Customer Support

Do you have a question concerning ABUS, but don't know who to contact? We're here to help, and you can contact us in the following ways:

- Call us at 800-352-ABUS to speak to a Customer Support representative from 7:00 a.m. to 4:00 p.m. Mountain Standard Time.
- Email us at customerservice@us.abus.com.
- Visit www.abus.com to learn more about ABUS products and services.

FIND US @ABUSUSA!



**THE OFFICIAL LOCK OF
THE PHOENIX SUNS**

Safety Padlocks 4


Safety Devices 12

Safety Kits and Stations 25

Industrial Padlocks 29

General Information 46

INSULATED 74




- 6-pin cylinder offers maximum number of key differs and is key-retaining
- Plastic-covered lock body and shackle are non-magnetic and dielectric, providing intrinsically safe protection
- Under the plastic casing, the NANO PROTECT™-coated steel shackle and aluminum or brass lock body are robust and chemical resistant
- All brass lock body available (74M) for extreme corrosion resistance
- Aluminum locks contain 70% recycled materials. All 74 series locks are produced in a facility achieving zero waste to landfill operations at a 98% diversion rate
- Ships with LOTO labels in English, Spanish and French
- Meets OSHA Lockout/Tagout Guidelines
- Comes key-retaining and is available keyed-different, keyed-alike or master-keyed




Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
74/40	1 1/2"	6	KA, KD, MK, GMK	6
74HB/40-75	3"	6	KA, KD, MK, GMK	6
74LB/40	1 1/2"	6	KA, KD, MK, GMK	6
74M/40	1 1/2"	6	KA, KD, MK, GMK	6
74MHB/40-75	3"	6	KA, KD, MK, GMK	6
74MLB/40	1 1/2"	6	KA, KD, MK, GMK	6



HIGH SECURITY 76




- 8-pin cylinder offers more than 150,000 key differs and up to 30,000 real guaranteed key differs under a master key
- Solid aluminum lock body encased by a colored plastic cover
- Robust lock body can endure harsh environments and is corrosion resistant
- Protected keyway eliminates cross-keying and reduces risk for employees
- Variety of shackle options: steel, stainless steel, plastic and sheathed steel cable shackle
- Improved key durability for increased breaking and torsion resistance
- Meets OSHA Lockout/Tagout Guidelines



Item	Shackle Height	Pins in Cylinder	Key Options	Shackle Material	Case Pk Qty
76/40	1 1/2"	8	KA, KD, MK, GMK	Plastic	6
76/40	1 1/2"	8	KA, KD, MK, GMK	Steel w/Plastic Slv	6
76/40	3"	8	KA, KD, MK, GMK	Steel w/Plastic Slv	6
76/40	1 1/2"	8	KA, KD, MK, GMK	Stainless	6
76/40	3"	8	KA, KD, MK, GMK	Stainless	6
76/40	4"	8	KA, KD, MK, GMK	Cable	6
76/40	8"	8	KA, KD, MK, GMK	Cable	6



ALUMINUM 72



- Lightweight, anodized aluminum lock body offers superior chemical and corrosion resistance and is ideal for laser engraving
- NANO PROTECT™-coated hardened steel shackle provides superior corrosion resistance and is available in multiple shackle heights
- Meets OSHA lockout/tagout guidelines
- Available keyed-different, keyed-alike or master-keyed




Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
72/30	1 1/16"	5	KA, KD, MK, GMK	6
72/40	1 1/16"	6	KA, KD, MK, GMK	6
72/40HB40	1 1/16"	6	KA, KD, MK, GMK	6
72/40HB75	3"	6	KA, KD, MK, GMK	6
72/40HB100	4"	6	KA, KD, MK, GMK	6

CABLE ALUMINUM 72



- Lightweight, anodized aluminum lock body offers superior chemical and corrosion resistance
- Highly flexible cable in two sizes for multi-purpose security solutions
- Laser engraving available for easy identifications
- Meets OSHA Lockout/Tagout Guidelines



Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
72/30CAB	4"	5	KA, KD, MK, GMK	6
72/30CAB	8"	5	KA, KD, MK, GMK	6



LAMINATED STEEL 41



*Available only with blue bumper.

- 5-pin cylinder offers high number of key differs
- Steel shackle and body plates are individually coated with ETERNATM plating for rust protection
- Vinyl bumper provides easy identification and protection
- Made from high-quality recycled steel
- Tough, countersunk rivets
- Meets OSHA lockout/tagout guidelines
- Available keyed-different, keyed-alike or master-keyed



Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
41/30*	5/8"	4 or 5	KA, KD, MK, GMK	6
41/40	3/4"	4 or 5	KA, KD, MK, GMK	6
41/40HB50	2"	4 or 5	KA, KD, MK, GMK	6
41/45*	1"	4 or 5	KA, KD, MK, GMK	6
41/45HB50*	2"	4 or 5	KA, KD, MK, GMK	6
41/50*	1"	4 or 5	KA, KD, MK, GMK	6
41/50HB50*	2"	4 or 5	KA, KD, MK, GMK	6



For easy ordering, call 800.352.ABUS, fax 623.516.9934 or email customerservice@us.abus.com | abus.com

NON-SPARKING BRASS T84MB



- Shackle and body made from solid brass
- Inner components made from non-corrosive materials
- Precision pin tumbler
- Plastic casing available in 6 different colors
- Available keyed-different, keyed-alike or master-keyed



Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
T84MB/30*	9/16"	3	KA, KD, MK, GMK	12
T84MB/40	13/16"	4	KA, KD, MK, GMK	12
T84MB/50*	15/16"	5	KA, KD, MK, GMK	6



*Available only with black jacket.



LASER ENGRAVING

ABUS offers custom laser engraving on all Safety Series padlocks. Laser engraving is a great way to customize padlocks in the safety industry, providing quick and easy identification.



Please note: Engraving on bottom of lock is not available.

ABUS CHARTING

Available for KA, KD or MK locks

- End-user is checked by our proprietary charting software to see if we have shipped an order in the past
- All codes that have been shipped in the past are automatically excluded from production
- The codes used in an order are then double-checked and entered by in-house customer service professional
- Over 40,000 unique codes available and possibility to create more unique key differs
- Charting across multiple series is available to unlock the full potential of the diverse safety lock offering: 41 Series, 72 Series and 74 Series



WEATHERPROOF CAP

- Rubberized cap fits on the bottom of 72 Series padlocks
- Durable weather cover with drainage system
- Protects lock cylinder from water, ice, dirt and grime



CUSTOM SAFETY KITS

Build a custom kit that is modified to meet your facility needs! See page 22 for more information.



Choose the pouch/toolbox, padlocks & devices you would like in your customized kit.



We build your kit to fit the product you selected.



We ensure customized kits are delivered to your facility on time.



We keep record of what each kit includes so reordering is quick and easy.



K915 Deluxe Pouch Kit

KEYING SYSTEMS

ABUS is experienced in creating comprehensive and intelligent keying systems based on user needs and requirements. We assist customers by designing large keying systems with multiple levels in which master keys or even grand master keys can be used to open all keyed-different or keyed-alike locks from different groups.

A locking system is a combination of different locking cylinders that have a certain relation to each other. Depending on what is needed, the functionalities of the cylinder can be bundled and exactly assigned. Within a locking system there are single keys, master keys and grand master keys – this makes it possible to distribute certain access rights among different employees.

Keyed Different:




Each padlock has its own unique key.

Keyed Alike:




Each padlock can be opened with the same key.

Keyed Different with Master Key:



Each padlock has its own key. The master key can open all padlocks.



Keyed Different with Grand Master Key:



Each padlock has its own key. The padlocks of each group can be opened with their respective master key. All padlocks can be opened with the grand master key.

BUTTERFLY SAFETY HASP

LABELED ALUMINUM SAFETY HASP




- Made of steel for strength and durability
- Anti-rust galvanized treatment for corrosion resistance

- Red labeled hasp for multiple workers
- Integrates traditional buckle and label into one unit
- Reusable write-on labels on both sides
- Made of aluminum alloy
- Available in English and Spanish

Item	Holds #Locks	Case Pk Qty
18025	6	1
18023	10	1

Item	Holds #Locks	Language	Case Pk Qty
18024	8	English	1
18034	8	Spanish	1

SAFETY REDBOX™



- Safety where you want it, when you need it: portable, convenient lockout box
- High level of stability in spite of low weight
- Ergonomic and space-saving fold-away handle
- Inside is exposed to light from all sides for better visibility of contents
- Lid features innovative and secure locking mechanism
- Patented lockable wall bracket, also facilitates storing of padlocks



Item	Diameter of Holes	Holds #Locks	Material	Case Pk Qty
B835 RED	9/32"	12	Recycled Steel	1

PERMIT REDBOX™




- Incorporates permit-to-work procedures and group lockout box in one unit
- Holds up to 20 padlocks
- Made of powder-coated steel to endure harsh settings
- Enclosed wall-bracket makes the box suitable for stationary and mobile use



Item	Holds #Locks	Material	Case Pk Qty
B810	20	Recycled Steel	1

SAFELEX™ CABLE LOCKOUT

STANDARD CABLE LOCKOUT



- Intuitive design for self-explanatory application
- Patented grip mechanism for secure fixation of the cable
- Retightening possible at any time, even when locked
- Isolated, exchangeable metal cable in different lengths
- Holds up to 6 padlocks




Item	Cable Length	Cable Diameter	Holds #Locks	Case Pk Qty
C503	3'	5/32"	6	12
C506	6'	5/32"	6	12
C509	9'	5/32"	6	12
C515	15'	5/32"	6	10




- Intuitive design for self-explanatory application
- Isolated, exchangeable metal cable in different lengths
- Holds up to 6 padlocks

Item	Cable Length	Cable Diameter	Holds #Locks	Case Pk Qty
C553	3'	5/32"	6	8
C556	6'	5/32"	6	8
C559	9'	5/32"	6	12
C565	15'	5/32"	6	10

BALL VALVE LOCKOUT



- Made from high-quality polypropylene; long-lasting and non-conductive
- Two sizes: Fits ball valves from 1/2" to 8"
- Well-positioned padlock holes for better grip on the valve
- Holds 1 padlock



- Stable and secure, made from powder-coated steel
- Two sizes for most common ball valves
- Various holes for exact positioning of padlock gives stability
- Best used on hard-to-reach pipes



Item	Holds #Locks	Max Handle Thickness	Max Handle Width	Case Pk Qty
V442	1	25/64"	29/32"	1
V448	1	15/16"	1 11/16"	1

Item	Holds #Locks	Max Handle Thickness	Max Handle Width	Case Pk Qty
V423	1	9/32"	1 29/64"	1
V426	1	25/64"	1 31/32"	1

UNIVERSAL VALVE LOCKOUT

PLUG & HOIST LOCKOUT



- For virtually all handle sizes and shapes
- Creates a mounting point on the handle which is secured against a counterpoint using a cable lockout
- Large, specially shaped contact surface (rubberized on one side) for the ideal valve handle grip
- Large, stable metal housing



Item	Holds #Locks	Case Pk Qty
V500	1	1



- Locks out industrial control panels or large plug fittings or connectors
- Drawstring cinch bag made of durable polyester material
- Flexible, water-repellent and resistant to heat and dirt
- Insert PVC tubing to block access



Item	Holds #Locks	Case Pk Qty
P625	1	1

GATE VALVE LOCKOUT



- Made from high-quality polypropylene: long-lasting and non-conductive
- Five sizes: Fits gate valves from 1" to 13"
- Holds 1 padlock with up to 23/64" shackle diameter
- Predetermined breaking point at the top for threaded valves
- Stickers in various languages included

Item	Holds #Locks	Fits Gate Valve Size	Case Pk Qty
V303	1	1 - 2 1/2"	1
V305	1	2 1/2 - 5"	1
V307	1	5 - 6 1/2"	1
V310	1	6 1/2 - 10"	1
V313	1	10 - 13"	1

FORKLIFT/PLUG LOCKOUT




- Lockout for plug, forklift, and gas cylinder
- Made in the USA from recycled plastic
- Plug Lockouts: 120 volt plug, 250 volt-sp plug, 15-50 Amp 3P plug
- Forklift Lockouts:
 - Electric Driver Forklifts: Battery plug 50-250 Amp, starter battery negative (-) terminal
 - Propane Driver Forklifts: LP gas cylinder shutoff valve, LP gas tank coupling


Item	Holds #Locks	Case Pk Qty
00457	6	1

POWER PLUG LOCKOUT

SWITCH LOCKOUT



- Made from high-quality polypropylene: long-lasting, robust and non-conductive
- 2 Sizes: For standard plugs or high-voltage plugs
- Cable tunnel on both sides to secure plug connections
- Warning stickers in different languages included
- Holds up to 4 padlocks with a shackle diameter up to 23/64"



- Made from high-quality polycarbonate housing: long-lasting and robust
- Easy installation: Remove the screws from the wall switch plate and use them to mount the device onto the plate
- Sliding mechanism makes the device very easy to use
- Offers extra durability with hinge-less design
- Holds 1 padlock with up to 5/16" shackle diameter

Item	Holds #Locks	Warning Sticker Languages	Case Pk Qty
P110	2	English, Spanish, French	1
P550	4	English, Spanish, French	1

Item	Holds #Locks	Case Pk Qty
E250	1	1

PANEL HANDLE LOCKOUT



- Prohibits the movement of handles or levers on electrical panels
- Nylon base and a flexible stainless steel strip with 20 holes prevents handle from moving once locked with a lockout padlock
- Recommended for all handles and levers that do not have a built-in lockout arrangement
- Accommodates 1 padlock, with shackles up to 1/4"

Item	Holds #Locks	Case Pk Qty
00456	1	1

PUSH BUTTON LOCKOUT




- Provides a lockout solution for oversize electrical push buttons on electrical panels or controls stations
- Can also be used on heavy machinery
- Installs in seconds Made from durable plastic (acrylic)
- Accommodates 1 padlock with a maximum shackle diameter of 1/4"


Item	Holds #Locks	Warning Sticker Languages	Case Pk Qty
00455	1		1

SINGLE BREAKER LOCKOUT

MULTI BREAKER LOCKOUT



- Made from high-quality materials: long-lasting, robust and non-conductive
- Easy-to-use with screwing mechanism for secure fixation
- Can be used on common single-pole circuit breakers
- Comes with adapter for blade-type electric fuses
- Holds 1 padlock
- Voltage 120/277



- Made from high-quality materials: long-lasting, robust and non-conductive
- Easy-to-use with screwing mechanism for secure fixation
- Holds up to 2 padlocks with a shackle diameter up to 9/32"
- Can be used on common multi-pole circuit breakers that employ a tie bar
- Voltage 120/277


Item	Holds #Locks	Max. Width of Circuit Breaker	Case Pk Qty
E201	1	5/8"	1

Item	Holds #Locks	Max. Thickness of Bond Bridge	Case Pk Qty
E202	2	23/64"	1

COMPRESSED AIR LOCKOUT




GAS CYLINDER LOCKOUT



- Made from fiber-glass reinforced nylon: long-lasting, robust and non-conductive
- 3 different connections for most common compressed air couplings with 19/32" outside diameter
- The hole in the middle can be used to attach and store the lockout device directly at the connection
- Holds 1 padlock with 1/4" and 1 padlock with 9/32" shackle diameter per connection

Item	Holds #Locks	Case Pk Qty
P603	6	1



- Made from high-quality polypropylene: long-lasting, robust and non-conductive
- Warning sticker included
- Holds 1 padlock with up to 23/64" shackle diameter

Item	Holds #Locks	Inside Height	Inside Diameter	Case Pk Qty
P606	1	5 15/32"	3 5/64"	1


LOCKOUT TAGS



- Prevent accidental or unexpected start-up or release of stored energy when working on equipment or machinery
- Laminated vinyl with grommet and matte surface to withstand moisture
- Available tag types: DO NOT OPERATE; OUT OF SERVICE

Item	Tag Material	Tag Text	Case Pk Qty
T100	Laminated Vinyl	DO NOT OPERATE	10
T102	Laminated Vinyl	OUT OF SERVICE	10

LOCKOUT LABELS



- Identi-shield labels: vinyl labels to add custom color and identification to standard padlocks
- Lockout labels: vinyl labels in multiple languages for lockout padlocks

Item	Label Material	Case Pk Qty
Identi-Shield Label	Vinyl	10
Lockout Label (74/40 and 74/40HB75)	Vinyl	10
Lockout Label (74LB/40)	Vinyl	10

CUSTOM SAFETY KITS

Build a custom kit that is modified to meet your facility needs.

ABUS Custom Kits allow you to select the devices and padlocks your facility requires to ensure your LOTO program operates smoothly.

Whether you need one or more ABUS Custom Kits, you have the flexibility of ordering your personalized kit frequently or building additional kits contingent on your LOTO program.



SELECT

Choose the pouch/toolbox, padlocks & devices you would like in your customized kit.



BUILD

We build your kit to fit the product you selected.






















DELIVER

We ensure customized kits are delivered to your facility on time.



REORDER

We keep record of what each kit includes so reordering is quick and easy.

Locks	Cable LO	Gate Valve LO	Forklift/Plug LO	Panel Handle LO	Tags
 <p>72 Aluminum</p>	 <p>C503-C515</p>	 <p>V303</p>	 <p>00457</p>	 <p>00456</p>	 <p>T100</p>
 <p>74 Insulated</p>	 <p>C553-C565</p>	 <p>V305</p>	 <p>E250</p>	 <p>00455</p>	 <p>T102</p>
 <p>5 Silver Rock™</p>	 <p>Ball Valve LO</p>	 <p>P110</p>	 <p>E201</p>	 <p>P603</p>	
 <p>ST0701</p>	 <p>V442</p>	 <p>P550</p>	 <p>E202</p>		
 <p>ST0702</p>	 <p>V423</p>	 <p>Universal Valve LO</p>			
	 <p>V500</p>				

PRE-BUILT SAFETY KITS

ABUS offers a variety of pre-built safety kits that meet a variety of needs. These kits offer the most popular combinations of lockout/tagout components to ensure your facility is OSHA compliant.

	K800 Construction LOTO Kit	K900 Basic Pouch Kit	K905 Standard Pouch Kit	K915 Deluxe Pouch Kit	K925 Electrical Toolbox Kit	K930 Valve Toolbox Kit	K945 Operator Toolbox Kit
B100 Small Pouch		1					
B102 Large Pouch	1		1	1			
B200 Toolbox					1	1	1
72/30CAB 4" Cable Padlock	1						
72/40 Aluminum Padlock	2						
74/40 Insulated Padlock		2	2	2	3	3	1
74HB/40-75 Insulated Padlock				2			
C506 6' Safelex™ Cable Lockout						1	
E201 Single-Pole Breaker Lockout	1	1			3	1	
E202 Multi-Pole Breaker Lockout	1		1	3			1
E250 Wall Switch Lockout				1		1	
Universal Plug Lockout	1						
P110 Small Power Plug Lockout				1	1		
P550 Large Power Plug Lockout				1	1		
ST0701 1" Hasp		1	1	2	3	1	1
ST0702 1.5" Hasp		1	1	2			
T100 Do Not Operate Tag & Cable Ties 10pk	1	1	1	1	1	1	1
V303 1-2.5" Gate Valve Lockout			1		1	1	
V305 2.5"-5" Gate Valve Lockout			1	1		1	
V442 Small Ball Valve Lockout						2	



K800 Construction LOTO Kit



K900 Basic Pouch Kit



K915 Deluxe Pouch Kit



K930 Valve Toolbox Kit



K905 Standard Pouch Kit



K925 Electrical Toolbox Kit



K945 Operator Toolbox Kit

LOCKOUT STATIONS



- Lockout/Tagout Stations centralize LOTO activity
- Available in different sizes
- Portable and wall-mounted
- Designed with durability for industrial settings
- Each hook can hold 2 padlocks or 2 hasps



Item	Board Width	Board Height	Locks	Hasps	Tags	Case Pk Qty
71130	11"	11"	3	2	10	1
71140	15"	15"	8	6	10	1
71150	15"	23"	12	2	10	1
71160	23"	23"	28	4	10	1

LOCKOUT CABINETS

PADLOCK STATIONS



- Lockout cabinets are designed to store padlocks and equipment in one location
- Constructed of unbreakable ABS: a non-conductive and non-rusting material that can withstand industrial settings
- Clear door allows for visual management of contents




- Constructed of heavy gauge carbon steel with a durable powder coat finish, ideal for industrial settings
- Ready to wall mount near lockout point

Item	Dimensions	Case Pk Qty
17053	9"w x 9"h x 3"d	1
17054	15"w x 15"h x 6"d	1
17055	15"w x 30"h x 6"d	1

Item	Dimensions	Locks	Case Pk Qty
18030 (small)	6"w x 3"h x 1 1/2"d	5	1
18031 (medium)	10 1/2"w x 3"h x 1 1/2"d	10	1
18032 (large)	16"w x 3 1/4"h x 1 1/2"d	15	1
18033 (Xlarge)	21 1/4"w x 3 1/4"h x 1 1/2"d	20	1

SILVER ROCK™ 5



◀ 2" ▶
5/50HB25

- Solid zinc lock body withstands outdoor elements
- The precision 5-pin cylinder with paracentric keyway protects against tampering
- Hardened steel shackle with NANO PROTECT™ coating for increased protection against rust
- Works with most jobsite boxes

Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
5/50HB25	1"	5	KD, KA, MK	6



LAMINATED STEEL 41



- Laminated steel with ETERNA™ coating on each laminate for extreme corrosion resistance
- ETERNA™: Non-hazardous, cadmium-free plating
- Tough, countersunk rivets
- Hardened steel shackle
- High-precision 5-pin tumbler, drilling and pulling protected
- Plastic bumper for easy identification


Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
41/30 B	5/8"	4 or 5	KD, KA, MK	4
41/40 C	3/4"	4 or 5	KD	6
41/40 B	3/4"	4 or 5	KD, KA, MK	6
41/40HB50 B	2"	4 or 5	KD, KA, MK	6
41/45 B	29/32"	4 or 5	KD	6
41/45HB50 B	2"	4 or 5	KD, KA, MK	6
41/50 C	1"	4 or 5	KD	6
41/50 B	1"	4 or 5	KD, KA, MK	6
41/50HB50 B	2"	4 or 5	KD, KA	6



For easy ordering, call 800.352.ABUS, fax 623.516.9934 or email customerservice@us.abus.com | abus.com


WEATHERPROOF BRASS 70

BRASS 75IB



- Solid brass body with shock-absorbing vinyl cover provide ultimate weather resistance
- Cylinder cover with drainage channels protects padlock from water and dirt
- Inner components made from rust-free materials
- IB: comes with stainless steel shackle

Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
70/35 B	$\frac{31}{32}"$	4	KD	12
70/45 C	$\frac{7}{8}"$	5	KD, KA	6
70/45HB63 B	$2\frac{1}{2}"$	5	KD, KA	6
70IB/45 C	$\frac{7}{8}"$	5	KD, KA, MK	6
70IB/45HB63 B	$2\frac{1}{2}"$	5	KD, KA, MK	6
70IB/50 C	$1\frac{3}{16}"$	5	KD, KA, MK	6



- High-precision reversible keyway with up to 150,000 key differs
- Body made from solid brass or pearl-nickel-plated brass
- Shackle made from stainless steel
- Dimple key
- Key-retaining: 75IB/40 + 75IB/50
- Self-locking: 75IB/30




Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
75IB/30 B	$\frac{5}{8}"$	8	KD, KA	12
75IB/40 B	$\frac{7}{8}"$	8	KD, KA	12
75IB/40HB40 B	$1\frac{1}{2}"$	8	KD, KA	12
75IB/50	$1\frac{1}{8}"$	10	KD, KA	6



WEATHERPROOF DISKUS® 24IB

HARDENED STEEL DISKUS® 28




◀ 2 1/4" ▶
24IB/50

◀ 2 3/8" ▶
24IB/60

◀ 2 3/4" ▶
24IB/70

- Original Diskus® design: 360° protection
- 100% non-corrosive: shackle and all inner components made of stainless steel
- Diskus® Deep-Welding Technology provides maximum strength and pry resistance
- Precision pin cylinder - extra plated for ultimate corrosion resistance



◀ 2 3/8" ▶
28/60

◀ 2 3/4" ▶
28/70

- Original Diskus® design: 360° protection
- Diskus® Deep-Welding Technology provides maximum strength and pry resistance
- Shackle made from hardened steel
- Precision pin cylinder with anti-pick pins



Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
24IB/50 B	5/16"	4	KD, KA	6
24IB/60 C	33/64"	4	KD, KA	6
24IB/60 B	33/64"	4	KD, KA, MK	6
24IB/70 C	11/16"	5	KD	6
24IB/70 B	11/16"	5	KD, KA, MK	6

Item	Shackle Height	Pins in Cylinder	Key Options	Case Pk Qty
28/60 B	33/64"	4	KD, KA	6
28/70 C	11/16"	5	KD	6
28/70 B	11/16"	5	KD, KA	6



PROFESSIONAL BRASS 83

STEEL ROCK 83



- Body made of solid brass
- Shackle made of hardened steel with NANO PROTECT™ coating for extra corrosion resistance
- Patented "Z-bar" converts key-retaining to non-key-retaining and vice versa within seconds
- Patented "Pinning Window" for simple rekeying
- Can be keyed into many popular keyways
- Shackle can be changed in seconds

- Body and shackle made from hardened steel, chrome-plated with NANO PROTECT™ coating for an extreme corrosion resistance
- Patented "Z-Bar" converts key-retaining to non-key-retaining and vice versa within seconds
- RK: cylinder can be re-keyed to match an existing key
- CS: shackle guard protects shackle from attack

Item	Cyl Cover Available	Shackle Height (in)	Pins in Cylinder	Case Pk Qty
83/40	Y	1, 1 1/2, 3, 4	5-6	6
83/45	Y	1, 2, 3, 4, 6	5-6	6
83CS/45	Y	1, 2, 3, 4, 6	5-6	6
83IC/45	Y	1, 2, 3, 4, 6	-	6
83KnK/45	Y	1, 2, 3, 4, 6	-	6


Item	Cyl Cover Available	Shackle Height (in)	Pins in Cylinder	Case Pk Qty
83/55	N	1, 1 7/16, 3	5-6	6
83CS/55	N	1, 1 7/16, 3	5-6	6
83KnK/55	N	1, 1 7/16, 3	-	6
83CS-IC/55	N	1, 1 7/16, 3	-	6
83CS-KnK/55	N	1, 1 7/16, 3	-	6

*83AL/40 and 83/40 come standard with a 1 1/2" shackle



WEATHERPROOF 83

COMBINATION 1801B



- Shackle and body made of hardened steel with NANO PROTECT™ coating for extra corrosion resistance
- RK: cylinder can be re-keyed to match an existing key
- Patented "Z-Bar" converts key retaining to non-key retaining and vice versa in seconds
- Patented "Pinning Window" for simple rekeying
- Durable weather cover with drainage system
- 83WP/53: shackle can be changed in seconds

Item	Shackle Height (in)	Pins in Cylinder	Case Pk Qty
83WP/53	1 1/16, 2 1/2, 3, 4	5-6	6
83WP-IC/53	1 1/16, 2 1/2, 3, 4	-	6
83WP-KnK/53	1 1/16, 2 1/2, 3, 4	-	6
83WP-LFIC/53	1 1/16, 2 1/2, 3, 4	-	6
83WP/63	1 3/8, 2 1/2	5-6	6
83WP-IC/63	1 3/8, 2 1/2	-	6
83WP-KnK/63	1 3/8, 2 1/2	-	6




- Solid forged brass body provides superior protection and weather resistance
- Stainless steel shackle and corrosion-resistant inner components for ultimate rust protection
- Precision locking mechanism with special protection against manipulation
- 4-digit resettable code
- Resetting tool included

Item	Shackle Height	Dials	Shackle Material	Case Pk Qty
1801B/50 C	1"	4	Stainless	6
1801B/50HB63 C	2 1/2"	4	Stainless	6



TRADITIONAL BRASS 55



- Solid brass body offers maximum corrosion resistance
- Available with hardened steel or brass shackle
- Inner components made from non-corrosive materials
- Perfect solution for outdoor security applications

Item	Shackle Height	Pins in Cylinder	Shackle Material	Key Options	Case Pk Qty
55/25 C	$\frac{7}{16}$ "	3	Steel	KD, KA	12
55/30 C	$\frac{33}{64}$ "	3	Steel	KD	12
55/30 B	$\frac{33}{64}$ "	3	Steel	KD, KA	12
55MB/30 C	$\frac{33}{64}$ "	3	Brass	KD	12



Item	Shackle Height	Pins in Cylinder	Shackle Material	Key Options	Case Pk Qty
55/40 C	$\frac{7}{8}$ "	4	Steel	KD	12
55/40 B	$\frac{7}{8}$ "	4	Steel	KD, KA	12
55MB/40 C	$\frac{7}{8}$ "	4	Brass	KD, KA	12
55MB/40 B	$\frac{7}{8}$ "	4	Brass	KD, KA	12
55HB/40 MB C	2 1/2"	4	Brass	KD	6
55/45 C	$\frac{5}{16}$ "	4	Steel	KD	6
55/45 B	$\frac{5}{16}$ "	4	Steel	KD, KA	6
55/50 C	$\frac{15}{16}$ "	5	Steel	KD	6
55/50 B	$\frac{15}{16}$ "	5	Steel	KD, KA	6
55MB/50 C	$\frac{15}{16}$ "	5	Brass	KD, KA	6
55/60 C	1 1/4"	5	Steel	KD, KA	6

COMBINATION 145

78



- Solid and lightweight aluminum body
- 3- or 4-digit individually resettable code
- Ideal for securing toolboxes, luggage, lockers, cabinets and more



Item	Shackle Height	Dials	Shackle Material	Case Pk Qty
145/20 C	7/8"	3	Steel	6
145/30 C	63/64"	3	Steel	6
145/40 C	1 1/64"	4	Steel	6



- 3-dial combination
- Extra protection against manipulation
- Hardened steel body
- Colored dial for individuality and easy recognition
- 78KC: Key Control - pin tumbler has master key function




Item	Shackle Height	Shackle Material	Case Pk Qty
78/50 C	27/32"	Steel	6
78KC/50 B	27/32"	Steel	12



MONOBLOCK BRASS 82

STEEL 92



- Brass body offers strength and rust resistance
- Unique padlock design with hardened steel shackle and pin provides maximum resistance to bolt cutters
- Ultimate security when paired with ABUS security chain



- Body made from solid brass with steel jacket
- Hardened steel shackle with NANO PROTECT™ coating
- Precision pin tumbler
- Perfect for use with ABUS security chain

Item	Pins in Cylinder	Key Options	Case Pk Qty
82/63 B	5	KD, KA	6
82/70 B	5	KD, KA	6
82/90 B	5	KD, KA	6

Item	Pins in Cylinder	Key Options	Case Pk Qty
92/65 B	5	KD, KA	3
92/80 B	5	KD, KA	3



INTEGRAL HASP D141



- Universal hasp with integrated Diskus® lock
- Ideal for use on double doors (utility vans, storage sheds)
- Easy to operate with one hand
- Solid metal locking case prevents successful attacks on the integrated padlock
- Zinc-plated for extreme corrosion resistance
- Mounting hardware included (screws, drilling template and spacers up to 1/5" height)
- Available with or without Diskus® lock



Item	Body Material	Body Color	Case Pk Qty
D141/200 C (w/26/70 Diskus)	Steel	Black	13
D141/200 B (Hasp only)	Steel	Black	13
D141/200 C (w/26/70 Diskus)	Steel	White	13
D141/200 B (Hasp only)	Steel	White	13



For easy ordering, call 800.352.ABUS, fax 623.516.9934 or email customerservice@us.abus.com | abus.com

PUSH BUTTON KEYGARAGE™

DIAL KEYGARAGE™




- Large solid metal housing offers more capacity than conventional key boxes
- 10 push-button resettable combination: Set your own PIN
- Push buttons provide faster access than dials
- Large hinged front door protects buttons
- 767: For wall mounting, 777: For attaching with shackle
- Holds up to 8 cards or 20 keys

- Ideal protected storage for keys and other valuables
- Solid metal housing; locking cover made from zinc die-cast
- 4-digit individually resettable code
- Protective cover with sliding mechanism
- 787: For wall mounting, 797: For attaching with shackle
- 787, 797: Holds up to 8 cards or 20 keys
- 737: Compact KeyGarage™ holds up to 6 keys

Item	Shackle Height	Buttons	Case Pk Qty
767 C	-	10	1
777 C	1 7/8"	10	1

Item	Shackle Height	Dials	Case Pk Qty
737 C	1 31/32"	4	1
787 C	-	4	1
797 C	1 15/16"	4	1





GRANIT™ HASP 130

- Two hardened hinge pins
- Tough white heart malleable iron
- Hardened staple
- Includes coach bolts and back plate



Item	Body Material	Case Pk Qty
130/180 C	White Heart Malleable Iron	1

Staple
Width: 5/8"
Height: 1/2"
Depth: 7/8"



4 11/16" 7 3/8"
140/120 140/190
(shown)

STAINLESS STEEL HASP 140

- Hasp and hinge pins made of stainless steel
- Tough construction with hardened staple
- Hinge pins protected against attack
- Ideal in combination with Diskus® padlocks



Item	Body Material	Case Pk Qty
140/120 C	Stainless Steel	3
140/190 C	Stainless Steel	3



HARDENED STEEL HASP 125

- Extra-strong hinge
- Hardened staple
- Includes coach bolts and back plates
- Extremely high corrosion resistance



Item	Body Material	Case Pk Qty
125/150 C	Coated Hardened Steel	3



6 7/64" 7 43/64" 9 1/16"
110/155 110/195 110/230
(shown)

CONCEALED HINGE PIN HASP 110

- Hardened steel for extra strength
- Seamless eye loop prevents prying
- Center-lock pin resists being driven out at end
- Hidden screws and hinge pins for extra security



Item	Body Material	Case Pk Qty
110/155 C	Hardened Steel	3
110/195 C	Hardened Steel	3
110/230 C	Hardened Steel	3




CONCEALED HINGE PIN HASP 100

- Hardened staple and hinge pins (not for 100/60)
- Concealed hinge pin
- Corrosion-protected
- Hidden screws



Item	Body Material	Case Pk Qty
100/60 C	Steel	3
100/80 C	Steel	3




HARDENED HASP 300

- Hardened steel sliding locking bolt
- Zinc chrome finish for corrosion protection
- Hidden screws for extra security



Item	Body Material	Case Pk Qty
300/100 C	Zinc-coated Hardened Steel	6
300/120 C	Zinc-coated Hardened Steel	6
300/140 C	Zinc-coated Hardened Steel	6




HARDENED HASP 200

- Hardened steel for extra strength
- Galvanized finish for corrosion protection
- Seamless eye loop prevents prying
- Hidden screws and hinge pins for extra security



Item	Body Material	Case Pk Qty
200/75 C	Hardened Steel	6
200/95 C	Hardened Steel	6
200/115 C	Hardened Steel	6
200/135 C	Hardened Steel	6
200/155 C	Hardened Steel	6




FIXED STAPLE HASP 115

- Corrosion-protected
- Hardened bolt
- Hidden screws



Item	Body Material	Case Pk Qty
115/100 C	Steel	3

MULTILOOP CABLE LOCK



- $15/16$ " strong premium steel cable
- PVC-coating to prevent damage to surroundings
- Silicone coating on the lock body with "soft touch" properties for better grip
- Integrated adapter in the body for a conversion from one loop to a double-loop cable
- 210: Keyed, available keyed-alike or keyed-different
- 215: Combination

Item	Cable Diameter	Cable Length	Body Material	Case Pk Qty
210/185 C	0.39	3	Steel	1
215/185 C	0.39	3	Steel	1



210/185



215/185

COBRA STEEL CABLE

STEEL CABLE



10/500 Cable

- Flexible steel cable
- ABUS loop cables protect bike components like front and rear wheel, frame and seat as the ideal complement to the ABUS U-shackle-locks, padlocks or frame locks
- Ideal to secure bicycles, surf boards, garden tools, etc.



66 Cable

- Braided steel wires for strength and flexibility
- Protective coating prevents scratching
- Self coiling for convenient storage

Item	Diameter	Length	Body Material	Case Pk Qty
8/200 Non-Coiled C	5/16"	78 47/64"	Steel	1
8/250 Non-Coiled C	5/16"	98 27/64"	Steel	1
10/500 Non-Coiled C	25/64"	196 27/32"	Steel	1
10/1000 Non-Coiled C	25/64"	393 45/64"	Steel	1
1850/185 Coiled B	5/16"	72 53/64"	Steel	1

Item	Diameter	Length	Body Material	Case Pk Qty
46 Coiled C	7/16"	72"	Steel	5
66 Coiled C	5/16"	72"	Steel	10
86 Coiled C	1/4"	72"	Steel	10

MAXIMUM SECURITY CHAIN



- Chain made from hardened steel
- Square-shaped links provide top security against all types of aggressive attacks
- Fabric sleeve prevents surroundings from damage
- Available in pre-cut (2', 6', 10') or custom lengths
- Loop chain comes with a larger loop on one end, making the chain go further

Item	Cutting Force	Inside Height	Thickness	Inside Width
6KS	4 tons	1 1/8"	1/4"	3/8"
8KS	6 tons	1 3/8"	5/16"	1/2"
10KS	8 tons	1 1/2"	3/8"	5/8"
12KS	10 tons	2 1/4"	1/2"	3/4"
14KS	12 tons	2"	9/16"	3/4"
12KS Loop 2.5'	10 tons	2 1/4"	1/2"	3/4"
12KS Loop 4'	10 tons	2 1/4"	1/2"	3/4"
12KS Loop 5'	10 tons	2 1/4"	1/2"	3/4"



12KS Loop

FLOOR & WALL ANCHOR

WALL ANCHOR



◀ 6 1/2" ▶

WBA100

- 6 5/16" shackle made of hardened steel for extreme resistance against the most aggressive attacks
- Extra wide shackle for easy locking
- Due to its flat shape and the use of high-quality plastic, it is possible to drive over the anchor in fixed position
- Can be used indoors and outdoors as wall or floor anchor
- Includes mounting hardware



◀ 4 1/3" ▶

WA50

- Hardened steel wall anchor
- Can be used indoors and outdoors
- Includes hardware for wall or floor mounting


Item	Case Pk Qty
WBA100	1

Item	Case Pk Qty
WA50	1



Security Tech Germany

SAFETY WHEN YOU NEED IT ABUS NEXT



ABUS Next eliminates potential shut downs and lost revenue by delivering safety padlocks and devices FAST. Place an order by 6 p.m. EST and it is eligible for next-day delivery (shipping charges apply).*

ABUS NEXT, you make the call, WE make it happen.

Call for more details! **800.352.ABUS**

Eligible Products

41 Series

72 Series

74 Series

Select safety devices



*Up to 100 stock KD and KA padlocks or devices, call for large quantity requests. Next Day shipping charges apply.



ICON GLOSSARY


100% RUST-FREE

All parts of the lock are made from non-corrosive materials


CORROSION RESISTANT

Highly corrosion resistant due to surface protection


PARACENTRIC KEYWAY

Resists professional picking by special key profile


DRILL PROTECTION

Cylinder is protected against drilling and leverage


BOLT CUTTER PROTECTION

Bolt cutter attack resistant


SAW RESISTANT

Saw attack resistant


HAMMER RESISTANT

Hammer & impact attack resistant


HARDENED SHACKLE

Shackle made from hardened steel


CORROSION PLATING

Sophisticated plating for extreme corrosion resistance


ALUMINUM ALLOY

Lock body made from special aluminum alloy - light but secure


GERMANY

Development and production in Germany


SHACKLE GUARD

Shackle access restricted, protecting shackle from attack


STEEL BALL LOCKING

Solid steel ball locking


DOUBLE-BOLTED

Both sides of the shackle are secured by bolts or balls – increased protection against attacks and manipulation


SELF-LOCKING

The lock is locked automatically by pushing down the shackle – no key needed for locking


KEY-RETAINING

A key is needed for locking. Lock retains key until locked


RK AVAILABLE

Cylinder can be taken out and can be rekeyed to match an existing key


KA AVAILABLE

Available keyed-alike (several locks with the same key)


MK AVAILABLE

Available master-keyed (one key opens many different locks)


RESETTABLE CODE

ABUS-PLUS

Original ABUS-Plus disk cylinder – highest precision, highest security


DIMPLE KEY

No sharp edges and can be inserted either way up



LED KEY

CODE CARD

Spare keys are made only upon presentation of Code Card


SAMPLE KEY AVAILABLE

New locks can be made up to a sample key


UL VALIDATED

SUSTAINABLE SOLUTIONS

ABUS NEXT

Select products ordered by 6 p.m. EST are eligible for next-day delivery (shipping charges apply)

Custom Engraving Form

Engraving includes logos and characters. Logo engraving requires vector artwork.

Price for engraving logos and characters is \$1.00 net per padlock area/per lock. There is a \$20.00 one-time set up fee for orders under 100. Call customer service at 800.352.2287 for any questions. Fax 623-516-9934 or email customer.service@us.abus.com.

Engraving Options

Please provide engraving information below.

☐ I would like sequential numbering on keys and padlocks.

I would like text engraved on the following lock body areas:

- ☐ Area 1 ☐ Area 2
☐ Area 3 ☐ Area 4

I would like my logo engraved on the following lock body areas:

- ☐ Area 1 ☐ Area 2
☐ Area 3 ☐ Area 4

☐ **1/8" Letter Size (12pt)**

Area 1 (front)

3 rows, 17 char. per row

Area 2 (right)

2 rows, 10 char. per row

Area 3 (back)

3 rows, 17 char. per row

Area 4 (left)

2 rows, 10 char. per row



☐ **1/4" Letter Size (24pt)**

Area 1 (front)

2 rows, 12 char. per row

Area 2 (right)

1 row, 6 char.

Area 3 (back)

2 rows, 12 char. per row

Area 4 (left)

1 row, 6 char.

Customer Information

Custom engraving form must accompany purchase order.

End-User Company Name

End-User Contact Person

Phone Number

Distributor Name

Distributor P.O. Number

Order Summary

Sequential numbering

 Start with

 end with

Engraving areas per lock

 x \$1.00 net per area \$

Key number stamping


 x \$1.00 net per area \$

Total \$

Lock Description


Quantity Ordering

KEY BLANKS




90040 ABUS PLUS

Works with: 20, 37, 88




90130

Works with: 55/25, 54TI/25




90042 ABUS PLUS LED

Works with: 20, 37, 88




90140

Works with: 55/30, 54TI/30




KBR: 90010, KBL: 90020

Works with: 24IB/(50, 60, 70) 28/70KA, 41/(30, KA/MK 4-pin)




90140

Works with: 55/35, 54TI/35




KBR: 90015, KBL: 90016

Works with: 24IB/70KD, 24RK, 26, 28/70, 41KD 5-pin




90150

Works with: 55/40, 54TI/40




KBR: 90420, KBL: 90430

Works with: 24, 26, 82/(62, 70), 92/65 5-pin



90160

Works with: 55/45, 54TI/45




90085

Works with: 34/55, 34CS/55

90018


72/40, 74



90170


Works with: 55/50, 54TI/50

KEY BLANKS




90180

Works with: 55/60, 54TI/60




90220

Works with: 65/20




90185

Works with: 64TI/20




90230

Works with: 65/30 + 35 Old




90184

Works with: 64TI/25




90233

Works with: 65/30 + 35, 64TI/30 + 35 New




90190

Works with: 65/15 L




90240

Works with: 65/40 + 45 Old




90200

Works with: 65/15 R




90243

Works with: 65/40 + 45, 64TI/40, T65, 70, 70AL



90215


Works with: 65/20



90250


Works with: 65/40 + 45, 64TI/40, T65, 70, 70AL

KEY BLANKS




90183

Works with: 65/50 + 60, 64TI/50 + 60




83017A

Works with: 83 Series - #300 Schlage




90255

Works with: 75/30 + 40, 25/70




90320

Works with: T84MB/30 L




90256

Works with: 75/50 + 60




90330

Works with: T84MB/30 R




90186

Works with: 80TI/40 + 50




90340

Works with: T84MB/40 L




83618A

Works with: 83 Series - #100 Yale No. 8




90350

Works with: T84MB/40 R



83016


Works with: 83 Series - #200 Kwikset



90390


Works with: 85/20 + 25 R

KEY BLANKS




90380

Works with: 85/20 + 25 L




90430

Works with: 85/40 R, 82/63 + 70




90400

Works with: 85/30 L




90440

Works with: 85/50+60 L, 82/90




90410

Works with: 85/30 R




90450

Works with: 85/50+60 R, 82/90, 92/80



90420

Works with: 85/40 L, 82/63 + 70



90590

Works with: 85/70 L

INFORMATION AND CONDITIONS

STANDARD TERMS & CONDITIONS

ABUS USA, LLC ("ABUS"), a division of the ABUS Group and all of its subsidiaries and related companies (future or currently existing) reserve the right to refuse an order, in its entirety or in part, when the credit of the Purchaser is judged not to be satisfactory in our absolute discretion. Furthermore, ABUS and its affiliates may refuse an order when the type or quantity of goods being requested does not conform to our ordering specifications.

The following conditions and terms incorporated herein constitute the entire agreement between the parties. Sales quotations, sales quotation requests, purchase orders or other forms of acknowledgment issued by the Purchaser that have contradictory terms and conditions do not bind ABUS or its affiliates to any other terms and conditions beyond those encompassed in this agreement. Only with separate written agreements written by ABUS or its affiliates and authorized by an ABUS representative may alternative terms and conditions be considered or referenced.

When ABUS accepts the Purchaser's purchase order, the Purchaser agrees that they accept the terms and conditions as described in this agreement regardless of the terms and conditions that may be specified in the Purchaser's purchase order. In the event when the Purchaser's purchase order terms and conditions and the terms and conditions specified in this agreement conflict, the Purchaser's terms and conditions will be disregarded and denied and the Purchaser agrees that this agreement shall constitute the entire agreement between the Purchaser and ABUS. In the event or circumstance that the enforcement of the terms and conditions of this agreement hereof is not conducted by ABUS or any other instrument, document, or alternative agreement relating to the goods being sold, such lack of enforcement will not waive, affect or reduce any right of ABUS in the future to require/enforce strict performance of such terms and agreements.

PRICES

All prices are subject to change without advance notice and are not guaranteed. All orders received by ABUS are deemed submitted at applicable prices in effect at the time of shipment pursuant to the terms and conditions outlined below. Possession of this catalog, ABUS Price List or other officially authorized ABUS documents, sales literature, catalogs does not constitute an agreement to sell. We reserve the right to correct clerical and other types of errors at any time. All prices are stated in US dollars.

TERMS

Decisions concerning the extension of trade credit are made by ABUS in its absolute sole discretion. Distributors/Purchasers who satisfy ABUS' ordinary credit criteria will be able to purchase products from ABUS at Net thirty (30) days. A service charge of 1% per month shall be imposed on the unpaid balance of any delinquent invoices. COD or Cash in Advance orders do not qualify for any term discounts. Furthermore, the Customer/Distributor/Purchaser shall be responsible for costs involving collections, court cost and or attorney's fees in association with the recovery of any overdue amounts.

RETURNED CHECKS

NSF checks will be charged a \$30 returned check fee. Returned checks are required to be paid by money order, cashier's check, or credit card. ABUS reserves the right to revoke open terms and change the account to Credit Card Required if we receive more than two returned checks for an account in any 90 day time period.

CREDIT HOLD POLICY

ABUS reserves the right to hold orders for any account that is past due.

STATE RESALE TAX CERTIFICATE

ABUS is required by law to have a valid resale tax certificate on file for each customer that makes a tax-exempt purchase. It is very easy to confuse the Resale Tax Certificate with a sales tax license, registration, or resellers permit number. The Resale Tax Certificate applies to the purchase(s) of goods for resale and proves that sales tax does not need to be collected; the purchaser must collect sales tax when the goods are resold. There are state specific laws that must be followed. Unfortunately, there is no one form that can be used in all states. ABUS must have a Resale Tax Certificate for each dealer for each state, and may have multiple Resale Tax Certificates for a customer. Some Resale Tax Certificates expire, so ABUS must monitor the validity and be certain that Resale Tax Certificates on file are current.

ACCOUNT CHANGES

For your protection, any changes to your business such as name, address, phone/fax number, contact personnel, or ownership must be submitted to ABUS in writing by a principal and then sent via fax or USPS to us.

CHANGES & CANCELLATIONS

Changes to or cancellations of orders must be made in writing and delivered by email, fax or regular mail. Cancellations made after ABUS has issued an order acknowledgment are subject to ABUS approval, and are subject to a \$25 processing fee in addition to any cost incurred by ABUS as a result of the original order.

QUOTATIONS

If and when ABUS chooses to provide an official sales quote, the quote will be valid for thirty (30) days. Complete shipment of the order must be accepted by the Purchaser within six (6) months from the date of issuance. Sale quote numbers (SO #'s) and possible project names must be referenced on the order. The sales quote is considered null and void if the Purchase Order does not reflect all of the product lines on the original sales quote or if the quantities for an item found in the quote deviate fifteen (15) percent or more. The Purchaser must request a new quotation.

Amendments, changes or modifications to an original sales quote will be accepted for up to thirty (30) days from the date of the original quote. All modifications must reference the original sales quote number. With the acceptance of the sales quote for the purchase of products, the Purchase agrees that the products or services being purchased will not be resold or transferred to any distributor not sanctioned/authorized by ABUS to sell its products. This includes all branches and affiliates of the distributor. Failure to adhere to this restriction may result in the distributor's loss in eligibility for quotes or services at ABUS' sole discretion.

FREIGHT POLICY

ABUS will prepay freight on deliveries to customers provided the following conditions are met (customers in Alaska, Hawaii, Puerto Rico, and Canada are excluded and should contact ABUS USA, LLC for information regarding applicable freight charges):

1. The order must be for a minimum of \$750 to qualify for prepaid freight.
2. Payment of invoices is within terms. (i.e. freight will not be prepaid on orders to customers with past due invoices).
3. ABUS reserves and shall have the absolute right to select and employ the most economical carrier. If the customer specifies routing that results in higher freight costs, then ABUS' invoice will include the difference, which the customer agrees to pay.
4. All shipments are FOB (Freight On Board) ABUS US, Phoenix, AZ. Title of goods passes to customer upon delivery thereof by ABUS to the carrier or delivery service. Thereupon, the purchaser assumes fully the risk of loss.

CLAIMS

All claims for shipping and/or invoicing differences must be submitted within 10 days of receipt of shipment. Upon delivery to or pickup by the carrier, title passes and shipments become the property of the customer.

The customer assumes the risk of and makes claims for any loss, shortage or damage in transit.

RETURNS

Requests to return ABUS products should be made within 10 days from date of order and ABUS reserves the right to request date of manufacture and other product information. On goods returned for customer convenience, ABUS requires product be in new, resellable condition and in the original, unaltered packaging.

An RMA (Return Material Authorization) must be obtained from authorized personnel of ABUS before any product may be returned. RMA number must be clearly marked on the outside of the return package. Upon inspection by ABUS, a decision will be made to issue a credit for the ABUS product. This decision will be made solely by ABUS in accordance with the provisions of these Terms. Merchandise returned to ABUS in original unopened cartons is subject to a 15% restocking fee. Merchandise returned in an unsellable state (damaged blisters, product cards etc.) will be subject to an additional 20% repackaging fee.

Obsolete products will not be accepted for return. Transportation charges and insurance on all returned materials must be prepaid by the purchaser.

On goods returned for customer convenience, when the purchaser returns materials in compliance with these Terms which are accepted by ABUS, the purchaser may be issued a credit for 85% of the purchase price, with 15% charged by ABUS for handling and reprocessing.

Refused Orders – Orders refused for any reason will be charged a 15% restocking fee and all applicable freight costs incurred by ABUS will be charged to your account.

All refunds will be in the form of a merchandise credit, no cash refunds will be given.

Custom Pinning/Keying orders will be assessed a 25% re-stocking fee. All engraved locks are non-refundable.

FULL WARRANTY

This warranty gives you specific rights, and you may have other rights which vary from state to state. This warranty applies to ABUS brand products only.

If an ABUS product fails to work properly due to a manufacturing defect, return it to ABUS postage prepaid, and we will return it repaired or replaced at our discretion. To obtain warranty service, please call 800.352.2287 or simply return the padlock prepaid along with receipt of purchase and all parts and keys if applicable to:

ABUS USA LLC
23910 N. 19th Ave., #56
Phoenix, AZ 85085-1850

ABUS products are warranted for a specific period of time from date of purchase. Commercial products are warranted for 2 years against manufacturing defects and ABUS reserves the right to replace or repair the product at its discretion. ABUS will return the repaired or replaced product to the original purchaser.

All products sold under the Vitess™ High Security Cylinder line will have a limited two (2) year warranty from the time that the original goods were transferred from the Purchaser. ABUS Vitess™ high security keys will have a lifetime warranty against manufacturing defects and breakage.

REQUIREMENTS FOR COMBINED AND UNCOMBINED VITESS™ PRODUCTS:

1. Keys shall be cut to the ABUS Vitess™ specifications required for the particular keyway and depth system and be original key blanks made by ABUS.
2. All pin lengths shall be selected according to prescribed ABUS Vitess™ requirements.
3. Original ABUS Vitess™ brand cylinders and cylinder components, including pin tumblers and key blanks, shall be used. We reserve the right to void any warranties or claims for warranty on the basis of using products or components that are not produced by ABUS USA, LLC or its affiliated ABUS sister companies.
4. ABUS will not pay for the cost of the repair performed, reinstallation or new installation of a new or existing keying systems or products. Furthermore, ABUS cannot be held liable for any related fees, loss of use or perceived loss of use or any other associated issues in terms of a warranty claim on the ABUS Vitess™ keying system. Written notice of a product or component part believed to be defective as covered by this warranty should be sent to ABUS and should include your name and address, an identification of the product or component part and a brief description of the defect. Upon receipt of such notice, ABUS will inform where to ship the product or component with prepaid shipping for inspection and in the event such inspection reveals a defect covered by this warranty, the product will be repaired and or replaced. ABUS and its affiliates reserve the right to replace products covered by this warranty that may be discontinued with what we deem as a suitable equivalent.

LIMITATION ON LIABILITY

To the extent permitted by law, ABUS and its agents and affiliates (collectively "ABUS Parties") shall not be responsible for, and the purchaser hereby assumes the risk of, and hereby releases ABUS for any damages or injury whatsoever (including, without limitation, incidental or consequential damages, damages for lost profits or business interruption, and punitive damages) caused by or related to any use of ABUS Products, regardless of any error, omission, interruption, defect, failure of performance, delay in operation or transmission, even if ABUS has been advised of the possibility of such damages. If, notwithstanding the foregoing limitations, ABUS has any liability to the purchaser despite the foregoing limitations, the purchaser agrees that the ABUS' total liability to the purchaser for all losses, damages, and causes of action, whether in contract, equity, tort (including without limitation, negligence and gross negligence), or otherwise, will not exceed the amount the purchaser paid to ABUS for the ABUS products. Any action or arbitration brought against the ABUS pertaining to or in connection with the ABUS Products must be commenced and served upon ABUS within one (1) year after the date the cause of action arose, and not thereafter. Failure to abide by such deadline will constitute a complete defense for the ABUS Parties to the purchaser's claims.

NO THIRD PARTY LIABILITY

If the purchaser uses the ABUS Products on behalf of others or provides to others any products referenced herein, the ABUS Parties shall have no liability to such persons whatsoever, and the purchaser agree to defend and indemnify the ABUS Parties from any and all claims and demands asserted against them, and from any legal fees, costs and other expenses that the ABUS Parties incur therewith.

GOVERNING LAW & JURISDICTION

These Terms are governed by the laws of the State of Arizona, U.S.A. but without regard to its principles of conflict of laws. For any interpretational disputes relating to, or claims arising from, these Terms, the purchaser agrees to the exclusive jurisdiction of the Superior Court of Arizona in Maricopa County, provided, however, that such restriction shall not apply to legal actions initiated or brought by ABUS. Upon request by ABUS, all disputes concerning and claims arising from the foregoing shall be referred to binding arbitration in Maricopa County, Arizona by an arbitrator selected only by the Superior Court of Arizona in Maricopa County. The purchaser hereby waives its right to a jury with regard to claims against the ABUS Parties hereunder. The language used in these Terms shall not be construed.

ABUS | USA
www.abus.com

23910 North 19th Avenue, #56
Phoenix, AZ 85085
P: 800-352-ABUS
F: 623-516-9934
customerservice@us.abus.com

FIND US @ABUSUSA!



Due to a policy of continental development, ABUS reserves the right to modify technical details & colors. E&OE ABUS © 2019



08/20 Safety Catalog
Part 97502

