


Quality & Craftsmanship Forged together for a lifetime.



For over half a century authenticity & function have been Acorn's mission in producing the highest quality forged hardware & accessories. And now Tremont Nail is part of our family of forged products.

Catalog 51-2017



Acorn Manufacturing Co., Inc.

1.800.835.0121

www.acornmfg.com

www.tremontnail.com



Acorn Manufacturing Co, Inc.

80 Years of Excellence

Catalog #51

2017

Dear Customer,

Acorn is the finest and largest manufacturer of forged iron builders' hardware in the United States. We are dedicated to providing the highest quality products, timely delivery and the most knowledgeable and courteous customer service. We value all employees with equal respect and stress the importance of a strong business ethic in all areas of the company.


The products shown in this catalog are primarily **made in AMERICA**. Over 85 % of the products you see in this catalog are made here in the United States of America, most right here in Mansfield, Massachusetts. While we do import some items like screws and specialty items, we manufacture all the more difficult items like locksets, rim-latches and all working hinges to ensure the quality and longevity of these products. All products shown in this catalog carry our life-time warranty. We appreciate your desire to buy American manufactured products and we will continue to manufacture here in the United States.

Acorn products are stocked in Black and available in russet. The Black and russet items are finished within the company with a vinyl lacquer and are generally shipped in one week and are lifetime warranted for outside use. The remaining finishes are sent to outside vendors for plating—these are not warranted for outside use. Their schedules require eight to ten weeks for delivery.

Acorn offers a lifetime replacement warranty on all of its products. Special finish on hardware is designed for interior use only. Lifetime warranty is for replacement only and does not include labor or consequential damages.



Phone 800-835-0121 or Fax 800-372-2676
Phone 508-339-4500 or Fax 508-339-0104



COMPUTER NUMBERS

These numbers must be used when ordering products to assure correct filling of your order.
Details of how to interpret the Computer Numbers are as follows:

EXAMPLE: Cabinet Latch Bar with Knob

Computer Number **ALJBR**

A Smooth Iron **LJ** Cabinet Latch **B** Black Iron **R** Polybagged Set

ORDER: ALJBR

First Letter (Indicates Texture or Style)

A&H Smooth Iron
B Barn Door Hardware
H Hand Forged
I Iron Art - Hand Forged
J Tubular Sets (Pre-Drilled) Locksets & Deadbolts
K Iron Art Stainless Steel - Hand Forged
L Hand Forged - Leaf Design
M Adobe Iron (Rough Iron - Door Hardware)
P Ceramic Knobs
R Rough Iron
T Butt Hinges, Locks & Lock Parts (Smooth Iron)
W Warwick Iron (Rough)

Second & Third Letters or Numbers:

These identify the specific item.

Fourth Letter (Finish Code)

The fourth letter in the catalog number indicates the finish of the product as follows: (ex; AHINQ indicates RUSSET)

B Black Iron
F Faux Stainless Steel *
H Brushed Nickel (See below for pricing)
J Stainless Steel
N Russet (Rust-like Finish) / Rustic Red * (See below for pricing)
Q Dark Bronze *
R Ferrari Red *
T Rustic Brown *
W Brilliant White *
Y Corvette Yellow *

* Barn Door Hardware Only

Finishes: Acorn offers a lifetime replacement warranty on its products. Lifetime warranty is for replacement only and does not include labor or consequential damages. Black and russet finishes are warranted for outside use—all others are for interior use only.

Finish N* = Russet is 15% above the black finish. Black finish prices are under “suggested retail price”. Plated finishes are guaranteed for interior use only.

Finish H is 75% above the Black for door and bath accessories OR 100% above the Black on all cabinet hardware.

Fifth Letter (Packaging Code)

D Dummy Set
G Boxed - Each
I Boxed - Set
P Poly - Each
Q Poly - Pair
R Poly - Set

1 Boxed	15 Pieces
2 Boxed	20 Pieces
3 Boxed	25 Pieces
4 Boxed	30 Pieces
5 Boxed	35 Pieces
6 Boxed	40 Pieces
7 Boxed	50 Pieces
8 Boxed	75 Pieces
9 Boxed	100 Pieces
J Boxed	45 Pieces
X Boxed	Assortment
Z Boxed	1000 Pieces

Smooth Iron hardware is typical of Early American styling, with a flat black appearance which simulates the hardware as it was originally forged.

The uneven surface of Rough Iron duplicates that found on the ironwork of many old European castles and cathedrals and imitates the natural weathering of iron or steel.

ACORN MANUFACTURING CO., INC.

P.O. BOX 31, MANSFIELD, MASSACHUSETTS 02048

Telephone: (508) 339-4500

Toll Free: 1-800-835-0121

FAX: (508) 339-0104 Toll Free FAX: 1-800-37ACORN

WEB: www.acornmfg.com

Tremont Nail: www.tremontnail.com

E-Mail: info@acornmfg.com

TREMONT NAIL - Now a Division of Acorn Mfg
call for a catalog or visit www.tremontnail.com

Catalog 51

2017

TABLE OF CONTENTS

Inside Front Cover	Barn Door Hardware & Finishes
Inside Back Cover	Finishes, Displays, Porcelain, Brass Door Knockers
BAR LATCH	26
BARNDOOR TRACK HARDWARE	4, 5
BATH ACCESSORIES	
Early American	17
Iron Art	16
Leaf Design	17
BELL BUTTONS	
Early American	22
Warwick Iron	22
BUTT HINGES	28
CABINET HARDWARE	
Early American	34, 35
Iron Art	7
Pewter	35
Porcelain Knobs and Pulls	Inside Back Cover
Stainless Steel	13
CANE BOLTS	26
CLAVOS	37
CYLINDER COLLARS	
Early American	22
Iron Art	9
Warwick Iron	22
DOOR BOSSES	37
DOOR HARDWARE	
ENTRANCE LOCKSETS	
Early American	20, 21
Iron Art	10-11
Warwick Iron	39, 42
KICK PLATES	
Early American	27
KNOB AND LEVER SETS	
Early American	24, 36
Iron Art	8
Warwick Iron	42
MORTISE DEADBOLT SETS	21
PASSAGE/PRIVACY PLATES	
Iron Art	6
PREDRILLED DOOR SETS	
Early American	23, 36
Iron Art	8, 9
Warwick Iron	42
PULLS	
Early American	24
Iron Art	14
Warwick Iron	43
PUSH PLATES	
Early American	27
Iron Art	9
Warwick Iron	42
RIM LATCH SETS	
Early American	25
Warwick Iron	42
ROSES	
Early American	24
Iron Art	6
DOOR HINGES	
H & L	28
STRAP	
Early American	30
Dummy	31
Heavy Duty	29
Iron Art – Dummy	9
Warwick Iron – Dummy	38
DOOR KNOCKERS	
Brass	Inside Back Cover
Early American	5
Iron Art	9
Warwick Iron	42
DOOR STOP	27
FOOT SCRAPER	27
GATE HARDWARE	18, 19
GRILLES AND REGISTERS	15
HAND RAIL BRACKETS	27
HOOK & EVE	26
HOOKS	27
HOUSE NUMBERS	27
KEY PLATES	22
SCREEN/STORM DOOR HARDWARE	36
SCREWS	37
SHUTTER HARDWARE	32, 33
SKELETON KEY LOCKSETS	12
SLIDE BOLTS	26, 33
SPEAK EASY	27
THUMBTURNS	
Early American	22
Iron Art	9
Warwick Iron	22
WALLPLATES	37
WINDOW SASH LOCK	27

BARN DOOR STYLE FLAT TRACK ROLLING HARDWARE



Smooth Iron – Wheel Carriers & Track


Complete Door Kits

BH1BI-5 Square End Carriers w/5' Track

BH1BI-6 Square End Carriers w/6' Track

BH1BI-7 Square End Carriers w/7' Track

BH1BI-8 Square End Carriers w/8' Track



Rough Iron – Wheel Carriers & Track

Complete Door Kits

BH3BI-5 Square End Carriers w/5' Track

BH3BI-6 Square End Carriers w/6' Track

BH3BI-7 Square End Carriers w/7' Track

BH3BI-8 Square End Carriers w/8' Track

Smooth Iron *Top Mount* – Wheel Carriers & Track – Complete Kits

NEW!

BH2BI-5 Top Mount Carrier w/5' Track

BH2BI-6 Top Mount Carrier w/6' Track



BH2BI

BH2BI-7 Top Mount Carrier w/7' Track

BH2BI-8 Top Mount Carrier w/8' Track

Round End – Smooth Iron Wheel Carriers & Track

Complete Kits

BH5BI-5 Round End Carriers w/5' Track

BH5BI-6 Round End Carriers w/6' Track

BH5BI-7 Round End Carriers w/7' Track

BH5BI-8 Round End Carriers w/8' Track



Round End – Rough Iron Wheel Carriers & Track

Complete Kits

BH7BI-5 Round End Carriers w/5' Track

BH7BI-6 Round End Carriers w/6' Track

BH7BI-7 Round End Carriers w/7' Track

BH7BI-8 Round End Carriers w/8' Track

Track Extension Kits



BKABI-5 5' Track, Standoffs, Splicer - Smooth

BKABI-6 6' Track, Standoffs, Splicer - Smooth

BKABI-7 7' Track, Standoffs, Splicer - Smooth

BKABI-8 8' Track, Standoffs, Splicer - Smooth



BKBBI-5 5' Track, Standoffs, Splicer - Rough

BKBBI-6 6' Track, Standoffs, Splicer - Rough

BKBBI-7 7' Track, Standoffs, Splicer - Rough

BKBBI-8 8' Track, Standoffs, Splicer - Rough

“BH1” Style Only – AVAILABLE IN STAINLESS STEEL



Substitute the “B” in the fourth position of the part number to “J” when ordering stainless steel.

Kits and Tracks

AVAILABLE IN 8 ADDITIONAL FINISHES

Oil Rubbed Bronze, Faux Stainless, Rustic Brown, Rustic Red, White, Red, Yellow

Door Kit w/o Track – Black

BH1BI Square End, Smooth Iron

BH3BI Square End, Rough Iron

BH5BI Round End, Smooth Iron

BH7BI Round End, Rough Iron

Kits Include:

2 – Carriers

2 – End Stops

6 – Standoffs

2 – Jump Blocks


2 – Door Guides

All necessary hardware


Complete Kits

Include kits and track.


BARN DOOR HARDWARE MISCELANEOUS PARTS



Additional Barn Door Hardware Carrier Styles Available




DOOR KNOCKERS




ROSES FOR USE WITH KNOBS AND LEVERS - IRON ART

ROSES AND PLATES




IS1BP: passage; 2-1/2" sides

IS2BP: privacy; 2-1/2" sides
flat rose




IS4BP: privacy; 2-1/2" sides
flat rose




IRXBP: passage; 3" diam.

IRYBP: privacy; 3" diam.
flat rose




IRVBP: privacy; 2-1/2" sides.
proj. 3/8" (convex)



IRHBP: passage; 2-1/2" sides


IRJBP: privacy; 2-1/2" sides
proj. 3/8" (convex)




IRABP: passage; 3-1/2" diam.

IRWBP: privacy; 3-1/2" diam.
proj. 3/8" (convex)

PASSAGE PLATES FOR TUBULAR LATCH SETS - IRON ART




***IG7BP**
9-7/8" H X 2-3/8" W



***IG8BP**
9-7/8" H X 2-3/8" W



**** IGJBP**
9-7/8" H X 2-3/8" W



**** IG4BP**
9-7/8" H X 2-3/8" W

* Use with skeleton key mortise lock **TMHBG** or **TMGBG** on page 12.

** Plates may be modified for privacy at an additional cost.

Iron Art - Cabinet Hardware


Iron Art is a unique line of products created by using the techniques of the traditional forge. Each piece is fabricated with a rare craftsmanship, reminiscent of a time when expert artisans, hammer and anvil in hand, transformed pure iron into simple functional designs. The result is individual works of art in a style reflective of the old world. Today we are proud to offer these high quality iron collections to complement your finest doors, cabinets and furniture.

Acorn's Iron Art is forged in Europe and stocked in black. Lifetime finish is available on black & russet only. Lifetime warranty is for replacement only and does not include labor or consequential damages.

Due to the **handmade** nature of the product, all dimensions are approximate. **DO NOT DRILL ANY HOLES** until you have the actual pieces to be mounted. All dimensions in this catalog are recorded in inches.



IKBBP: 1-1/4"
proj. 1-1/4"



IKEBP: 1-1/4" sides
proj. 1"



IKGBP: 1-1/2"
proj. 1"



IKYBP: 1-1/32"
proj. 1-3/16"



IPGBP: 4-3/4" W,
proj. 1-5/8"



IP4BP: 3" H x 2-1/4" W



IPABP: 1-1/2"
ring diam. 2-3/16" H
proj. 3/4"



IPKBP: 4-1/2" H x 7/8" W,
proj. 1-3/8"



IPMBP : 3-1/2" W,
proj. 1-3/8"



IPQBP: 3-1/8" H x 2-5/8" W



IR7BP: 5-1/16" W, proj. 1-9/16"
IR8BP: 4" W, proj. 1-1/8"



IR9BP: 4" W, proj. 1-3/4"



IR5BP: 4" W, proj. 1-1/2"




IRDBP: 4-1/4" W proj. 2"

PASSAGE AND PRIVACY SETS


Roses, Levers and Knobs are all interchangeable.

Lever ONLY: **INLBP**: left hand
INMBP: right hand



IWEBI: passage, 4-3/4" lever length
IWFBI: privacy, 4-3/4" lever length
proj. 2-1/2", rose diam. 3"
IWEBD: Single Dummy
IWEBL: Left Hand Dummy
IWEBW: Right Hand Dummy

Lever ONLY: **INEBP**




IULBI: passage, 4-3/4" lever length
IUMBI: privacy, 4-3/4" lever length
proj. 1-7/8", Convex rose sides.
2-1/2"
IULBD: Single Dummy

Knob ONLY: **ILABP**




IWABI: passage, proj. 2-1/2"
IWBBI: privacy, proj. 2-1/2"
rose diam. 3", knob diam. 2"
IWABD: Single Dummy

Lever ONLY: **INEBP**



IUWBI: passage, 4-3/4" lever length
IUXBI: privacy, 4-3/4" lever length
proj. 2", rose diam. 3-1/2"
IUWBD: Single Dummy



IUUBI: passage, 4-3/4" lever length
IUVBI: privacy, 4-3/4" lever length
proj. 2-1/2", flat rose sides 2-1/2"
IUUBD: Dummy

Knob ONLY: **IKLBP**



IUQBI: passage, proj. 2-1/2"
IURBI: privacy, proj. 2-1/2"
rose diam. 3-1/2", knob diam. 2-1/2" x 1-1/2"
IUQBD: Single Dummy

Knob ONLY: **ILBBP**




IWCBI: passage proj. 2"
IWDBI: privacy proj. 2"
Flat rose sides 2-1/2", Knob diam. 2"
IWCBD: Single Dummy

Any of the knobs and levers within the Iron Art line can be used in combination with any of the roses or backplates of the Iron Art line of Hardware. Dramatic effects can be obtained by simply changing the levers or knobs to suit the style of individual rooms within a home.

Please note the individual item numbers when creating new sets.

All sets are COMPLETE with tubular latch, two knobs/levers, two roses and are suitable for PREDRILLED DOORS 1-3/8" to 1-3/4" thick. Standard backset 2-3/8" (2-3/4" available).

CYLINDER COLLARS




IRLBP
2-1/4" diam.



IRKBP
2-1/4" diam.



IRMBP
2-1/4" diam.



IGABP
proj. 3/4"

THUMBTURN

Thumbturns has a 1-5/16" backplate diameter.)

Cylinder Collars & Thumbturns to be used with mortise deadbolt & entrance locks, see page 21.

DUMMY STRAPS



IHCBP: Overall length-14", width-1-1/2" at Butt; 2-1/2" at heart

IHDBP: Overall length-20", width-1-1/2" at Butt; 2-1/2" at heart



IHABP: Overall length-14", width-1-1/2" at Butt; 2-1/2" at fleur-de-lis

IHBBP: Overall length-20", width-1-1/2" at Butt; 2-1/2" at fleur-de-lis


Exterior Entry Set For Pre-Drilled Door

IWWBI
9-7/8" H x 2-3/8" W
proj. 2-5/8"
Dummy Set: IWWBD



PUSHPLATE

IMCBP: 15-3/4" H x 3-1/2" W



DOOR KNOCKERS

Knocker nail included with knockers
(See photo below)



6-1/2"

IMABP
8-3/8" H x 6-3/4" W
proj. 2"

Knocker Nail
1" Diameter




5"

IMBBP
Ring: 5-1/8"
Overall height: 6"
proj. 1-1/2"

MORTISE CYLINDER LOCKSETS

Designed for 1-3/4" doors ONLY, specify if other than 1-3/4". Stile width: min. 4-1/4". Recommend 4-1/2".

Cylinder locks are included with all entry sets. Standard backset 2-1/2". Special order for 2-3/4" backset.




Parts list (for photos on this section)

IGFBP: Exterior trim only (no lever)

IGHBP: Interior trim w/turnpiece (no lever)

INEBP: Lever

IKLBP: Knob



Please note: Hand of doors must be specified on all orders for mortise cylinder locksets. See page 12 for instructions

For additional information, please call 800-835-0121 or Fax 800-372-2676


MORTISE CYLINDER LOCKSETS

Designed for 1-3/4" doors ONLY, specify if other than 1-3/4".
 Stile width: min. 4-1/4". Recommend 4-1/2".
 Cylinder locks are included with all entry sets

IW3BI

9-7/8" H x 2-3/8" W proj. 2-3/8"

Dummy set:
 IW3BD



Parts list (for photos on this section)

IG2BP: Exterior trim only (no lever)

IG3BP: Interior trim without lever (w/turnpiece)

INLBP: Left hand lever


INMBP: Right hand lever

IKLBP: Knob

IW4BI


9-7/8" H x 2-3/8" W
 proj.: 2-1/2"

Dummy set: IW4BD



IW1BI

16 H x 2-3/8" W
 Plate with lever: 9-7/8" H x 2-3/8" W
 Handle proj. 2-3/8"
 Dummy sets: IW1BL (LH Door)
 IW1BW (RH Door)



IW2BI

16 H x 2-3/8" W
 Plate with knob: 9-7/8" H x 2-3/8" W
 Handle proj. 2-3/8"
 Dummy set: IW2BD



Parts list (for photos on this section)
IG1BP: Exterior handle trim only
IG3BP: Int. trim only (w/turnpiece) no lever
INLBP: Left hand lever
INMBP: Right hand lever
IKLBP: Knob




Please note: Hand of doors must be specified on all orders for mortise cylinder locksets. See page 12 for instructions

For additional information, please call 800-835-0121 or Fax 800-372-2676


MORTISE SKELETON KEY LOCKSETS

FOR INTERIOR DOORS




IWXBI

9-7/8"H x 2-3/8"W proj. 2-1/2"



IWYBI

9-7/8"H x 2-3/8"W proj. 2-1/2"




WUTBI

12"H x 2-1/2"W proj. 2"

Please note: Hand of doors must be specified on all orders for mortise cylinder locksets. See chart below for instructions.
Cylinder locks are included with all entry sets.

Regular doors opening in:
INTERIOR



OUTSIDE EXTERIOR

Left hand door Right hand door

Regular doors opening out:
(including storm doors, closets and cabinets)
INTERIOR



OUTSIDE OR ROOMSIDE


Left hand reverse door Right hand reverse door

HAND OF DOORS

All doors are handed - right or left. The following illustrations indicate clearly this "handing" as it is understood within the hardware industry.

Specify hand of door on all orders for mortise locks.

Mortise Skeleton Lock



Front 5-1/2" x 1"

Backset 2-1/2"

Deadbolt may be operated by skeleton key from both sides. Please advise thickness and handing of door.

When using lever

TMGBG - Lock Box, Black

TMGJG - Lock Box, Stainless

When using knob

TMHBG - Lock Box, Black

TMHJG - Lock Box, Stainless

When using lever w/ turnpiece

TMJBG - Lock Box, Black

TMJJG - Lock Box, Stainless

When using knob w/ turnpiece

TMKBG - Lock Box, Black

TMKJG - Lock Box, Stainless







Please note: Hand of doors must be specified on all orders for mortise cylinder locksets.

For additional information, please call 800-835-0121 or Fax 800-372-2676



Philosophy Collection

Stainless Steel Cabinet Hardware

Note: All pulls are multi-width, drilled for both 4" and 96mm center to center




STAINLESS STEEL CABINET HARDWARE – AVAILABLE IN BRUSHED OR POLISHED ABSOLUTE ZERO COLLECTION



For additional information, please call 800-835-0121 or Fax 800-372-2676

DOOR HARDWARE/PULLS




ILQBP
15-3/4" H x 3-1/2" W
proj. 4"



IPDBP
12" H x 2-3/4" W
proj. 2-7/8"



IPEBP
12-1/2" H x 1-1/2" W
proj. 3-1/2"



IPFBP
9-5/8" H x 1-1/4" W
proj. 2-1/2"



***IRQBP**
10" H x 1" W
proj. 3-1/2"



***IRNBP**
10" H x 1" W
proj. 3-1/2"

* Please specify thickness on doors greater than 1-3/4"

For additional information, please call 800-835-0121 or Fax 800-372-2676


Acorn's line of registers and grilles add beauty and character to any room in your home. From old home restoration to new construction, traditional to contemporary, Acorn grilles complement any style. All Acorn products are solid, durable, and crafted with care. Careful attention to product design, authenticity and craftsmanship of the highest caliber has made Acorn the choice of architects, designers and homeowners throughout the world.

They will harmonize effectively in a wide range of architectural styles, from Bungalow and Mission, to Spanish and Contemporary.

FEATURES

- Available with or without holes to accommodate floor or wall openings.
- Available in twelve sizes, designed to fit standard 2 1/4", 4" and 6" heating ducts.
- Louver assemblies (air flow control) available in 5 popular sizes.
- Used on all wood floors, tile and wall-to-wall carpeting
- Traditional matte black finish
- Aesthetic appeal
- Easy to install


CAST IRON GRILLES & REGISTERS



GRILLES

(OD)		(ID)	
12" x 10"	GR1BG	10" x 8"	Grille
12" x 3 1/2"	GR2BG	10" x 2 1/4"	Grille
14" x 3 1/2"	GR3BG	12" x 2 1/4"	Grille
16" x 3 1/2"	GR4BG	14" x 2 1/4"	Grille
10" x 5 1/2"	GR5BG	8" x 4"	Grille
12" x 5 1/2"	GR6BG*	10" x 4"	Grille
14" x 5 1/2"	GR7BG*	12" x 4"	Grille
16" x 5 1/2"	GR8BG	14" x 4"	Grille
8" x 8"	GR9BG	6" x 6"	Grille
12" x 7 1/2"	GRABG*	10" x 6"	Grille
14" x 8"	GRBBG*	12" x 6"	Grille
16" x 8"	GRCBG	14" x 6"	Grille


*Available as register



REGISTERS

(OD)		(ID)	
12" x 5 1/2"	GL1BG	10" x 4"	Register
14" x 5 1/2"	GL2BG	12" x 4"	Register
12" x 7 1/2"	GL3BG	10" x 6"	Register
14" x 8"	GL4BG	12" x 6"	Register
12" x 10"	GL5BG	10" x 8"	Register

*Register includes grille & louver



BATHROOM ACCESSORIES


FLORENCE



IBGBP: 18" Towel Bar, 21" Overall Length; 3-3/4" proj.
IBHBP: 24" Towel Bar, 27" Overall Length; 3-3/4" proj.



IBMBP
Height: 8"
Ring Diameter: 5-1/2"
Proj. 3-1/2"



IBKBP
Height: 3-1/4"
Length: 8-1/4"
Proj. 3-3/4"



IBLBP
Height: 4"
Proj. 3-1/4"


SIENNA



IBABP: 18" Towel Bar, 21" Overall Length; 3-3/4" proj.
IBBBP: 24" Towel Bar, 27" Overall Length; 3-3/4" proj.



IBEBP
Height: 4-1/4"
Proj. 2-1/2"



IBDBP
Height: 3-1/2"
Length: 8"
Proj. 3-3/4"



IBFBP
Height: 8-1/8"
Ring Diameter: 5-1/2"
Proj. 3-1/2"

BATHROOM ACCESSORIES


Spear Design - This traditional forged iron design summons the charm and warmth of early America.




AB2BP Clothes and Utility Hook
7" H x 3" proj.
(Sold by each)




AB5BP Spear Towel Ring
7" x 6" Diam x 3" proj.



AB1BP Spear Bath Tissue Holder
7" H x 6-1/2" W x 3" proj.




AB7BP Spear 16-1/4" Towel Bar 19-1/2" W overall x 3" proj.
AB8BP Spear 22" Towel Bar 25-1/2" W overall x 3" proj.




AB6BP Spear Paper Towel Holder
7" H x 13" W x 3" proj.

Handforged Designs - Recognized for their Early American roots, the Leaf Design has evolved to become part of many home themes. They bring a whimsical flair to a familiar pattern, proving that decorative arts really can be practical.



LBEBP Leaf 16" Towel Bar
5" H x 19-1/2" W overall x 4" proj.




LBCBP Leaf 20" Towel Bar
3" H x 25" W overall x 4" proj.




LBDBP Leaf Towel Ring
5" H x 5" Diam x 4-1/2" proj.



LMBBP Leaf Hook
5" H x 1-1/2" W
1-3/4" proj.



LBABP Leaf Bath Tissue Holder
5" H x 6-1/2" W x 3-1/2" proj.



LBBBP Leaf Paper Towel Holder
5" H x 13" W x 3-1/2" proj.



AMFBP
Coat and Hat Hook
6-1/2" H x 3" proj.

For additional information, please call 800-835-0121 or Fax 800-372-2676

GATE HARDWARE *(Designed for gates 3"-4" thick.)*


Computer Number	Description	Each Length	Width	Gauge	Pintle	Screw Size	Per Pk.
ALCBP	Swivel Hasp	4-1/2"	1-1/2"	.080		1" x 7	1
RI1BP	Heart Dummy Strap	22-1/4"	1-9/16"	.155		1" x 8	1
RI2BP	Heart Dummy Strap	18-3/4"	1-9/16"	.155		1" x 8	1
RI3BP	Heart Dummy Strap	28-3/8"	3"	.155		1" x 8	1
RI5BP	Heart Strap Hinge	9"	1 3/8"	.120			1
RI1BP	Heart Strap Hinge	17"	1-3/4"	.155	4-1/2"	1-1/4" x 12	1
RIJBP	Heart Strap Hinge	20-1/2"	1-3/4"	.155	4-1/2"	1-1/4" x 12	1
Carriage Bolt							
* RIKBP	Heart Strap Hinge	19-7/8"	1-3/4"	.187	5-1/2"	5" x 3/8"	
Carriage Bolt							
RILBP	Heart Strap Hinge	17"	1-3/4"	.155	4-1/2"	3-1/2" x 5/16"	1
RIMBP	Heart Dummy Strap	17-1/16"	1-3/4"	.155	(Use w/ RILBP)		1
RINBP	Heart Dummy Strap	19-7/8"	1-3/4"	.187	(Use w/ RIKBP)		1
		Lever	Back Plate				
RL8BR	Gate Latch	3"	2" x 1-1/8"	.120		1" x 8	1
		Bolt	Back Plate				
RL9BP	Gate Bolt	6-5/8"	6-7/8" x 1-11/16"	.120		1" x 8	1
		Bolt	Back Plate				
RLABP	Gate Bolt	6"	2-1/4" x 1-1/4"	.095		1" x 8	1
			Back Plate	Back Plate		Eye Bolt	
RLBBP	Cane Bolt, heart design	18"	2-11/16"	.120		3-1/2" x 5/16"	1
			Back Plate	Back Plate		Eye Bolt	
RLCBP	Cane Bolt, square design	18"	1-1/2"	.120		3-1/2" x 5/16"	1
RPDBP	Heart Gate Pull	11"	2-3/4"	Grip .315		1" x 8"	1
RUIBI	Heart Rim latch for gates up to 4" thick. For thinner gates, specify thickness.	11"	2-3/4"	Grip .315		Handle 1" x 8" Latch Bar 2" x 1/4"	1
RUKBI	Heart Rim latch for gates up to 3" thick. For thinner gates, specify thickness.	11"	2-3/4"	Grip .315		Handle 1" x 8" Latch Bar 2" x 1/4"	1
TJ5BP	Butt Hinge	4"	4"	.132		1-1/4 x 12	1
TJ6BP	Butt Hinge	4-1/2"	4-1/2"	.134		1-1/4 x 12	1
TJ7BP	Butt Hinge	5"	5"	.146		1-1/4 x 12	1
RIEBP	Bean Dummy Strap	17-1/4"	1-9/16"	.155		1" x 8	1
RIFBP	Bean Dummy Strap	21-1/4"	1-9/16"	.155		1" x 8	1
RIPBP	Bean Strap Hinge	19-5/8"	1-9/16"	.155	4-1/2"	1-1/4" x 12	1
RIRBP	Bean Strap Hinge	15-5/8"	1-9/16"	.155	4-1/2"	1-1/4" x 12	
*RISBP	Bean Strap Hinge	18-7/8"	1-9/16"	.187	5-1/2"	5" x 3/8" bolt	1
RITBP	Bean Strap Hinge	15-5/8"	1-9/16"	.155	4-1/2"	3-1/2" x 5/16" bolt	1
				Grip		Handle 1" x 8"	
RTNBR	Bean Design for 3"-4" gates,	9-5/8"	3-13/16"	.315		Latch Bar 2" x 1/4"	1
RTPBR	Bean Design, for gates up to 3"						
RIWBP	Bean Dummy Strap	14-1/2"	1-9/16"	.155	(Use w/RITBP)		1
RIVBP	Bean Dummy Strap	18-1/4"	1-9/16"	.187	(Use w/RISBP)		1

*Depending on width, RIKBP and RISBP are designed for gates up to 250 lbs; other hinges for gates up to 175 lbs.

See our newest heavy strap hinges on page 29, for gates up to 600 lbs.

GATE HARDWARE *(See Pg. 18 for detailed information)*

Cane Bolts



RLBBP

RLCBP



**TJ5BP
TJ6BP
TJ7BP**
Butt Hinge



RLABP
Gate Bolt



RL9BP
Shutter/Gate Bolt

Gate Rim Latches



**RUIBI
RLUKBI**

**RTNBR
RTPBR**

Thumbpiece guide
and cover plate



Straight Latch w/ Flat Strike



Offset LatchW/ Box Strike



Gate Pulls



RPDBP

RPLBP

Heart Shaped Straps



RI2BP, RI3BP(18-3/4", 28-7/16")



RI8BP (20-1/2")



RIMBP, RINBP



RIIBP, RIJBP (Come with wood screws)




RIKBP



RILBP



RL8BR
Gate Latch



ALCBP - Swivel Hasp

Bean Shaped Straps



RIFBP



RIPBP, RIRBP
(Come with wood screws not thru bolts)



RISBP



RIWBP, RIVBP
(14-1/2" x 18-1/4")




RITBP

ENTRANCE DOOR MORTISE LOCKSETS


Handle w/Knob Locksets

For residential entrance doors where handle operation is required for exterior and knob for interior. Mortise lock, inside knob, rose and thumbturn are included. Sets designed for 1-3/4" door only. Specify on order if other than 1-3/4". Stile width: Minimum 4-1/4". Recommend 4-1/2". All of our lock sets are available with double cylinders. Specify double cylinder after catalog number when ordering. **RT5BI, ATWBI** recommended style width 4-1/4" min. Recommend 4-1/2"




Double Handle Locksets

For residential entrance doors where handle operation is required for both exterior and interior. Cylinder is provided for exterior and turnpiece for interior. Mortise lock included. Specify on order if door is other than 1-3/4" thick. Note: Although one handle is illustrated, sets include two handles. All of our lock sets are available with double cylinders. Specify double cylinder after catalog number when ordering. **RT6BI, ATVBI** recommended style width 4-1/4" min. Recommend 4-1/2"



Double Handle Locksets (double cylinder)

Two cylinders with keys are provided for deadbolt operation on both sides. Due to high volume, we have separate catalog numbers for these two sets to designate double cylinder. Mortise lock is included.



Knob Locksets

For residential entrance doors where knob operation is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for interior. Mortise lock included. Sets designed for 1-3/4" door only. Specify on order if other than 1-3/4". Available with double cylinders.



Knob: 2"Diam.
Rose: 2" (Height)
1-1/2" (Width)

Specify on order if door is other than 1-3/4" thick.

To order dummy change 5th letter to D for any set on this page.

Please note: Hand of doors must be specified on all orders for mortise cylinder locksets. See page 12 for instructions

For additional information, please call 800-835-0121 or Fax 800-372-2676

ACCURATE MORTISE LOCK- GRADE 1

U/L listed 3 hour



Various backsets to meet your requirements.

Standard backset: 2-1/2"

Available at an additional charge:

2-3/4" backset

Lead times need to be checked with factory.



FRONT: 8" X 1-1/4"

CASE: 6" X 3-5/8" X 15/16"

Heavy gauge plated steel

ARMOR FRONT: Stainless Steel black

LATCH BOLT: Brass - Anti-friction type
3/4" throw

DEADBOLT: BRASS - with hardened
steel inserts. 1" throw

STRIKE: 4-7/8" ASA

Thumb Turn Hubs: 3/16"
on the diamond.

ENTRANCE LOCK

- Latch bolt by key outside and lever, knob and/or thumbpiece either side unless outside lever, knob and/or thumbpiece is locked by toggle-action stop.
- Deadbolt by key outside and turnpiece inside.
- Turning inside lever, knob and/or thumbpiece retracts latch and deadbolt simultaneously.
- Outside lever, knob and/or thumbpiece remains locked.
- Auxiliary latch dead locks latchbolt and prevents manipulation of locked toggle action stop.



MORTISE DEADBOLT SETS

Sets are packaged with 2-3/4" bolts unless 2-1/2" bolts are requested.



WTQBI

Mortise Deadbolt with
Warwick thumbturn and
cylinder collar.

W/2-1/2 B.S.-**WUQBI**

MUZBI

Mortise Deadbolt with
Adobe thumbturn and
cylinder collar.

W/2-1/2B.S.-**MUTBI**



RTQBI

Mortise Deadbolt with
Heart thumbturn and
cylinder collar.

W/2-1/2 B.S.-**RZABI**


RUZBI

Mortise Deadbolt with
Bean thumbturn and
cylinder collar.

W/2-1/2B.S.-**RZBBI**

Accurate Cylinder Deadbolt

TNZBG



Front 4-5/8" x 1-1/16"

Backset 2-3/4"

(**TNIBG**) 2-1/2"

Deadbolt may be operated
by thumbpiece from the inside
and by key only from the outside
or operated by key from both
sides using double cylinder.

Pocket Door Pull



APMBP - Black face plate

APMJP - Stainless Steel face plate

Front 5" x 7/8"

Front to Back 3-1/2"

Box Width 11/16"

Push button to extend.

Push back flush to door edge.

For additional information, please call 800-835-0121 or Fax 800-372-2676

THUMBTURNS

Designed for use with locks furnished by Acorn or other manufacturers. Spindle and tail pieces are 1-1/2" long with 3/16" diamond.



**RM7BP
AMHBP**




**RMVBP
AMVBP**



WM7BP

PRIVACY BOLT



**TMLBP 2-3/8"
TMMBP 2-3/4"**

KEY PLATES

These keyplates will match Acorn Heart and Warwick designs and will harmonize perfectly with the roses and thumbturns shown elsewhere in this catalog.



**RM8BP
AMNBP**



WM8BP

Bean Key Plates



AMSBP



RLKBP

THUMBTURN PRIVACY LOCK SETS

AMJBP Heart Turnpiece with Privacy Bolt 2-3/8" Smooth Iron

RLHBP Heart Turnpiece with Privacy Bolt 2-3/8" Rough Iron

AMKBP Heart Turnpiece with Privacy Bolt 2-3/4" Smooth Iron

RLFBP Heart Turnpiece with Privacy Bolt 2-3/4" Rough Iron

AMLBP Bean Turnpiece with Privacy Bolt 2-3/8" Smooth Iron

RLGBP Bean Turnpiece with Privacy Bolt 2-3/8" Rough Iron

AMMBP Bean Turnpiece with Privacy Bolt 2-3/4" Smooth Iron


RLEBP Bean Turnpiece with Privacy Bolt 2-3/4" Rough Iron

WLHBP Warwick Turnpiece with Privacy Bolt 2-3/8"

WLFBP Warwick Turnpiece with Privacy Bolt 2-3/4"

CYLINDERS

TMRBG-1-1/8" is packed with most all mortise lock sets.




Standard for doors 1-3/4" thick. Solid Brass, Cloverleaf Cam, Standard keyway: Schlage "C", can be masterkeyed or keyed alike at an upcharge. Compatible with Schlage, Baldwin, etc.

BELL BUTTONS • CYLINDER COLLARS



**RMKBP
AMPBP**

Electric Bell Button
1-7/8" x 1-3/4"



**RLJBP
AMQBP**

Electric Bell Button
2-3/8" x 1-5/8"




WMKBP

Electric Bell Button
2-1/8" x 1-3/4"



**RNFBP
AMRBP**

Cylinder Collar
3" x 2-3/4"



**RNHBP
AMGBP**

Cylinder Collar
2-3/8" x 1-5/8"



WNFBP

Cylinder Collar
2-1/8" x 2-1/8"

TNJBG 1"

Cylinder suitable when used with thumbturn for doors 1-3/4" thick. As a double cylinder, appropriate for 1-3/4" thick doors.

TMRBG 1-1/8"

Cylinder suitable when used with a thumbturn for doors 1-3/4" to 2-1/8" thick. As a double cylinder, appropriate for doors 2" to 2-1/8" thick.

TNKBG 1-1/4"

Cylinder suitable when used with thumbturn on doors 2" to 2-3/8" thick. As a double cylinder, appropriate for 2-1/4" to 2-3/8" thick doors.

TNLBG 1-1/2"

Cylinder suitable when used with thumbturn on doors 2-3/8" to 2-5/8" thick. As a double cylinder, appropriate for 2-5/8" thick doors.

Please note:

When doors are thinner than specified above, blocking rings are available; indicate door thickness when ordering. If door exceeds 2-7/8" the lock may be mortised into the door off center. **We do not provide custom instructions for thicker doors.**

LATCH SETS FOR PRE-DRILLED DOORS

Double Handle Drop Latch Sets with Deadbolt

Fits all predrilled doors- 2-1/8" crossbores, 15/16" edgebores.
Reversible- fits right hand and left hand doors without cylinder assembly removal.

Handle: RUQBI: 11" x 3-7/16", projection: 2-3/8"

RUWBI: 9-5/8" x 3-13/16", projection: 1-11/16"

Front: 1" x 2-1/4"

Preparation depth: 3-5/8"

Backset: 2-3/4" or 2-3/8"

Door Thickness: 1-3/8" to 1-3/4"

Cylinder: Solid Brass. 5 pin tumbler, nickel silver pins

Deadbolt: 1" throw. Schlage-Type C keyway.



RUQBI



RUWBI

Double Handle Drop Latch Sets

Fits right or left hand doors.

Front: 1" x 2-1/4"

Preparation Depth: 3-5/8"

Backset: 2-3/4" or 2-3/8"

Door Thickness: 1-3/8" - 1-3/4" (may be modified for thicker doors.)

RUMBI: Use with predrilled door handle: 11" x 3-7/16", proj. 2-3/8"

RUTBI: Use with predrilled door handle: 9-5/8" x 3-13/16", proj. 2-3/8"

***RTXBI:** NOT DESIGNED FOR PRE-DRILLED DOORS

Handle: 9-1/4" x 2-5/16", proj. 1-1/2"

Dummy: One handle with thumbpiece: substitute the letter D for I in catalog number (RUTBD and RUMBD)



RUMBI



RUTBI



*RTXBI

Single Handle Drop Latch Sets

Latch uses no springs and operates by gravity only.

Fits right or left hand doors.

Front: 1" x 2-1/4"

Preparation Depth: 3-5/8"

Backset: 2-3/8" - 2-3/4"

Door Thickness: 1-3/8" - 1-3/4" (may be modified for thicker doors)

RULBI: Use with predrilled doors.

Handle: 11" x 3-3/8", proj. 2-3/8"

***RU9BI, RTXBI:** Not designed for predrilled doors

Handle: 9-1/4" x 2-1/4", projection: 1-1/2"



RULBI
11" H



*RU9BI
9-1/4" H


(Sets packed with full lip box strike.)

DOUBLE LEVER LATCH AND DOUBLE KNOB SETS (ROUGH IRON)

(Recommended for interior use.)

Lever Only: RNZBP

Knob Only: RNIBP



Passage Set
RURBI 2-3/8" Backset
RSRBI 2-3/4" Backset



Passage Set
RZ3BI 2-3/8" Backset
RS3BI 2-3/4" Backset



Passage Set
RUGBI 2-3/8" Backset
RSGBI 2-3/4" Backset

Privacy Set
RUSBI 2-3/8" Backset
RSSBI 2-3/4" Backset

Privacy Set
RZ4BI 2-3/8" Backset
RS4BI 2-3/4" Backset

Privacy Set
RUHBI 2-3/8" Backset
RSHBI 2-3/4" Backset

(Passage sets are without locks whereas privacy sets are lockable with an emergency entry feature)

Fits all pre-drilled doors: 2-1/8" crossbores, 1" edgebores

Front: 1" x 2-1/4", Door Thickness 1-3/8" - 1-3/4", Depth of Mortise: 3-5/8"

Please specify on order if door thickness is greater than 1-3/4". These latch sets are not designed for heavy doors, but may be extended for thicker doors. **All sets available in dummy trim.**

ROSES FOR USE WITH KNOBS AND LEVERS



RNNBP - Passage
RNPBP - Privacy
3-3/32" x 2-3/8"
Plain Rose



RMPBP
2" x 1-1/2"
Plain Rose



RMQBP
2" x 1-1/2"
Plain Rose



RMGBP - Passage
RNGBP - Privacy
3" x 2-1/8"
Plain Rose



RMHBP
2-1/2" x 1-1/2"
Plain Rose



RMIBP
2" x 1-1/2"
Plain Rose



RMYPB - Passage
RMZBP - Privacy
2-5/8" Dia.
Plain Rose

DOOR PULLS



RP8BP
3-1/4" x 3-7/8"
proj. 1-3/4"



AP4BP
4-3/4" x 1-9/16"
proj. 1/2"



RPKBP
11" x 3-7/16"
proj. 2-3/8"



RP1BP
10-1/2" x 2-5/8"
proj. 1-3/4"



RPDBP
11" x 2-5/8"
proj. 2-3/8"



RP2BP
9" x 2-5/16"
proj. 1-1/2"



RPBBP
6-1/2" x 2-1/4"
proj. 1-1/2"



RPCBP
8" x 2-5/8"
proj. 1-7/8"



RPBEP
8-1/2" x 1-5/8"
proj. 1-1/2"



APDBP
7-3/4" x 2"
proj. 1-5/8"



APEBP
8-1/2" x 2-1/4"
proj. 1-1/2"
*ANABP



RPABP
8-1/2" x 2-1/4"
proj. 1-1/2"
*RPNBP



APFBP
6-3/4" x 2-1/8"
proj. 1-5/8"



RPJBP
6-3/4" x 2-1/8"
proj. 1-5/8"



RPLBP
9-5/8" x 3-13/16"
proj. 2-3/8"

*Aluminum

For additional information, please call 800-835-0121 or Fax 800-372-2676

RIM LATCHES FOR INTERIOR AND LIGHT EXTERIOR DOORS



RTWBI: Passage door
(handle on hall side of door)
9" x 2-5/16" proj. 1-1/2"



RU6BI: Reverse bevel/closet
door. (handle on room side or exterior
of storm door)
9" x 2-5/16" proj. 1-1/2"



RU5BR: Passage door
(handle on hall side of door)
8-1/2" x 1-5/8" proj. 1-1/2"




RU4BR: Reverse bevel/closet
door. (handle on room side or
exterior of storm door)
8-1/2" x 1-5/8" proj. 1-1/2"

RUFBI: Combination of both **RTWBI** and **RU6BI**


RUEBR: Combination of both **RU5BR** and **RU4BR**




AT1BR: Passage door
(handle on hall side of door)
7-3/4" x 2" proj. 1-5/8"



AT4BR: Reverse bevel/closet
door. (handle on room side or exterior
of storm door)
7-3/4" x 2" proj. 1-5/8"



AT2BR: Passage door
(handle on hall side of door)
8-1/2" x 2-1/4" proj. 1-1/2"
RSABR: Rough handle



AT5BR: Reverse bevel/closet
door. (handle on room side or exterior of
storm door) 8-1/2" x 2-1/4" proj. 1-1/2"
RSBBR: Rough handle

AT7BR: Combination of both **AT1BR** and **AT4BR**

AT8BR: Combination of both **AT2BR** and **AT5BR**
RSCBR: Combination of both **RSABR** and **RSBBR**



AT3BR: Passage door (handle
on hall side of door)
6-3/4" x 2-1/2" proj. 1-5/8"



RTABR: Rough handle
(passage set)



AT6BR: Reverse bevel/closet door.
(handle on room side or exterior of
storm door)
6-3/4" x 2-1/8" proj. 1-5/8"



RTBBR: Rough handle
(closet door set)




ATUBI 12-3/16" x 3-1/8"
proj. 1-3/4"
ATUBD Dummy handle
with thumbpiece




ATXBI 10-3/16" x 2-7/8"
proj. 1-3/4"
ATXBD Dummy handle
with thumbpiece

AT9BR: Combination of both **AT3BR** and **AT6BR** (smooth handle)
RTHBR: Combination of both **RTABR** and **RTBBR** (rough handle)



A - for passage door
with handle on hall side of door.



B - for closet or storm door
with handle on exterior of door.

RIM LATCH SETS FOR EXTERIOR AND INTERIOR DOORS

Heavy forged handles for 1-3/4" doors. At extra cost,
sets may be modified for doors up to 3-1/2" thick.
Please specify thickness of door when ordering.

Rim Latches are designed for doors 7/8" to 1-3/4"
thick. The combination latches include all parts so
that the handle may be mounted on either inswing
or outswing door. All sets have a locking device. An
extra long thumbpiece is required for doors over
1-3/4" thick and is available at extra cost. Please
specify door thickness when ordering.


Bar Latch Set

Heavy lift bar, rim strike and guide suitable for small closet doors. Knob on bar. Use on flush door only.



AL9BR

Bar guide 2" Tall 4" Lever



ALCBP



SWIVEL HASP (imported) 4-1/2"

MLBBP Square Bolt

The Square Bolt is packed with 3 strikes: rim, mortise, and surface.

Backplate: 4" x 2-3/8"

Bolt Length: 5"



ALFBP

Slide Barrel Bolt (imported)

3" x 1-1/2"

4" Overall bolt length

MLGBP Cane Bolt

The Cane Bolt is packed with 3 strikes: rim, mortise, and surface.

Backplate: 4" x 2-3/4"

Bolt Length: 12"



ALPBP

Hook & Eye

3-1/4" x 1-1/2"

3/16" Threaded Screw



ALQBP

Hook & Eye


5" x 1-3/4"

3/16" Threaded Screw

Cane Bolts- Spring Tension

ALGBP
ALHBP

ALEBP



Cane Bolts

Catalog Number	Back Plate	Bolt Length
ALEBP	4" x 1-1/2"	22-3/4"
ALGBP	4" x 1-1/2"	12"
ALHBP	6" x 1-3/4"	14"

FORGED IRON BOLTS


(All bolts packed with three strikes; surface, rim and mortise).



Catalog Number	Nominal Size	Back Plate Size	Bolt Length Overall	Throw
RL3BP	3	2-1/4" X 1-1/4"	4-1/2"	1"
RL4BP	4	3-1/4" X 1-1/2"	5-1/4"	1-3/16"
RL5BP	6	3-1/4" X 1-1/2"	7"	2"
RL6BP	9	3-1/4" X 1-1/2"	9-3/4"	2"

FORGED IRON SQUARE BOLTS

(All bolts packed with three strikes; surface, mortise and rim).



Catalog Number	Back Plate Size	Bolt Length Overall	Throw
ALABP	2-1/4" x 1"	3-1/4"	5/8"
ALBBP	4" x 1-1/2"	5"	1-1/8"
ALDBP	6" x 1-3/4"	6-7/8"	1-1/8"

MISCELLANEOUS ITEMS

Colonial Hooks



AM2BP
1-1/2"
Small Heart



AM5BP
3"
Cut Nail




AM9BP
3-1/2"
Hand Forged
Utility



AMABP
3-3/4"
Hand Forged
Split Heart



AM3BP
3"
Large Heart




AM4BP
3-1/4"
Swordfish



AMFBP
Coat and
Hat Hook

Coat Hooks



AMXBP
2" Square



AMYBP
2" Diamond



AMZBP ROUND
1-5/16" Diameter

Push Plate



RMSBP
10" x 3-3/8"


Foot Scraper

Furnished with expansion
shields and lag screws.




RM6BG
6" x 9-3/8"

Kick Plates and Push Plate*



Window Sash Lock



AK8BP
2-1/8" ctr-ctr - Catch
2" ctr-ctr - Latch

House Numbers


Rough Iron - 4"
Aluminum



Hand Rails Bracket

ACABG

Cast Iron Hand Rail Bracket
3-1/4" W x 4-1/2" H
proj. 3-1/2"



ACABG

Black Steel Hand
Rail Bracket
2-1/4" W x 3-1/4" H
proj. 3"

Catalog Number	Number
RN1BP	1
RN2BP	2
RN3BP	3
RN4BP	4
RN5BP	5
RN6BP	6
RN7BP	7
RN8BP	8
RN9BP	9
RN0BP	0




Speakeasy Grille

Hand Forged Iron
HP1BP 9"w x 12"h x 1"proj.

Door Stops

Base stop - available only in black finish.
Flexible spring action. Projection: 3"



TMPBP

RMLBP	3-5/16" x 15" *
RMRBP	5-7/8" x 30"
RMTBP	7-3/8" x 34"
RMNBP	7-3/8" x 36"
RMUBP	7-3/8" x 38"
RMMBP	7-3/8" x 40"

H AND L HINGES & PLATES

Hinge weight capacity shown next to part number. Lower weight for two hinge application. Add a third hinge when using for higher weight capacity.

Half Surface H and L Hinges

Used where jamb condition doesn't allow full surface application. Jamb leaf is mortised and door leaf is surface applied. Both are reversible when ordered in a package. Plate width: 7/8" (width from center of pin to outside edge of surface plate)



RH9BQ > 80-90 lbs.
7" x 1-11/16"

80-90 lbs. < **RHABQ**
7" x 5-1/2"


H and L Plates

These plates are for use with full mortise butt hinges. They are finished on both sides and are reversible.

RH6BP: For use with 3-1/2" x 3-1/2" to 4" butt hinges.

RH5BP: For use with 3-1/2" x 3-1/2" to 4" x 4" butt hinges.

Note: Dummy plates sold per each.




RH6BP
7" x 5-1/4"

RH5BP
7" x 1-9/16"

H Hinges

Rough Iron

For interior and exterior doors. Overall width of 4-1/2" hinges 1-3/4" with plate width of 5/8"; width of 7" hinge is 2-11/16" with plate width of 7/8" 4-1/2" hinges are suitable as heavy cabinet hinges or for use on light interior doors. The 7" hinges are for regular weight doors.




RHBBQ (4-1/2") Flush > 30-40 lbs.
RH7BQ (7") Flush > 90-100 lbs.

H Hinges

Smooth Iron

For interior and exterior doors. Overall width of 4" hinge is 2" and 7" hinge is 2-11/16".



AH5BQ (4") Flush > 30-40 lbs.
AH7BQ (7") Flush > 70-80 lbs.

H and L Hinges

Rough Iron

For interior and exterior doors. Overall width of 4-1/2" hinges is 4-3/16" with plate width of 5/8", width of 7" hinge is 6-3/8" with plate width of 7/8". 4-1/2" hinges are suitable as heavy cabinet hinges or on light interior doors. The 7" hinges are for regular weight doors.




RHDBQ (4-1/2") Flush > 30-40 lbs.
RH8BQ (7") Flush > 90-100 lbs.

H and L Hinges

Smooth Iron


For interior and exterior doors. 3/8" offset for lipped doors available in 3" size. Overall width of 4" hinge is 4-1/16" and 7" hinge is 6-3/4".



AH6BQ (4") Flush > 30-40 lbs.
AH8BQ (7") Flush > 70-80 lbs.

Butt Hinges

Button tip butts. For interior and exterior doors. Removeable pin.



Weight capacity for butt hinges vary according to specific application.

CATALOG NUMBER	SIZE	GAUGE
TJ2BP	3" x 2-1/2"	.090
*Surface hinge		
TJ3BP	3" x 3"	.090
TJ4BP	3-1/2" x 3-1/2"	.122
TJ5BP	4" x 4"	.132
TJ6BP	4-1/2" x 4-1/2"	.134
TJ7BP	5" x 5"	.146

Butt Hinge w/ Bearings

KJ4JP 3-1/2" x 3-1/2"



KJ5JP 4" x 4"

KJ6JP 4-1/2" x 4-1/2"



Heavy Duty Straps

For Garages, Barn Doors, & Heavy Gates




Catalog Number	Strap Length	Strap Width At Hinge	Length of Pad	Width of Pad	Strap Thickness	Design
IHJBP	30-3/4"	3"	6"	3-3/4"	5/16"	Heart
IHKBP	36-3/4"	3"	6"	3-3/4"	5/16"	Heart
IHNBP	30" Dummy	3"			5/16"	Heart
IHPBP	36" Dummy	3"			5/16"	Heart




Dummy Strap- 30" & 36"

Acorn's heavy strap hinges are ideal for garages, barns and gates; they not only add an authentic finishing touch but are truly functional as well. These straps are rated at 600 pounds per pair and have been tested to 1,000 pounds without failure. Strap hinges are zinc and acrylic powder coated and are supplied with 1/4" x 2" stainless steel square head lags. To compliment our straps be sure to see our complete line of door handles on pages 16, 26 and 45..



Catalog Number	Strap Length	Strap Width At Hinge	Length of Pad	Width of Pad	Strap Thickness	Design
IHLBP	30-3/4"	3"	6"	3-3/4"	5/16"	Bean
IHMBP	36-3/4"	3"	6"	3-3/4"	5/16"	Bean
IHQBP	30" Dummy	3"			5/16"	Bean
IHRBP	36" Dummy	3"			5/16"	Bean



Dummy Strap- 30" & 36"



Catalog Number	Strap Length	Strap Width At Hinge	Length of Pad	Width of Pad	Strap Thickness	Design
IHSBP	30-3/4"	3"	6"	4"	5/16"	Whale Tail
IHTBP	36-3/4"	3"	6"	4"	5/16"	Whale Tail
IHVBP	30" Dummy	3"			5/16"	Whale Tail
IHWBP	36" Dummy	3"			5/16"	Whale Tail




For additional information, please call 800-835-0121 or Fax 800-372-2676

HEAVY STRAP HINGES FOR INTERIOR AND EXTERIOR DOORS


Removeable pin and reversible pads for full or half surface application. Using three hinges, 9", 10", 13" and 17-3/4" suitable for 1-3/8" x 32" wide doors up to 90 lbs. 15-1/8", 17", 19-1/8" and 20-1/2" straps suitable for doors 1-3/4" thick x 36" wide up to 175 lbs. (All straps are measured from center of barrel to tip).

ROUGH IRON



CATALOG NUMBER	STRAP LENGTH	STRAP WIDTH AT HINGE	LENGTH OF PAD	WIDTH OF PAD	THICKNESS	DESIGN
RI5BP	9"	1-3/8"	3-1/8"	1-3/8"	.120	Heart
RI6BP	13"	1-3/8"	3-1/8"	1-3/8"	.120	Heart
RI7BP	17"	1-9/16"	4"	2"	.155	Heart
RI8BP	20-1/2"	1-9/16"	4"	2"	.155	Heart
RIGBP	15-5/8"	1-9/16"	4"	2"	.155	Bean
RIHBP	19-5/8"	1-9/16"	4"	2"	.155	Bean

SMOOTH IRON



CATALOG NUMBER	STRAP LENGTH	STRAP WIDTH AT HINGE	LENGTH OF PAD	WIDTH OF PAD	THICKNESS	DESIGN
AI5BP	10"	1-5/8"	3-1/8"	1-3/8"	.120	Spear
AI6BP	13"	1-5/8"	3-1/8"	1-3/8"	.120	Spear
AINBP	15-5/8"	1-9/16"	4"	2"	.155	Bean
AI8BP	17-3/4"	1-5/8"	3-1/8"	1-3/8"	.120	Spear
AIPBP	19-5/8"	1-9/16"	4"	2"	.155	Bean

See our newest heavy strap hinges on page 29, for doors up to 600 lbs.

For additional information, please call 800-835-0121 or Fax 800-372-2676

DUMMY HINGE STRAPS (SMOOTH IRON)




False strap for use with butt hinges. 24" and 30-1/2" are heavy sand-cast aluminum. All others heavy gauge steel.

CATALOG NUMBER	STRAP LENGTH	STRAP WIDTH AT HINGE	DESIGN
AHYBP	12"	1-5/8"	Bean
AIBBP	14"	1-5/8"	Spear
AILBP	17-1/4"	1-9/16"	Bean
AIDBP	18-3/4"	1-5/8"	Spear
AIMBP	21-1/4"	1-9/16"	Bean
AIFBP	24"	1-3/4"	Cast Aluminum
AIGBP	30-1/2"	1-15/16"	Cast Aluminum
AHRBP	22-1/4"	1-9/16"	Heart

DUMMY HINGE STRAPS (ROUGH IRON)

False strap for use with butt hinges.



CATALOG NUMBER	STRAP LENGTH	STRAP WIDTH AT HINGE	DESIGN
RI1BP	22-1/4"	1-9/16"	Heart
RI2BP	18-3/4"	1-9/16"	Heart
RI3BP	28-7/16"	3"	Heart
RICBP	8-3/4"	1-3/8"	Heart
RIDBP	14"	1-3/8"	Heart
RHYBP	12"	1-3/8"	Bean
RIEBP	17-1/4"	1-9/16"	Bean
RIFBP	21-1/4"	1-9/16"	Bean
RQ1BP	22-1/4"	1-9/16"	Heart Aluminum

For additional information, please call 800-835-0121 or Fax 800-372-2676

Acorn Shutter Hardware


All shutter hardware is supplied with stainless steel screws.

New York Style Shutter Hinges

For use on shutters or blinds of all kinds. Loose joint construction of hinges permits easy hanging and removal of shutters. For blinds hung flush with casing. Hinge measures 4-1/4" vertical and 5" width. Pintle plate 3-1/8" x 1-1/8". **Stainless steel** fasteners provided. Stamping imported. Quantity Set: 2 pairs. Hot Dipped Galvanized.

AK1BI 1-1/4" offset; 2-1/2" Reveal; Frame Construction, Black

AK2BI 2-1/4" offset; 4-1/2" Reveal; Brick Construction, Black



Connecticut Style Shutter Hinges

Stainless steel strap, pintles and fasteners. 3/8" **stainless pintle** used with **AKABR** & **AKBBR**. 1/4" stainless pintle used with **AK3BR**. Quantity Set: 2 pairs. • Measurements from center of pintles. 304 Stainless Steel.



*Please note screw hole locations.

Pintle Back Plate



AKEBP

Back Plate: 4-1/2" x 1-1/2"
hole dia. 7/16"
Pintle: 3/8"



AKNBP

**Stainless Steel
Back Plate Only**

Can be used with Connecticut style Pintle Hinge (excluding AK3BR)


Shutter Hinges

Stainless steel strap hinge, pintle and fasteners. Hinges are reversible and available in two offsets. Sold each – 4 each required per window.



- AKJBP** Flush, 13-3/8" strap length
- AKKBP** 1-1/4" offset, 13" strap length
- AKLBP** 2-1/4" offset, 12-1/4" strap length
- AKFBP** Flush, 13-3/8" strap length, adjustable pintle
- AKGBP** 1-1/4" offset, 13" strap length, adjustable pintle
- AKHBP** 2-1/4" offset, 12-1/4" strap length, adjustable pintle

The handing of the hinge is reversible with loose pin. It is made with curved offset to throw shutter clear of window. Hinge width should be equal to twice the depth of the reveal. Sold in pairs – 2 pairs required per window. Stainless Steel fasteners. *Illustration relates to 3x5" hinge.*



- RK1BQ** (3" x 4" Open) Maximum Throw: 1-1/2"
- RK2BQ** (3" x 5" Open) Maximim Throw: 2-1/2"
- RK3BQ** (3" x 6" Open) Maximum Throw: 3-1/2"

Acorn Shutter Hardware

Shutter Dogs

Aluminum "S" Shutter Dogs

High tensile aluminum alloy.
4" x 3/8" stainless steel lag screw. Anchors supplied for brick application, all supplied with aluminum anti-rattle hook and stainless steel fasteners. Sold in pairs.

FOR WOOD

AK4BQ

6-3/4" x 2-3/8"

FOR BRICK

AK5BQ

6-3/4" x 2-3/8"

Steel "S" Shutter Dogs

All shutter dogs are reversible – not handed. All come with 4 3/8" stainless steel lag screw, anchors are provided for brick applications, all supplied with aluminum anti-rattle hook and stainless steel fasteners. Sold in pairs.

FOR WOOD

RK4BQ

8-1/8" x 3-1/4"

FOR BRICK

RK5BQ

8-1/8" x 3-1/4"

RK6BQ

6-3/4" x 2-3/8"

RK7BQ

6-3/4" x 2-3/8"

Steel Propeller Shutter Dog

4" x 3/8" stainless steel lag screw.

Anchors supplied for brick application. Sold in pairs.

FOR WOOD

AK6BQ

7" x 1-1/2"

FOR BRICK

AK7BQ

7" x 1-1/2"

Forged Steel Shutter Dogs

4" x 3/8" stainless steel lag screw. Anchors supplied for brick application. Sold in pairs.

AKCBQ for wood 7" x 2-3/8"

AKDBQ for brick 7" x 2-3/8"

All shutter dogs attach to the building and hold the shutter in place


Bullet Catch for Wood: AKZJP – for Brick: AKYJP

"Made of brass and stainless steel. The bullet is solid brass 9/16" x 1-1/4" long. The bolt is machine threaded on one side and threaded for wood on the other side. The catch is also stainless steel and includes two stainless steel screws".



Shutter Bolts & Ring Pull

Slide Barrel Bolt - ALFBP




Overall bolt length: 4"

Back plate: 3" x 1-1/2"

Surface strike: 9/16" x 1-1/2"

Shutter/ Gate Bolt - RL9BP



Overall bolt length: 6-5/8"

Back Plate: 6-7/8" x 1-11/16"

Surface Strike: 3-1/4" x 1-11/16"

Screws are stainless Steel

Forged Iron Bolt - RLABP




Overall bolt length: 6"

Back plate: 2-1/4" x 1-1/4"

Stainless Steel Screws included

Shutter Ring Pull - APZBP



2" x 1-7/16"

CABINET HARDWARE

Estimated cabinet hinge weight capacity 25 lbs. per pair.

Self-Closing Hinges

2-5/8" High Semi-concealed hinges for doors with 3/8" inset overlapping and flush overlay interior cabinet doors with no inset.




AJ3BQ (3/8" inset)
AJ4BQ (Flush Overlay)

BUTTERFLY HINGES

For interior cabinet doors. Attractive full surface hinges of unusual but authentic designs. No mortising necessary.




AJ1BQ
2-3/8" x 2"
Smooth Iron




RJ1BQ
2-5/8" x 2"
Rough Iron

H, H-L HINGES-SMOOTH IRON

AH1, AH3 - 3" x 13/16"
AH2, AH4 - 3" x 1-5/8"




AH1BQ flush
AH2BQ 3/8" offset




AH3BQ flush
AH4BQ 3/8" offset


CABINET LATCHES - FLUSH DOORS



RLDBP
2-5/8" x 2-1/2"




RL1BP
1-13/16" x 2-13/16"
RL7BP
2-5/32" x 3-7/16"



ALJBR
2-5/8" x 2-1/2"



ALKBR
2-5/8" x 2-7/16"



AL5BR
1-13/16" x 2-13/16"

Strap Hinges - Cabinet Style

Lightweight strap hinges suitable for cabinet or light doors. Tight pin. Available with 3/8" offset. These are specially designed for use on batten or tongue and grooved doors.



AI2BQ	9" X 1-3/4"	Smooth Strap Hinge, Flush
AI4BQ	9" X 1-3/4"	Smooth Strap Hinge, 3/8" Offset



AIJBQ	6-1/2" X 1-3/4"	Smooth Strap Hinge, Flush
AIKBQ	6-1/2" X 1-3/4"	Smooth Strap Hinge, 3/8" Offset
RI4BQ	6-1/2" X 1-3/4"	Rough Strap Hinge, Flush
RI9BQ	6-1/2" X 1-3/4"	Rough Strap Hinge, 3/8" Offset

Also available in 3/4" Offset




AIXBQ	6" X 1-3/4"	Smooth Strap Hinge, Flush
AIYBQ	6" X 1-3/4"	Smooth Strap Hinge, 3/8" Offset
AIZBP	5-7/8" X 3/4"	Smooth Strap Hinge, Dummy
RIXBQ	6" X 1-3/4"	Rough Strap Hinge, Flush
RIYBQ	6" X 1-3/4"	Rough Strap Hinge, 3/8" Offset
RIZBP	5 7/8" X 3/4"	Rough Strap Hinge, Dummy


Also available in 3/4" Offset

H, H-L HINGES-ROUGH

RH1, RH3 - 3" x 1-5/8"
RH2, RH4 - 3" x 1-11/16"



RH1BQ flush
RH2BQ 3/8" offset



RH3BQ flush
RH4BQ 3/8" offset

For additional information, please call 800-835-0121 or Fax 800-372-2676

CABINET DOOR AND DRAWER PULLS

For light interior doors, cabinet doors and drawers.
Projection of all pulls is 7/8".

ROUGH IRON



RP3BP (4" ctr)
5" x 1-1/2"
7/8" Proj



RP7BP (3-5/8" ctr)
5-1/8" x 7/8"
3/4" Proj




RPWBP (3-5/8" ctr)
4-1/2" x 7/8"
3/4" Proj



RP6BP (4-1/16" ctr)
4-13/16" x 3/4"
13/16" Proj

SMOOTH IRON



APGBBP (4" ctr)
5" x 1-1/2"
13/16" proj.



APBBP (3-5/8" ctr)
5-1/8" x 7/8"
11/16" Proj



APWBP (3-5/8" ctr)
4-1/4" x 7/8"
3/4" Proj



APCBP (4-1/16" ctr)
4-13/16" x 3/4"
13/16" Proj

KNOBS

KNOBS (1" Thru-Bolt Size)

Rough Iron

RPFBP 1" Dia. x 7/8" Proj.

RPGBP 1-3/8" Dia. x 1" Proj.



Smooth Iron

APIBP 1" Dia. x 7/8" Proj.

AP2BP 1-3/8" Dia. x 1" Proj.



MPABP
5-1/2" x 1-1/2"
(3-11/16" cnt)



AP3BP
4-5/8" x 1-1/2"
1-3/8" Knob
1-1/8" proj.


BIN PULLS



APUBP
3-1/2" x 1-1/2"
7/8" Proj




APTBP
2-5/8" x 1-1/2"
3/4" Proj



APVBP
3-5/8" x 2"
7/8" Proj

Ring Pull

Cast zinc aluminum plate
with 1/4" steel ring.



APABP (2" x 1-7/16")-Interior Use
APZBP (2" x 1-7/16")-Exterior Use

SOLID
LEAD FREE
PEWTER
SPECIALTY
KNOBS & PULLS

APRPP



1-5/8" x 1-1/4"
13/16" Proj

APNPP




1-5/8" x 1"
7/8" Proj

APQPP

2" x 1-1/2"
3/4" Proj




APPPP (3" Ctr)



4-5/8" x 1/2"
13/16" proj.

APSPP (3" Cnt)



4-9/16" x 1/2"
13/16" proj.

For additional information, please call 800-835-0121 or Fax 800-372-2676

ENTRANCE HANDLES WITH SINGLE CYLINDER DEADBOLTS FOR PRE-DRILLED DOOR

Solid Brass Material



JT1BI - Entrance Handle w/Knob
JT1BD - Entrance Handle w/knob Dummy



JT2BI - Entrance Handle w/Lever - (RH door) interior lever l.h.
JT2BD - Entrance Handle w/Lever Dummy - RH
JT7BI - Entrance Handle w/Lever - (LH door) interior lever r.h.
JT7BD - Entrance Handle w/Lever Dummy - LH

Entry Lock Specs

Schlage C-Keyway

Cylinder Standard Door Prep: 5-1/2"
Center to Center

Solid Brass Cylinder Housing
Collar and Rosette

Hardened Steel Bolt

Door Thickness: 1-3/4" to 2-1/4"

Door Prep: 2-1/8" bore

Backset: 2-3/8" and 2-3/4" latch included

Includes strike Plate and all fasteners

CYLINDRICAL & TUBULAR LOCKSETS & DEADBOLTS FOR DOORS 1-3/4" TO 2-1/4"

Forged Solid Brass Materials



JTUBI - Double Knob Passage Set
JTWBI - Double Knob Privacy Set
JTWBD - Double Knob Dummy Set

Forged Solid Brass Materials




JTABI - Double Lever Passage Set - Reversible
JTBBI - Double Lever Privacy Set - Reversible
JTBBD - Dummy Lever Set



JT5BI - Single Cylinder Deadbolt

SCREEN DOOR SET AZ1BI



Set includes:
3, 3" x 2-1/2" Surface Hinges
1 Closer, and 1 Storm Door Latch, **ST9BI**
Surface Hinges Sold Separately **TJ2BP**



Storm Door Latch **ST9BI**


Storm door lock - slide lock, inside rose, 1-3/4"
backset. knob diameter. 1-3/4", rose diameter, 1-7/8",
case length, 2-21/32", case diameter, 5/8", length of
lever 2-1/4". lever projection 1-7/8" reversible for
in-swinging or out-swinging doors. Door thickness
7/8" to 1-3/8". 1-3/4" Backset.

For additional information, please call 800-835-0121 or Fax 800-372-2676

SCREWS

Screws for use with Acorn Forged Iron Hardware. Packed in boxes in quantities of 100 or as indicated. Available only in black finish. Some sizes available in stainless steel.*** May be purchased in bulk.

Call for Pricing.



Single
Slot

Flat Head
Phillips

Pyramid
Head
Combo

Catalog Number	Size	Quantity	Description
AQ1B8	5/8" x 6	75*	Black, Pyramid Hd. Screw **ss
AQ2B8	5/8" x 7***	75*	Black, Pyramid Hd. Screw, Comb. Phillips/Slotted
AQ3B7	3/4" x 7	50*	Black, Pyramid Hd. Screw **ss
AQ4B6	1" x 8	40*	Black, Pyramid Hd. Screw **ss
AQ6B4	1-1/4" x 8***	30*	Black, Pyramid Hd. Screw **ss
AQ7B3	1-1/2" x 8	25*	Black, Pyramid Hd. Screw **ss
AQ8B2	2" x 8	20*	Black, Pyramid Hd. Screw **ss
AS9B7	1" x 7	50*	Black, Flat Hd. Screw
ASAB5	1" x 10	35*	Black, Flat Hd. Screw
AQCB3	1-1/2" x 6-32	25	Black, Pyramid Hd. Machine Screws **ss
AQDB1	2" x 8-32	15	Black, Pyramid Hd. Machine Screw with Hex Nut **ss
ABEJ	1/2 x 8	45*	Black, Pyramid Hd. Screw
ASFB6	1" x 8	40*	Black Pyramid Hd. Screw, Comb. Phillips/Slotted **ss
AQKB8	5/8" x 5	75*	Black, Oval Hd. Screw
ASMB9	2" x 1/4"	100	Black, Hex Hd. Lag Screw
ASNB9	4" x 3/8"	100	Black, Hex Hd. Lag Screw
AQPB9	3-1/2" x 5/16"	100	Black, Carriage Bolt with Nut and Washer
AQQB9	5" x 3/8"	100	Black, Carriage Bolt with Nut and Washer
ASRB6	3/4" x 8***	40*	Black, Pyramid Hd. Screws, Comb. Stainless Steel
AQSB9	1/2" x 6-32	100	Black, Oval Machine Screw
AQTB9	5/16" x 8-32	100	Black, Pyramid Hd. Machine Screw **ss
AQUB9	1-3/16" x 8-32	100	Black, Pyramid Hd. Machine Screw **ss
AQVB8	1/2" x 5	75*	Black, Pyramid Hd. Screw
AR3B9	5/8" x 5	100	Flat Head Screw
AR4B8	5/8" x 6	75*	W/ #6 Pyramid Head Screw
ASJB9	1-1/2" x 7	100	Black, Flat Hd. Screw

*Also available in box of 100 each. To order, change last number of catalog number to "9".

** SS - Single Slot

*** Stainless steel - call for quantity, pricing and part numbers. Other sizes available.


DECORATIVE WALLPLATES

AW1BP, AW5BP, AW9BP &

AWJBP packed 10 per box.


All others are packed 5 per box.

Also sold individually.



SMOOTH IRON-STEEL	
AW1BP	Switch Plate - One Toggle
AW2BP	Switch Plate - Two Toggle
AW3BP	Switch Plate - Three Toggle
AW4BP	Switch Plate - Four Toggle
AW5BP	Duplex Receptacle
AW6BP	Duplex Receptacle with One Toggle
AW7BP	Duplex Receptacle with Two Toggle
AW8BP	Double Duplex Receptacle
AW9BP	Black Iron Wall Plate - Ground Fault
AWJBP	Blank Plate


DOOR BOSSES, CABINET KNOB BACKPLATES, CLAVOS



RMBBP 3/4" X 3/4"
RMCBP 1-1/4" X 1-1/4"




RMDBP 1-1/2" X 1-1/2"



CL1BP-Clavos Round 5/8"
CL2BP-Clavos Round 3/4"
CL3BP-Clavos Round 1"
CL4BP-Clavos Round 1-1/8"
CL9BP-Clavos Round 1-5/8"



CL6BP-Clavos Pyramid 3/4"
CL7BP-Clavos Pyramid 1"
CLBBP-Clavos Pyramid 1-5/8"
(Drill 7/32" hole) Stem 1/2"




CL5BP-Clavos Square 5/8"
CL8BP-Clavos Square 1-1/8"
CLABP -Clavos Square 1-5/8"

For additional information, please call 800-835-0121 or Fax 800-372-2676




Warwick Iron

DUMMY HINGE STRAPS



WIEBP WIFBP

WIGBP WIHBP



WI1BP WI2BP

Computer Number	Strap Length	Strap Width at Hinge	Maximum Width
WI1BP	22	1-3/4	3-3/4
WI2BP	19	1-3/4	3-3/4
WIEBP	24	3	5
WIFBP	28	3	5
WIGBP	24	3	10
WIHBP	28	3	10


Custom Displays

Custom Displays are available upon request. These are available in any of our four lines of hardware.

HANDLE WITH KNOB MORTISE LOCKSET

WT1BI


WT2BI



Complete Set-Includes Lock #TMABG.

For residential doors of average weight and size where handle operation is required for exterior and knob for interior. Inside knob, rose, thumbturn, and cylinder for exterior are included.
Dummy Set: WT1BD, WT2BD

WT6BI




Complete Set-Includes Lock #TMABG.

For residential doors of large size and heavy weight where handle operation is required for exterior and knob for interior. Inside knob, rose, thumbturn and exterior cylinder are included.
Dummy Set: WT6BD

Double Handle Locksets

WT3BI


WT4BI



Complete Set-Includes Lock #TMCBG

For residential doors of average weight and size where handle operation is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for the interior.
Dummy Set: WT3BD, WT4BD

WT7BI




Complete Set-Includes Lock #TMCBG

For residential doors of large size or smaller doors in public buildings where handle operation is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for interior.
Dummy Set: WT7BD

WTKBI


WTLBI



Complete Set- Includes Lock #TMCBG
Double Cylinder

For lightweight store doors or doors of public buildings where handle operation is required for both exterior and interior. Cylinders are provided for deadbolt operation on both sides.
Dummy Set: WTKBD WTLBD

WTRBI



Complete Set- Includes Lock #TMCBG.
Double Cylinder

For average weight store doors or doors of public buildings where handle operation is required for both exterior and interior. Cylinders are provided for deadbolt operation on both sides.
Dummy Set: WTRBD

Computer Number	Lock Number	Exterior Trim	Interior Trim
WT1BI	TMABG	WTUBG	RNIBPxRMHBPxWM7BPxTMQOP
WT2BI	TMABG	WTVBG	RNIBPxRMHBPxWM7BPxTMQOP
WT3BI	TMCBG	WTUBG	WTYBGxWM7BP
WT4BI	TMCBG	WTVBG	WUABGxWM7BP
WT6BI	TMABG	WU1BG	RNIBPxRMHBPxWM7BPxTMQOP
WT7BI	TMCBG	WU1BG	WUABGxWM7BP
WTKBI	TMCBG	WTUBG	WTUBG
WTLBI	TMCBG	WTVBG	WTVBG
WTRBI	TMCBG	WU1BG	WU1BG

• All sets packed one set in a box with screws.
• Specify door thickness if other than 1-3/4"
• Cylinders available keyed alike as specified.
• Handles are cast malleable iron.

HANDLE WITH KNOB MORTISE LOCKSETS

WUEBI



Complete Set-Includes Lock #TMABG.
Single Cylinder.

For massive residential doors of large size and heavy weight where handle operation is required for exterior and knob for interior. Inside knob, rose, thumbturn and exterior cylinder are included.

Dummy Set: **WUEBD**



WUFBI



Complete Set-Includes Lock #TMABG.

For massive residential doors of unusual size and heavy weight where handle operation is required for both exterior and knob for interior. Inside knob, rose, thumbturn and exterior cylinder are included.

Dummy Set: **WUFBD**



Double Handle Locksets

WTNBI



Complete Set-
Includes Lock #TMCBG.
Double Cylinders

For heavy store doors or large doors of public buildings where handle operation is required for both exterior and interior. Cylinders are provided for deadbolt operation on both sides.

Dummy Set: **WTNBD**

Note: Although only one handle is shown, sets include two.



WUHBI



Complete Set - Includes Lock #TMABG
Single Cylinder

For massive residential doors of unusual size and heavy weight where handle operation is required for exterior. Inside drop ring, rose, thumbturn and exterior cylinder are included.

Dummy Set: **WUHBD**



WTPBI



Complete Set -
Includes Lock # TMCBG
Double Cylinders

For extra heavy store doors or massive doors on public buildings where handle operation is required for both exterior and interior. Cylinders are provided for deadbolt operation on both sides.

Dummy Set: **WTPBD**



WTSBI

Complete Set - Includes Lock #TMCBG

For massive residential doors of large size-or medium weight where handle operation is required for exterior and interior. Cylinder is provided for exterior and thumbturn for the interior.

Dummy Set: **WTSBD**



WTTBI



Complete Set - Includes Lock #TMCBG

For massive residential doors of unusual size and heavy weight where handle operation is required for interior and exterior. Interior thumbturn and exterior cylinder are included.

Dummy Set: **WTTBD**



Computer Number	Lock Number	Exterior Trim	Interior Trim
WUEBI	TMABG	WUCBG	RNIBPxRMHBPxWM7BPxTMQOP
WUFBI	TMABG	WU3BG	RNIBPxRMHBPxWM7BPxTMQOP
WTNBI	TMCBG	WUCBG	WUCBG
WTPBI	TMCBG	WU3BG	WU3BG
WTSBI	TMCBG	WUCBG	WUDBGxWM7BP
WTTBI	TMCBG	WU3BG	WU2BG
WUHBI	TMABG	WU3BG	RM5BP

• All sets packed one set in a box with screws. • Specify door thickness if other than 1-3/4" • Cylinders available keyed alike as specified.

ENTRANCE DOOR MORTISE LOCKSETS


WUGBI



Escutcheon Lockset
Includes Lock #TMDBG.
For residential doors and doors of average weight in public buildings where knob operation is required for both exterior and interior. Inside knob, rose, thumbturn and exterior cylinder are included.
Dummy Set: **WUGBD**




WTMBI



Escutcheon Lockset
Includes Lock #TMDBG.
For residential doors and doors of average weight in public buildings where knob operation is required for both exterior and interior. Cylinder is provided for exterior and escutcheon with thumbturn for the interior.
Dummy Set: **WTMBD**

WTJBI



Knob Lockset
Includes Lock #TMDBG.
For residential doors where knob is required for both exterior and interior. Cylinder is provided for exterior and thumbturn for interior.

Dummy Set: **WTJBD**

Computer Number	Lock Number	Exterior Trim	Interior Trim
WUGBI	TMDBG	WMLBGxRNIBP	RNIBPxRMHBPxWM7BPxTMOOP
WTMBI	TMDBG	WMLBGxRNIBP	WMMBGxRNIBP
WTJBI	TMDBG	RNIBPxRMHBPxWNFBP	RNIBPxRMHBPxWM7BP

- Cylinders available keyed alike as specified.
- Specify door thickness if other than 1-3/4".

Cylinder Lock Entrance Trim

(Lock and Cylinder not included.)

ENTRANCE HANDLES (Trim Only)

ESCUTCHEON (Knob not included.)

WMLBG*



WTUBG



WTVBG



WU1BG



WU3BG*



WUCBG•



Computer Number	Handle Length	Handle Width	Handle Projection	Cylinder Collar Length	Cylinder Collar Width	Escutcheon Length	Escutcheon Width
WMLBG	—	—	—	—	—	12	2-1/2
WTUBG	10-7/8	2-3/4	1-7/8	2-7/8	2-1/8		
WTVBG	10-3/4	2-3/4	2-3/8	2-7/8	2-1/8		
WU1BG	13-1/2	3-1/4	2-3/4	2-7/8	2-1/8		
WU3BG	5-3/4	—	2-1/2	—	—	17	3-3/4
WUCBG	5-3/4	—	2-1/2	2-7/8	2-1/8	12	3-1/2


- Handles WU3BG and WUCBG available with oval head through bolts and washers. Specify door thickness.

Rim & Mortise Latches

WTWBI
Rim Latch



WTXBI
Mortise Latch



WU6BI
Reverse Bevel Rim Latch



WU9BI
Mortise Latch




Computer Number	Handles		Rim Latches		Depth Mortise	Mortise Latches		Size of Front Back Set
	Length	Width	Length	Width		Length	Width	
WTWBI	9"	2-3/8"	4"	2-3/8"	—	—	—	—
WTXBI	9"	2-3/8"	—	—	3-1/2"	3"	1"	2-3/8" or 2-3/4" avail.
WU6BI	9"	2-3/8"	4"	2-3/8"	—	—	—	—
WU9BI	9"	2-3/8"	—	—	3-1/2"	3"	1"	2-3/8" or 2-3/4" avail.

- All latches made for doors 1-3/8 to 13/4 thick.
- Special thumbpieces for thicker doors available on order at an additional cost.
- All sets packed one set in a box with screws.
- Handles are Cast Malleable Iron.

Push Plates

WNABP



WNBBP



WNCBP



WNDBP



Door Knockers

RMWBG



WMYBG



WMZBG



Computer Number	Length	Width
WNABP	12	2-1/2
WNBBP	15	3
WNCBP	12	3-1/2
WNDBP	17	3-3/4

Computer Number	Length	Width	Projection
RMWBG	8-1/4	3-1/4	2-3/4
WMYBG	6-1/2	4	1-3/4
WMZBG	6-1/4	4	1-1/2

- All push plates available cut for cylinder at top as specified at an additional cost.

Double Knob Latch Set – Rose not for pre-drilled doors. See pg. 24



Knobs 2"


RT8BI-Passage Set

For use on all interior doors where locking feature is not required.

Dummy (1 Knob & Rose): **RT8BD**

RT9BI-PrivacySet

For use on bedroom, bathroom and other interior doors where privacy is required. Emergency entry feature is included.



Exterior Entry Set For Pre-Drilled Door

WTFBI

15" H x 3" W

proj. 2"

2" Knobs

Dummy Set: **WTFBD**

For additional information, please call 800-835-0121 or Fax 800-372-2676

DOOR PULLS

WP1BP



WP2BP



WP8BP



WP9BP/****




WPDBP



WPABP/****



WPBBP*



WPEBP



**Pulls WP9BP and WPABP also available cut for cylinder at top as specified at an additional cost.



Computer Number	Handle Length	Handle Width	Length Center To Center	Grips Type of Grip	Projection	Plates	
						Length	Width
WP1BP	10-3/4	2-3/4	—	—	1-3/4	—	—
WP2BP	9	2-3/4	—	—	1-1/2	—	—
WP8BP	13-1/2	3-1/4	—	—	2-3/4	—	—
WP9BP	—	—	5-3/4	Square	2	12	3-1/2
WPABP	—	—	5-3/4	Square	2	17	3-3/4
WPBBP	6-1/4	3-1/4	—	—	Ring Dia. 4	—	—
WPDBP	11	2-3/4	—	—	2-7/8	—	—
WPEBP	—	—	5-3/4	Square	2	15	3

Acorn products, with the exception of Iron Art, are stocked in black and available in our russet finish. The Black and Russet items are finished within the company with a vinyl lacquer and are generally shipped in approximately 5 days.

Acorn offers a lifetime replacement warranty on all black and russet finishes. Lifetime warranty is for replacement only and does not include labor or consequential damages.

CUSTOM WORK BY ACORN BLACKSMITHS

Let us reproduce your ideas into breathtaking one of a kind masterpieces. Call today to work with our design team to create items not available from traditional sources. Acorn blacksmiths can produce almost anything from steel, iron, aluminum or stainless.



*A*corn Forged Straps and Handles are not only functional but attractive decorative accents for garage doors, outbuildings, sheds or any storage building that you want to “dress up.”



For additional information, please call 800-835-0121 or Fax 800-372-2676

