

# Air Locker



## PNEUMATIC NAILERS, STAPLERS AND AIR TOOLS



PRODUCT CATALOG 2014





## PRICES

All prices are in US Dollars and reflect the most current price lists that are in effect at the time of printing. We strive to keep uniform prices in effect throughout the year, however, unexpected changes in raw material prices, global currency fluctuations, and manufacturing costs may occur, therefore prices are subject to change without notice. At the time of shipment, all items will be invoiced at current prices.

## TERMS

- All clients must have a business application on file.
- With an approved credit line, payment term of net 30 days from date of invoice is extended.
- Invoices 60 days past due are subject to service charge at 1.5% per month (18% per annum).
- Open account status will be withdrawn if terms are not complied with.
- Master Card, Visa, Discover and American Express are accepted in lieu of credit terms.

## PRE-PAID FREIGHT

All orders totaling \$1,250 net or more will receive a freight/shipping consideration of up to \$75 towards shipping charges at the sole discretion of AGTG. Freight includes regular costs plus additional shipping/freight charges incurred because of heavy items (such as hoses, fittings, oil, cords etc).

Freight Consideration does not include special orders, drop shipping, palletized shipments, OE parts, some orders with unusual steep discounts and some orders comprising of heavy weight items. Shipping will be charged on all original orders and back orders of the original order that did not meet the prepaid freight requirement.

## MINIMUM ORDER VALUE

Minimum order value is \$35.00 - Orders below that value will be charged a processing fee of \$6.00.

## RETURNED GOODS POLICY

- Goods ordered in error, if returned within 30 days at customer's expense, will be subjected to 15% restocking charge with authorization from AGTG.
- Goods shipped in error may be returned within 10 days from the date received at AGTG's expense for full credit.
- All other Returned Merchandise must be of current production type and will be subjected to a 15% restocking fee and charge including any labor or parts beyond normal restocking to make merchandise saleable.
- Goods deemed non-saleable that have been returned for reasons other than our error will not receive any credit.
- Special orders for goods that are normally not stocked may not be cancelled or returned.
- All returns must be approved by AGTG. Please enclose a completely filled out Return Authorization Form (RGA) \ with the shipment. Do not enclose purchase orders or checks with returns, as they will only cause delay in processing.

## SHIPMENT SHORTAGES

No claims for shipment shortages will be allowed unless presented within 5 days after receipt of goods. Each package is carefully checked and weighed before shipment. Claims for shortage will be addressed through an investigation from AGTG, shipper & insurance company and will be subjected to appropriately filled claim documents and weight/picture verification.

## PRODUCT DESIGN CHANGES

Products' designs are subject to minor and major changes, amendments and modifications without any notice.

## DISCLAIMER

This catalog contains thousands of part numbers including the possibility of errors during printing process. We reserve the right to correct printing errors.

**WARNING:** Some products contain or produce a chemical known to state of California as a cause of cancer, birth defects or other reproductive disorders.



# TABLE OF CONTENT

<b>CONTENT</b>	<b>Page #</b>
Micro Pin Nailers, 23 Gauge	4 - 6
Brad Nailers, 18 Gauge	7 - 8
Upholstery Staplers, 22 Gauge C-Type Staples	9 - 10
Electric Staplers/Nailers, 22 Gauge C-Type & 20 Gauge T50 Staples	11 - 12
Manual Hand Brad/Staple Gun, 18 Gauge / 20 Gauge T50 Staples	13
Fine Wire T50 Stapler, 20 Gauge T50 Staples	14
Narrow Crown Stapler, 18 Gauge "L" Wire	15
Medium Crown Stapler, 16 Gauge "N" Wire	16
Wide Crown Stapler, 16 Gauge 15/16" Crown	17
Finish Nailer, 34°, 15 Gauge	18
Framing Nailers, 10 Gauge / 11 Gauge	19 - 21
Coil Roofing Nailer, 11 Gauge	22
Concrete "T" Nailer, 14 Gauge	23
Corrugated Fastener/Stapler, "W" Style Staple	24
Air Punch Nailer	25
Mini Palm Nailer	26
Air Tools - Air Scaler, In-Line Sander	27
Fasteners	28
Lubricants & Fittings	29
Accessories	30 - 31



## Model # P625

### ADJUSTABLE EXHAUST



### UNIQUE SERIAL NUMBER



### LOW LOAD INDICATOR



### RUBBER BUMPER TO PROTECT WORK SURFACE




### SHANK DIA: 0.025"



Nail type: 23 Gauge Micro Pin Nails similar to Senco® & Porter Cable®

## 23 GAUGE 1" HEADLESS MICRO PIN NAILER

The Air Locker 1/2 to 1 Inch 23 Gauge Pin Nailer takes care of all of your finishing projects, such as crown molding and other molding jobs, and does it quickly and efficiently. It fires the 23-gauge micro pin nails from the 150 pin bottom load magazine. This pin nailer has bottom loading and fastener length adjustment guide with multiple settings. The rubber comfort grip ensures hours of easy operation.



### FEATURES

- Heat treated hardened tool steel nail driver
- Bottom loading magazine
- Manually adjusts for fastener lengths between 1/2" to 1"
- Adjustable exhaust to keep oil and condensation away from work
- No Safety - Free Firing

### SPECIFICATION

- Pin length: 1/2" - 1"
- Magazine capacity: 150 Pins
- Operating Pressure: 60 - 100 PSI
- Air Inlet: 1/4" NPT
- Weight: 2 lbs
- Tool dimensions(LxWxH): 9"x 1.9"x 2.8"

### APPLICATIONS

- Intricate finishes
- Cabinets
- Decorative trim
- Glazing strips
- Molding
- Picture frame
- Finish work

### INCLUDES

- Pin Nailer
- Blow molded case
- Operating Manual
- Oil Bottle
- Allen Wrench



# MICRO PIN NAILERS

## 23 GAUGE 1-3/8" HEADLESS MICRO PIN NAILER

The Air Locker P630A 23 gauge Pin Nailer is compact and light-weight but big on performance. It shoots all 23 gauge pin nails from 1/2 inch to 1-3/8 inch and produces a hole that is barely visible to the naked eye. It automatically adjusts to accommodate the length of the pin. The P630A 23 gauge pin nailer is ideal for intricate finish work.



### FEATURES

- Heat treated hardened tool steel nail driver
- Side loading magazine
- Adjustable exhaust to keep oil and condensation away from work
- Automatically adjusts for fastener lengths between 1/2" to 1-3/8"
- Narrow nose reaches tight areas and corners for detailed trim work
- Nose has a magnet to keep pins straight & stable during firing

### SPECIFICATION

- Pin length: 1/2" - 1-3/8"
- Magazine capacity: 200 Pins
- Operating Pressure: 60 - 100 PSI
- Air Inlet: 1/4" NPT
- Weight: 2 lbs
- Tool dimensions(LxWxH): 8.7" x 1.77" x 7.3"

### APPLICATIONS

- Intricate finishes
- Cabinets
- Decorative trim
- Glazing strips
- Molding
- Picture frame
- Finish work

### INCLUDES

- Pin Nailer
- Blow Molded Case
- Operating Manual
- Oil Bottle
- Allen Wrench

## Model # P630A

### ADJUSTABLE EXHAUST




### ANTI SCRATCH BODY BUMPER



### SAFETY WITH NO-MAR TIP



### SHANK DIA: 0.025"



Nail type: 23 Gauge  
Micro Pin Nails similar  
to Senco® & Porter Cable®



## Model # P635

### ADJUSTABLE EXHAUST



### ANTI SCRATCH BODY BUMPER



### SAFETY WITH NO-MAR TIP



### SHANK DIA: 0.025"



Nail type: 23 Gauge  
Micro Pin Nails similar  
to Senco® & Porter Cable®

## 23 GAUGE 1-3/8" HEADLESS MICRO PIN NAILER

The Air Locker P635 23 gauge Pin Nailer is compact and light-weight but big on performance. It shoots all 23 gauge pin nails from 1/2 inch to 1-3/8 inch and produces a hole that is barely visible to the naked eye. It automatically adjusts to accommodate the length of the pin. The P635 23 gauge pin nailer is ideal for intricate finish work.



### FEATURES

- ▶ Heat treated hardened tool steel nail driver
- ▶ Side loading magazine
- ▶ Adjustable exhaust to keep oil and condensation away from work
- ▶ Automatically adjusts for fastener lengths between 1/2" to 1-3/8"
- ▶ Narrow nose reaches tight areas and corners for detailed trim work
- ▶ Nose has a magnet to keep pins straight & stable during firing

### SPECIFICATION

- ▶ Pin length: 1/2" - 1-3/8"
- ▶ Magazine capacity: 200 Pins
- ▶ Operating Pressure: 60 - 100 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 2 lbs
- ▶ Tool dimensions(LxWxH): 8.7" x 1.77" x 7.3"

### APPLICATIONS

- Intricate finishes
- Cabinets
- Decorative trim
- Glazing strips
- Molding
- Picture frame
- Finish work

### INCLUDES

- Pin Nailer
- Blow Molded Case
- Operating Manual
- Oil Bottle
- Allen Wrench



# BRAD NAILERS

## 18 GAUGE 1-1/4" BRAD NAILER

The Air Locker F630A 5/8 to 1-1/4 inch 18 gauge Brad Nailer comes with tool-free depth adjustment assists for easily locating the ideal depth setting.

Features include a side low-nail indicator window to quickly and easily see when it's time to reload, and an over molded no-mar pad for greater visibility and durability. Also has a tool free jam clearing feature which eliminates down-time caused from bent nails that are caught in the nose piece.



### FEATURES

- A Tool-free jam clearing feature eliminates down-time caused from bent nails that are caught in the nosepiece
- Adjustable exhaust to keep oil condensation away from work
- Adjustable depth-of-drive Nose Safety to prevent accidental firing of tool with single sequential firing feature

### SPECIFICATION

- Fastener length: 5/8" - 1-1/4"
- Magazine Capacity: 110 Brads
- Operating Pressure: 70 - 110 PSI
- Air-Inlet: 1/4" NPT
- Weight: 2.6 lbs
- Tool dimensions(LxWxH): 9.6" x 2.1" x 8.0"

### APPLICATIONS

- Decoration
- Furniture
- Picture Frame
- Molding
- Finish Work

### INCLUDES

- Brad Nailer
- Blow molded case
- Oil
- Hex key

## Model # F630A

### ADJUSTABLE EXHAUST




### SAFETY WITH NO-MAR TIP




### UNIQUE SERIAL NUMBER



### DISPLAY WINDOW SHOWING MAGAZINE OUT OF NAILS



Gauge: 18 Head: 0.08"  
WxT: 0.05" x 0.041"





## Model # B630A

### ADJUSTABLE EXHAUST



### UNIQUE SERIAL NUMBER




### DISPLAY WINDOW SHOWING MAGAZINE OUT OF NAILS



### NO-MAR TIP



Gauge: 18 Head: 0.08"  
WxT: 0.05" x 0.041"



## 18 GAUGE 2" BRAD NAILER

The Air Locker B630A 5/8 to 2 inch 18 gauge Brad Nailer comes with tool-free depth adjustment assists for easily locating the ideal depth setting. Features include a side low-nail indicator window to quickly and easily see when it's time to reload, and an over molded no-mar pad. It also has a Tool-free jam clearing feature that eliminates down-time caused from bent nails that are caught in the nosepiece.



### FEATURES

- A Tool-free jam clearing feature eliminates down-time caused from bent nails that are caught in the nosepiece
- No-Mar tip to protect work surface
- Automatically adjusts for fasteners length between 5/8" - 2"
- Nose Safety to prevent accidental firing of tool with single sequential firing feature

### SPECIFICATION

- Nail length: 5/8" - 2"
- Magazine Capacity: 110 Brads
- Operating Pressure: 70 - 110 PSI
- Air-Inlet: 1/4" NPT
- Weight: 2.8 lbs
- Tool dimensions(LxWxH): 9.6" x 2.1" x 9.6"

### APPLICATIONS

- Decoration
- Furniture
- Picture Frame
- Molding
- Finish Work

### INCLUDES

- Brad Nailer
- Blow molded case
- Oil
- Hex key



# UPHOLSTERY STAPLERS

## 22 GAUGE UPHOLSTERY STAPLER

The Air Locker U630A 1/4 to 5/8 Inch, 22 gauge C-Crown Upholstery Stapler is an easy to use pneumatic stapler with plenty of useful features. It uses standard Senco® C Type 22 gauge, 3/8 inch crown staples to get the job done right. The high-capacity bottom-load magazine handles 200 staples and the driver guide moves back to clear jams from the magazine.



### FEATURES

- Automatically adjusts for fastener lengths between 1/4" - 5/8"
- Bottom loading magazine
- Heat treated hardened tool-steel nail driver
- Adjustable exhaust to keep oil condensation away from work
- No safety - Free firing

### SPECIFICATION

- Staple Length: 1/4" - 5/8"
- Magazine Capacity: 200 Staples
- Operating Pressure: 60 to 100 PSI
- Air Inlet: 1/4" NPT
- Weight: 1.6 lbs
- Tool dimensions(LxWxH): 9.1" x 1.9" x 6.5"

### APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frame
- Roof Felt
- Upholstery
- Trim

### INCLUDES

- Stapler
- Blow molded case
- Oil
- Hex key

## Model # U630A

### ADJUSTABLE EXHAUST




### UNIQUE SERIAL NUMBER



### RUBBER BUMPER TO PROTECT WORK SURFACE



"C" type 3/8" Crown  
WxT : 0.03" x 0.022"



Staple Type: 22 Gauge, 3/8" Crown C-type Staples similar to Senco® & Porter Cable®



## Model # U630L

### ADJUSTABLE EXHAUST




### 1-5/8" LONG NOSE



### MAGAZINE RELEASE LATCH



"C" type 3/8" Crown  
WxT: 0.03"x 0.022"



Fastener Type: 22 Gauge, 3/8" Crown C-type Staples similar to Senco® & Porter Cable®

## 22 GAUGE LONG NOSE UPHOLSTERY STAPLER

It uses 22 gauge type C upholstery staples. U630L automatically adjusts for fastener lengths between 1/2", 1/4", 3/8" and 5/8". This nailer is made of light weight die cast aluminum body with a bottom loading magazine and has a rubber grip handle with adjustable exhaust to keep oil condensation away from work. It also features a long nose for reaching & stapling the inaccessible areas with a standard nose.



### FEATURES

- Light weight die cast Aluminum alloy body
- Soft grip handle reduces fatigue
- Small and light weight for ease of operation
- Adjustable exhaust to keep oil condensation away from work
- 1-5/8" Long nose to access hard to reach areas and corners
- No safety - Free firing

### SPECIFICATION

- Staple Length: 1/4" - 5/8"
- Magazine Capacity: 200 Staples
- Operating Pressure: 60 to 100 PSI
- Air Inlet: 1/4" NPT
- Weight: 2.1 lbs
- Tool dimensions(LxWxH): 8.5" x 2.0" x 6.5"

### APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frames
- Roof Felt
- Trim
- Upholstery

### INCLUDES

- Long Nose Stapler
- Oil
- Molded Plastic Carrying Case
- Operating manual



# ELECTRIC STAPLERS/NAILERS

## ELECTRIC UPHOLSTERY STAPLER / NAILER

U630E by Air Locker is an electric upholstery stapler and nailer in one sturdy tool. This professional electric upholstery stapler / nailer shoots 3/8" crown Senco® and Porter Cable® upholstery staples "C" type & 18 gauge (3/8" to 5/8") brad nails and also features bottom loading magazine.



### FEATURES

- Quick release bottom loading magazine for easy loading
- Contact safety mechanism to prevent accidental firing
- Comfortable rubber hand grip and an 8-Foot power cord
- The gun is powerful enough for driving brads or pin into wood and other hard surfaces

### SPECIFICATION

- Input Voltage: 110V
- Operating Frequency: 60 HZ
- Magazine Capacity: 100 Nails / 165 Staples
- Weight: 2.8 lbs
- Tool dimensions (LxWxH): 9.5" x 2.4" x 7.6"
- UL Certified

### APPLICATIONS

- Crafts
- Picture Framing
- Tacking
- Upholstery
- Repair Work

### INCLUDES

- Electric Upholstery Stapler / Nailer
- Blow Molded Case

## Model # U630E

### SIGHT GLASS SHOWING OUT OF NAILS




### CONTACT SAFETY MECHANISM




### QUICK RELEASE LATCH FOR MAGAZINE DISASSEMBLY



### 18 Gauge Brad



### 3/8" 'C' type Crown Staple W X T: 0.03" x 0.02"





## Model # KA641

### CONTACT SAFETY MECHANISM



### ON/OFF SWITCH




### QUICK RELEASE LATCH



### 18 Gauge Brad



### 20 Gauge 3/8" Crown T50 Staple W X T: 0.05" x 0.02"



## ELECTRIC STAPLER 'T50' / NAILER 18 GAUGE BRADS

Air Locker KA641 Electric Staple / Brad Nail Gun uses T50 staples & 18 gauge brads. Also features safety contact mechanism, comfortable rubber grip, easy bottom load magazine & visual nail window.



## FEATURES

- A combo tool for driving both 18 Ga brads and 20 Ga 3/8" crown T50 staples
- Flush-nose design solves the problem of stapling in tight spots
- Contoured grip for extra comfort
- Anti-jam mechanism saves time on the job
- Nose safety to prevent accidental firing of tool with single sequential firing feature

## SPECIFICATION

- Voltage: 110V, frequency 60 Hz
- Maximum firing Speed: 20 Nails / Staples per min
- Magazine Capacity: 100 Nails / Staples
- Weight: 2.8 lbs
- Tool dimensions(LxWxH): 8.7" x 2.0" x 7.5"
- UL Certified

## APPLICATIONS

- Crafts
- Picture Framing
- Tacking
- Upholstery
- Repair work

## INCLUDES

- Electric Stapler / Nailer
- Blow Molded Case



# MANUAL HAND STAPLE GUN

## MANUAL HAND STAPLE GUN

Air Locker M641 Manual Staple Gun features multi-functional mechanism, great for hard to reach areas, convenient bottom loading, supports both 18 gauge nails and T50 staples. Safety-lock will not allow direct shooting. Quick bottom load magazine to get back to work faster. Light weight Aluminum body for easy use. Perfect for everyday stapling needs around home or office. Low strike handle to reduce fatigue and an impact buffer to reduce shock & kick.



## FEATURES

- ▶ Convenient bottom loading for quick & easy reloading
- ▶ Shoots both 18 gauge nails & T50 staples
- ▶ Press handle out of working surface to lock the nailer.
- ▶ Great for hard to reach places and flooring surface.

## SPECIFICATION

- ▶ Max Magazine capacity: Holds up to 80 nails / staples
- ▶ Max Length of Nails / Pins: 5/8" long 18 Gauge Brad Nail / Pin
- ▶ Length of Staples: 1/4" - 9/16" long T50 staple
- ▶ Weight: 1.2 lbs.
- ▶ Tool Dimensions (LxWxH): 7" x 4.7" x 1.2"

## APPLICATIONS

- Insulation
- Woodworking
- General Repairs
- Screening
- House Wrap
- Tar Paper
- Upholstery
- Canvas
- Decoration

## INCLUDES

- Stapler
- Cardboard Box
- Operating Manual

## Model # M641

### ADJUSTABLE POWER SETTING



### SAFETY LEVER




### FASTENER VIEW WINDOW



### 18 Gauge Brad



### 18 Gauge 3/8" Crown T50 Staple W X T: 6-14mm





## Model # U641

### ADJUSTABLE EXHAUST



### SAFETY WITH NO-MAR TIP



### UNIQUE SERIAL NUMBER



## 20 GAUGE, 5/8" LONG, 3/8" CROWN, T50 FINE WIRE STAPLER

The Air Locker U641 20 gauge, 3/8" crown, T50 Fine Wire Stapler is an easy to use pneumatic stapler with plenty of useful features. It uses standard 20 gauge, 3/8" crown, T50 staples to get the job done right. The high-capacity bottom-load magazine handles 100 staples.



### FEATURES

- Adjustable exhaust to keep oil condensation away from work
- Soft grip handle reduces fatigue
- Contact safety mode provides additional safety to operator
- Nose Safety to prevent accidental firing of tool with single sequential firing feature

### SPECIFICATION

- Staple Length: Up to 5/8"
- Magazine Capacity: 100
- Staples Operating Pressure: 60 to 100 PSI
- Air Inlet: 1/4" NPT
- Weight: 1.65 lbs
- Tool dimensions (LxWxH): 9.1" x 6.3" x 1.9"


### APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frame
- Roof Felt
- Upholstery
- Trim

### INCLUDES

- T50 Stapler
- Oil
- Molded Plastic Case
- Operating manual

20 Gauge 3/8" Crown  
T50 Staple  
W X T: 0.05" x 0.02"





# NARROW CROWN STAPLER

## 18 GAUGE, 1/4" NARROW CROWN "L" WIRE STAPLER

Air Locker NS150A is a 1/4" narrow crown "L" wire stapler shoots up to 1-5/8" staples that is compatible with other brands of "L" wire staples. The key features include light weight Magnesium body, Touch-strike security system and No-mar bumper.



### FEATURES

- ▶ 360° adjustable exhaust channels air and dust away from user
- ▶ No-mar tip to protect work surface
- ▶ Strong and light weight die-cast Magnesium body
- ▶ Rugged back side magazine
- ▶ Contact safety mode provides additional safety to operator

### SPECIFICATION

- ▶ Staple Length: Up to 1-5/8"
- ▶ Magazine Capacity: 100 Staples
- ▶ Operating Pressure: 60 to 120 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 2.8 lbs
- ▶ Tool dimensions (LxWxH): 9.6" x 9.6" x 0.5"

### APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frames
- Roof Felt
- Trim
- Upholstery

### INCLUDES

- Narrow Crown Stapler
- Oil
- Molded Plastic Carrying Case
- Operating manual

## Model # NS150A

### ADJUSTABLE EXHAUST



### UNIQUE SERIAL NUMBER




### SAFETY WITH NO-MAR TIP



### SAFETY TRIGGER



### Type "L" Wire WxT: 0.05" x 0.041"



Fastener type: 18 Gauge, "L" wire compatible to Senco® & Bostitch® "L" Wire Staples



## Model # MS200A

### ADJUSTABLE EXHAUST



### ANTI SCRATCH BODY BUMPER




### TOOL LESS DESIGN FOR EASY REMOVAL OF JAMMED NAILS



### SEQUENTIAL / BUMP MODE TRIGGER



WxT : 0.063" x 0.055"



Fastener Type: 16 Gauge compatible to Senco® Bostitch® type "N" wire

## 16 GAUGE, 2" LONG, 7/16" MEDIUM CROWN "N" WIRE STAPLER

Air Locker MS200A allows user to shoot up to 2 inch "N" Wire 7/16" medium crown staples which are compatible to Senco® and Bostitch® Staples. The dual trigger mechanism (sequential and contact) gives user more flexibility to operate the tool.



### FEATURES

- ▶ 360° adjustable exhaust channels air and dust away from user
- ▶ Quick-release nosepiece for fast clearing of jams
- ▶ Ergonomically designed handle reduces fatigue for operator
- ▶ Body rubber bumper for protection of tools
- ▶ Sequential firing or bump mode firing feature

### SPECIFICATION

- ▶ Staple Length: Upto 2"
- ▶ Magazine Capacity: 150 Staples
- ▶ Operating Pressure: 70 to 120 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 6 lbs
- ▶ Tool dimensions(LxWxH): 14" x 11.2" x 4.1"

### APPLICATIONS

- Bedding
- Cabinets
- Furniture
- Molding
- Picture Frame
- Roof Felt
- Upholstery
- Trim

### INCLUDES

- Medium Crown Stapler
- Oil
- Molded Plastic Case
- Operating manual



# WIDE CROWN STAPLER

## 16 GAUGE 15/16" WIDE CROWN HEAVY DUTY STAPLER

Air Locker N5025 Insulation Sheathing Stapler is a versatile design gun that drives staples up to 2" in length for a variety of uses. Great for house wrap, insulation, wire lath and sheathing. Soft grip handle for on the job comfort.



### FEATURES

- ▶ Heat treated hardened driver
- ▶ Single actuation mode trigger
- ▶ Bigger air cabinet inside the body makes the tool more powerful
- ▶ Top loading system makes fastener loading easier
- ▶ Lightweight and well-balanced stapler reduces operator fatigue and increases productivity

### SPECIFICATION

- ▶ Staple Length: 3/4" - 2"
- ▶ Magazine Capacity: 150 Staples
- ▶ Operating Pressure: 60 - 120 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 6.00 lbs
- ▶ Tool dimensions (LxWxH): 12.2" x 3.5" x 9.8"

### APPLICATIONS

- House Wrap
- Insulation
- Wire Lath
- Sheathing
- Fencing
- Crate Making

### INCLUDES

- Wide Crown Heavy Duty Stapler
- Oil
- Hex Key
- Cardboard Box
- Operating Manual

## Model # N5025

### 360° ROTARY EXHAUST DEFLECTOR




### SAFETY NOSE



Compatible with Paslode 15/16" stapler model S200-W16, 3150-W16, 3150-W16R, MA-W16R or MU-112-W 16R and Hitachi® 15/16" stapler model no N5021A.

Staples model numbers, Hitachi® 11401, 11403, 11404, 11406, Paslode® 404068, 404070, 650098, 403471, Senco® M004076, M004081, Air Locker® P25-30, P25-50

### 15/16" Wide Crown Staple W X T: 0.06" x 0.05"



Staple Type: 16 Gauge, 15/16" Crown Staples similar to Hitachi®, Senco® and Paslode®



## Model # NT65A2

### ADJUSTABLE EXHAUST



### EXTRUDED ALUMINUM MAGAZINE




### TRIGGER



### TOOL-LESS DESIGN FOR EASY REMOVAL OF JAMMED NAILS



15 Gauge  
Dia: 0.072"  
Head: 0.126"



## 2-1/2" LONG, 15 GAUGE, 34° FINISH NAILER

This nailer features a padded handle, extruded Aluminum magazine, directional exhaust, a drive depth adjustment, and it weighs only 4.2 pounds. A selective trigger means no more wasteful double fires and a tool-less drive depth feature.



### FEATURES

- ▶ Tool-less design for easy removal of jammed nails
- ▶ Adjustment, to countersink or flush drive nails
- ▶ Lightweight and well balanced for easy maneuverability
- ▶ Automatically adjusts fastener length between 1-1/4" to 2-1/2"
- ▶ Selective actuation (ANSI compliant) allows transition from single sequential to bump mode

### SPECIFICATION

- ▶ Nail length: 1-1/4" - 2-1/2"
- ▶ Magazine Capacity: 100 Nails
- ▶ Operating Pressure: 70-110 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 4.1 lbs
- ▶ Tool dimensions(LxWxH): 15.2" x 3.5" x 11.2"

### APPLICATIONS

- Bedding
- Cabinets
- Chair Rail
- Decorative Trim
- Furniture
- Molding
- Panelling
- Upholstery

### INCLUDES

- Finish Nailer
- Blow Molded Case
- Hex Key
- Oil



# FRAMING NAILERS

## FULL ROUND HEAD 3-1/4" FRAMING NAILER - STEEL MAGAZINE

This full-head construction nailer is an excellent tool for floor and wall framing and general heavy-duty construction, including subflooring, sheathing and heavy fence building. This versatile tool is well-balanced and lightweight for one-handed, fatigue-free operation. It comes with a nose safety to prevent accidental firing and a dual mode trigger: Single sequential firing or bump mode firing.



### FEATURES

- ▶ Steel magazine shoots 3-1/4" long nails
- ▶ Hardened aggressive toenail push lever, resists wear for prolonged life
- ▶ Driver, Bumper, Magazine & Cylinder interchangeable with Hitachi NR83A parts
- ▶ Nose safety to prevent accidental firing of tool with single sequential firing and bump mode firing features

### SPECIFICATION

- ▶ Nail length: 2" - 3-1/4"
- ▶ Magazine Capacity: 70 Nails
- ▶ Operating Pressure: 70 to 110 PSI
- ▶ Air Inlet: 3/8" NPT
- ▶ Weight: 8.8 lbs
- ▶ Tool dimensions(LxWxH): 0.8" x 4.2" x 13.4"

### APPLICATIONS

- Decking
- Sheathing
- Furring
- Packaging
- Pallets
- Fences
- Siding
- Crating
- Roofing
- Framing

### INCLUDES

- Framing Nailer
- Cardboard Box
- Oil
- Hex key
- Operating Manual

## Model # AL83A

### FIXED EXHAUST DEFLECTOR




### DEPTH ADJUSTMENT



### SAFETY TRIGGER



10 - 11 Gauge  
Shank dia: 0.11" - 0.16"





## Model # AL83A2

### FIXED EXHAUST DEFLECTOR




### ALUMINUM MAGAZINE



### DEPTH ADJUSTMENT



10 - 11 Gauge  
Shank dia: 0.11" - 0.16"



## FULL ROUND HEAD 3-1/2" FRAMING NAILER - ALUMINUM MAGAZINE

Air Locker AL83A2 Full Head Framing Nailer shoots 3-1/2" longer nails from its light weight, well balanced & sturdy Aluminum Magazine. It comes with a nose safety to prevent accidental firing and it also has a dual mode trigger: Single sequential firing mode or bump mode.



### FEATURES

- ▶ Aluminum magazine shoots 3-1/2" long nails
- ▶ Hardened aggressive toenail push lever, resists wear for prolonged life
- ▶ Driver, Bumper, Magazine & Cylinder interchangeable with Hitachi NR83A parts
- ▶ Nose Safety to prevent accidental firing of tool with single sequential firing and bump mode firing features

### SPECIFICATION

- ▶ Nail length: 2" - 3-1/2"
- ▶ Magazine Capacity: 70
- ▶ Operating Pressure 70 - 110 PSI
- ▶ Air Inlet: 3/8" NPT
- ▶ Weight: 8.5 lbs
- ▶ Tool dimensions(LxWxH): 0.8" x 4.25" x 13.4"

### APPLICATIONS

- Decking
- Sheathing
- Furring
- Packaging
- Pallets
- Fences
- Siding
- Crating
- Roofing

### INCLUDES

- Framing Nailer
- Cardboard Box
- Oil
- Hex key
- Operating Manual



# FRAMING NAILERS

## 21° FULL ROUND HEAD 3-1/2" FRAMING NAILER

Air Locker AL90A can shoot up to 3-1/2" 21° framing nails. Also features easy rear load magazine, 360 degree adjustable exhaust, large cylinder for more power, adjustable depth of drive & aluminum magazine.



### FEATURES

- ▶ Large Cylinder for more power
- ▶ Selective actuation (ANSI Compliant), allows transition from single sequential to bump actuation
- ▶ Anodized Aluminum magazine, shoots up to 3-1/2" long nails
- ▶ 360° adjustable exhaust that channels air and dust away from work

### SPECIFICATION

- ▶ Nail length: 2" - 3-1/2"
- ▶ Magazine Capacity: 70 Nails
- ▶ Operating Pressure: 70 to 110 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 7.6 lbs
- ▶ Tool dimensions(LxWxH): 20.8" x 4.3" x 14.6"

### APPLICATIONS

- Framing
- Decking
- Sheathing
- Furring
- Pallets
- Fences
- Siding
- Crating
- Roofing

### INCLUDES

- Framing Nailer
- Blow molded case
- Oil
- Hex key

## Model # AL90A

### ADJUSTABLE EXHAUST



### BUMPER TO PROTECT SURFACE OF TOOL




### NO MAR BUMPER



### ALUMINUM MAGAZINE SHOOTS UP TO 3-1/2" LONG NAILS



10 - 11 Gauge  
Shank dia: 0.11" - 0.16"





## Model # RN45AB2

### TOOL-LESS DEPTH OF DRIVE ADJUSTMENT




### SELECTIVE ACTUATION



### TOOL-FREE SHINGLE GUIDE ADJUSTMENT



11 Gauge  
Dia: 0.120"



### 11 GAUGE 3/4 - 1-3/4" COIL ROOFING NAILER

Pneumatic nail feed mechanism powers both the nail advance and return for consistent operation even in the toughest conditions. Constructed with all aluminum components for durability. Tool-less depth of drive dial can be adjusted on the spot to meet the application for ultimate convenience. Ergonomic design and exceptional tool balance not only reduces user fatigue and repetitive injuries, but also provides more control during use.



### FEATURES

- Tool-less depth of drive adjustment, for precision nailing/flush driving
- Rubber pads, help keep nailer from sliding off roof when not in use
- Rubber safety valve cover, resists dirt and tar for prolonged life of tool
- Selective actuation (ANSI compliant) allows transition from single sequential to bump actuation

### SPECIFICATION

- Nail length: 3/4" - 1-3/4", wire collation
- Magazine Capacity: 120 Nails
- Operating Pressure: 80-110 PSI
- Air Inlet: 1/4" NPT
- Weight: 5 lbs
- Tool dimensions(LxWxH): 10.6" x 4.9" x11"

### APPLICATIONS

- Decking
- Sheathing
- Furring
- Packaging
- Pallets
- Fences
- Siding
- Crating
- Roofing

### INCLUDES

- Coil Roofing Nailer
- Hex Key
- Blow Molded Case



# CONCRETE 'T' NAILER

## 14 GAUGE 2-1/2" CONCRETE 'T' NAILER

This T-Nailer is excellent for wood to concrete/steel applications. A lightweight die-cast housing maximizes productivity by reducing operator fatigue. The CN64A3 also features an adjustable exhaust, quick release nose for easy jam clearing, and safety to prevent accidental firing. Applications include furring strips, plywood to concrete nailing, wire lath installation, steel banding, decking, fencing, sub flooring, and more.



### FEATURES

- ▶ Soft grip handle reduces fatigue
- ▶ Touch-strike security system is safe for the operator
- ▶ Dual mode trigger either sequential or contact fire
- ▶ Quick-release nosepiece for fast clearing of jams
- ▶ Rubber bumper can protect the surface of the gun

### SPECIFICATION

- ▶ Magazine Capacity: 100
- ▶ Operating Pressure: 60-100 PSI
- ▶ Air Inlet: 1/4"
- ▶ Fastener Size: 14 Gauge - 0.087"
- ▶ Diameter Fastener Type: T- Nails
- ▶ Fastener Length: 3/4" - 2-1/2" Long Nails

### APPLICATIONS

- Wood to concrete floor
- Steel band to wood
- Wire lath to masonry & light gauge
- Steel to drywall
- Ideal for decking & subflooring
- Track to concrete

### INCLUDES

- Concrete Nailer
- Oil
- Cardboard Box
- Operating Manual

## Model # CN64A3


### ADJUSTABLE EXHAUST



### DUAL MODE SEQUENTIAL AND CONTACT FIRE TRIGGER



### QUICK-RELEASE NOSEPIECE





## Model # CS80A2

### ADJUSTABLE EXHAUST



### SINGLE SEQUENTIAL FIRING MODE TRIGGER



### QUICK RELEASE LATCH



## 25 GAUGE "W" STYLE CORRUGATED FASTENER / STAPLER

A well balanced tool which satisfies a multitude of fastening requirements when using Air locker W type corrugated fasteners. This tool is the perfect solution when fastening butt and corner joints, for hard & dense materials. Corrugated fasteners offer twice the strength of regular fasteners.



### FEATURES

- ▶ Heavy-duty light weight Aluminum body
- ▶ Eliminates gluing, milling, clamping, screwing, and other time consuming costly operations
- ▶ Added strength for larger butt joints
- ▶ Bottom loading system
- ▶ Nose Safety to prevent accidental firing of tool with single sequential firing feature

### SPECIFICATION


- ▶ Staple Length: 3/8" - 5/8"
- ▶ Magazine Capacity: 100 Staples
- ▶ Operating Pressure: 80-110 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 6.4 lbs
- ▶ Tool dimensions(LxWxH): 12.2" x 3.9" x 11.8"

### APPLICATIONS

- Box Assembly
- Butt-Joints
- Cabinets
- Crating
- Pallets
- Picture Frames
- Trusses

### INCLUDES

- Corrugated Stapler
- Blow Molded Case
- Operating Manual



25 Gauge "W" style  
Staple similar  
to Senco® & Bostich®



# AIR PUNCH NAILER

## NAIL PUNCHER / NAIL REMOVER

Air Locker AP700 Air Punch Nailer has all the features necessary. Powerful and well -balanced for easy maneuverability. Also, the comfortable rubber grip increases the feel of this air tool.



## FEATURES

- ▶ Powerful and durable for continuous use
- ▶ Its Rubber Comfort Grip reduces operator's fatigue
- ▶ Punch / Remove or Sink nails between 10-20 gauge sizes
- ▶ Light weight die cast Aluminum body

## SPECIFICATION

- ▶ Punch / Sink Nail: 10 - 20 gauge
- ▶ Nail Punching Range: Ø0.06" to Ø0.160"
- ▶ Operating Pressure: 80-120 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Weight: 2 lbs
- ▶ Tool dimensions(LxWxH): 8.7" x 2.1" x 9.0"

## APPLICATIONS

- Removing Nails
- Punching / Sinking Nails

## INCLUDES

- Nailer
- Cardboard Box
- Operating Manual

## Model # AP700

### ADJUSTABLE EXHAUST




### UNIQUE SERIAL NUMBER



### REMOVING NAILS



### PUNCHING/SINKING NAILS





## Model # APN50

### RUBBER GRIP



### MAGNETIC NOSE



### AIR EXHAUST



## COMPACT PALM NAILER

Air Locker APN50 is a versatile pneumatic mini palm nailer with a comfortable design and magnetic tip. Our Mini Palm Nailer fits into tight spaces where a full-sized palm nailer can't. It drives up to a 3-1/2 inch 16D nail without creating hammer marks, and it features a magnetic nose to hold the nail in place, so you get accurate placement every time.



## FEATURES

- ▶ Drives most common bulk Finish, Framing & Timber Nails
- ▶ Compact, yet powerful enough to drive 3-1/2" fasteners
- ▶ Weighs only 1lbs. 50% lighter than other hand nailers
- ▶ Magnetic sleeve holds nail in place
- ▶ Durable hardened steel nose
- ▶ Swivel fitting to keep hose to pivot freely

## SPECIFICATION


- ▶ Operating Pressure: 80 - 100 PSI
- ▶ Air Inlet: 1/4" NPT
- ▶ Drives: 1-1/2" - 3-1/2" Bulk Nails
- ▶ Fastener Head Diameter: ≤0.344"
- ▶ Fastener Length: 1-1/2" - 3-1/2"

## APPLICATIONS

- Joist Hangers
- Framing
- Fencing
- Decking

## INCLUDES

- Palm Nailer
- Swivel Fitting
- Cardboard Box
- Operating Manual



Length: 1-1/2" - 3-1/2"  
Diameter of nail: 0.10" - 0.162"  
Diameter of head: 0.35"



## COMPACT AIR NEEDLE SCALER

Compact Air Needle Scaler - Attach this air needle scaler to your compressor air line and watch as 12 hardened steel needles vigorously vibrate to easily remove weld flux, rust, scale, paint, cement and other residues from hard, durable and irregular surfaces. The needle scaler is constructed of carbon steel and is a great tool for cleaning off parts, tools, equipment and more. Do not use this air needle scaler on soft surfaces that are easily damaged. A great tool for welders, automotive specialists, do-it-yourselfers and hobbyists.

### FEATURES

- Average air consumption: 4 CFM @ 90 PSI
- Blows per minute (BPM): 4000
- Needle material: Steel
- Number of needles: 12
- Operating Pressure (PSI): 90
- Air inlet size: 1/4" NPT
- Needle length: 4"
- Product Length: 12"
- Stroke length: 1/4"

**MODEL# AT107N**



## INLINE / STRAIGHT LINE AIR SANDER

Powerful air sander can quickly and efficiently sand. The dual pistons on this tool create up to 2,500 strokes per minute to get the job done quickly. Features include tensioned spring clamps to change out sanding paper with ease. It is shaped to fit your hand perfectly and the lever throttle takes pressure off your palm. You get the power and precision you need so you can do your best, most sophisticated work.

### FEATURES

- Dual piston creates up to 2500 strokes per minute
- 1" stroke smoothens large areas quickly
- Tensioned spring clamps for easy sand paper changes
- 2-3/4" x 15-3/4" pad
- 2,500 reciprocating strokes per minute
- Two handle design for vibration operation
- Smooth, reliable power
- Quick action paper clamps

**MODEL# AT100S**








## 22 GAUGE UPHOLSTERY STAPLES

7106 1/4" Length, 10,000 pcs/pk  
7110 3/8" Length, 10,000 pcs/pk  
7112 1/2" Length, 10,000 pcs/pk  
7116 5/8" Length, 10,000 pcs/pk



## T50 STAPLES

AT50-06 T50 Staples 6mm (1/4") 1,000 pcs/pk  
AT50-10 T50 Staples 10mm (3/8") 1,000 pcs/pk  
AT50-12 T50 Staples 12mm (1/2") 1,000 pcs/pk  
AT50-16 T50 Staples 16mm (5/8") 1,000 pcs/pk



## CORRUGATED "W" FASTENERS

CS38AL "W" Fasteners 3/8", 1,000 pcs/pk  
CS12AL "W" Fasteners 1/2", 1,000 pcs/pk  
CS58AL "W" Fasteners 5/8", 1,000 pcs/pk



## 18 GAUGE "L" WIRE CROWN STAPLES

L9010 1/4" Crown Staple "L" Wire 3/8" Long 5,000 pcs/pk  
L9016 1/4" Crown Staple "L" Wire 5/8" Long 5,000 pcs/pk  
L9020 1/4" Crown Staple "L" Wire 3/4" Long 5,000 pcs/pk  
L9025 1/4" Crown Staple "L" Wire 1" Long 5,000 pcs/pk  
L9032 1/4" Crown Staple "L" Wire 1-1/4" Long 5,000 pcs/pk  
L9038 1/4" Crown Staple "L" Wire 1-1/2" Long 5,000 pcs/pk



## 16 GAUGE "N" WIRE CROWN STAPLES

N819 7/16" Crown Staple "N" Wire 3/4" Long 10,000 pcs/pk  
N825 7/16" Crown Staple "N" Wire 1" Long 10,000 pcs/pk  
N832 7/16" Crown Staple "N" Wire 1-1/4" Long 10,000 pcs/pk  
N838 7/16" Crown Staple "N" Wire 1-1/2" Long 10,000 pcs/pk  
N845 7/16" Crown Staple "N" Wire 1-3/4" Long 10,000 pcs/pk  
N850 7/16" Crown Staple "N" Wire 2" Long 10,000 pcs/pk



## 16 GAUGE 15/16" WIDE CROWN STAPLES

P25-32 1-1/4" Leg - 15/16" Wide Crown  
Staples 5,000 pcs/pk

P25-50 2" Leg - 15/16" Wide Crown  
Staples 5,000 pcs/pk



## 18 GAUGE BRAD NAILS

AL-15 5/8" Length Nails, 4,500 pcs/pk  
AL-20 3/4" Length Nails, 4,500 pcs/pk  
AL-25 1" Length Nails, 4,500 pcs/pk  
AL-30 1-1/4" Length Nails, 4,500 pcs/pk  
AL-38 1-1/2" Length Nails, 4,500 pcs/pk  
AL-45 1-3/4" Length Nails, 4,500 pcs/pk  
AL-50 2" Length Nails, 4,500 pcs/pk



## 23 GAUGE MICRO PINS

Pin-12 Pins 1/2", 2,000 pcs/pk  
Pin-15 Pins 5/8", 2,000 pcs/pk  
Pin-20 Pins 3/4", 2,000 pcs/pk  
Pin-25 Pins 1", 2,000 pcs/pk  
Pin-30 Pins 1-3/16", 2,000 pcs/pk  
Pin-35 Pins 1-3/8", 2,000 pcs/pk  
Pin-40 Pins 1-9/16", 2,000 pcs/pk  
PP420-K Nailer Pack  
(12, 15, 20, 25, 30) 1,000 pcs each



## 14 GAUGE CONCRETE T-NAILS

CN05AL T-Nails 5/8", 1,000 pcs/pk  
CN10AL T-Nails 1", 1,000 pcs/pk  
CN15AL T-Nails 1-1/2", 1,000 pcs/pk  
CN20AL T-Nails 2", 1,000 pcs/pk  
CN25AL T-Nails 2-1/2", 1,000 pcs/pk



# LUBRICANTS & FITTINGS



## AIR TOOL OIL

YL12-004 - 4oz  
YL12-008 - 8oz  
YL12-016 - 16oz  
YL12-128 - 128oz(1Gal)



## WINTER GRADE AIR TOOL OIL

YL14LT-004 - 4 oz  
YL14LT-008 - 8 oz  
YL14LT-016 - 16 oz  
YL14LT-128 - 128 oz(1 Gal)



## NON DETERGENT COMPRESSOR OIL

YL10-016 - 16 oz Chevron Rando HD  
YL10-032 - 32 oz Chevron Rando HD

# SWIVEL PLUGS & FITTINGS

## INDUSTRIAL SWIVEL PLUGS



CPHS441 1/4" Plug x 1/4" MPT  
CPHS461 1/4" Plug x 3/8" MPT  
CPHS641 3/8" Plug x 1/4" MPT  
CPHS661 3/8" Plug x 3/8" MPT

## AUTOMOTIVE SWIVEL PLUGS



CPAS441 1/4" x 1/4" MPT  
CPAS461 1/4" x 3/8" MPT  
CPAS641 3/8" x 1/4" MPT



**FS04** Male pipe in-line  
brass swivel fitting  
1/4" MPT x 1/4" FPT



**FS14** 90° Brass swivel fitting  
1/4" MPT x 1/4" FPT



**FS24** Universal swivel fitting  
1/4" MPT x 1/4" FPT



## SINGLE HOLE 'L' HOOK MODEL # GH1



Single Hole 'L' Hook 3/8" (GH1)  
Superior Parts GH1 Rafter Belt Hook  
(Aluminum) for Nail Guns with 3/8" NPT Air Fitting

## SINGLE HOLE 'L' HOOK MODEL # GH2



Single Hole 'L' Hook 1/4" (GH2) Superior Parts  
Superior Parts GH2 Rafter Belt Hook (Aluminum)  
for Nail Guns with 1/4" NPT Air Fitting

## 'U' HOOK MODEL # GH3



GH3 Nail Gun Rafter Hook for Hitachi  
NR83A & NR90AC

## 2 HOLE 'L' HOOK MODEL # GH4



GH4 Rafter Belt Hook (Aluminum)  
for Nail Guns with 1/4" & 3/8" NPT Air Fitting

## 1 HOLE 'L' HOOK (SMALL) MODEL # GH5



GH5 Rafter Belt Hook (Aluminum) for  
Nail Guns with 1/4" NPT Air Fitting

## 1 HOLE 'L' HOOK (SHORT) MODEL # GH6



GH6 Rafter Belt Hook (Aluminum) for  
Nail Guns with 1/4" NPT Air Fitting

## SPRING HOOK MODEL # M745H1



FITS HITACHI NR83A2  
M745H1 Aftermarket Spring Loaded Hook

## SPRING HOOK MODEL # M745H2



M745H2 FITS HITACHI NR83A  
M745H2 Aftermarket Spring Loaded Hook



## ACCESSORIES

### SPRING HOOK MODEL # M745



**M745 FITS SKIL**  
M745 Aftermarket Spring Hook

### FLUSH NAILER MODEL # FN83A



Aftermarket Donut Flush Nailer fits the Hitachi NR83A2 and NR83A2S framing nailer. Also fits the Porter Cable FR350A framer.

### PTFE THREAD SEALING TAPE MODEL # TT33



1/2 Inch x 33 ft PTFE Thread Sealing Tape

### FRAMER BAG MODEL # H838



H838 ballistic polyester nail gun bag fits any framing gun including Hitachi®, Senco®, Porter Cable® etc.





Air Locker manufactures professional grade quality Pneumatic Nailers and Staplers and is dedicated to serve the STAFDA distributors, industrial hardware stores, construction supply houses and tool stores with quality and value.

**We strive to:**

- ✓ Become our customer's first choice for quality products by meeting or exceeding their expectations.
- ✓ Presenting exceptional product value by offering quality products, fair pricing, superb fill rates, on-time delivery while providing the best customer services and constantly improving product quality.
- ✓ Operate with integrity to achieve our mission in an ethical manner while continually improving our performance.



a subsidiary of

**American General Tool Group**

929 Poinsettia Avenue, Suite 101-Vista, CA 92081

Phone Number: (760) 745-7993

Toll Free: (888) 455-8665

Fax Number: (760) 480-0411

info@airlockernailers.com

