


Ajax Cabinet Jewelry[®]

Ajax Hardware Corporation

Scovill



AQUARIUS

A dramatic collection that portrays all the signs of the Zodiac. A richly engraved pattern that will enliven the beauty of kitchen cabinets and furniture.



830 KNOB
1½" Diameter
1" Projection



832 KNOB
2" Diameter
1¼" Projection



834 PULL
3" Center • 4½" Overall • 1" Projection

NEW

Nottingham



825 BACKPLATE
5" x 1½" Set 825, 826, 827, 828



826 KNOB
1½" Diameter
1" Projection



827 BACKPLATE
7½" x 1½"



828 PULL
3" Centers 6¼" Overall 1½" Projection

NEW

Mediterranean

The latest design styles of Cabinet Jewelry® comprise this most extensive collection of highly praised designs from the olde world.



821 BACKPLATE
5½" x 1 9/16" Set 821, 822, 9582



822 PULL
4¼" Centers 6½" Overall 1½" Projection




823 BACKPLATE
4¼" Centers 6½" x 1½" Set 845



836 KNOB
1½" Diameter
1" Projection
Set 836, 837



837 PULL
3" Centers 6" Overall 1" Projection



838 PULL
3" Centers 6½" Overall 1" Projection



845 PULL
5¾" Overall 4¼" Centers 1½" Projection



846 BACKPLATE
8½" x 1¾"



847 KNOB
1 1/2" Diameter
1" Projection



9580 KNOB
1 1/2" Diameter
1 3/8" Projection
Set 9580, 9583



9582 KNOB
1 1/2" Diameter
1 1/8" Projection
Set 9582, 822



9583 PULL
6" Overall 3" Centers 1 1/2" Projection



9584 RING PULL
2 3/4" x 3 1/4"
1" Projection



9587 PULL
6" Overall 3" Centers 1 1/4" Projection



9588 PULL
6 3/4" Overall 3" Centers 1" Projection



1061 BACKPLATE*
2 1/4" Diameter



1062 BACKPLATE*
2 1/4" Diameter

*Universal backplates can be used with virtually any knob.



492 PULL
4 1/2" Overall • 3" Centers • 3/8" Projection



493 PULL
3 1/2" Overall • 3" Centers • 3/8" Projection



494 PULL
4 1/2" Overall • 3" Centers • 1" Projection

Villa D'Este



835 BACKPLATE
1 1/2" x 5 1/2"



840 KNOB
1 1/4" Diameter
1" Projection
Set 840, 841, 843, 844



841 PULL
5" Overall 3" Centers 1" Projection



843 BACKPLATE
1 1/2" x 6 1/2"



844 RING PULL
2 1/2" Diameter
1" Projection



848 BACKPLATE
3 1/16" Diameter



849 BACKPLATE
3 1/16" x 1 1/2"

Contemporary

Outstanding quality throughout — plus styling and design that have already won universal acceptance — are the hallmarks of Ajax Knobs and Pulls. Made of cast virgin zamak, each knob and pull is triple plated for lasting beauty. A base plate of copper to seal the surface of the metal and prevent corrosion...a heavy coat of nickel for durability and brightness...and then the final desired finishes. Brass, bronze and copper finishes are protected with an exclusive-formula transparent enamel, electro-statically applied then baked on to give added luster and lasting beauty.



410 KNOB
1 1/16" Diam. with
7/8" projection
Convex



415 KNOB
1 1/8" Diam. with
3/4" projection
Concave



417 KNOB
1 1/2" Diam. with
7/8" projection
Concave

BEVELED EDGE CONCAVE AND INVERTED CONE KNOBS

...the beveled edge enhances the beauty of the graceful knobs.



414 KNOB
1 1/16" Diam. with
7/8" projection
Inverted Cone



416 KNOB
1 1/2" Diam. with
1" projection
Inverted Cone



418 KNOB
1 1/2" Diam. with
1" projection
Concave




426 KNOB
2" Diam. with
1" projection



440 KNOB
1 1/2" Diam. with
1" projection



411 KNOB
1 1/4" Diameter
7/8" Projection




432 KNOB
1 1/4" Diameter
1 5/16" Projection



530 PULL
Streamline • 3" Centers • 4 1/8" over-all • 3/4" Projection



533 PULL
Slim Line • 3" Centers • 4 5/8" Over-all • 15/16" Projection



534 PULL
Slim Line • 3" Centers • 5" Over-all • 3/4" Projection
Pat. No. D-200,196

Contemporary (cont'd)



542 PULL
3" Centers • 4 1/4" Over-all • 15/16" Projection
Pat. No. D-191,500



545 PULL
Swept Wing • 3" Centers • 4 1/8" Over-all • 7/8" Projection
Pat. No. D-183,006



547 PULL
Nordic Modern • 3" Centers • 4" Over-all • 3/8" Projection
Pat. No. D-182,602



991 PULL
3" Centers • 5 3/4" Over-all • 15/16" Projection



992 KNOB
1 1/16" Diameter
3/4" Projection




994 KNOB
1 1/4" Diameter
3/4" Projection



993 KNOB
1 1/2" Diameter
7/8" Projection



988 KNOB
2" Diameter
3/4" Projection



9585 PULL
3" Centers • 6" Over-all • 7/8" Projection



9586 PULL
3" Centers • 4 3/4" Over-all • 7/8" Projection

Provincial

The perfect complement to provincial decor—naturally—and very much at home in most contemporary interiors, too. Finely crafted, authentic in detail, Provincial meets the requirements of the most discriminating decorators as well as all do-it-yourselfers. A complete collection of pulls, knobs, hinges in antique finishes.



989 PULL
3" Centers • 4 1/2" Over-all • 13/16" Projection
Pat. No. D-196,036



990 PULL
3" Centers • 4 3/4" Over-all • 13/16" Projection



995 SEMI-CONCEALED HINGE
3/8" Inset • 1 1/2" Barrel Length
2" Pad Length.



996 SEMI-CONCEALED HINGE
No inset • For overlay doors
1 1/2" Barrel Length
1 3/8" Pad Length



1058 BACKPLATE
7 1/8" wide • 5 1/2" over-all

Filigree®



984 KNOB
1½" Diameter
¾" Projection



986 KNOB
1½" Diameter.
1⅞" projection
Pat. No. D-195,824



987 PULL
3" Centers · 3½" Over-all · ¾" Projection
Pat. No. D-196,228

Queen Anne®

Graceful as the name implies, Queen Anne lends royal treatment to any decor or cabinetry. Rich in the elegance of by-gone days, each piece reflects the crafted beauty that has made Queen Anne a favorite motif for fine china and silverware. While ideal in a setting of its own genre, Queen Anne is charming anywhere.



976 KNOB
1½" Diameter
1⅞" Projection
Pat. No. D-203,029



977 KNOB
1¼" Diameter
1⅞" Projection
Pat. No. D-203,029



979 Pull 3" Centers · 4⅞" Over-all · ⅞" Projection
Pat. No. D-203,030



974 SEMI-CONCEALED HINGE
No inset · For Overlay Doors
1½" Barrel Length · 1⅞" Pad Length
Pat. No. D-203,156



975 SEMI-CONCEALED HINGE
⅞" Inset. 1½" Barrel Length.
2" Pad Length.
Pat. No. D-203,156



971 HINGE-A-MATIC® SEMI-CONCEALED HINGE
No insert for overlay doors.
1½" Barrel Length
1⅞" Pad Length
Pat. Nos. 3,381,332, 3,381,333



972 HINGE-A-MATIC® SEMI-CONCEALED HINGE
⅞" Inset. 1½" Barrel Length
2" Pad Length.
Pat. Nos. 3,381,332 3,381,333

Variations®

A whole new concept in decorative cabinet hardware that lets the homeowner, housewife, decorator or builder match or complement decor by mixing basic finishes and color inserts. Each knob and pull is offered with 2 self-adhesive inserts which can be placed into depressed areas in the knob or pull. Gives you three color choices... without insert or with either of 2 colored inserts. Made from anodized Eternalum® aluminum, inserts are supplied in harmonizing and contrasting colors—one of each with each knob or pull. Inserts are easy to apply. Protective paper is simply peeled off the self-adhesive back of inserts and pressed into the position provided in the knob or pull.



(Without Insert)



(With Insert)

435 KNOB
1½" Diameter · 1" Projection.



(Without Insert)



(With Insert)

535 PULL
3" Centers · 5" Over-all · 1⅞" Projection
Pat. Nos. D-203,028
D-203,031

Lotus

From the days of ancient Egypt to the present, the Lotus flower has intrigued artists and designers. Now, Ajax transfers the Lotus design to cabinet hardware.



437 KNOB
1⅞" Diameter
1¼" Projection.

Early American

Rich in charm for all homes, Early American by Ajax is ideally suited to natural finish woods as well as painted cabinets. Authentic in design and detail, right down to hand-crafted look of metal-work. A classic—warm and enhancing in any situation.



905 STRAP HINGE
For $\frac{3}{8}$ " Offset Doors • $6\frac{1}{2}$ " Over-all Length.
Surface Mount



908 KNOB
 $1\frac{1}{16}$ " Diameter
 $1\frac{3}{16}$ " Projection.



910 KNOB
 $1\frac{1}{16}$ " Diameter
 $1\frac{3}{16}$ " Projection.



912 KNOB
 $1\frac{1}{4}$ " Diameter
 $\frac{7}{8}$ " Projection



926 KNOB
2" Diameter
 $\frac{7}{8}$ " Projection



931 HINGE-A-MATIC® HINGE
Semi-Concealed Hinge
No inset • For Overlay Doors
Pat. Nos. 3,381,332, 3,381,333



935 HINGE-A-MATIC® HINGE
Semi-Concealed Hinge
for $\frac{3}{8}$ " inset doors.
Pat. Nos. 3,381,332, 3,381,333



985 PULL
 $5\frac{1}{8}$ " Over-all • $3\frac{1}{4}$ " Centers • $\frac{7}{8}$ " Projection.




916 "H" HINGE
For Flush Doors
 $3\frac{1}{2}$ " High x $1\frac{1}{2}$ " Wide
Surface Mount



920 "H" HINGE
For $\frac{3}{8}$ " Offset Doors
 $3\frac{1}{2}$ " High x $1\frac{3}{4}$ " Wide
Surface Mount



921 "HL" HINGE
For $\frac{3}{8}$ " Offset Doors
 $3\frac{1}{2}$ " High x $3\frac{3}{4}$ " Wide
Surface Mount



937 HINGE
Semi-Concealed
Hinge for
No Inset, Overlay Doors



938 HINGE
Semi-Concealed
Hinge for
 $\frac{3}{8}$ " Inset Lip Doors



España Royale®

Whatever the decor—authentic Spanish, reminiscent Mediterranean or stark contemporary—España Royale evokes the spirit of old Spain to lend cabinets an aura of grandeur and antique charm.



951 KNOB
1 1/16" Diameter
13/16" Projection



952 KNOB
1 1/4" Diameter
1" Projection
Pat. No. D-207,482



953 KNOB
1 3/8" Diameter
15/16" Projection
Pat. No. D-207,481



956 KNOB
1 3/8" Diameter
1 1/16" Projection



957 RING PULL
1" Centers • 2 1/2" x 2 3/8" • 1" Projection
Pat. No. D-209,277




958 PULL
3" Centers • 4 3/8" x 1 5/8" • 1 1/8" Projection.
Pat. No. D-206,793



959 PULL
3 1/2" Centers • 5 1/4" Over-all • 1 1/4" Projection.



961 "H" HINGE
3 1/8" high
1 1/2" wide
3/8" offset.
Pat. No. D-211,009



965 SEMI-CONCEALED HINGE
3/8" inset. 1 1/2" barrel
Length—2" pad length
Pat. No. D-207,702



962 SEMI-CONCEALED HINGE
No inset (similar to 965)
Pat. No. D-207,702



1060
DIECAST BACKPLATE
2 7/16" x 2 7/16"

Ceramic

Hand made ceramic knobs in two distinctive and unique shapes and the ever-popular round white ceramic knob represents the clean beauty of classic ceramic.



470 KNOB, Ball Pedestal
1" Diameter
1 1/4" Projection



474 KNOB, Round
1 3/8" Diameter
1" Projection




485 KNOB, Round
1 1/4" Diameter
1" Projection

Esperanto

Quality, style and variety combine to give Esperanto a very special versatility. Finely handcrafted, in the popular Mediterranean motif, Esperanto makes any cabinet look spectacular.



870 KNOB
1 3/8" Diameter
1 1/8" Projection
Pat. No. D-214,867



877 PULL
3" Centers • 4 1/4" Over-all • 3/8" Projection
Pat. No. D-214,868



892 BACKPLATE
6 1/2" x 1 1/2"



891 BACKPLATE
3 1/4" x 4 3/8"
Pat. No. D-215,815




890 BACKPLATE
4 1/2" x 6 1/8"
Pat. No. D-215,815



878 PENDANT PULL
2" Centers • 3 1/2" Over-all • 1 3/8" Projection
Pat. No. D-214,869




865 SEMI-CONCEALED HINGE
3/8" Inset
1 1/2" Barrel Length
2" Pad Length
Pat. No. D-215,816



Put them together in a multitude of combinations.

Country Classic®

Recreates the grace and beauty of America's past in a design for today's homes. Truly versatile, Country Classic® can be arranged in many ways to suit any decor beautifully.



853 PENDANT PULL
3 1/4" Over-all • 5/8" Projection
Pat. No. D-221,053

856 BACKPLATE
3 3/8" x 8 9/16"
(Shown with 853 pull)
Pat. No. D-219,330



852 PULL
3" Centers • 4 7/8" Over-all
Pat. No. D-219,329




854 BACKPLATE
1 3/8" x 7 5/16"
(Shown with 852 pull)
Pat. No. D-219,331



850 KNOB
1 1/2" Diameter • 1" Projection
Pat. No. D-221,052



**NO. 5990 HINGE-A-MATIC®
SEMI-CONCEALED HINGE**
No inset • For Overlay Doors
2 7/8" Knuckle Length
9/16" Knuckle Height
Pat. Nos. 3,381,332 & 3,381,333



**NO. 5996 HINGE-A-MATIC®
SEMI-CONCEALED
"WRAP AROUND" HINGE**
3/8" Inset
2 7/8" Knuckle Length
9/16" Knuckle Height
Pat. Nos. 3,381,332 & 3,381,333



**5805 SEMI-CONCEALED
HINGE**
3/8" Inset
1 1/2" Barrel Length
2" Pad Length



Furniture Hardware

Here is furniture hardware for any grouping—modern or antique. Furniture Hardware by Ajax, four items designed to solve every furniture trim problem, are furnished in polished brass and/or antique finishes. Whether you are antiquing, refinishing or building, you can use these items to enhance the beauty of any piece of furniture or cabinet.



940 BAIL PULL
4 3/8" Overall • 3 1/4" Centers • 1/2" Projection



941 BAIL PULL
3 1/2" Overall • 2 1/2" Centers • 1/2" Projection



942 BAIL PULL
4 7/8" Overall • 3 1/4" Centers • 1/2" Projection



943 PULL
6 1/8" Overall • 4 3/4" Centers • 7/8" Projection

HOME SECURITY

The Ajax Home Security Line was created to meet the growing demand of the public for effective yet reasonably priced home security equipment in response to the increasing crime across the nation.



606 SEE-WHO®
Wide Angle Door Viewer
Brass Anodized with
2 ground glass lenses

"Approved by the Board
of Standards and Appeals for use
in New York City under
Cal. 328-66-5M



**607 TALK & SEE
THROUGH**

It's the new Ajax talk
and see-through
decorator door knocker.
A beautiful door knocker
combined with a wide
angle optical viewer and
a unique talk through
device. An entirely new
concept in home security
and decoration!




**608 TALK & SEE
THROUGH**

The latest addition to the
line in a classic design. Has
all the features of the #607.



610 CHAIN DOOR GUARD
Polished Brass on Steel,
with four 2" screws
instead of usual short
ones. Welded loop chain
slips over standard door
knob to secure door.



611 SECURITY BOLT
Brass
Rotating rod imbedded in
bolt prevents saw through.
Tension spring bolt
provides positive placement
horizontally or vertically.
With 2 strikes.




**615 WIND-O-LOK® FOR
METAL WINDOWS**

Hardened Steel.
Protects homes with either
horizontal or vertical
sliding metal windows.




**619 WIND-O-LOK® FOR
WOOD WINDOWS**

Stainless steel.
New lock allows any
single or double-hung
wood window to be locked
partially open
or ventilation.




**620 PATIO DOOR
SECURITY LOCK**

Hardened steel.
Locks any sliding glass
door. Universal for right
or left hand doors,
inside or outside sliders.



618 & 621 SLIDE LOCK
Brass plated steel.
Positive door lock.
Replaces door strike
or can be mounted out
of reach of children.




NEW


626 PIVOT LOCK
Rugged and durable. Brass
plated steel. Mounts on
inside of wood door frame.
Simply swing the leaf over
the door to lock.

HINGE-A-MATIC® HINGES

Doors stay closed when Ajax self-closing Hinge-A-Matic Hinges are on the job. Looking and installing like conventional hinges, Hinge-A-Matic Hinges will close cabinet door from 25°, handle the job of both hinge and catch arrangement. No unsightly spring parts are seen; the built-in spring catch is cleverly concealed under the frame leaf of the hinge.




NO. 591



NO. 931



NO. 971




NO. 591, 931, 971 HINGE-A-MATIC® SEMI-CONCEALED HINGES

No Inset • For Overlay Doors
No. 591 — Contemporary style
No. 931 — Early American style
No. 971 — Provincial style
Length of Knuckle — 1 5/8"
Height of Knuckle — 9/16"
Length of Barrel 1 5/8"
Length of Pad 1 3/4"
Pat. Nos. 3,381,332
3,381,333



NO. 595



NO. 935




NO. 972



NO. 595, 935, 972 HINGE-A-MATIC® SEMI-CONCEALED HINGES

for 3/8" inset doors.
No. 595 — Contemporary style
No. 935 — Early American style
No. 972 — Provincial style
Length of Knuckle — 1 5/8"
Height of Knuckle — 9/16"
Length of Barrel 1 5/8"
Length of Pad 1 3/16"
Pat. Nos. 3,381,332
3,381,333



NO. 593 HINGE-A-MATIC® SEMI-CONCEALED HINGE

for 30° reverse bevel doors.
Length of Knuckle — 1 5/8"
Height of Knuckle — 9/16"
Length of Barrel 1 5/8"
Length of Pad 1 3/16"
Pat. Nos. 3,381,332
3,381,333




NO. 5990 HINGE-A-MATIC® SEMI-CONCEALED HINGE

with higher knuckles for greater backswing.
No inset • For Overlay Doors
Length of Knuckle — 2 1/8"
Height of Knuckle — 9/16"
Length of Barrel 2 1/8"
Length of Pad 1 1/4"
Pat. Nos. 3,381,332
3,381,333




NO. 5981 HINGE-A-MATIC® SEMI-CONCEALED HINGE

with higher knuckles for greater backswing.
No inset • For overlay doors
Length of Knuckle — 1 5/8"
Height of Knuckle — 9/16"
Length of Barrel 1 5/8"
Length of Pad 1 1/4"
Pat. Nos. 3,381,332
3,381,333




NO. 5996 HINGE-A-MATIC® SEMI-CONCEALED

"WRAP AROUND" HINGE
with higher knuckle for greater backswing.
3/8" Inset
Length of Knuckle — 1 5/8"
Height of Knuckle — 9/16"
Length of Barrel 2 1/8"
Length of Pad 1 1/4"
Pat. Nos. 3,381,332
3,381,333



NO. 5987 HINGE-A-MATIC® SEMI-CONCEALED


"WRAP AROUND" HINGE
with higher knuckle for greater backswing.
No Inset • For Overlay Doors
Length of Knuckle — 1 5/8"
Height of Knuckle — 9/16"
Length of Barrel 1 5/8"
Length of Pad 1 1/4"
Pat. Nos. 3,381,332
3,381,333



HINGES

Great combination of design, beauty and long life. Each hinge is made of heavy gauge steel. Brass, bronze and copper finishes are protected with an exclusive-formula transparent enamel, electrostatically applied, then baked on to give added life and luster. Ajax's Patented oval jamb leaf on hinges #551, 555, 560 and 561 is particularly important because it makes these hinges easier to install and because the oval design tends to hide any slight misalignment that might occur during installation.

SEMI-CONCEALED HINGES



NO. 551
SEMI-CONCEALED HINGE
FOR OVERLAY DOORS
No Inset. Length of barrel $1\frac{1}{2}$ "
Length of Pad $1\frac{3}{8}$ "
Pat. No. D-182,889
Canadian Pat. No. RD1957



NO. 552
SEMI-CONCEALED HINGE
 $\frac{3}{8}$ " Inset Only
Length of barrel $1\frac{1}{2}$ "
Length of Pad 2"



NO. 555 **DELUXE SEMI-CONCEALED HINGE**


The most important advantage of this convex door pad is that it provides for deeper countersink for the screws. And, this design accomplishes a firmer grip on the door, with the perimeter of the convex hinge pad on the door, toeing in as the screws are tightened. $\frac{3}{8}$ " inset is standard inset for all finishes and packs. $\frac{1}{2}$ "- $\frac{3}{4}$ " and $\frac{3}{8}$ " insets are stocked in some finishes. Please consult price list.



NO. 555 DELUXE
SEMI-CONCEALED HINGE
 $\frac{3}{8}$ " Inset Only.
Length of barrel $1\frac{1}{2}$ "
Length of Pad 2"
Pat. No. D-182,889
Canadian Pat. No. RD1957



NO. 562
SEMI-CONCEALED HINGE
 $\frac{3}{8}$ " Inset Only.
Length of barrel $1\frac{1}{2}$ "
Length of pad $1\frac{1}{2}$ "




NO. 580
SEMI-CONCEALED
"WRAP AROUND" HINGE
FOR $\frac{3}{8}$ " INSET DOORS
Size: $1\frac{3}{4}$ " x $1\frac{3}{4}$ "
Length of Barrel $1\frac{1}{4}$ "
Length of Pad $\frac{7}{8}$ "



NO. 5805
SEMI-CONCEALED
"WRAP AROUND" HINGE
FOR $\frac{3}{8}$ " INSET DOORS
 $1\frac{1}{2}$ " Barrel Length
2" Pad Length

PIN HINGES




NO. 566 PIN HINGE
HORIZONTAL FRAME STYLE
FOR $\frac{3}{4}$ " THICK
OVERLAY DOORS
Minimum $\frac{7}{16}$ " Size: $1\frac{1}{4}$ " x $2\frac{1}{4}$ "
Self-lubricating nylon bearings assure free swinging action. Pivot point permits 180° back swing without marking adjacent door. Each leaf has 3 screws for a more secure attachment to wood.



NO. 567 PIN HINGE
VERTICAL FRAME STYLE FOR
 $\frac{3}{4}$ " THICK OVERLAY DOORS
Minimum $\frac{7}{16}$ " Size: $1\frac{7}{8}$ " x $2\frac{1}{4}$ "
Self-lubricating nylon bearings assure free swinging action. Pivot point permits 180° back swing without marking adjacent door. Each leaf has 3 screws for a more secure attachment to wood.

SEMI-CONCEALED HINGES HIGH KNUCKLE



FOR 564 SEMI-CONCEALED HINGES FOR 30° OVERLAY DOORS

Length of barrel 1½"
Length of pad 1½"
Height of knuckle ⅝"
Knuckle height permits full
backswing of door.

SEMI-CONCEALED HINGES FOR FLUSH DOORS



NO. 553 WRAP-AROUND HINGE FOR ¾" FLUSH DOORS—LOOSE PIN

Pin locks in place after
installation.

Length of barrel 1½"
Length of pad 2"



SEMI-CONCEALED HINGES FOR OVERLAY DOORS



NO. 576 SEMI-CONC. HINGE WITH HIGHER KNUCKLE FOR MAXIMUM BACKSWING

No insert.
Size: 1⅝" x 2"
With locating spurs.
Length of Barrel 2"
Length of Pad 1 11/32"



NO. 577 SEMI-CONCEALED "WRAP AROUND" HINGE WITH HIGHER KNUCKLE FOR MAXIMUM BACKSWING

No inset.
Screws enter from side so
frame will not split. Especially
desirable for use with laminate
front cabinets. Size: 1⅝" x 2"
Length of Barrel 2"
Length of Pad 1 11/32"

CABINET CATCHES

A wide variety of catches for virtually every application...all outstanding for long life and smoothness of operation. Aluminum Case • Steel Strikes.


MAGNETIC CATCHES




NO. 26
DOUBLE
MAGNETIC CATCH
1½" Wide. 3⅝" Long
½" Projection
2 separate strikes.
One catch holds two
doors. Packed with 2
strikes. Reduces
labor cost on double
door installation. This
catch does the work
of two.



NO. 28
REVERSIBLE
MAGNETIC
CABINET CATCH
⅝" Wide 1⅞" Long
⅝" Projection
Pat. No. 3,149,868



Under shelf
application



Flush door
application




NO. 30 FOR UNDERSHELF AND FLUSH DOORS


Only magnetic catch with
phosphorous bronze
pivot point.

1⅝" Wide
2⅞" Long
½" Projection
Pat. No. 2,990,210


Powerful magnetic action on *both* sides. Installs
under shelf, and for lip or flush door frame applica-
tions. Lifetime, resilient magnet keeps doors shut.
Absorbs shock. Has built-in stop.




Under shelf
application



Lip door with
narrow stile
application



Flush door
application




Lip door with
flush frame
application

FRICITION CATCHES



NO. 36
Steel, with ball head screw strike. Easy, quiet operation and positive lock.

Catch 1 1/4" Long · 1" Wide · 3/8" Projection



NO. 3805
White plastic catch with steel strike. Economical with smooth, positive action.

Catch 1 3/8" Long · 9/16" Wide · 1 1/16" Projection

DOUBLE ROLLER CATCHES

Steel with white plastic rollers. Distinctive contemporary design...noiseless action...positive grip.



NO. 23
Floating action with coil spring will pick up strike even when not properly aligned.

Catch 1 1/4" Long · 1 1/8" Wide · 9/16" Projection




NO. 38
Catch 7/8" Long · 1" Wide · 1/2" Projection

SPRING ROLLER CATCHES


Ajax exclusive hinged action gives softer closing, firmer holding and faster, easier installation. Doors close easier, with only 2 1/2 lbs. pressure — hold firmer with 5 lbs. holding pressure.

For finishes available, please consult Price List.



NO. 32
With reversible strike for narrow frame flush or lip door cabinets — Steel

1" Wide
1 5/16" High




NO. 33
With strike for lip doors — Steel

1 1/4" Wide
1 1/4" High
1/2" Projection




NO. 35
With two strikes included — Steel



NEW RECREATIONAL VEHICLE PRODUCTS

New cabinet hardware products created exclusively for trailers, campers, mobile homes, vans, boats, etc.




NO. 7220 POSITIVE CATCH

A rec-vehicle catch that keeps cabinet doors locked. Can be used with any Ajax knob. For 1/2", 3/4" or 1" door thickness. Constructed of extra strong Delrin®, aluminum, and steel.



NO. 7226 OVERHEAD DOOR SUPPORT

One hand operation locks cabinet doors into open position. Pull down to close, use on left or right side.



NO. 7224 BATHROOM LOCK


A rec-vehicle lock with privacy switch that prevents lockouts. Use with any Ajax knob. For 1/2", 3/4" or 1" door thickness. Constructed to take abuse.



MONO-RAIL® DRAWER SLIDE KITS

- Easy to install on vertical or horizontal member
- Costs less
- Nail, screw or staple into position
- Minimal inside working dimensions required: 3/16" in width by 1/4" in height.
- Available in 22 3/4" and 21 3/4" length rail kits.
- Meets or exceeds industry load requirements for drawers
- Packed in individual sets of #3 pack quantities, 20 sets per pack (16 lb/case). Unwrapped bulk cases of #4 pack quantities, 50 sets per pack (37 lb/case).


MONO-RAIL® KIT NO. 650 FOR WOOD DRAWERS



KIT INCLUDES:

1. Front roller brackets (650-93 left side and 650-94 right side)
2. Drawer roller arm (650-91)
3. Rear steel mounting bracket (650-05)
4. Mono-Rail® (650) in 22 3/4" length

MONO-RAIL® KIT NO. 657 FOR WOOD DRAWERS



KIT INCLUDES:

1. Front roller brackets (650-93 left side and 650-94 right side)
2. Drawer roller arm (650-91)
3. Rear plastic mounting bracket (672-85)
4. Mono-Rail® (657) in 21 3/4" length

COMPONENTS FOR KIT NOS. 650 & 657




- a. FRONT ROLLER BRACKET**
(650-93) left and 650-94 right)
Deep counter sunk screw or staple holes and reinforcing rib lines add extra strength.




- b. DRAWER ROLLER BRACKET**
(650-91)
V shaped roller provides virtual friction-free rolling and reinforced rib adds extra strength.




- c. REAR STEEL MOUNTING BRACKET** (650-05)
Steel locks rail to bracket with no rattle. "L" screw holes allow for adjusting.



- d. REAR PLASTIC MOUNTING BRACKET** (672-85)
This unique rear bracket mounts at the end of the Mono-Rail®. Its extended tongue allows unlimited adjustments.
Now you can standardize your rails to 1" increments and minimize your inventory.



- e. MONO-RAIL® (650)**
Smooth gliding, durable stamped steel rail with warning stop feature. Uses separate front mounting bracket.



- f. MONO-RAIL® (657)**
Smooth gliding, durable stamped steel rail with warning stop feature. Integral front mounting bracket.


NEW "V" MONO-RAIL® DRAWER SLIDES

The new drawer slide for cabinets and vanities. Wood drawer model No. 771 Kit or No. 770 Kit installation for use with Ajax molded drawers.

- Low cost
- Easy to install—staple or screw
- Rigid "V" shape rail design insures strength
- Simplified design insures trouble-free operation


NEW NO. 771 KIT (For use with wood drawers.)

No. 771 Kit includes "V" rail in 20½" and 21½" lengths, front and rear mounting "V" rail brackets, "V" rail, drawer rail bracket, and corner glides.



NEW NO. 770 KIT (For use with Super Drawers.®)


No. 770 Kit includes rail in 20½" length, front and rear mounting "V" rail brackets, "V" rail, drawer rail bracket and corner glides. For use with Super Drawers® only. See next column.



a. CORNER GLIDES #6581-41
Assure smooth, quiet drawer travel. Can be stapled or screwed. Used in No. 771 Kit only.




b. DRAWER TO RAIL BRACKET #770-83
Designed to grip "V" rail securely. Special material also assures smooth glide on rail.



c. RAIL TO FRAME MOUNTING BRACKET #770-03
Stamped metal for durability. Used to mount rail at both ends.



d. "V" MONO-RAIL® #770-01
Unique design gives added strength to rail.




e. UNIVERSAL HANGING GLIDES #740-87 and #740-88
Virtually can be used with any drawer size opening. Left and right set. Used in No. 770 Kit only.

SUPER DRAWERS®


The versatile Super Drawer.® A molded cabinet

- Strong and durable
- Dimensionally stable
- Wide size selection
- All roller or glide suspension systems



1800 SERIES

This series is equipped with projecting dove tails on it's face which will slide into matching dove tails cut into your drawer fronts. Fronts can be held in place with Ajax knob or pull.



2000 SERIES


Applied with easy grip handles pre-molded into each drawer. Ideal for use behind common door type cabinets.

AVAILABLE IN THE FOLLOWING SIZES:

1800 SERIES STOCK NO.	W	D	L	2000 SERIES STOCK NO.	W	D	L
1800-01	5½ x 3½	18½		2000-01	5½ x 3½	18½	
1802-01	6½ x 3½	18½		2002-01	6½ x 3½	18½	
1804-01	10½ x 3½	18½		2004-01	10½ x 3½	18½	
1806-01	11½ x 3½	18½		2006-01	11½ x 3½	18½	
1808-01	13½ x 3½	18½		2008-01	13½ x 3½	18½	
1810-01	14½ x 3½	18½		2010-01	14½ x 3½	18½	
1812-01	17½ x 3½	18½		2012-01	17½ x 3½	18½	
1814-01	20½ x 3½	18½		2014-01	20½ x 3½	18½	
1820-01	11½ x 5½	18½		2020-01	11½ x 5½	18½	
1822-01	14½ x 5½	18½		2022-01	14½ x 5½	18½	
1824-01	17½ x 5½	18½		2024-01	17½ x 5½	18½	
1830-01	11½ x 7½	18½		2030-01	11½ x 7½	18½	
1832-01	14½ x 7½	18½		2032-01	14½ x 7½	18½	
1834-01	17½ x 7½	18½		2034-01	17½ x 7½	18½	

SUPER DRAWER® Hardware

COMPONENTS FOR KIT NOS. 1893 & 1894




SUPER DRAWER KIT NO. 1893 FOR 3/8" INSET DRAWER FRONTS

KIT INCLUDES:

1. Universal guides 740-87 and 740-88
2. Mono-Rail® 740-01 (22" length)
3. Rear bracket 655-41
4. 3/8" inset spacer 740-81
5. Rear rollers 720-91

Drawers not included. Order separate.




SUPER DRAWER KIT NO. 1894—FOR FLUSH TYPE DRAWER FRONTS

KIT INCLUDES:


1. Universal guides 740-87 and 740-88
2. Mono-Rail® 730-01 (22" length)
3. Rear bracket 655-41
4. Rear roller 720-91

Drawer not included—order separately.

NEW



- a. UNIVERSAL SIDE GLIDES** (740-87 left & 740-88 right)
Allows for random locating in face frame for any size Super Drawer.®



- b. 3/8" INSET SPACER** (740-81)
Plastic spacer allows for 3/8" inset drawer front type construction. For use with 1893 kit.



- c. MONO-RAIL®** (740-01)
Stamped steel rail has positive stop. Used exclusively with 1893 kit



- d. REAR BRACKET** (655-41)
Used to mount either 740-01 or 730-01 Mono-Rail®




- e. REAR ROLLER** (720-91)
Nylon reinforced roller affixes to rear of Super Drawer.®




- f. MONO-RAIL®** (730-01)
Stamped steel rail with tab-type mounting front bracket. Staple or screw in place.


COMPONENTS FOR KIT NOS. 2080 AND 2085




Kit No. 2080




Kit No. 2085




- a. SIDE RAILS** (760-01)
Stamped metal side rails ideal for panel or face frame type cabinets. Screw or staple to cabinet.



- b. REAR BRACKETS** (760-81)
Used with side rails to mount to back cabinet walls where face frame is present.



- c. FRONT BRACKET ASSEMBLIES** (760-91 & 760-92)
For use only with above brackets in kit No. 2080.




- d. FRONT BRACKET ASSEMBLIES** (760-93 & 760-94)
For use in 2085 kits only in panel type cabinets.

REV-A-SHELF®



More usable shelf space in a hurry with the new Rev-A-Shelf® by Ajax. Rev-A-Shelf® revolves to bring the back of shelves up front, multiplies front shelf space by three. For example, a 24" Rev-A-Shelf® has more than 76 inches of "front". All normal adjustments (pie cut units) can be made with one screw. Many sizes available to fit new or already existing cabinets—even hard-to-reach corner cabinets.

- Fast and easy installation.
- Silent operation...trouble-free.
- The most complete line available—full circle and pie-cut metal shelf sets from 18" through 28" diameter.
- Turned-up rims.
- Each set includes shelves, center shaft, pivot bearings, screws, instructions.
- Tough, silicon baked enamel finish in attractively textured coppertone—blends with wood trimmed kitchens.
- Each shelf has independent vertical adjustment.
- Precision machined pivot bearings.
- Positive positioning stop.
- Complete range of hardware for wood shelves made by you to any required diameter.
- Die cast aluminum parts—extra strength; won't rust.
- Turns useless corners into welcome storage space.
- Eliminates needless stooping and reaching by housewife.
- A man's item, too...for storing supplies in garage or workshop.
- Can be used in any type cabinet construction.



METAL SHELF SETS 6000 Series (Full Circle) All steel shelves have protected turned-up rim and textured coppertone finish. (White and colors on special order.)

Two Shelf Sets include 2 Shelves, Center Shaft, Pivot Bearings, necessary Screws and Instruction. When more than two shelves are required, just add single shelves. Metal shelves and center shaft are interchangeable components of complete sets. All shelves can be adjusted "up or down."

TWO-SHELF SETS

Cat. No.	Diameter
6012-18	18"
6012-20	20"
6012-22	22"
6012-24	24"
6012-28	28"

Note: Standard shaft only No. 6000-5 for full circle units is 27 3/4" long. Inside cabinet height should be 2 1/4" greater.

METAL SHELF SETS 6142 Series (Pie-cut) for 90° corner installations. All normal adjustments can be made with one screw.

TWO-SHELF SETS

Cat. No.	Diameter	Door Width
6142-18	18"	8 1/4"
6142-20	20"	9"
6142-22	22"	10"
6142-24	24"	10 3/4"
6142-28	28"	13 3/4"

Note: Standard pie cut shaft assembly No. 6140-96 length is 29". Inside cabinet height should be 1" greater.

REV-A-TRAYS®—Revolving single Tray Sets. Complete with pivot bearings and screws. Just set on shelf and screw in place.

Cat. No.	Diameter
6611-11	11" Dia. Tray Set
6611-18	18" Dia. Tray Set
6611-20	20" Dia. Tray Set

PIE-CUT SINGLE SHELVES—For use where extra shelves are needed. They have only one locking screw—no adjustment screw.

Cat. No.	Diameter
6101-18	18" Dia. Pie-Cut Shelf
6101-20	20" Dia. Pie-Cut Shelf
6101-22	22" Dia. Pie-Cut Shelf
6101-24	24" Dia. Pie-Cut Shelf
6101-28	28" Dia. Pie-Cut Shelf

6000-37 Adapter. Use with 6000-05 center shaft to join 2 or more shafts together for tall, multishef installations.

6140-63 Flange Cover. Use with pie cut shelves when door is not fastened to shelves (hinged to cabinet). Covers edges of pie cut out for finished appearance. Applied with snap-in plastic rivets. (Specify shelf size when ordering.)

See next page for additional Rev-A-Shelf® products

REV-A-SHELF® (cont.)

FULL CIRCLE SINGLE SHELVES



6001-18	18" Dia. Shelf
6001-20	20" Dia. Shelf
6001-22	22" Dia. Shelf
6001-24	24" Dia. Shelf
6001-28	28" Dia. Shelf

MULTI-PURPOSE HARDWARE

FOR SHELVES UP TO 32" DIAMETER



	Center Shaft, Length: 27 3/4"
6000-07	Revolving Shelf Support For Full Circle Shelf
	Revolving Shelf Support For Pie-Cut Shelf
6140-07	Revolving Adjustable Shelf Support for Pie-Cut Shelf
6010-06	Revolving Pivot Hardware For Full Circle Revolving Shelves (includes top and bottom pivots, guide rod and guide rod bushing—complete with screws)
6012-04	Two-Shelf Kit Full-Circle Shelves (includes top and bottom pivots with two (2) 6000-07 shelf-supports and one (1) 6000-05 center shaft—complete with screws)
6142-04	Two-Shelf Kit For Pie-Cut Shelf (includes one (1) 6140-03 adjustable top pivot; one (1) 6140-51 cam base; one (1) 6100-07 shelf support; one (1) 6140-07 adjustable shelf support; one (1) 6140-56 guide rod sleeve; and one (1) 6140-96 shaft assembly complete with screws)
6110-06	Revolving Pivot Hardware For Pie-Cut Revolving Shelves (includes top and bottom pivots with 1/4" locating pins, guide rod and guide rod bushing—complete with screws)

HEAVY-DUTY HARDWARE

FOR EITHER FULL CIRCLE OR PIE-CUT SHELVES



6300-07	Revolving Shelf Support
6312-04	Two Shelf Kit (includes top and bottom pivots, guide rod and guide rod bushing, two (2) 6300-07 shelf supports—complete with screws)
6313-04	Three Shelf Kit (includes top and bottom pivots, guide rod and guide rod bushing, three (3) 6300-07 shelf supports—complete with screws)
6310-06	Revolving Pivot Hardware For either Full Circle or Pie-Cut Wood Shelves (includes top and bottom pivots, guide rod and guide rod bushing—complete with screws)

FINISHING HARDWARE



NO. 42 SPRING-EZE DOOR STOP

3" projection

...patented flexible bulge eliminates kinking

...base cast virgin zamak...
non-marking white tip.

Pat. No. 2,767,421



NO. 55 COAT AND HAT HOOK

Projection 3" • Width 1 1/8" • Height 1 3/4"
virgin cast zamak



NO. 244 WROUGHT STEEL SASH LOCK

Length 2 1/2" • Width 1 3/4" • Height 1 1/2"
Heavy gauge steel—double action spring



NO. 455 PLASTIC SHELF SUPPORT

Simply drill 1/4" hole and insert.
Provides 9/16" of shelf support.



See our new recreational
vehicle section on page 19.

AJAX INDUSTRIAL DIVISION PRODUCT DESIGN SERVICE



Research and Development Department.



Grinding and Die Department—essential to the Ajax designs.



High Pressure Die Casting.



A half million dollar computerized Barrel Plating Machine. Largest of its type in the world.

A total design and engineering service to develop practical, new ideas in hardware...creating exclusive components or modifying present Ajax items to meet unique product and production requirements of American industry.

Serving manufacturers of kitchen cabinets, bathroom cabinets, furniture, mobile homes, boats, record players, televisions, stoves, refrigerators, windows, washing machines, lockers, vending machines, luggage, recreation vehicles, etc.

For further information write to our Industrial Division.

AJAX PLANT AND GENERAL OFFICES



Ajax main plant and general offices on a 17-acre complex in the City of Industry, Calif., has expanded its engineering/administrative facilities to include over 283,000 sq. ft., plus additional 11 acres for future expansion. The distribution center in Cincinnati was recently expanded to bring a total of 110,000 sq. ft. to the Ajax operation.

AJAX HARDWARE CORPORATION

Certificate of Guarantee

This is to certify the quality of each hardware item manufactured by AJAX. All merchandise is guaranteed and must adhere to the highest standards of quality, material and craftsmanship. If any item does not meet these standards it can be returned for a full refund without expense. Advanced production techniques by AJAX must provide the finest hardware at a competitive price, or refund or adjustment upon demand.

NORMAN D. LOUISE

Ajax Hardware Corporation

Scovill

825 South Ajax Avenue, City of Industry, California 91749

Ajax Catalog 2-3

Ajax Hardware Corporation

Scovill

