

Buy America/ Buy American and Trade Agreement Acts (BAA and TAA)

Compliance guide



Table of contents

Government supply definitions	4	Auxiliary hardware	27
Information required prior to requesting assistance	6	Glynn-Johnson	27
BAA/TAA order transmittal cover letter	7	70 Series	27
Additional costs and order requirements	8	81 Series heavy-duty surface	27
Locks	9	90 Series	27
Schlage	9	100 Series	27
Cylindrical	9	410 Series	27
Deadbolt	9	450 Series	27
Interconnected/tubular	9	510/550 Series	28
Mortise (standard, deadbolt, multi-point)	9	280 Sensaguard holder/release smoke detector	28
Push/pull latch	9	Ives	28
Falcon	10	Hinges	28
Cylindrical	10	Continuous hinges	28
Deadbolt	10	Pivots	29
Interconnected/tubular	10	Protection plates, push/pull plates, and pulls	29
Mortise	10	Carry bars	29
Portable security	10	Invisible latches	29
Schlage	10	Coordinators	30
Commercial padlocks	10	Dust proof strikes	30
Padlock accessories - Shackles	11	Door viewer	30
Security cable locks	11	Flush bolts	30
Cylinders	12	Filler bars	30
Schlage	12	Floor/door stops and holders	30
Closers	24	Lock guards	31
LCN	24	Mounting brackets	31
Door closers	24	Roller latches	31
Automatic operators	24	Locking bolts	31
Fire/life safety	25	Wall stops/holders	31
Falcon	25	Zero	32
Door closers	25	Automatic door bottom	32
Automatic operators	25	Door sweeps	32
Exit devices	25	Door sweeps	33
Von Duprin	25	Perimeter seals	33
Exit devices	25	Thresholds	34
Mullions/other	26	Meeting stiles	37
Falcon	26	Weatherstripping	38
Exit devices	26	Miscellaneous	39
Mullions	26	Advantage	39
		Louvers	39
		Lites	39
		Steelcraft	40
		Metal doors	40
		Metal frames	40
		Architectural stick	40

Republic	41	Allegion Connect wiring	49
Metal doors	41	Locknetics	50
Metal frames	41	Electromagnetic locks	50
Falcon	41	Electromagnetic lock accessories	50
Metal doors	41	Electric strikes	50
AD Systems	41	Electric strike accessories	51
Sliding doors	41	Push buttons	51
		Specialty switches	51
		Digital keypads	51
Locks	42	Touch bars	51
Schlage	42	Push plates	52
Networked	42	Emergency breaks	52
Standalone	42	Emergency break accessories	52
Wireless	42	Door cords	52
Accessories	43	Specialty sensor and buzzer switches	52
		Power supplies	52
Readers and credentials	43	Power supply accessories	52
Schlage	43	ISONAS	53
Networked readers	43	Reader-controllers	53
Credentials	43	Readers	53
		IP Bridge	53
Biometrics	45	Accessories/cables	53
Schlage	45	Allegion production sites	54
Access control	45		
Time and attendance	45		
Spares and accessories	45		
System components and accessories	47		
Schlage	47		
Pushbuttons/keyswitches	47		
Door position switch	47		
Electronic horns	47		
Power supplies	47		
Door cords	47		
FSH	47		
Door position switch	47		
Schlage and Von Duprin	48		
Power supply option boards - PS900	48		
Power supply accessories - PS900	48		
Von Duprin	49		
Electric strikes	49		
Electric power transfers (EPTs)	49		
Power supplies	49		

Allegion
11819 North Pennsylvania Street
Carmel, Indiana 46032
877.671.7011

Allegion Government contact:
st-govtservices@allegion.com

Government and GSA sales contacts:

Terry Collins
404.429.7556 Cell

Doug Otto
317.294.0127 Cell

This catalog contains products that currently comply with Buy America/Buy American and Trade Agreements Act requirements imposed by the federal government through the Buy America/Buy American Act (BAA) and Trade Agreements Act (TAA), respectively. The catalog is reviewed and updated on a semi-annually basis, to verify continued compliance. Please be sure to visit <http://us.allegion.com/industries/government/resources> for the most current catalog revision.

It is our goal to make it as easy as possible to supply Allegion products for projects subject to Buy American (“BAA”) requirements and Trade Agreements Act (“TAA”) requirements. A brief description of some of the federal requirements can be found below. Please keep in mind that there are exceptions, exemptions and waivers to many of these requirements. Understanding all the factors that can affect a particular product or project can be confusing, which is why Allegion has a Government Services team to assist you. We are often able to provide product solutions based on these factors. Please direct product or project related inquiries by contacting us at st-govtservices@allegion.com.

To obtain product certification forms, e-mail your request to st-govtservices@allegion.com, and your request will be forwarded to the proper location.

All items in this catalog are subject to the prices, terms and conditions listed in the respective current product price books.

What is the BAA?

The Buy American Act establishes a preference for the federal government, when purchasing supplies for use in the United States, to purchase products mined, produced, or manufactured in the United States. Under the BAA, there is a two part test to determine whether an end product is domestic: (1) it must be “manufactured” in the United States; and (2) the cost of domestic components must exceed 50 percent of the cost of all the components. Neither the statute nor the regulations define “manufacture” however, the Government Accountability Office (GAO) has stated that manufacturing necessitates that the “completion of the [end product] in the form required for use by the Government be carried out domestically.” Where an end product being sold to the federal government is a commercially available off-the-shelf (COTS) item, meaning the product is sold in substantial quantities in the commercial marketplace in the same form, without modification, as it is offered to the U.S. government, the components test is waived. Most Allegion products are COTS items and exempt from the component test; products must be manufactured and assembled in the United States.

When could BAA apply?

The BAA applies generally to federal acquisitions exceeding \$3,000. However, under the Trade Agreements Act (TAA), the Government has waived the BAA restriction for products from countries that have signed an international trade agreement with the United States (“designated countries”), or that meet certain other criteria, such as being a least developed country. In acquisitions covered by the TAA, offers of designated country products receive equal consideration with domestic offers.

State contracts with federal funding

Domestic preference restrictions may apply to state and local government acquisitions funded with federal dollars. For example, critical infrastructure projects (power/water/DOT/transit) have federal funding and are subject to Buy America Act requirements.

37 states have signed on to certain international agreements opening up procurements to products from certain designated countries (e.g., Taiwan), where the construction contract value exceeds the applicable threshold (e.g., currently \$7,864,000 for the WTO GPA). The below 13 have not signed on to any of the international agreements and therefore only domestic products are compliant where the ARRA Buy American requirement applies:

Alabama	Indiana	New Mexico
Ohio	West Virginia	Alaska
Nevada	North Carolina	South Carolina
Georgia	New Jersey	North Dakota
Virginia		

At this time none of the 50 states recognize or have agreed to participate in the NAFTA Trade Agreement, which includes Mexican products.

The Government Strategic Accounts team is available to assist in determining what products are compliant for a specific state or local opportunity funded by federal dollars.

Please note: The Buy America Act is listed on page 5. This differs from the Buy American Act discussed above.

The following named entities have agreed to give equal consideration to products substantially transformed in WTO-GPA countries, including Taiwan. Port Authority of New York and New Jersey Port of Baltimore.

TAA - Trade Agreements Act

The U.S. has entered into a number of international trade agreements, under which the U.S. agrees to waive the BAA and other discriminatory provisions for products from countries that are parties to the agreement. These agreements include the World Trade Organization Government Procurement Agreement (WTO GPA), a plurilateral agreement to which Taiwan, among other countries, has acceded, the North American Free Trade Agreement (NAFTA), and a number of other bilateral and multilateral free trade agreements (FTAs).

When could TAA apply?

The value of the acquisition is a determining factor in the applicability of the TAA, as the various international agreements set forth a dollar threshold for when they apply. In some cases, such as the WTO GPA, the threshold is periodically adjusted.

The below chart sets forth the current thresholds (as of January 2015) for applicability of the trade agreements most relevant to Allegion.

Trade Agreement	Construction contract (equal to or exceeding)
WTO GPA	\$7,864,000
USMCA (NAFTA) - Mexico	\$10,335,931
USMCA (NAFTA) - Canada	\$10,335,931

For purchases made through U.S. General Services Administration Schedule contracts, all acquisitions are covered by the TAA, dollar value of the individual order notwithstanding.

FARS - Federal Acquisition Regulations

A section of the U.S. Code of Federal Regulations detailing purchasing/procurement policies for the federal government.

DFARS - Defense Federal Acquisition Regulations

A section of the U.S. Code of Federal Regulations detailing purchasing/procurement policies for the Department of Defense (DoD).

Construction project

Any federally funded new construction or renovation work involving a General Contractor is generally considered a construction contract. Often, the word "construction" is noted in the contract.

COTS - Commercially available Off The Shelf

Any item, other than real property, that is of a type customarily used by the general public or nongovernmental purposes, and that 1) Has been sold, leased or licensed to the general public; or 2) Has been offered for sale, lease or license to the general public. Does not apply to Mexico end-products, as assembly and packaging is required in the United States.

Manufacturer's certification of Buy America Compliance

Certificate of Compliance with 49 U.S.C. 5323(i)(1)
Allegion can certify that the manufactured products listed within this catalog with a country of origin USA comply with the Buy America requirements of 49 U.S.C. 5323(j)(1) and the applicable regulations at 49 CFR Part 661 as of the date of this catalog. Allegion can provide a Buy America Certification letter for any of our brands within this catalog that are identified country of origin USA.

Department of Transportation (DOT) requirements for Buy America:

All DOT funded critical infrastructure projects must be Country of Origin (COO) USA only. This applies to interstate highways, including restrooms, airports, bus terminals, train stations and their facilities, streetcar, trolley and subway systems, and watercraft terminals are all part of the DOT and fall under the Buy America Act - USA products only.

Environmental Protection Agency (EPA)

Any water treatment facilities fall under the Buy America Act - USA products only.

American Iron and Steel Act (AIS)

The only product that Allegion can provide AIS documentation for at this time is the Steelcraft and Republic doors and frames that are listed in this compliance guide, which fall under the Buy America Act - USA products only using recycled steel.

Information required prior to requesting assistance

Your request for a BAA certification letter should include the following:

1. Project name: _____

2. Solicitation # (if applicable): _____

3. Total project size (dollar amount): \$_____

4. Total Allegion value for project (dollar amount): \$_____

5. Does the above project total size exceed the \$7.864 M threshold for BAA/WTO? ☐ Yes ☒ No

6. Is the project a DOT FAA (department of transportation or federal aviation authority)? ☐ Yes ☐ No

7. Does the above project total size exceed the \$10,335,931 threshold for USMCA (NAFTA)? ☐ Yes ☒ No

8. Federal project: ☐ Yes ☐ No

9. State project: (If yes, specify the state) ☐ Yes state: _____ ☐ No

10. City project: ☐ Yes ☐ No

11. HUD project: ☐ Yes ☐ No

12. US EPA project: ☐ Yes ☐ No

13. ARRA funded project: ☐ Yes ☐ No

14. List of specified products
(Attach separate sheet if required. Project take-offs and quote request forms are acceptable for product descriptions.)

[illegible]

Submit completed form to: st-govtservices@allegion.com

****Please note this is only a worksheet to help provide and gather all necessary information for Buy American Act certification.****



Order transmittal cover letter

Buy America/Buy American Act (BAA) and Trade Agreements Act (TAA)

Note that orders requiring BAA/TAA compliant products MUST include this cover letter to be properly identified.

Failure to include a Order Transmittal Cover Sheet or properly marking the order PRODUCTS REQUESTED WITH BAA COMPLIANCE or include the BA/BAA suffix when required could result in the customer receiving non-BAA compliant product with no recourse for an RMA or refund.

Additional costs and order requirements

Locks

Schlage	Up charge	BAA transmittal required	Note on order
A Series	\$25 per lock	x	Clearly mark model number with - BAA suffix to receive USA country of origin products.
AL Series	\$25 per lock	x	
B250 Series	\$12 per lock	x	
B500 Series	\$12 per lock	x	
B600/700/800 Series	\$12 per lock	x	
CS200 Series	\$25 per lock	x	
D Series	\$25 per lock	x	
ND Series	\$25 per lock	x	
L Series	\$25 per lock	x	
S Series	\$25 per lock	x	
S200 Series	\$25 per lock	x	

Electronic locks, readers and accessories

Schlage	Up charge	BAA transmittal required	Note on order
AD Series ¹	\$118 per lock	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
Power supplies	\$40 per PS	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
PIM ¹	\$25 per PIM	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
PIB ¹	\$25 per PIB	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
ISONAS			Note on order
Isonas 25' RC-04 pigtail cable	\$25 per pigtail	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
Isonas 25' RC-05 pigtail cable	\$25 per pigtail	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
Von Duprin			Note on order
Power supplies	\$40 per PS	x	Clearly mark model number with - BAA suffix to receive USA country of origin products
Power Transfers (EPT)	N/C per EPT	x	Clearly mark model number with - BAA suffix to receive USA country of origin products

Closers

LCN	Up charge	BAA transmittal required	Note on order
1250 Series	\$20 (on BAA orders)	x ²	Clearly mark model number with - BAA suffix to receive USA country of origin products
1450 Series	\$20 (on BAA orders)	x ²	

1. Up charges only apply when ordering products that must have Country of Origin of USA and the project does not meet any thresholds where Trade Agreement Act (TAA) exceptions apply. See pages 4 and 5 for more details or contact st-govtservices@allegion.com for more information.

2. BAA suffix added to the line item.

Mechanical

Locks

Schlage

Cylindrical

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
A Series * ▲	Grade 2, cylindrical	All	All	All	USA	Mexico
AL Series * ▲	Grade 2, cylindrical	All	All	All	USA	Mexico
ALX Series * ▲	Grade 2, cylindrical	All	All	All	USA	Mexico
ND Series * ▲	Grade 1, cylindrical	All	All	All	USA	Mexico

Deadbolt

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
B250 Series * ▲	Grade 2, deadlatch	All	All	All	USA	Mexico
B500 Series * ▲	Grade 2, deadbolt	All	All	All	USA	Mexico
B600/700/800 Series * ▲	Grade 1, deadbolt	All	All	All	USA	Mexico

Interconnected/tubular

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
CS200 Series * ▲	Interconnected lock	All	All	All	USA	Mexico
LT Series*	Grade 2, tubular	All	All	All	USA	-
S Series * ▲	Grade 2, tubular	All	All	All	USA	Mexico
S200 Series * ▲	Interconnected lock	All	All	All	USA	Mexico

Mortise (standard, deadbolt, multi-point)

Product	Description	Function	Trim	Finish	BAA COO	TAA COO
L Series * ▲	Grade 1, mortise	All	All	All	USA	Mexico
L400 Series * ▲	Grade 1, small case mortise deadbolt	All	All	All	USA	Mexico
L460 Series * ▲	Grade 1, small case mortise deadbolt	All	All	All	USA	Mexico
LM9200 Series *	Two-point lock	All	All	All	USA	-
LM9300 Series *	Three-point lock	All	All	All	USA	-

* Available for complete locks and deadbolts only
 ▲ See page 8 for additional cost and order requirements

Push/pull latch

Product	Description	Finish	BAA COO
HL6-2	Push/pull latch	All	USA
HL6-5	Push/pull latch - 5" backset	All	USA
HL6-9000 Series	Push/pull mortise lock combination	All	USA

Falcon

Cylindrical

Product	Description	Trim	Finish	TAA COO
B Series	Grade 2, standard duty, cylindrical	All	All	Taiwan
K Series	Grade 1, standard duty, cylindrical	All	All	Taiwan
RU Series	Grade 1, extra heavy duty, preassembled	All	All	Mexico
T Series	Grade 1, extra heavy duty, cylindrical	All	All	Mexico
W/WSR Series	Grade 2, medium duty, cylindrical	All	All	Taiwan
X Series	Grade 1, heavy duty, cylindrical	All	All	Mexico

Deadbolt

Product	Description	Trim	Finish	TAA COO
D100 Series	Grade 1, deadbolt	All	All	Mexico
D200 Series	Grade 2, deadbolt	All	All	Mexico

Interconnected/tubular

Product	Description	Trim	Finish	BAA COO
H2 Series	Grade 2, Interconnected lock	All	All	USA

Mortise

Product	Description	Trim	Finish	TAA COO
MA Series	Grade 1, mortise	All	All	Taiwan

Falcon locks listed on this page qualify for BAA projects above the qualifying designated country threshold , with the exception of DOT and EPA designated or funded projects.

Portable security

Schlage

Commercial padlocks

Product number	Description	Function	Finish	BAA COO	TAA COO
KS11D1200	KS 11 Series, 1 1/2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS11F1200	KS 11 Series, 2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS21D1200	KS 21 Series, 1 1/2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS21F1200	KS 21 Series, 2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS23D2200	KS 23 Series, 1 1/2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS23D2300	KS 23 Series, 1 1/2" shackle	K-N-K cylinder	606 Brass	-	Taiwan
KS23F2200	KS 23 Series, 2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS23F2300	KS 23 Series, 2" shackle	K-N-K cylinder	606 Brass	-	Taiwan
KS41D1200	KS 41 Series, 1 1/2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS41F1200	KS 41 Series, 2" shackle, less cylinder	SFIC	652 Chrome plated brass	-	Taiwan
KS43D2200	KS 43 Series, 1 1/2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS43D2300	KS 43 Series, 1 1/2" shackle	K-N-K cylinder	606 Brass	-	Taiwan

Portable security

Schlage (cont.)

Commercial padlocks (cont.)

Product number	Description	Function	Finish	BAA COO	TAA COO
KS43D3200	KS 43 Series, 1 1/2" shackle, less cylinder	FSIC	606 Brass	-	Taiwan
KS43F2200	KS 43 Series, 2" shackle, less cylinder	K-N-K	606 Brass	-	Taiwan
KS43F2300	KS 43 Series, 2" shackle	K-N-K cylinder	606 Brass	-	Taiwan
KS43F3200	KS 43 Series, 2" shackle, less cylinder	FSIC	606 Brass	-	Taiwan
KS72F2300	KS 72 Series, 2" shackle	K-N-K cylinder	652 Steel	-	Taiwan
855156	Solid steel shackle-less padlock, 2 7/8"x1 1/2" -with cylinder 5 pin		652 Steel	-	Taiwan

Padlock accessories - Shackles

Product number	Description	Function	Finish	BAA COO	TAA COO
KZ11F40	Steel, 2" shackle, 3/8" dia.	-	Chrome	-	Taiwan
KZ11G20	Steel, 4" shackle, 5/16" dia.	-	Chrome	-	Taiwan
KZ11G40	Steel, 4" shackle, 3/8" dia.	-	Chrome	-	Taiwan
KZ12G20	Brass, 4" shackle, 5/16" dia.	-	-	-	Taiwan
KZ12G40	Brass, 4" shackle, 3/8" dia.	-	-	-	Taiwan
KZ13D20	Stainless steel, 1 1/2" shackle, 5/16" dia.	-	Chrome	-	Taiwan
KZ13D40	Stainless steel, 1 1/2" shackle, 3/8" dia.	-	Chrome	-	Taiwan
KZ13F20	Stainless steel, 2" shackle, 5/16" dia.	-	Chrome	-	Taiwan
KZ13F40	Stainless steel, 2" shackle, 3/8" dia.	-	Chrome	-	Taiwan

Security cable locks

Product number	Description	Function	Finish	BAA COO	TAA COO
KC215A130	Locking cable, 2' x 5/8", less cylinder	SFIC	407 Satin	-	Taiwan
KC215B130	Locking cable, 4' x 5/8", less cylinder	SFIC	407 Satin	-	Taiwan

Cylinders

Schlage

Product number	Description	Function	Keyway family	Application	BAA COO
09-409	Key-in-lever/knob bulk pack cylinder kit	Parts	Classic	Bulk pack	USA
09-412	Mortise cylinder bulk pack kit	Parts	Classic	Bulk pack	USA
09-410	Rim cylinder bulk pack kit	Parts	Classic	Bulk pack	USA
09-833	Key-in-lever/knob bulk pack cylinder kit	Parts - Primus/ Primus XP	Classic	Bulk pack	USA
09-835	Mortise cylinder bulk pack kit	Parts - Primus/ Primus XP	Classic	Bulk pack	USA
09-834	Rim cylinder bulk pack kit	Parts - Primus/ Primus XP	Classic	Bulk pack	USA
09-411	Interchangeable core bulk pack kit	Parts	Classic	Bulk pack	USA
09-836	Interchangeable core bulk pack kit	Parts - Primus/ Primus XP	Classic	Bulk pack	USA
20-774	Cabinet locks and padlocks	Primus	Classic	Cab/padlock	USA
20-772	Cabinet locks and padlocks Primus	Primus	Classic	Cab/padlock	USA
22-001	B100, B250, B400, 5 point cylinder only	Conventional	Classic	DB	USA
20-728	AL Series Primus cylinder	Primus	Classic	KIL	USA
20-030	Letter/mail box cylinder Classic and Everest	Conventional	Classic/Everest	Mail box	USA
20-033	Letter/mail box cylinder Classic and Everest	Conventional	Classic/Everest	Mail box	USA
20-066	Letter/mail box cylinder Classic and Everest	Conventional	Classic/Everest	Mail box	USA
09-484	Bulk pack of 20-001 mortise cylinders	Parts	Classic/Everest/Everest 29	Bulk pack	USA
09-485	Bulk pack of 30-001 mortise cylinders	Parts	Classic/Everest/Everest 29	Bulk pack	USA
20-172	Cabinet locks and padlocks conventional	Conventional	Classic/Everest/Everest 29	Cab/padlock	USA
20-174	Cabinet locks and padlocks conventional	Conventional	Classic/Everest/Everest 29	Cab/padlock	USA
20-572	Cabinet locks and padlocks Primus UL	Primus	Classic/Everest/Everest 29	Cab/padlock	USA
20-574	Cabinet locks and padlocks Primus UL	Primus	Classic/Everest/Everest 29	Cab/padlock	USA
20-572-XP	Cabinet locks and padlocks Primus XP UL	Primus XP	Classic/Everest/Everest 29	Cab/padlock	USA
20-574-XP	Cabinet locks and padlocks Primus XP UL	Primus XP	Classic/Everest/Everest 29	Cab/padlock	USA
22-018	5 pin cylinder inside housing	Conventional	Classic/Everest/Everest 29	DB	USA
22-017	5 Pin cylinder outside housing	Conventional	Classic/Everest/Everest 29	DB	USA
22-020	6 pin cylinder inside housing	Conventional	Classic/Everest/Everest 29	DB	USA
21-002	D Series knobs 6 pin conventional	Conventional	Classic/Everest/Everest 29	DB	USA
22-019	B250 6 pin conventional cylinder outside housing	Conventional	Classic/Everest/Everest 29	DB	USA
22-002	B250 series 6 pin conventional cylinder only	Conventional	Classic/Everest/Everest 29	DB	USA
22-003	B500 conventional single cylinder	Conventional	Classic/Everest/Everest 29	DB	USA
22-004	B500 conventional single cylinder	Conventional	Classic/Everest/Everest 29	DB	USA
22-642	B600, 700, 800 conventional cylinder housing not included	Conventional	Classic/Everest/Everest 29	DB	USA
22-643	B600, 700, 800 conventional cylinder housing not included	Conventional	Classic/Everest/Everest 29	DB	USA
22-644	B600, 700, 800 conventional cylinder housing not included	Conventional	Classic/Everest/Everest 29	DB	USA
22-645	B500 conventional double cylinder	Conventional	Classic/Everest/Everest 29	DB	USA
22-646	B500 conventional double cylinder	Conventional	Classic/Everest/Everest 29	DB	USA
20-729	B250 Series Primus cylinder only	Primus	Classic/Everest/Everest 29	DB	USA
20-529	B250 Series Primus UL 437 high security cylinder	Primus	Classic/Everest/Everest 29	DB	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
20-731	B250, B400, Primus cylinder less housing	Primus	Classic/Everest/Everest 29	DB	USA
20-744	B760, B763 Primus	Primus	Classic/Everest/Everest 29	DB	USA
20-742	B761, B764 Primus	Primus	Classic/Everest/Everest 29	DB	USA
20-743	B761, B764 Primus	Primus	Classic/Everest/Everest 29	DB	USA
20-745	B762 Primus	Primus	Classic/Everest/Everest 29	DB	USA
20-746	B762 Primus	Primus	Classic/Everest/Everest 29	DB	USA
20-544	B860, B863 Primus UL 437	Primus	Classic/Everest/Everest 29	DB	USA
20-542	B861, B864 Primus UL 437	Primus	Classic/Everest/Everest 29	DB	USA
20-543	B861, B864 Primus UL 437	Primus	Classic/Everest/Everest 29	DB	USA
20-545	B862 Primus UL 437	Primus	Classic/Everest/Everest 29	DB	USA
20-546	B862 Primus UL 437	Primus	Classic/Everest/Everest 29	DB	USA
20-531	Primus UL 437 complete cylinder and housing	Primus	Classic/Everest/Everest 29	DB	USA
20-729-XP	B250 Series Primus XP cylinder only	Primus XP	Classic/Everest/Everest 29	DB	USA
20-529-XP	B250 Series Primus XP UL 437 high security cylinder	Primus XP	Classic/Everest/Everest 29	DB	USA
20-731-XP	B250, B400, Primus XP cylinder less housing	Primus XP	Classic/Everest/Everest 29	DB	USA
20-744-XP	B760, B763 Primus XP	Primus XP	Classic/Everest/Everest 29	DB	USA
20-742-XP	B761, B764 Primus XP	Primus XP	Classic/Everest/Everest 29	DB	USA
20-743-XP	B761, B764 Primus XP	Primus XP	Classic/Everest/Everest 29	DB	USA
20-745-XP	B762 Primus XP	Primus XP	Classic/Everest/Everest 29	DB	USA
20-746-XP	B762 Primus XP	Primus XP	Classic/Everest/Everest 29	DB	USA
20-544-XP	B860, B863 Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	DB	USA
20-542-XP	B861, B864 Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	DB	USA
20-543-XP	B861, B864 Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	DB	USA
20-545-XP	B862 Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	DB	USA
20-546-XP	B862 Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	DB	USA
20-531-XP	Primus XP UL 437 complete cylinder and housing	Primus XP	Classic/Everest/Everest 29	DB	USA
22-062	B250 IC core housing less core	FSIC	Classic/Everest/Everest 29	DB	USA
20-740	Primus full size IC core	FSIC - Primus	Classic/Everest/Everest 29	IC Core	USA
20-741	Primus full size IC core less logo	FSIC - Primus	Classic/Everest/Everest 29	IC Core	USA
20-740-XP	Primus XP full size IC core	FSIC - Primus XP	Classic/Everest/Everest 29	IC Core	USA
20-741-XP	Primus XP full size IC core less logo	FSIC - Primus XP	Classic/Everest/Everest 29	IC Core	USA
30-120	Full size IC core for hotel function	FSIC	Classic/Everest/Everest 29	IC Core	USA
23-030	Full size IC core	FSIC	Classic/Everest/Everest 29	IC Core	USA
23-031	Full size IC core less logo	FSIC	Classic/Everest/Everest 29	IC Core	USA
30-121	Full size IC core less log for L9485, L9486 hotel	FSIC	Classic/Everest/Everest 29	IC Core	USA
21-003	A Series 21-003 conventional hotel function (A85) with indicator, non-Orbit	Conventional	Classic/Everest/Everest 29	KIL	USA
21-020	AL Series 6 pin conventional cylinder standard	Conventional	Classic/Everest/Everest 29	KIL	USA
21-021	AL Series conventional hotel function AL85 with occupancy indicator	Conventional	Classic/Everest/Everest 29	KIL	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
24-127	Conventional cylinder for Corbin Russwin CK4200, UT5200	Conventional	Classic/Everest/Everest 29	KIL	USA
24-139	Conventional cylinder for Corbin Russwin CL3400, CL3600	Conventional	Classic/Everest/Everest 29	KIL	USA
24-126	Conventional cylinder for Sargent 6	Conventional	Classic/Everest/Everest 29	KIL	USA
24-120	Conventional cylinder for Sargent 7, 8, 9 knobs	Conventional	Classic/Everest/Everest 29	KIL	USA
24-119	Conventional cylinder for Sargent 7L, 10, 65 levers	Conventional	Classic/Everest/Everest 29	KIL	USA
24-123	Conventional cylinder for Yale 5300, 5400, 6200 knobs	Conventional	Classic/Everest/Everest 29	KIL	USA
24-147	Conventional cylinder for Yale 5300LN, 5400LN, 6400LN levers	Conventional	Classic/Everest/Everest 29	KIL	USA
23-001	D knobs 6 pin conventional cylinder (standard)	Conventional	Classic/Everest/Everest 29	KIL	USA
23-003-098	D knobs conventional hotel function (D85) with indicator, 2 1/2" door	Conventional	Classic/Everest/Everest 29	KIL	USA
23-003	D knobs conventional hotel function (D85) with occupancy indicator	Conventional	Classic/Everest/Everest 29	KIL	USA
23-013	D levers 6 pin conventional cylinder (standard)	Conventional	Classic/Everest/Everest 29	KIL	USA
23-014	D levers conventional hotel function (D85) with occupancy indicator	Conventional	Classic/Everest/Everest 29	KIL	USA
23-065	ND Series locksets 6 pin conventional cylinder (standard)	Conventional	Classic/Everest/Everest 29	KIL	USA
23-000	ND Series locksets hotel function	Conventional	Classic/Everest/Everest 29	KIL	USA
20-724	A Series 20-724 Primus cylinder, non-Orbit	Primus	Classic/Everest/Everest 29	KIL	USA
20-524	A Series Primus UL 437 listed high security cylinder, non-Orbit style knob	Primus	Classic/Everest/Everest 29	KIL	USA
20-528	AL Series Primus UL 437 high security cylinder	Primus	Classic/Everest/Everest 29	KIL	USA
20-565	Cylinders for ND Series locksets Primus UL437	Primus	Classic/Everest/Everest 29	KIL	USA
20-748	D knobs Primus cylinder	Primus	Classic/Everest/Everest 29	KIL	USA
20-548	D Knobs Primus UL 437 listed high security cylinder	Primus	Classic/Everest/Everest 29	KIL	USA
20-750	D lever Primus cylinder	Primus	Classic/Everest/Everest 29	KIL	USA
20-550	D Series lever Primus UL 437 listed high security cylinder	Primus	Classic/Everest/Everest 29	KIL	USA
20-765	ND Series locksets Primus	Primus	Classic/Everest/Everest 29	KIL	USA
20-747	Primus CYL for Yale 5300LN, 5400LN, 6400LN levers	Primus	Classic/Everest/Everest 29	KIL	USA
20-727	Primus cylinder for Corbin Russwin CK4200, UT5200	Primus	Classic/Everest/Everest 29	KIL	USA
20-723	Primus cylinder for Yale 5300, 5400, 6200 knobs	Primus	Classic/Everest/Everest 29	KIL	USA
20-739	Primus for Corbin Russwin CL3400, CL3600	Primus	Classic/Everest/Everest 29	KIL	USA
20-527	Primus UL 437 for Corbin Russwin CK4200, UT5200	Primus	Classic/Everest/Everest 29	KIL	USA
20-539	Primus UL 437 for Corbin Russwin CL3400, CL3600	Primus	Classic/Everest/Everest 29	KIL	USA
20-523	Primus UL 437 for Yale 5300, 5400, 6200 knobs	Primus	Classic/Everest/Everest 29	KIL	USA
20-547	Primus UL 437 for Yale 5300LN, 5400LN, 6400LN levers	Primus	Classic/Everest/Everest 29	KIL	USA
20-752	S lever Primus cylinder	Primus	Classic/Everest/Everest 29	KIL	USA
20-552	S Lever Primus UL 437 listed high security cylinder only	Primus	Classic/Everest/Everest 29	KIL	USA
20-724-XP	A Series 20-724 Primus XP cylinder, non-Orbit	Primus XP	Classic/Everest/Everest 29	KIL	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
20-528-XP	AL Series Primus XP UL 437 high security cylinder	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-565-XP	Cylinders for ND Series locksets Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-748-XP	D knobs Primus XP cylinder	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-548-XP	D Knobs Primus XP UL 437 listed high security cylinder	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-750-XP	D lever Primus XP cylinder	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-550-XP	D Series lever Primus XP UL 437 listed high security cylinder	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-765-XP	ND Series locksets Primus XP	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-727-XP	Primus XP cylinder for Corbin Russwin CK4200, UT5200	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-723-XP	Primus XP cylinder for Yale 5300, 5400, 6200 knobs	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-747-XP	Primus XP cylinder for Yale 5300LN, 5400LN, 6400LN levers	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-739-XP	Primus XP for Corbin Russwin CL3400, CL3600	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-527-XP	Primus XP UL 437 for Corbin Russwin CK4200, UT5200	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-539-XP	Primus XP UL 437 for Corbin Russwin CL3400, CL3600	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-523-XP	Primus XP UL 437 for Yale 5300, 5400, 6200 knobs	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-547-XP	Primus XP UL 437 for Yale 5300LN, 5400LN, 6400LN levers	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-752-XP	S lever Primus XP cylinder	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-552-XP	S Lever Primus XP UL 437 listed high security cylinder only	Primus XP	Classic/Everest/Everest 29	KIL	USA
20-720	Primus cylinder for Sargent 7, 8, 9 levers	Primus	Classic/Everest/Everest 29	KIL - Sargent	USA
20-719	Primus cylinder for Sargent 7L, 10, 65 levers	Primus	Classic/Everest/Everest 29	KIL - Sargent	USA
20-726	Primus for Sargent 6	Primus	Classic/Everest/Everest 29	KIL - Sargent	USA
20-526	Primus UL 437 for Sargent 6	Primus	Classic/Everest/Everest 29	KIL - Sargent	USA
20-520	Primus UL 437 for Sargent 7, 8, 9 line knobs	Primus	Classic/Everest/Everest 29	KIL - Sargent	USA
20-519	Primus UL 437 for Sargent 7L, 10, 65 line levers	Primus	Classic/Everest/Everest 29	KIL - Sargent	USA
20-524-XP	A Series Primus UL 437 listed high security cylinder, non-Orbit style knob	Primus XP	Classic/Everest/Everest 29	KIL - Sargent	USA
20-720-XP	Primus XP cylinder for Sargent 7, 8, 9 levers	Primus XP	Classic/Everest/Everest 29	KIL - Sargent	USA
20-719-XP	Primus XP cylinder for Sargent 7L, 10, 65 levers	Primus XP	Classic/Everest/Everest 29	KIL - Sargent	USA
20-726-XP	Primus XP for Sargent 6	Primus XP	Classic/Everest/Everest 29	KIL - Sargent	USA
20-526-XP	Primus XP UL 437 for Sargent 6	Primus XP	Classic/Everest/Everest 29	KIL - Sargent	USA
20-520-XP	Primus XP UL 437 for Sargent 7, 8, 9 line knobs	Primus XP	Classic/Everest/Everest 29	KIL - Sargent	USA
20-519-XP	Primus XP UL 437 for Sargent 7L, 10, 65 line levers	Primus XP	Classic/Everest/Everest 29	KIL - Sargent	USA
20-069	Letter/mail box cylinder Classic and Everest	Conventional	Classic/Everest/Everest 29	Mail box	USA
30-004	L Escutcheon with concealed shell cylinder conventional	Conventional	Classic/Everest/Everest 29	Mort	USA
30-021	L Series L and N Escutcheon conventional	Conventional	Classic/Everest/Everest 29	Mort	USA
30-001	L Series sectional trim conventional	Conventional	Classic/Everest/Everest 29	Mort	USA
20-001	L Series sectional trim conventional L9060 outside	Conventional	Classic/Everest/Everest 29	Mort	USA
30-002	L Series sectional trim conventional L9485, L9486 hotel function	Conventional	Classic/Everest/Everest 29	Mort	USA
26-021	L9060P L and N outside conventional	Conventional	Classic/Everest/Everest 29	Mort	USA
26-023	L9080P Outside L escutcheon conventional	Conventional	Classic/Everest/Everest 29	Mort	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
30-022	L9485, L9486 hotel function L and N conventional	Conventional	Classic/Everest/Everest 29	Mort	USA
30-005	L9485, L9486 hotel function L and N conventional L escutcheon	Conventional	Classic/Everest/Everest 29	Mort	USA
20-789	L escutcheon with concealed shell cylinder Primus	Primus	Classic/Everest/Everest 29	Mort	USA
20-589	L escutcheon with concealed shell cylinder Primus UL 437	Primus	Classic/Everest/Everest 29	Mort	USA
20-793	L Series L and N escutcheon Primus	Primus	Classic/Everest/Everest 29	Mort	USA
20-715	L Series L and N escutcheon Primus lockout	Primus	Classic/Everest/Everest 29	Mort	USA
20-593	L Series L and N escutcheon Primus UL 437	Primus	Classic/Everest/Everest 29	Mort	USA
20-515	L Series L and N escutcheon Primus UL 437 lockout	Primus	Classic/Everest/Everest 29	Mort	USA
20-517	L Series L and N escutcheon Primus UL 437 lockout	Primus	Classic/Everest/Everest 29	Mort	USA
20-501	L Series L and N Primus UL 437 L9060 outside	Primus	Classic/Everest/Everest 29	Mort	USA
20-787	L Series sectional trim Primus	Primus	Classic/Everest/Everest 29	Mort	USA
20-717	L Series sectional trim Primus lockout	Primus	Classic/Everest/Everest 29	Mort	USA
20-700	L Series sectional trim Primus lockout L9060 outside	Primus	Classic/Everest/Everest 29	Mort	USA
20-587	L Series sectional trim Primus UL 437	Primus	Classic/Everest/Everest 29	Mort	USA
20-500	L Series sectional trim Primus UL437 L9060 outside	Primus	Classic/Everest/Everest 29	Mort	USA
20-701	L9060 outside L and N Primus	Primus	Classic/Everest/Everest 29	Mort	USA
20-705	Primus mortise cylinder for Corbin Russwin master ring	Primus	Classic/Everest/Everest 29	Mort	USA
20-505	Primus UL 437 mortise cylinder for Corbin Russwin master ring	Primus	Classic/Everest/Everest 29	Mort	USA
20-789-XP	L escutcheon with concealed shell cylinder Primus XP	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-589-XP	L escutcheon with concealed shell cylinder Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-793-XP	L Series L and N escutcheon Primus XP	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-715-XP	L Series L and N escutcheon Primus XP lockout	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-593-XP	L Series L and N escutcheon Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-515-XP	L Series L and N escutcheon Primus XP UL 437 lockout	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-517-XP	L Series L and N escutcheon Primus XP UL 437 lockout	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-501-XP	L Series L and N Primus XP UL 437 L9060 outside	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-787-XP	L Series sectional trim Primus XP	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-717-XP	L Series sectional trim Primus XP lockout	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-700-XP	L Series sectional trim Primus XP lockout L9060 outside	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-587-XP	L Series sectional trim Primus XP UL 437	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-500-XP	L Series sectional trim Primus XP UL437 L9060 outside	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-701-XP	L9060 outside L and N Primus XP	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-705-XP	Primus XP mortise cylinder for Corbin Russwin master ring	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-505-XP	Primus XP UL 437 mortise cylinder for Corbin Russwin master ring	Primus XP	Classic/Everest/Everest 29	Mort	USA
20-782	L and N Escutcheon L9060 outside Primus core	FSIC - Primus	Classic/Everest/Everest 29	Mort	USA
20-783	L9060 Primus core rose trim	FSIC - Primus	Classic/Everest/Everest 29	Mort	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
20-763	Mortise cylinders with straight cam for exit devices Primus	FSIC - Primus	Classic/Everest/Everest 29	Mort	USA
20-771	Mortise cylinders with straight cam for exit devices Primus	FSIC - Primus	Classic/Everest/Everest 29	Mort	USA
20-798	Primus core L Series mortise full size IC	FSIC - Primus	Classic/Everest/Everest 29	Mort	USA
20-776	Primus L Series core full size IC	FSIC - Primus	Classic/Everest/Everest 29	Mort	USA
20-782-XP	L and N Escutcheon L9060 outside Primus XP core	FSIC - Primus XP	Classic/Everest/Everest 29	Mort	USA
20-783-XP	L9060 Primus XP core rose trim	FSIC - Primus XP	Classic/Everest/Everest 29	Mort	USA
20-763-XP	Mortise cylinders with straight cam for exit devices Primus XP	FSIC - Primus XP	Classic/Everest/Everest 29	Mort	USA
20-771-XP	Mortise cylinders with straight cam for exit devices Primus XP	FSIC - Primus XP	Classic/Everest/Everest 29	Mort	USA
20-798-XP	Primus XP core L Series mortise full size IC	FSIC - Primus XP	Classic/Everest/Everest 29	Mort	USA
20-776-XP	Primus XP L Series core full size IC	FSIC - Primus XP	Classic/Everest/Everest 29	Mort	USA
30-030	L9060p outside mortise cylinder (L and N escutcheon)	FSIC	Classic/Everest/Everest 29	Mort	USA
30-010	L9485, L9486 hotel function L and N escutcheon conventional	FSIC	Classic/Everest/Everest 29	Mort	USA
26-091	Exit device conventional mortise cylinders straight cam	FSIC	Classic/Everest/Everest 29	Mort	USA
30-008	L Series full size IC core L and N escutcheon conventional	FSIC	Classic/Everest/Everest 29	Mort	USA
30-138	L Series sectional trim conventional	FSIC	Classic/Everest/Everest 29	Mort	USA
30-140	L Series sectional trim L9485, L9486 hotel function conventional	FSIC	Classic/Everest/Everest 29	Mort	USA
20-061	Mortise cylinders with straight cam for exit devices conventional	FSIC	Classic/Everest/Everest 29	Mort	USA
80-110	Exit device mortise cylinder disposable	SFIC - Disposable construction core	Classic/Everest/Everest 29	Mort	USA
80-132	Exit device SFIC mortise cylinder keyed construction core	SFIC - Construction core	Classic/Everest/Everest 29	Mort	USA
80-131	L and N escutcheon L Series sectional trim SFIC construction keyed	SFIC - Construction core	Classic/Everest/Everest 29	Mort	USA
80-134	L and N escutcheon L Series sectional trim SFIC construction keyed	SFIC - Construction core	Classic/Everest/Everest 29	Mort	USA
80-138	L and N escutcheon L9060 outside mortise locks SFIC construction keyed	SFIC - Construction core	Classic/Everest/Everest 29	Mort	USA
80-115	L and N escutcheon L9060 outside mortise locks SFIC construction	SFIC - Construction core	Classic/Everest/Everest 29	Mort	USA
80-109	L Series sectional trim SFIC construction keyed disposable	SFIC - Construction core	Classic/Everest/Everest 29	Mort	USA
80-112	L Series sectional trim SFIC construction keyed disposable	SFIC - Construction core	Classic/Everest/Everest 29	Mort	USA
20-009	Conventional mortise cylinder for Corbin Russwin master ring	Conventional	Classic/Everest/Everest 29	Mort	USA
20-002	Mortise cylinder conventional L9060	Conventional	Classic/Everest/Everest 29	Mort	USA
26-072	Conventional cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	Conventional	Classic/Everest/Everest 29	Mort - Adams Rite	USA
26-073	Conventional mortise cylinder Adams Rite 4070 Series	Conventional	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-013	Cylinders for Adams Rite MS, 4500 and 4700 Series, Lori 4500, CR DL3000 conventional	Conventional	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-706	Primus cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-708	Primus cylinder mortise Adams Rite 4070 Series	Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
20-718	Primus lockout mortise cylinder Adams Rite MS4500, 4700, Lori 4500, and CR DL3000	Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-506	Primus UL 437 cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-518	Primus UL 437 lockout cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-508	Primus UL 437 mortise cylinder for Adams Rite 4070 Series	Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-706-XP	Primus XP cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-708-XP	Primus XP cylinder mortise Adams Rite 4070 Series	Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-718-XP	Primus XP lockout mortise cylinder Adams Rite MS 4500, 4700, Lori 4500, and CR DL3000	Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-506-XP	Primus XP UL 437 cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-518-XP	Primus XP UL 437 lockout cylinder for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-508-XP	Primus XP UL 437 mortise cylinder for Adams Rite 4070 Series	Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-766	Exit device full size IC Primus core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	FSIC - Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-722	L Series Primus core Adams Rite 4070 Series	FSIC - Primus	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-766-XP	Exit device full size IC Primus XP core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	FSIC - Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-722-XP	L Series Primus XP core Adams Rite 4070 Series	FSIC - Primus XP	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-062	Mortise cylinder with straight cam for exit devices	FSIC	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-090	Mortise cylinder - housing only (Adams Rite 4500, 47000)	FSIC	Classic/Everest/Everest 29	Mort - Adams Rite	USA
20-091	L Series conventional core Adams Rite 4070 Series	FSIC	Classic/Everest/Everest 29	Mort - Adams Rite	USA
26-098	Exit device full size IC conventional core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	FSIC	Classic/Everest/Everest 29	Mort - Adams Rite	USA
80-133	Exit device keyed construction core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	SFIC - Construction core	Classic/Everest/Everest 29	Mort - Adams Rite	USA
80-113	Exit device SFIC disposable construction core for Adams Rite	SFIC - Construction core	Classic/Everest/Everest 29	Mort - Adams Rite	USA
80-135	Exit device SFIC keyed construction core for Adams Rite 4070 Series	SFIC - Construction core	Classic/Everest/Everest 29	Mort - Adams Rite	USA
40-700	Primus/Primus XP multiple tail piece key-in-knob/lever	Parts - Primus/Primus XP	Classic/Everest/Everest 29	Multi-piece	USA
40-500	UL 437 Primus/Primus XP multiple tail piece key-in-knob/lever	Parts - Primus/Primus XP	Classic/Everest/Everest 29	Multi-piece	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
40-700-XP	Primus/Primus XP multiple tail piece key-in-knob/lever	Parts - Primus/Primus XP	Classic/Everest/Everest 29	Multi-piece	USA
40-500-XP	UL 437 Primus/Primus XP multiple tail piece key-in-knob/lever	Parts - Primus/Primus XP	Classic/Everest/Everest 29	Multi-piece	USA
20-022	Exit devices and aluminum doors conventional cylinder horizontal	Conventional	Classic/Everest/Everest 29	Rim	USA
20-021	Exit devices and aluminum doors conventional cylinder vertical	Conventional	Classic/Everest/Everest 29	Rim	USA
20-710	Exit device and alum door Primus cylinder horizontal	Primus	Classic/Everest/Everest 29	Rim	USA
20-709	Exit device and alum door Primus cylinder vertical	Primus	Classic/Everest/Everest 29	Rim	USA
20-716	Exit device and aluminum door Primus lockout cylinder horizontal	Primus	Classic/Everest/Everest 29	Rim	USA
20-509	Exit device and aluminum door Primus UL 437 listed cylinder with vertical	Primus	Classic/Everest/Everest 29	Rim	USA
20-510	Exit device and aluminum door Primus UL 437 listed cylinder horizontal	Primus	Classic/Everest/Everest 29	Rim	USA
20-516	Exit device and aluminum door Primus UL 437 listed lockout cylinder horizontal	Primus	Classic/Everest/Everest 29	Rim	USA
20-710-XP	Exit device and alum door Primus XP cylinder horizontal	Primus XP	Classic/Everest/Everest 29	Rim	USA
20-709-XP	Exit device and alum door Primus XP cylinder vertical	Primus XP	Classic/Everest/Everest 29	Rim	USA
20-716-XP	Exit device and aluminum door Primus XP lockout cylinder horizontal	Primus XP	Classic/Everest/Everest 29	Rim	USA
20-510-XP	Exit device and aluminum door Primus XP UL 437 listed cylinder horizontal	Primus XP	Classic/Everest/Everest 29	Rim	USA
20-509-XP	Exit device and aluminum door Primus XP UL 437 listed cylinder with vertical	Primus XP	Classic/Everest/Everest 29	Rim	USA
20-516-XP	Exit device and aluminum door Primus XP UL 437 listed lockout cylinder horizontal	Primus XP	Classic/Everest/Everest 29	Rim	USA
20-757	Exit device interchangeable core rim cylinders Primus	FSIC - Primus	Classic/Everest/Everest 29	Rim	USA
20-757-XP	Exit device interchangeable core rim cylinders Primus XP	FSIC - Primus XP	Classic/Everest/Everest 29	Rim	USA
20-057	Interchangeable core rim cylinders for exit devices conventional	FSIC	Classic/Everest/Everest 29	Rim	USA
80-116	Exit device SFIC disposable construction core	SFIC - Construction core	Classic/Everest/Everest 29	Rim	USA
80-159	Exit device SFIC keyed construction core	SFIC - Construction core	Classic/Everest/Everest 29	Rim	USA
09-751	Key-in-lever/knob bulk pack cylinder kit	Parts	Everest/Everest 29	Bulk pack	USA
09-754	Mortise cylinder bulk pack kit	Parts	Everest/Everest 29	Bulk pack	USA
09-752	Rim cylinder bulk pack kit	Parts	Everest/Everest 29	Bulk pack	USA
09-764	Key-in-lever/knob bulk pack cylinder kit	Parts - Primus/Primus XP	Everest/Everest 29	Bulk pack	USA
09-767	Mortise cylinder bulk pack kit	Parts - Primus/Primus XP	Everest/Everest 29	Bulk pack	USA
09-765	Rim cylinder bulk pack kit	Parts - Primus/Primus XP	Everest/Everest 29	Bulk pack	USA
09-753	Interchangeable core bulk pack kit	Parts	Everest/Everest 29	Bulk pack	USA
09-766	Interchangeable Core bulk pack kit	Parts - Primus/Primus XP	Everest/Everest 29	Bulk pack	USA
20-774-XP	Cabinet locks and padlocks	Primus XP	Everest/Everest 29	Cab/padlock	USA
20-772-XP	Cabinet locks and padlocks Primus XP	Primus XP	Everest/Everest 29	Cab/padlock	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
20-728-XP	AL Series 20-728 Primus XP cylinder	Primus XP	Everest/Everest 29	KIL	USA
80-037	Small format interchangeable core, 7 pin, restricted, combined	SFIC	Everest B/Everest 29 R	IC Core	USA
80-036	Small format interchangeable core, 7 pin, restricted, uncombined	SFIC	Everest B/Everest 29 R	IC Core	USA
80-301	L Series sectional trim SFIC Everest restricted	SFIC	Everest B/Everest 29 R	Mort	USA
80-302	Exit device mortise cylinder Everest restricted	SFIC	Everest B/Everest 29 R	Mort	USA
80-308	L and N escutcheon L Series mortise locks SFIC Everest restricted	SFIC	Everest B/Everest 29 R	Mort	USA
80-304	L and N escutcheon L9060 outside mortise locks SFIC Everest restricted	SFIC	Everest B/Everest 29 R	Mort	USA
80-303	Exit device Everest restricted core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	SFIC	Everest B/Everest 29 R	Mort - Adams Rite	USA
80-305	SFIC everest restricted for Adams Rite 4070 deadlocks	SFIC	Everest B/Everest 29 R	Mort - Adams Rite	USA
80-329	Exit device SFIC core Everest restricted	SFIC	Everest B/Everest 29 R	Rim	USA
09-416	Conventional bulk pack AL Series tailpieces	Parts	-	Bulk pack	USA
09-418	Conventional bulk pack D Series knobs tailpieces	Parts	-	Bulk pack	USA
09-756	Bulk pack tailpieces A Series except Orbit style knob	Parts	-	Bulk pack	USA
09-757	Bulk pack tailpieces A Series Orbit style knob	Parts	-	Bulk pack	USA
30-137	L Series mortise cylinder - housing less core	FSIC	-	Mort	USA
80-101	L Series sectional trim SFIC housing less core	SFIC	-	Mort	USA
26-094	Mortise cylinders with straight cam for exit devices - housing less core	FSIC	-	Mort	USA
30-007	L Series mortise cylinder - housing less core	FSIC	-	Mort	USA
30-016	L Series mortise cylinder - housing less core	FSIC	-	Mort	USA
30-032	L Series (L9060 outside) mortise cylinder - housing less core	FSIC	-	Mort	USA
20-059	Mortise cylinders with straight cam for exit devices housing less core	FSIC	-	Mort	USA
80-102	Exit device SFIC mortise cylinder housing less core	SFIC	-	Mort	USA
80-104	L and N escutcheon L9060 outside mortise locks SFIC housing less core	SFIC	-	Mort	USA
80-108	L and N escutcheon L9060 outside mortise locks SFIC housing less core	SFIC	-	Mort	USA
20-060	Mortise cylinder - housing less core (Adams Rite 4500, 4700)	FSIC	-	Mort - Adams Rite	USA
80-111	Exit device disposable construction core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	SFIC - Construction core	-	Mort - Adams Rite	USA
80-103	Exit device housing less core for Adams Rite MS4500, 4700, Lori 4500 and Corbin DL3000	SFIC	-	Mort - Adams Rite	USA
80-105	SFIC housing less core for Adams Rite 4070 Series deadlocks	SFIC	-	Mort - Adams Rite	USA
20-079	Exit device rim cylinder - housing less core	FSIC	-	Rim	USA
80-129	Exit device SFIC less core	SFIC	-	Rim	USA

The above cylinders are BAA compliant when ordered using restricted keyways and most open keyways. Please consult your sales representative for compliance when using the core open keyways.

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
91-451	Key in lever bulk pack kit	Parts - SL	Everest B/Everest 29 R	Bulk pack	USA
91-452	Mortise cylinder bulk pack kit	Parts - SL	Everest B/Everest 29 R	Bulk pack	USA
91-453	RIM cylinder bulk pack kit	Parts - SL	Everest B/Everest 29 R	Bulk pack	USA
91-454	Full size interchangeable core bulk pack kit	Parts - SL	Everest B/Everest 29 R	Bulk pack	USA
91-551	Key in lever bulk pack kit	Parts - SL/Primus XP	Everest B/Everest 29 R	Bulk pack	USA
91-552	Mortise cylinder bulk pack kit	Parts - SL/Primus XP	Everest B/Everest 29 R	Bulk pack	USA
91-553	RIM cylinder bulk pack kit	Parts - SL/Primus XP	Everest B/Everest 29 R	Bulk pack	USA
91-554	Full size interchangeable core bulk pack kit	Parts - SL/Primus XP	Everest B/Everest 29 R	Bulk pack	USA
91-001	Schlage CL series conventional cylinder - door	SL	Everest B/Everest 29 R	Cab	USA
91-002	Schlage CL series conventional cylinder - drawer	SL	Everest B/Everest 29 R	Cab	USA
91-719 XP	Schlage CL series conventional cylinder - door	SL/Primus XP	Everest B/Everest 29 R	Cab	USA
91-720 XP	Schlage CL series conventional cylinder - drawer	SL/Primus XP	Everest B/Everest 29 R	Cab	USA
91-519 XP	Schlage CL series conventional cylinder - door	SL/Primus XP (UL437)	Everest B/Everest 29 R	Cab	USA
91-520 XP	Schlage CL series conventional cylinder - drawer	SL/Primus XP (UL437)	Everest B/Everest 29 R	Cab	USA
91-009	Schlage B500 conventional single cylinder (1 3/8" to 1 3/4")	SL	Everest B/Everest 29 R	DB	USA
91-010	Schlage B500 conventional single cylinder (1 3/4" to 2 1/4")	SL	Everest B/Everest 29 R	DB	USA
91-011	Schlage B561 conventional single cylinder (1 3/8" to 2 1/4")	SL	Everest B/Everest 29 R	DB	USA
91-008	Schlage B250 conventional cylinder	SL	Everest B/Everest 29 R	DB	USA
91-014	Schlage B500 conventional double cylinder (1 3/8" to 1 3/4")	SL	Everest B/Everest 29 R	DB	USA
91-015	Schlage B500 conventional double cylinder (1 3/4" to 2 1/4")	SL	Everest B/Everest 29 R	DB	USA
91-701 XP	Schlage B561 conventional single cylinder (1 3/8" to 2 1/4")	SL/Primus XP	Everest B/Everest 29 R	DB	USA
91-702 XP	Schlage B500 conventional single cylinder (1 3/8" to 1 7/8")	SL/Primus XP	Everest B/Everest 29 R	DB	USA
91-703 XP	Schlage B500 conventional single cylinder (1 7/8" to 2 1/4")	SL/Primus XP	Everest B/Everest 29 R	DB	USA
91-707 XP	Schlage B250 conventional cylinder	SL/Primus XP	Everest B/Everest 29 R	DB	USA
91-712 XP	Schlage B500 conventional double cylinder (1 3/8" to 1 7/8")	SL/Primus XP	Everest B/Everest 29 R	DB	USA
91-729 XP	Schlage S200 conventional (deadbolt)	SL/Primus XP	Everest B/Everest 29 R	DB	USA
91-501 XP	Schlage B561 conventional single cylinder (1 3/8" to 2 1/4")	SL/Primus XP (UL437)	Everest B/Everest 29 R	DB	USA
91-502 XP	Schlage B500 conventional single cylinder (1 3/8" to 1 7/8")	SL/Primus XP (UL437)	Everest B/Everest 29 R	DB	USA
91-503 XP	Schlage B500 conventional single cylinder (1 3/4" to 2 1/4")	SL/Primus XP (UL437)	Everest B/Everest 29 R	DB	USA
91-507 XP	Schlage B250 conventional cylinder	SL/Primus XP (UL437)	Everest B/Everest 29 R	DB	USA
91-512 XP	Schlage B500 conventional double cylinder (1 3/8" to 1 7/8")	SL/Primus XP (UL437)	Everest B/Everest 29 R	DB	USA
91-529 XP	Schlage S200 conventional cylinder (deadbolt)	SL/Primus XP (UL437)	Everest B/Everest 29 R	DB	USA
91-161	Schlage full size interchangeable core	FSIC - SL	Everest B/Everest 29 R	IC Core	USA
91-170	Rim cylinder full size interchangeable core	FSIC - SL	Everest B/Everest 29 R	IC Core	USA
91-861 XP	Schlage full size interchangeable core	FSIC - SL/Primus XP	Everest B/Everest 29 R	IC Core	USA
91-870 XP	Rim cylinder full size interchangeable core	FSIC - SL/Primus XP	Everest B/Everest 29 R	IC Core	USA

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
91-004	Schlage A/H/and D Series knobs conventional cylinder (except Orbit)	SL	Everest B/Everest 29 R	KIL	USA
91-005	Schlage A and H Series knobs conventional cylinder (Orbit)	SL	Everest B/Everest 29 R	KIL	USA
91-006	Schlage AL Series conventional cylinder	SL	Everest B/Everest 29 R	KIL	USA
91-027	Conventional cylinder for Corbin Russwin CL3400, CL3600	SL	Everest B/Everest 29 R	KIL	USA
91-016	Schlage D Series knobs conventional cylinder	SL	Everest B/Everest 29 R	KIL	USA
91-017	Schlage D Series levers conventional cylinder	SL	Everest B/Everest 29 R	KIL	USA
91-018	Schlage ND Series conventional cylinder	SL	Everest B/Everest 29 R	KIL	USA
91-019	Schlage AD Series conventional cylinder (MS/MD functions)	SL	Everest B/Everest 29 R	KIL	USA
91-007	Schlage S200 conventional cylinder (levers)	SL	Everest B/Everest 29 R	KIL	USA
91-042	Conventional cylinder for Sargent 7L, 8L, 10L levers	SL	Everest B/Everest 29 R	KIL	USA
91-043	Conventional cylinder for Sargent 7, 8, 9 knobs	SL	Everest B/Everest 29 R	KIL	USA
91-046	Conventional cylinder for Yale 5300, 5400, 6200 Series	SL	Everest B/Everest 29 R	KIL	USA
91-045	Conventional cylinder for Sargent 6L (except B knobs)	SL	Everest B/Everest 29 R	KIL	USA
91-704 XP	Schlage A/H/and D Series knobs conventional cylinder (except Orbit)	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-705 XP	Schlage A and H Series knobs conventional cylinder (Orbit)	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-706 XP	Schlage AL Series conventional cylinder	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-708 XP	Conventional cylinder for Corbin Russwin CL3400, CL3600	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-714 XP	Schlage D Series knobs conventional cylinder	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-715 XP	Schlage D Series levers conventional cylinder	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-718 XP	ND Series conventional cylinder	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-721 XP	AD Series conventional cylinder (MS/MD functions)	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-722 XP	Schlage S200 conventional cylinder (levers)	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-742 XP	Conventional cylinder for Sargent 7L, 8L, 10L levers	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-743 XP	Conventional cylinder for Sargent 7, 8, 9 knobs	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-744 XP	Conventional cylinder for Yale 5300, 5400, 6200 Series	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-745 XP	Conventional cylinder for Sargent 6L (except B knobs)	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-746 XP	Conventional cylinder for Yale 5300, 5400, 6200 Series	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-772 XP	S200 conventional cylinder	SL/Primus XP	Everest B/Everest 29 R	KIL	USA
91-504 XP	Schlage A /H/and D Series knobs conventional cylinder (except Orbit)	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-505 XP	Schlage A and H Series knobs conventional cylinder (Orbit)	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-506 XP	Schlage AL Series conventional cylinder	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-508 XP	Conventional cylinder for Corbin Russwin CL3400, CL3600	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-514 XP	Schlage D Series knobs conventional cylinder	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-515 XP	Schlage D Series levers conventional cylinder	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-518 XP	ND Series conventional cylinder	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-521 XP	AD Series conventional cylinder (MS/MD functions)	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA

Cylinders

Schlage (cont.)

Product number	Description	Function	Keyway family	Application	BAA COO
91-522 XP	Schlage S200 conventional cylinder (levers)	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-542 XP	Conventional cylinder for Sargent 7L, 8L, 10L levers	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-543 XP	Conventional cylinder for Sargent 7, 8, 9 knobs	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-544 XP	Conventional cylinder for Yale 5300, 5400, 6200 series	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-545 XP	Conventional cylinder for Sargent 6L (except B knobs)	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-546 XP	Conventional cylinder for Yale 5300, 5400, 6200 series	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA
91-051	Schlage L9060 outside (straight cam) mortise cylinder	SL	Everest B/Everest 29 R	Mort	USA
91-062	Schlage L series (except L9060 outside) mortise cylinder	SL	Everest B/Everest 29 R	Mort	USA
91-060	Mortise cylinder Adams Rite MS 4500 and 4700	SL	Everest B/Everest 29 R	Mort	USA
91-061	Mortise cylinder Adams Rite 4070	SL	Everest B/Everest 29 R	Mort	USA
91-751 XP	L9060 outside (straight cam) mortise cylinder	SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-757XP	Schlage L series (except L9060 outside) mortise cylinder	SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-758 XP	Mortise cylinder Adams Rite MS 4500 and 4700	SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-759 XP	Mortise cylinder Adams Rite 4070	SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-561 XP	L9060 outside (straight cam) mortise cylinder	SL/Primus XP (UL437)	Everest B/Everest 29 R	Mort	USA
91-557 XP	Schlage L series (except L9060 outside) mortise cylinder	SL/Primus XP (UL437)	Everest B/Everest 29 R	Mort	USA
91-558 XP	Mortise cylinder Adams Rite MS 4500 and 4700	SL/Primus XP (UL437)	Everest B/Everest 29 R	Mort	USA
91-559 XP	Mortise cylinder Adams Rite 4070	SL/Primus XP (UL437)	Everest B/Everest 29 R	Mort	USA
91-163	Schlage L series (except L9060 outside) mortise cylinder	FSIC - SL	Everest B/Everest 29 R	Mort	USA
91-165	Schlage L9060 outside (straight cam) mortise cylinder	FSIC - SL	Everest B/Everest 29 R	Mort	USA
91-171	Von Duprin, Monarch, and other straight cam applications	FSIC - SL	Everest B/Everest 29 R	Mort	USA
91-174	Mortise cylinder Adams Rite MS 4500 and 4700	FSIC - SL	Everest B/Everest 29 R	Mort	USA
91-175	Mortise cylinder Adams Rite 4070	FSIC - SL	Everest B/Everest 29 R	Mort	USA
91-863 XP	Schlage L series (except L9060 outside) mortise cylinder	FSIC - SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-865 XP	Schlage L9060 outside (straight cam) mortise cylinder	FSIC - SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-871 XP	Von Duprin, Monarch, and other straight cam applications	FSIC - SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-874 XP	Mortise cylinder Adams Rite MS 4500 and 4700	FSIC - SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-875 XP	Mortise cylinder Adams Rite 4070	FSIC - SL/Primus XP	Everest B/Everest 29 R	Mort	USA
91-074	Rim cylinder - vertical tailpiece	SL	Everest B/Everest 29 R	RIM	USA
91-075	Rim cylinder - horizontal tailpiece	SL	Everest B/Everest 29 R	RIM	USA
91-774 XP	Rim cylinder - vertical tailpiece	SL/Primus XP	Everest B/Everest 29 R	RIM	USA
91-775 XP	Rim cylinder - horizontal tailpiece	SL/Primus XP	Everest B/Everest 29 R	RIM	USA
91-574 XP	Rim cylinder - vertical tailpiece	SL/Primus XP (UL437)	Everest B/Everest 29 R	RIM	USA
91-575 XP	Rim cylinder - horizontal tailpiece	SL/Primus XP (UL437)	Everest B/Everest 29 R	RIM	USA
26-064	Von Duprin, Monarch, and other straight cam applications	Parts - FSIC housing only	—	Mort	USA
91-521 XP	AD Series conventional cylinder (MS/MD functions)	SL/Primus XP (UL437)	Everest B/Everest 29 R	KIL	USA

Closers

LCN

Door closers

Product	Description	Arm	Screw pack	Finish	BAA COO
1250 Series* ♦	Mounts hinge side, top jamb, and parallel arm - non-sized	All	All	All	USA
1261 Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
1450 Series* ♦	Mounts hinge side, top jamb, and parallel arm - non-sized	All	All	All	USA
1461 Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
2010 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
2030 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
2210 Series ♦	High security, concealed (in header) mount	All	All	All	USA
3030 Series ♦	Series concealed (in door) mount, sized cylinder	All	All	All	USA
3130 Series ♦	Series concealed (in door) mount, sized cylinder	All	All	All	USA
4000T Series ♦	Pocket door closer	All	All	All	USA
4010 Series ♦	Hinge side mount, size 6 or non-sized cylinders	All	All	All	USA
4020 Series ♦	Top jamb mount, size 6 or non-sized cylinders	All	All	All	USA
4031 Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
4040XP Series ♦	Mounts hinge side, top jamb and parallel arm - non-sized	All	All	All	USA
4050A Series ♦	Mounts hinge side, top jamb, and parallel arm - non-sized	All	All	All	USA
4110 Series ♦	Parallel arm mount, size 6 or non-sized cylinders	All	All	All	USA
4210 Series ♦	Series high security, push side mount, size 6 or non-sized cylinders	All	All	All	USA
4510 Series ♦	Series high security, push side mount, size 6 or non-sized cylinders	All	All	All	USA
5010 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
5030 Series ♦	Concealed (in header) mount, sized cylinder	All	All	All	USA
6030 Series ♦	Concealed (in narrow header) double action sized cylinder	All	All	All	USA

* Refer to page 8 for additional cost and order requirements.

♦ Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

Automatic operators

Product	Description	Arm	Screw pack	Finish	BAA COO
2610 Series ♦	Pneumatic auto equalizer, concealed mount, sized cylinder	All	All	All	USA
2810 Series ♦	Senior swing - single door, overhead concealed mount	All	All	All	USA
2850 Series ♦	Senior swing - simultaneous pair, overhead concealed mount	All	All	All	USA
2860 Series ♦	Senior swing - independent pair, overhead concealed mount	All	All	All	USA
4630 Series ♦	Electric auto equalizer - top jamb (pull side) mount, non-sized	All	All	All	USA
4640 Series ♦	Electric auto equalizer - top jamb (push side) mount, non-sized	All	All	All	USA
4810 Series ♦	Pneumatic auto equalizer - top jamb (pull side) mount, non-sized	All	All	All	USA
4820 Series ♦	Pneumatic auto equalizer - top jamb (push side) mount, non-sized	All	All	All	USA
4840 Series ♦	Pneumatic auto equalizer - parallel arm (pull side) mount, non-sized	All	All	All	USA
9130 Series ♦	Benchmark - single door, surface (pull side) mount	All	All	All	USA
9140 Series ♦	Benchmark - single door, surface (push side) mount	All	All	All	USA
9150 Series ♦	Benchmark - pair door, surface (push side) mount	All	All	All	USA
9530 Series ♦	Senior swing - single door, surface (pull side) mount	All	All	All	USA
9540 Series ♦	Senior swing - single door, surface (push side) mount	All	All	All	USA
9550 Series ♦	Senior swing - simultaneous pair, surface (pull, push or double egress) mount	All	All	All	USA
9560 Series ♦	Senior swing - independent pair, surface (pull, push or double egress) mount	All	All	All	USA

♦ Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for plated finishes to standard lead time.

Closers

LCN (cont.)

Fire/life safety

Product	Description	Arm	Screw pack	Finish	BAA COO
2310ME Series ♦	Concealed mounted electronic release with multi-point hold-open	All	All	All	USA
3130SE Series ♦	Concealed mounted - sized cylinder	All	All	All	USA
4040SE Series ♦	Hinge side mount, non-sized cylinders	All	All	All	USA
4310HSA Series ♦	Scanner activated hold-open	All	All	All	USA
4310ME Series ♦	Electronic release with multi-point hold-open	All	All	All	USA
4410HSA Series	Scanner activated hold-open	All	All	All	USA
4410ME Series ♦	Electronic release with multi point hold open	All	All	All	USA

♦ Extended lead times apply to specific finishes. Add an additional 2 weeks for custom RAL finishes and 4 weeks for Plated finishes to standard lead time.

Falcon

Door closers

Product	Description	Screw pack	Finish	TAA COO
OHC100A Series	Overhead concealed	All	All standard	Taiwan

Note: Falcon closers listed on this page qualify for BAA projects above the qualifying designated country threshold. See "When could BAA apply?" on page 4 and 5 for more details.

Automatic operators

Product	Description	Arm	Screw pack	Finish	BAA COO
8230 Series	Electro mechanical - flush or surface (pull side) mount	All	All	All	USA
8240 Series	Electro mechanical - flush or surface (push side) mount	All	All	All	USA

Exit devices

Von Duprin

Exit devices

Product	Description	Type	Function	Trim	Finish	BAA COO
22 Series	Rim, surface vertical rod	Exit, fire	All	All	All	USA
33A/35A Series	Rim, surface vertical rod, concealed vertical rod, concealed vertical cable	Exit, fire	All	All	All	USA
55 Series	Rim, concealed vertical rod, wood door concealed vertical rod, mortise lock	Exit, fire	All	All	All	USA
88 Series	Rim, surface vertical rod, concealed vertical rod, mortise lock	Exit, fire	All	All	All	USA
94/95 Series	Concealed vertical rod, mortise lock	Exit, fire	All	All	All	USA
98/99 Series	Rim, surface vertical rod, concealed vertical rod, concealed vertical cable, Wood door concealed vertical rod, Surface three point latch, mortise lock	Exit, fire	All	All		USA
XP98/99 Series ‡	Rim	Exit, fire	All	All	All	USA

‡ Meets A.T.F.P. Bomb blast criteria. Approved under ASTM F 1642 test method.

Exit devices

Von Duprin (cont.)

Mullions/other

Product	Description	Finish	BAA COO
2670 GUARD-X	Exit alarm lock	US28, 313, 315	USA
4954	Steel mullion - prepped for (2) 299 strikes	SP28, SP313	USA
KR4954	Steel mullion w/keyed removable option - prepped for (2) 299 strikes	SP28, SP313	USA
9954	Steel mullion - prepped for (2) 499f or 268 strikes	SP28, SP313	USA
KR9954	Steel mullion w/keyed removable option - prepped for (2) 499f or 268 strikes	SP28, SP313	USA
5654	Aluminum Mullion - prepped for two 299 strikes	All	USA
5654-XP	Prepped for two 909 Strikes, for the XP device	All	USA
576A	Mortise lock strike, 55/88/98/9975, pairs 1 3/4" dr - optional	All	USA

Falcon

Exit devices

Product	Description	Type	Function	Trim	Finish	BAA COO
19-R Series	Rim, non-handed	Exit, fire	All	All	All	USA
19-V Series	Reversible vertical rod	Exit, fire	All	All	All	USA
24-R Series	Rim, narrow stile	Exit, fire	All	All	All	USA
24-V Series	Surface vertical rod, narrow stile	Exit, fire	All	All	All	USA
24-C Series	Concealed vertical rod, narrow stile	Exit, fire	All	All	All	USA
24-CWDC Series	Wood door concealed vertical rod	Exit, fire	All	All	All	USA
25-R Series	Rim, wide stile	Exit, fire	All	All	All	USA
25-V Series	Surface vertical rod, wide stile	Exit, fire	All	All	All	USA
25-M Series ‡	Mortise, wide stile	Exit, fire	All	All	All	USA
25-C Series	Concealed vertical rod, wide stile	Exit, fire	All	All	All	USA
25-CWDC Series	Wood door concealed vertical rod	Exit, fire	All	All	All	USA
1490 Series	Pushpad, hurricane rated	Exit	All	All	All	USA
1590 Series	Rim, pushpad	Exit	All	All	All	USA
1690 Series	Concealed vertical rod	Exit	All	All	All	USA
1790 Series	Rim	Exit	All	All	All	USA
1990	Concealed vertical rod, cross bar	Exit	All	All	All	USA
2090	Rim, cross bar	Exit	All	All	All	USA
2390	Mid-panel, concealed vertical rod	Exit	All	All	All	USA

‡ Meets A.T.F.P. Bomb blast criteria. Approved under ASTM F 1642 test method.

Mullions

Product	Description	Finish	BAA COO
2923	For use with all rim devices	Prime	USA
4023	For use with all rim devices	SP28	USA
KR-4023	Keyed removable option	SP28	USA
F4023	For use with fire rated rim devices	SP28	USA
KR-F-4023	Keyed removable option	SP28	USA

Auxiliary hardware

Glynn-Johnson

Overhead holders and stops

All overhead holders and stops by Glynn-Johnson meet BAA requirements with a country of origin of USA. The list below displays the most common items.

70 Series

Product	Description	Finish	BAA COO
704H	70 Series, size 4, hold-open - heavy-duty surface	All	USA
704S	70 Series, size 4, stop-only - heavy-duty surface	All	USA

81 Series heavy-duty surface

Product	Description	Finish	BAA COO
814H	81 Series, size 4, hold-open - heavy-duty surface	All	USA
814S	81 Series, size 4, stop-only - heavy-duty surface	All	USA

90 Series

Product	Description	Finish	BAA COO
903H	90 Series, size 3, hold-open - heavy-duty surface	All	USA
904H	90 Series, size 4, hold-open - heavy-duty surface	All	USA
905H	90 Series, size 5, hold-open - heavy-duty surface	All	USA
906H	90 Series, size 6, hold-open - heavy-duty surface	All	USA
903S	90 Series, size 3, stop-only - heavy-duty surface	All	USA
904S	90 Series, size 4, stop-only - heavy-duty surface	All	USA
905S	90 Series, size 5, stop-only - heavy-duty surface	All	USA
906S	90 Series, size 6, stop-only - heavy-duty surface	All	USA

100 Series

Product	Description	Finish	BAA COO
103H, 104H	70 Series, size 4, hold-open - heavy-duty surface	All	USA
105H, 106H	100 Series, size 5 or 6, hold-open - heavy-duty concealed	All	USA
103S, 104S	100 Series, size 3 or 4, stop-only - heavy-duty concealed	All	USA
105S, 106S	100 Series, size 5 or 6, stop-only - heavy-duty concealed	All	USA
106F	100 Series, size 5 or 6, friction hold-open - heavy-duty concealed	All	USA
106HP	100 Series, size 5 or 6, internal hold-open - heavy-duty concealed	All	USA

410 Series

Product	Description	Finish	BAA COO
413H	410 Series, size 3, hold-open - medium-duty concealed	All	USA
414H	410 Series, size 4, hold-open - medium-duty concealed	All	USA
413S	410 Series, size 3, stop-only - medium-duty concealed	All	USA
414S	410 Series, size 4, stop-only - medium-duty concealed	All	USA

450 Series

Product	Description	Finish	BAA COO
451H	450 Series, size 1, hold-open- medium-duty surface	All	USA
452H	450 Series, size 2, hold-open- medium-duty surface	All	USA
453H	450 Series, size 3, hold-open- medium-duty surface	All	USA
454H	450 Series, size 4, hold-open- medium-duty surface	All	USA
455H	450 Series, size 5, hold-open- medium-duty surface	All	USA
451S	450 Series, size 1, stop-only- medium-duty surface	All	USA
452S	450 Series, size 2, stop-only- medium-duty surface	All	USA
453S	450 Series, size 3, stop-only- medium-duty surface	All	USA
454S	450 Series, size 4, stop-only- medium-duty surface	All	USA
455S	450 Series, size 5, stop-only- medium-duty surface	All	USA

Auxiliary hardware

Glynn-Johnson (cont.)

510/550 Series

Product	Description	Finish	TAA COO
510S-H	510 Series adjustable overhead, Stop-hold-open, heavy-duty concealed	All	Taiwan
550S-H	550 Series adjustable overhead, Stop-hold-open, heavy-duty surface	All	Taiwan

280 Sensaguard holder/release smoke detector

Product	Description	Finish	BAA COO
280	280 Series, Sensaguard	All	USA

Ives

Hinges

Product	Description	Finish	TAA COO
BAA 5BB1 4.5 x 4.5	Five knuckle, ball bearing, standard weight	630, 652	Taiwan
BAA 5BB1 4.5 x 4.5 NRP	Five knuckle, ball bearing, standard weight, non-removable pin	630, 652	Taiwan
BAA 5BB1 4.5 x 4.5 TW8	Five knuckle, ball bearing, standard weight - 8" through-wire	630, 652	Taiwan
BAA 5BB1HW 4.5 x 4.5	Five knuckle, ball bearing, heavy weight	630, 652	Taiwan
BAA 5BB1HW 4.5 x 4.5 NRP	Five knuckle, ball bearing, heavy weight, non-removable pin	630, 652	Taiwan
BAA 5BB1HW 4.5 x 4.5 TW8	Five knuckle, ball bearing, heavy weight - 8" through-wire	630, 652	Taiwan
BAA 5BB1HW 5 x 4.5	Five knuckle, ball bearing, heavy weight	630, 652	Taiwan
BAA 5BB1HW 5 x 4.5 NRP	Five knuckle, ball bearing, heavy weight, non-removable pin	630, 652	Taiwan
BAA 5BB1HW 5 x 4.5 TW8	Five knuckle, ball bearing, heavy weight, 8" through-wire	652	Taiwan
BAA 5BB1HWBSC 4.5	Five knuckle, ball bearing, heavy weight, swing clear	652	Taiwan

Continuous hinges

Product	Description	Finish	BAA COO	TAA COO
600*	Concealed hinge - pin and barrel	USP	-	Canada
602*	Full surface, flush mount - pin and barrel	USP	-	Canada
611*	Swing clear - pin and barrel	USP	-	Canada
700*	Concealed hinge - pin and barrel	US32D	-	Canada
702*	Full surface, flush mount - pin and barrel	US32D	-	Canada
705*	Concealed hinge - pin and barrel	US32D	-	Canada
711*	Swing clear, flush mount, surface hinge - pin and barrel	US32D	-	Canada
715*	Concealed hinge, flush mounted, half wrap - pin and barrel	US32D	-	Canada
700CS*	Concealed hinge - pin and barrel	US32D	-	Canada
711CS*	Swing clear, flush mount, surface hinge - pin and barrel	US32D	-	Canada
715CS*	Concealed hinge, flush mounted, half wrap - pin and barrel	US32D	-	Canada
026XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
027XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
040XY*	Heavy-duty, full-mortise, wide throw, geared	US28, 313AN	USA	-
041XY*	Heavy-duty, full-mortise, swing clear, geared	US28, 313AN	USA	-
045XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
046XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
053XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
054XY*	Heavy duty, half surface - geared	US28, 313AN	USA	-
112HD*	Heavy duty, full mortise - geared	US28, 313AN	USA	-
112XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
114XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-
157XY*	Heavy duty, full mortise - geared	US28, 313AN	USA	-
210XY*	Heavy duty, full surface, swing clear - geared	US28, 313AN	USA	-
224HD*	Heavy duty, full mortise - geared	US28, 313AN	USA	-
224XY*	Heavy-duty, full-mortise, geared	US28, 313AN	USA	-

* Standard lengths include: 83", 85", 95", 120". Custom lengths and all options also available. (i.e. EPT cut-out)

Note: Ives hinges listed on this page qualify for BAA projects above the qualifying designated country threshold. Other Ives hinges not listed here may qualify for BAA projects above the qualifying designated country threshold. See pages 4 and 5 for more details.

Auxiliary hardware

Ives (cont.)

Pivots

Product	Description	Finish	BAA COO	TAA COO
7212 Pivot	¾" Offset pivots, 200 lb, top - header, btm - jamb	All	USA	-
7212V Pivot	¾" Offset pivots, 200 lb, top - jamb, btm - jamb	All	USA	-
7215/7215F Pivot	¾" Offset pivots, 500 lb, top - header, btm - jamb	All	USA	-
7222 Pivot	¾" Offset pivots, 200 lb, top - header, btm - base	All	USA	-
7212-7212V-7222 INT	Intermediate pivot for 7212, 7212v and 7222	All	USA	-
7226/7226F Pivot	¾" Offset pivots, 600 lb, top - header, btm - base	All	USA	-
7227/7227F Pivot	¾" Offset pivots, 700 lb, top - header, btm - base	All	USA	-
7215-7226-7227 INT	Intermediate pivot for 7215, 7226 and 7227	All	USA	-
7215F-7226F-7227F INT	Intermediate pivot for 7215F, 7226F and 7227F	All	USA	-
7215PT-7226PT-7227PT	Power Transfer Pivot for 7215, 7226, 7227	All	USA	-
7230F Pivot	¾" Offset pivots, 1000 lb, top - header, btm - base	All	USA	-
7237F Pivot	¾" Offset pivots, 1750 lb, top - header, btm - base	All	USA	-
7230F-7237F INT	Intermediate pivot for 7230F, 7237F	All	USA	-
7244F Pivot	1½" Offset pivots, 400 lb, top - header, btm - base	All	USA	-
7245F Pivot	1½" Offset pivots, 500 lb, top - header, btm - base	All	USA	-
7244F-7245F INT	Intermediate pivot for 7244F, 7245F	All	USA	-
7253 Pivot	Center-hung pivot set, 300 lb, top - header, btm - base	All	USA	-
7255 Pivot	Center-hung pivot set, 500 lb, top - header, btm - base	All	USA	-
7255J Pivot	Center-hung pivot set, 500 lb, top - header, btm - jamb	All	USA	-
7256 Pivot	Center-hung pivot set, 600 lb, top - header, btm - base	All	USA	-
7259 Pivot	Center-hung pivot set, 1000 lb, top - header, btm - base	All	USA	-
91105F/91105F-PT	Pocket pivot/hinge and Power Transfer, 90 lb		USA	-

Protection plates, push/pull plates, and pulls

Product	Description	Finish	BAA COO	TAA COO
8200	Push plate	All	USA	-
8300 Series	Pull plates - 8302, 8303, 8305, 8311	All	USA	-
8400, 8402	Protection plates - all sizes	All	USA	-
9100 Series	Pushbar and Pull Combo - 9100HD, 9103EZHD, 9145EZHD, 9190HDm 9190EZHD	All	-	Canada
9264/9266	Long door pulls	All	-	Canada
VR810, VR814	Vandal resistant trim - all functions	All	USA	-
VR900, VR904	Vandal resistant trim - all functions	All	USA	-
VR910, VR914	Vandal resistant trim - all functions	All	USA	-

Carry bars

Product	Description	Finish	BAA COO
CB1	Carry bar	All	USA

Invisible latches

Product	Description	Finish	BAA COO	TAA COO
CL11	Invisible latch, 7/16" x 1¼" x 1 7/8"	All	-	Taiwan
CL12	Invisible latch, 9/16" x 1¼" x 2 ¼"	All	-	Taiwan
CL14	Auxiliary pusher for invisible latches	All	USA	-
CL21/CL21A	Four-way catch — full size doors w/hook plate	All	-	Taiwan
CL22	Three-way catch	All	-	Taiwan

Auxiliary hardware

Ives (cont.)

Coordinators

Product	Description	Finish	BAA COO	TAA COO
COR7G	Gravity arm coordinator - 7" projection	All	-	Taiwan
COR9G	Gravity arm coordinator - 9" projection	All	-	Taiwan
COR32	Coordinator - 32" overall length	All	USA	-
COR42	Coordinator - 42" overall length	All	USA	-
COR52	Coordinator - 52" overall length	All	USA	-
COR60	Coordinator - 60" overall length	All	USA	-
COR72	Coordinator - 72" overall length	All	USA	-

Dust proof strikes

Product	Description	Finish	TAA COO
DP1	Dust-proof strike - threshold only	All	Taiwan
DP2	Dust-proof strike	All	Taiwan

Door viewer

Product	Description	Finish	TAA COO
U696	UL Listed door viewer (150°) - Fits 1 3/8" - 2 1/16"	All	Taiwan
698	Wide Angle door viewer - Fits 1 3/8" - 2 1/16"	All	Taiwan
U698	Wide Angle door viewer - Fits 1 3/8" - 2 1/16"	All	Taiwan
700	Door viewer (120°) - 1 3/8" - 2 1/16"	All	Taiwan
U700	UL Listed door viewer (120°) - 1 3/8" - 2 1/16"	All	Taiwan
701	Door viewer (120°) - Fits 2 1/8" - 2 5/8"	All	Taiwan
U701	UL Listed door viewer - Fits 2 1/8" - 2 5/8"	All	Taiwan

Flush bolts

Product	Description	Finish	BAA COO
FB31, FB32, FB33	Automatic flush bolt — metal	All	USA
FB41, FB42	Automatic flush bolt — wood	All	USA
FB51, FB52, FB53	Constant latching flush bolt — metal	All	USA
FB61, FB62	Constant latching flush bolt — wood	All	USA

Filler bars

Product	Description	Finish	BAA COO
FL20	Filler bar — 20" overall length	All	USA
FL32	Filler bar — 32" overall length	All	USA
FL44	Filler bar — 44" overall length	All	USA

Floor/door stops and holders

Product	Description	Finish	TAA COO
FS13, FS17	Dome stop	All	Taiwan
R14	Dome stop riser	All	Taiwan
FS434	Floor stop	US2C	Taiwan
FS18L	Security floor stop — 3 1/2" bumper	-	Taiwan
FS18S	Security floor stop	-	Taiwan
FS9	Semi-Automatic floor holder — 1 1/2" or less door to floor clearance	All	Taiwan
FS40, FS41, FS42, FS43	Automatic floor holder — 1/2" to 2 1/16" door to floor clearance	All	Taiwan
FS544-4"	Kick down door holder — iron	All	Taiwan
FS555-5"	Kick down door holder — iron	All	Taiwan
FS1153	Plunger-type door holder — 1 5/8" throw	US28	Taiwan
FS1154	Plunger-type door holder — 1 1/4" throw	All	Taiwan

Auxiliary hardware

Ives (cont.)

Lock guards

Product	Description	Finish	BAA COO	
LG1	Lock guard with security pin	All	USA	
LG7	Lock guard	All	USA	
LG10	Lock guard	All	USA	
LG11	Lock guard	All	USA	
LG12	Lock guard - narrow	All	USA	
LG13	Lock guard	All	USA	
LG14	Lock guard	All	USA	

Mounting brackets

Product	Description	Finish	BAA COO	TAA COO
MB1	Mounting bracket — stops over 2 1/2"	All	-	Taiwan
MB2	Mounting bracket — stops up to 2 1/2"	All	-	Taiwan

Roller latches

Product	Description	Finish	TAA COO	
RL30, RL30-A	Roller latch	All	Taiwan	
RL32, RL32-A	Roller latch	All	Taiwan	
RL36, RL36A	Roller latch, light-duty, mortise	US32D	Taiwan	
RL38	Roller latch, light-duty, surface mounted	US32D	Taiwan	
RL1152	Combination roller latch/applied stop	All	Taiwan	

Locking bolts

Product	Description	Finish	BAA COO	TAA COO
SB1630B	8" Steel bottom bolt	US2G, US26D	-	Taiwan
SB1630BL-1289	8" Locking bottom bolt	All	USA	-
SB1630BL-1360	8" Locking bottom bolt	All	USA	-
SB1630T	8" Steel top bolt	US2G, US26D	-	Taiwan
SB1630TB	8" Steel bolt with top and bottom strikes	US2G, US26D	-	Taiwan
SB1630TL-1289	8" Locking top bolt	All	USA	-
SB1630TL-1360	8" Locking top bolt	All	USA	-

Wall stops/holders

Product	Description	Finish	TAA COO	
WS11, WS11X	Wall stop for drywall, masonry mounting	All	Taiwan	
WS33, WS33X	Automatic holder and stop universal	US26D	Taiwan	
WS20, WS20X	Automatic holder and stop universal	All	Taiwan	
WS40	Wall stop for drywall, masonry mounting	All	Taiwan	
WS45, WS45X	Manual holder and stop (drywall, masonry)	All	Taiwan	
411R-W	Adhesive wall bumper	White	Taiwan	

Auxiliary hardware

Zero

Automatic door bottom

Product	Description	Function	Finish ¹	BAA COO	TAA COO
320	Aluminum with neoprene seal, mortised, regular duty	Sill protection	AA	USA	–
321	Aluminum with neoprene seal, surface mounted, regular duty, handed	Sill protection	AA, D	USA	–
323	Aluminum with neoprene seal, mortised, regular duty, handed	Sill protection	AA	USA	–
350	Aluminum with neoprene seal, mortised, regular duty	Sill protection	AA	USA	–
351	Aluminum with neoprene seal, surface-mounted, regular duty	Sill protection	AA, D, G	USA	–
352	Aluminum with neoprene seal, semi-mortised, regular duty	Sill protection	AA, D	USA	–
360	Aluminum with neoprene seal, mortised, heavy duty	Sill protection	AA	USA	–
361	Aluminum with neoprene seal, surface-mounted, heavy duty	Sill protection	AA, D, G	USA	–
362	Aluminum with neoprene seal, semi-mortised, heavy duty	Sill protection	AA, D, G	USA	–
364	Aluminum with neoprene seal, mortised, heavy duty	Sill protection	AA	USA	–
364FS	Aluminum with neoprene seal, mortised, heavy duty, intumescent fire protection	Sill protection	AA	USA	–
365FS	Aluminum with neoprene seal, surface-mounted, heavy duty, intumescent fire protection	Sill protection	AA	USA	–
365	Aluminum with neoprene seal, surface-mounted, heavy duty	Sill protection	AA, D, G	USA	–
366	Aluminum with neoprene seal, semi-mortised, heavy duty	Sill protection	AA, D, G	USA	–
367	Aluminum with neoprene seal, surface-mounted, heavy duty, high sound	Sill protection	AA, D, G	USA	–
368	Aluminum with neoprene seal, semi-mortised, heavy duty, high sound	Sill protection	AA, D, G	USA	–
369	Aluminum with neoprene seal, mortised, heavy duty, high sound	Sill protection	AA	USA	–
3551	Aluminum with neoprene seal, mortised, regular duty	Sill protection	A	USA	–
3552	Aluminum with nylon brush seal, mortised, regular duty	Sill protection	A	USA	–
7350	Aluminum with nylon brush seal, mortised, regular duty	Sill protection	A	USA	–

Door sweeps

Product	Description	Function	Finish ¹	BAA COO	TAA COO
39	Aluminum with 1/8" x 1 3/8" neoprene seal	Sill protection	A, D	USA	–
39W	Aluminum with 1/8" x 2" neoprene seal	Sill protection	A, D	USA	–
50M	Aluminum with 1/8" x 1" beveled neoprene seal	Sill protection	AA, BK, D, G		Canada
52	Aluminum door shoe with neoprene seal	Sill protection	A	USA	–
53	Aluminum door shoe with neoprene seal	Sill protection	A	–	Canada
59FS	Aluminum with intumescent, neoprene seal, 1/4" long lip	Sill protection	A		Canada
72	Aluminum door shoe with neoprene seal	Sill protection	A	USA	–
93	Aluminum with neoprene seal	Sill protection		USA	–
95	Aluminum with neoprene seal	Sill protection	AA, BK, D, G	–	Canada
96	Aluminum with nylon brush seal, 1 1/8" long brush	Sill protection	A	USA	–
110	Aluminum with pile brush seal, surface mounted	Sill protection	A	USA	–
111	Aluminum with neoprene seal	Sill protection	AA, BK, D, G	USA	–
111FS	Aluminum door shoe with intumescent seal	Sill protection	A	USA	–
153	Aluminum with neoprene seal	Sill protection	A, D	USA	–
154	Aluminum door shoe with pile brush seal, surface mounted	Sill protection	A, BK, D, G	–	Canada
253	Aluminum with neoprene seal, mortised	Sill protection	A	USA	–
253FS	Aluminum with intumescent fire seal	Sill protection	A	USA	–
254	Aluminum with pile brush seal, mortised	Sill protection	A	USA	–
255	Aluminum with pile brush seal, surface mounted	Sill protection	AA, BK, D, G	–	Canada
329	Aluminum with 1/8" x 1" beveled neoprene seal	Sill protection	AA, D, G	USA	–
339	Aluminum with 1/8" x 1 3/8" neoprene, fire seal	Sill protection	AA, D, G	USA	–
339FS	Aluminum with neoprene and intumescent fire seal	Sill protection	AA, D	USA	–
339W	Aluminum with 1/8" x 2" neoprene seal	Sill protection	AA, D, G	USA	–

¹ Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized.

Auxiliary hardware

Zero (cont.)

Door sweeps

Product	Description	Function	Finish ¹	BAA COO	TAA COO
381	Aluminum with neoprene seal, 1/4" long lip	Sill protection	A	–	Canada
452	Aluminum door shoe with neoprene seal	Sill protection	A	USA	–
477	Aluminum with neoprene seal, 5/8" long lip	Sill protection	AA, D, G	USA	–
511	Aluminum door shoe with rubber seal	Sill protection	A, BK, D, G	USA	–
521FS	Aluminum with silicone and intumescent fire seal, up to 1 1/4" undercut	Sill protection	A	USA	–
539	Aluminum with neoprene seal, 1" long lip	Sill protection		USA	–
639W	Aluminum with 1/8" x 4" neoprene seal	Sill protection	A, D	USA	–
3544	Aluminum with nylon brush seal	Sill protection	A	–	Canada
3546	Aluminum with neoprene seal, mortised	Sill protection	A	–	Canada
8149	Aluminum with nylon brush seal, 5/8" long brush	Sill protection	AA	USA	–
8151	Aluminum with neoprene seal, 13/16" long lip	Sill protection	AA	USA	–
8191	Aluminum with neoprene lip, 13/16" long lip	Sill protection	AA, BK, D, G	–	Canada
8192	Aluminum with nylon brush seal, 5/8" long brush	Sill protection	AA, D	USA	–
8193	Aluminum with nylon brush seal, 3/8" long brush	Sill protection	AA, D	USA	–
8194	Aluminum with neoprene seal, 3/8" long lip	Sill protection	AA, D	USA	–
8197	Aluminum with neoprene seal, 3/5" long lip	Sill protection	A, BK, D, G	USA	–
8198	Aluminum rain drip with nylon brush seal, 3/8" (exposed) long brush	Sill protection	AA, D, G	USA	–

¹ Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized.

Perimeter seals

Product	Description	Function	Finish ¹	BAA COO	TAA COO
11	Aluminum rain drip	Head and jamb protection	AA, BK, D, G	USA	
25	Aluminum interlocking angle	Head and jamb protection	AA, BK, D, G		Canada
31	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
32	Aluminum with pile brush, fire seal	Head and jamb protection	AA, BK, D, G		Canada
33	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
50	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G		Canada
51	Aluminum finger guard with flexible rubber	Head and jamb protection	A, BK, D G	USA	
58FS	Aluminum with silicone, intumescent, fire seal	Head and jamb protection	AA, BK, D, G		Canada
98	Aluminum with pile brush, fire seal	Head and jamb protection	A, BK, D G	USA	
99	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D G	USA	
100	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D G	USA	
139	Aluminum with neoprene, fire/sound seal	Head and jamb protection	A, BK, D G		Canada
140	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D G	USA	
141	Aluminum rain drip	Head and jamb protection	AA, BK, D, G	USA	
142	Aluminum rain drip	Head and jamb protection	AA, BK, D, G	USA	
144	Aluminum interlocking angle	Head and jamb protection	AA, BK, D, G		Canada
170	Aluminum with neoprene, adjustable fire/sound seal	Head and jamb protection	AA, D, G	USA	–
270	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D G	USA	
272	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D G	USA	
302FS	Aluminum with neoprene, intumescent, fire seal	Head and jamb protection	AA, BK, D, G	USA	
312	Aluminum with neoprene, fire/sound seal	Head and jamb protection	A, BK, D G		Canada
312N	Neoprene with PSA, fire seal	Head and jamb protection	BK	USA	
314	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G	USA	
318	Aluminum with neoprene, fire/sound seal	Head and jamb protection	AA, BK, D, G	USA	
318N	Neoprene with PSA, fire seal	Head and jamb protection	BK	USA	
328	Aluminum with neoprene, fire seal	Head and jamb protection	AA, D, G	USA	–
328FS	Aluminum with neoprene, intumescent, fire seal	Head and jamb protection	AA, BK, D, G	USA	–
370	Aluminum with vinyl, magnet, sound seal	Head and jamb protection	A, BK, D G	USA	
375	Aluminum with vinyl, magnet, sound seal	Head and jamb protection	A, BK, D G		Canada
376	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G		Canada

Auxiliary hardware

Zero (cont.)

Perimeter seals

Product	Description	Function	Finish ¹	BAA COO	TAA COO
429	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
470	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G	USA	
470	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G		Canada
472	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G	USA	
472	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G		Canada
475	Aluminum with neoprene bulb fire/smoke seal	Head and jamb protection	AA, D, G	USA	-
478	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G	USA	
485	Aluminum with neoprene, fire/sound seal	Head and jamb protection	AA, BK, D, G	USA	
570	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G	USA	
712	Aluminum with silicone, adjustable fire seal	Head and jamb protection	AA, BK, D, G		Canada
770	Aluminum with neoprene, adjustable fire seal	Head and jamb protection	SP, STST	USA	
870	Aluminum with silicone, adjustable fire seal	Head and jamb protection	AA, D	USA	-
971BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
972BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
973BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
974BIO	Aluminum finger guard with antibacterial rubber	Head and jamb protection	A, BK, D G		Canada
951	Aluminum finger guard with flexible rubber	Head and jamb protection	A, BK, D G	USA	
1370	Aluminum with neoprene, fire seal	Head and jamb protection	A, BK, D G	USA	
3709	Aluminum with neoprene seal	Head and jamb protection	AA, BK, D, G	USA	
5831	Aluminum with silicone seal	Head and jamb protection	AA, BK, D, G		Canada
5831FS	Aluminum with silicone, intumescent, fire seal	Head and jamb protection	AA, BK, D, G		Canada
5832	Aluminum with pile brush seal	Head and jamb protection	AA, BK, D, G		Canada
5832FS	Aluminum with pile brush, intumescent, fire seal	Head and jamb protection	AA, BK, D, G		Canada
5833	Aluminum with silicone seal	Head and jamb protection	AA, BK, D, G		Canada
7770	Aluminum with double neoprenes, adjustable fire/sound seal	Head and jamb protection	AA, D, G	USA	-
8049R	Aluminum with neoprene seal	Head and jamb protection	A		Canada
8302	Aluminum with neoprene, fire/sound seal	Head and jamb protection	AA, BK, D, G		Canada
8303	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8305	Aluminum with nylon brush, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8877	Aluminum with neoprene, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8878	Aluminum with silicone, fire seal	Head and jamb protection	AA, BK, D, G		Canada
8879	Aluminum with nylon brush, fire seal	Head and jamb protection	AA, BK, D, G		Canada

Thresholds

Product	Description	Function	Finish ¹	BAA COO	TAA COO
48	Aluminum threshold 1 1/2" x 3/16"	Adjustable threshold	A		Canada
63	Aluminum saddle threshold 3" x 1/4", ADA compliant	Utility threshold	A, BK, D, G		Canada
64	Aluminum saddle threshold 2 1/2" x 1/4", ADA compliant	Utility threshold	A, BK, D, G		Canada
65	Aluminum rabbeted threshold 5" x 1/2" with neoprene seal, for latchtrack hardware, ADA compliant	Rabbeted threshold	A	-	Canada
68	Aluminum threshold 1 1/8" x 1/4", fire rated	Adjustable threshold	A		Canada
69	Aluminum threshold 1 1/8" x 1/4", fire rated	Adjustable threshold	A	USA	
73	Aluminum interlocking threshold 4" x 1" with neoprene seal	Interlocking threshold	A, BK, D, G	USA	
84R	Rubber threshold 1" x 1/4"	Adjustable threshold	Gray	USA	
102	Aluminum offset threshold 5 1/2" x 1/2", ADA compliant	Offset threshold	A, BK, D, G		Canada
103	Aluminum offset threshold 7" x 1/2"	Offset threshold	A, BK, D, G	USA	
104	Aluminum offset threshold 6" x 3/4"	Offset threshold	A, BK, D, G	USA	
105	Aluminum adjustable threshold 3" x 2"	Adjustable threshold	A, BK, D, G	USA	
106	Aluminum adjustable threshold 2" x 1/2"	Adjustable threshold	A, BK, D, G	USA	
164	Aluminum threshold 4" x 1/2"	Utility threshold	A, BK, D, G	USA	
168	Aluminum adjustable threshold, 1 5/16" x 3/4", fire rated	Adjustable threshold	A, BK, D, G		Canada

Auxiliary hardware

Zero (cont.)

Thresholds

Product	Description	Function	Finish ¹	BAA COO	TAA COO
175	Aluminum interlocking threshold 5" x 7/8"	Interlocking threshold	A, BK, D, G	USA	
232	Aluminum ramp 6" x 1"	Ramp	A, BK, D, G		Canada
233	Aluminum ramp 3" x 3/4"	Ramp	A, BK, D, G		Canada
234	Aluminum ramp 3" x 1/2"	Ramp	A, BK, D, G	USA	
235	Aluminum ramp 3" x 1/4"	Ramp	A, BK, D, G	USA	
236	Aluminum ramp 6" x 1/2"	Ramp	A, BK, D, G	USA	
237	Aluminum ramp 3 1/2" x 1/2"	Ramp	A, BK, D, G	USA	
238	Aluminum ramp 3 1/2" x 3/4"	Ramp	A, BK, D, G	USA	
2361	Aluminum ramp 4" x 1/2"	Ramp	AA	USA	
259R	Rubber ramp 6" x 1/4", ADA compliant	Ramp	BK	USA	
265	Aluminum rabbeted threshold 5" x 5/8" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
267	Aluminum rabbeted threshold 1 3/4" x 5/8"	Rabbeted threshold	A, BK, D, G	USA	
268	Aluminum adjustable threshold 1" x 3/8"	Adjustable threshold	A, BK, D, G	USA	
269	Aluminum connection plate 2" x 1/4"	Adjustable threshold	A	USA	
304	Aluminum half saddle threshold 1 1/2" x 7/16"	Half saddle threshold	A, BK, D, G		Canada
469	Aluminum connection plate 2" x 1/8"	Adjustable threshold	A		Canada
522	Aluminum carpet divider threshold 1 7/16" x 1/2"; wood or rubber insert available for thermal break function	Carpet divider	A	USA	-
523	Aluminum half saddle threshold 3" x 7/8"	Half saddle threshold	A, BK, D, G		Canada
524	Aluminum half saddle threshold 3" x 7/8" with neoprene seals	Half saddle threshold	A, BK, D, G		Canada
525	Aluminum thermal break threshold 5" x 7/8" with neoprene seal	Thermal break threshold	A, BK, D, G		Canada
526	Aluminum thermal break threshold 6" x 7/8" with neoprene seal	Thermal break threshold	A, BK, D, G		Canada
544	Aluminum saddle threshold 4" x 1/4", ADA compliant	Utility threshold	A	-	Canada
545	Aluminum saddle threshold 5" x 1/4", ADA compliant	Utility threshold	A, D	USA	-
546	Aluminum saddle threshold 6" x 1/4", ADA compliant	Utility threshold	A	-	Canada
547	Aluminum saddle threshold 7" x 1/4", ADA compliant	Utility threshold	A	-	Canada
548	Aluminum saddle threshold 8" x 1/4", ADA compliant	Utility threshold	A	-	Canada
560	Aluminum rabbeted threshold 5" x 7/8" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
561	Aluminum rabbeted threshold 4 1/2" x 1" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
563	Aluminum rabbeted threshold 3 9/16" x 7/8" with neoprene seal	Rabbeted threshold	A, BK, D, G	USA	
564	Aluminum rabbeted threshold 3 11/16" x 1/2" with neoprene seal	Rabbeted threshold	A, D	-	Canada
565	Aluminum rabbeted threshold 4 7/8" x 7/8" with neoprene seal	Rabbeted threshold	A, BK, D, G		Canada
566	Aluminum rabbeted threshold 5" x 1/2" with neoprene seal, ADA compliant	Rabbeted threshold	A	USA	-
568	Aluminum rabbeted threshold 6" x 1/2" with neoprene seal, ADA compliant	Rabbeted threshold	A	USA	-
622	Aluminum half saddle threshold 1 15/16" x 1/2", ADA compliant	Half saddle threshold	A	-	Canada
623	Aluminum half saddle threshold 3" x 1/2", ADA compliant	Half saddle threshold	A, BK, D, G		Canada
624	Aluminum thermal break threshold 4" x 1/2"	Thermal break threshold	A, BK, D, G		Canada
625	Aluminum thermal break threshold 5" x 1/2"	Thermal break threshold	A, BK, D, G		Canada
626	Aluminum thermal break threshold 6" x 1/2"	Thermal break threshold	A, BK, D, G		Canada
627	Aluminum half saddle threshold 2" x 1/2" with neoprene seal	Half saddle threshold	A, BK, D, G		Canada
628	Aluminum half saddle threshold 3" x 1/2" with neoprene seal	Half saddle threshold	A, BK, D, G		Canada
643	Aluminum carpet divider threshold 3" x 1"	Carpet divider	A, BK, D, G	USA	
653	Aluminum saddle threshold 3" x 1/2", ADA compliant	Utility threshold	A, BK, D, G		Canada
654	Aluminum saddle threshold 4" x 1/2", ADA compliant	Utility threshold	A	-	Canada

¹ Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized, , STST = Stainless Steel.

Auxiliary hardware

Zero (cont.)

Thresholds

Product	Description	Function	Finish ¹	BAA COO	TAA COO
655	Aluminum saddle threshold 5" x 1/2"	Utility threshold	A, BK, D, G	USA	
656	Aluminum threshold 6" x 1/2", ADA compliant	Utility threshold	A	–	Canada
657	Aluminum saddle threshold 7" x 1/2", for floor closer applications	Utility threshold	A	–	Canada
663	Aluminum rabbeted threshold 3" x 3/8"	Rabbeted threshold	A, BK, D, G		Canada
664	Aluminum saddle threshold 4" x 1/2", ADA compliant	Utility threshold	A, STST	USA	–
669DP	Aluminum diamond plate bulkhead threshold, custom dimensions	Bulkhead threshold	A	USA	
672	Aluminum floor plate threshold 2" x 1/4"	Adjustable threshold	A	USA	–
673	Aluminum floor plate threshold 3" x 1/4"	Adjustable threshold	A	USA	–
674	Aluminum floor plate threshold 4" x 1/4"	Adjustable threshold	A	USA	–
675	Aluminum floor plate adjustable threshold 5" x 1/4"	Adjustable threshold	A	USA	–
676	Aluminum floor plate adjustable threshold 6" x 1/4"	Adjustable threshold	A	USA	–
678	Aluminum floor plate adjustable threshold 8" x 1/4"	Adjustable threshold	A	USA	–
1545	Aluminum half saddle threshold 2 1/2" x 1/4"	Half saddle threshold	A, BK, D, G	USA	
1673	Aluminum half saddle threshold 3" x 1/2"	Half saddle threshold	A, BK, D, G	USA	
1674	Aluminum half saddle threshold 4" x 1/4"	Half saddle threshold	A, BK, D, G		Canada
1675	Aluminum half saddle threshold 5" x 1/4"	Half saddle threshold	A, BK, D, G		Canada
1682	Aluminum carpet divider threshold 1 3/4" x 1/2"	Carpet divider	A, BK, D, G	USA	
1684	Aluminum carpet divider threshold 4" x 1/2"	Carpet divider	A, BK, D, G		Canada
1685R	Rubber carpet divider threshold 2 3/4" x 3/4"	Carpet divider	BK	USA	
1686R	Rubber carpet divider threshold 2" x 3/4"	Carpet divider	BK	USA	
2673	Traction tread aluminum stair nosing 3" x 1/4", fire rated	Adjustable threshold	A	–	Canada
2676	Traction tread aluminum stair nosing 6" x 1/4", fire rated	Adjustable threshold	A	–	Canada
3672	Traction tread aluminum plate 2" x 1/4", fire rated	Adjustable threshold	A	USA	–
3673	Traction tread aluminum plate 3" x 1/4"	Adjustable threshold	A, BK, D, G	USA	
3674	Traction tread aluminum plate 4" x 1/4", fire rated	Adjustable threshold	A, BK, D, G	USA	
3675	Traction tread aluminum plate 5" x 1/4", fire rated	Adjustable threshold	A, BK, D, G	USA	
3676	Traction tread aluminum plate 6" x 1/4", fire rated	Adjustable threshold	A, BK, D, G	USA	
6570	Aluminum threshold 7" x 1/2", ADA compliant	Utility threshold	A	–	Canada
6575	Aluminum saddle threshold 7 1/2" x 1/2"	Utility threshold	A, BK, D, G		Canada
6710	Aluminum floor plate adjustable threshold 10" x 1/4"	Adjustable threshold	A	USA	–
8452	Aluminum adjustable threshold 1 3/4" x 1" with EPDM seal, fire rated	Adjustable threshold	A, BK, D, G	USA	
8655	Aluminum saddle threshold 5" x 1/2", ADA compliant	Utility threshold	A	–	Canada
8724	Aluminum thermal break threshold 5 5/8" x 1/2", ADA compliant	Thermal break threshold	A, BK, D, G		Canada
8726	Aluminum thermal break threshold 7 5/8" x 1/2", ADA compliant	Thermal break threshold	A, BK, D, G		Canada
8729	Aluminum thermal break threshold 6 5/8" x 1/2"	Thermal break threshold	A, BK, D, G		Canada

¹ Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized, , STST = Stainless Steel.

Auxiliary hardware

Zero (cont.)

Meeting stiles

Product	Description	Function	Finish ¹	BAA COO	TAA COO
34	Aluminum meeting stile with pile brush seal, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
35	Aluminum meeting stile with silicone seal, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
36	Aluminum meeting stile with silicone seal, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
38	Aluminum meeting stile with EPDM rubber, bull-nosed doors, both doors active	Meeting stile	AA, BK, D, G		Canada
40	Aluminum magnetic astragal, one door active	Astragal	AA, BK, D, G		Canada
41	Aluminum with pile brush seal exterior security astragal, one door active	Astragal	AA, D	–	Canada
43	Aluminum security astragal, one door active	Astragal	SP, STST	USA	
44	Aluminum astragal, one door active	Astragal	STST	USA	
47	Aluminum astragal, one door active	Astragal	AA, BK, D, G	USA	
55, 155	Adjustable surface aluminum astragal with brush seal	Astragal	AA, D	USA	–
55, 555	Adjustable surface aluminum astragal with silicone fire seal, both doors active	Astragal	AA, D	USA	–
55FS, 555FS	Adjustable surface aluminum astragal with intumescent/silicone fire seal, both doors active	Astragal	AA, D	USA	–
56	Adjustable mortised aluminum astragal with brush seal, both doors active	Astragal	AA, D, G	USA	–
56, 557	Adjustable mortised aluminum astragal with silicone fire seal, both doors active	Astragal	AA, D	USA	–
56FS, 557FS	Adjustable mortised aluminum astragal with intumescent/silicone fire seal, both doors active	Astragal	AA, D, G	USA	–
140FS	Aluminum astragal with intumescent/neoprene fire seals, one door active	Astragal	A	USA	–
156	Adjustable aluminum meeting stile with pile brush seal, bull-nosed doors	Astragal	AA, BK, D, G		Canada
159FS	Aluminum meeting stile with intumescent/silicone fire seal, bull-nosed doors, both doors active	Meeting stile	A		Canada
322	Aluminum astragal with sponge neoprene fire seals, one door active	Astragal	A	–	Canada
326	Aluminum astragal with neoprene seals, both doors active	Astragal	AA, D, G	USA	–
383	Aluminum astragal with neoprene seals, one door active	Astragal	AA, D	–	Canada
383FS	Aluminum astragal with neoprene seal/intumescent, one door active	Astragal	AA, D	–	Canada
398V	Aluminum meeting stile with pile brush seal, bull-nosed doors, both doors active	Meeting stile	Solid brown	USA	
399V	Aluminum meeting stile with silicone seal, bull-nosed doors, both doors active	Meeting stile	Solid brown	USA	
871	Adjustable aluminum meeting stile with pile brush seal, beveled doors	Meeting stile	AA, BK, D, G		Canada
873	Adjustable aluminum meeting stile with silicone seal, beveled doors	Meeting stile	AA, BK, D, G		Canada
905	Aluminum astragal, one door active	Astragal	AA, BK, D, G		Canada
1840	Aluminum astragal with sponge neoprene seal, one door active	Astragal	AA, D	–	Canada
3056FS, 3557FS	Adjustable mortised aluminum astragal with intumescent/silicone fire seal, both doors active	Astragal	AA, D, G	USA	–
8195	Aluminum meeting stile with neoprene lip, beveled doors, both doors active	Meeting stile	AA, BK, D, G		Canada
8217	Aluminum mortised meeting stile with silicone lip, bull-nosed doors, both doors active	Meeting stile	BK	USA	

¹ Finish: A = Mill Aluminum, AA = Clear Anodized, D = Dark Bronze Anodized, G = Gold Anodized, , STST = Stainless Steel.

Auxiliary hardware

Zero (cont.)

Weatherstripping

Product	Description	Function	Finish	BAA COO	TAA COO
4	Jamb seal for double-hung wood windows, 1 3/4"	Door seals	B, Z	USA	
5	Jamb seal for double-hung wood windows, 2"	Door seals	B, Z	USA	
18	Cushion-spring seals for wood doors and frames, 1/2"	Door seals	B	USA	
19	Cushion-spring seals for wood doors and frames, 3/4"	Door seals	B	USA	
19W	Cushion-spring seals for wood doors and frames, 1 1/8"	Door seals	B	USA	
23	Interlocking hook, 1/4"	Door seals	A, BK, D, G	USA	
34P	Self-adhesive pile brush seal, 2/5" x 1/4"	Door seals	BK, GY	USA	
117S	Self-adhesive silicone with fin, fire seal, 13/32" wide	Door seals	Black	USA	-
118	Self-adhesive cushion spring seal, 9/16" wide	Door seals	Bronze, Stainless steel	USA	-
119	Self-adhesive cushion spring seal, 3/4" wide	Door seals	Bronze	USA	-
119W	Self-adhesive cushion spring seal, 1 1/8" wide	Door seals	Bronze, Stainless steel	USA	-
133	Pile brush astragal, 1/2" wide, for swinging doors	Door seals	CL	USA	
134	Neoprene astragal, 1/2" wide, for swinging doors	Door seals	CL	USA	
135	Self-adhesive PVC seal, 1/2" wide, for glass sliding doors	Door seals	-	USA	
136	Self-adhesive PVC seal, 3/4" wide, for glass sliding doors	Door seals	-	USA	
137P	Self-adhesive pile brush seal, 1/4", for glass sliding doors	Door seals	BK, GY	USA	
138	Self-adhesive pile brush seal, 3/4" wide, for glass sliding doors	Door seals	-	USA	
139N	Self-adhesive neoprene seal, 1 1/4" x 1/4"	Door seals	BK	USA	
188S/188BIO/ 188FS	Self-adhesive silicone bulb fire/smoke seal, 1/2" x 1/4"	Door seals	2	USA	-
400	Jamb seal for double-hung wood windows, 1 3/4"	Door seals	B, Z	USA	
488S/488BIO/ 488FS	Self-adhesive silicone bulb fire/smoke seal, 3/8" x 3/16"	Door seals	2	USA	-
500	Jamb seal for double-hung wood windows, 2"	Door seals	B, Z	USA	
810N	Self-adhesive neoprene seal, 5/8" x 5/8"	Door seals	BK	USA	
811N	Self-adhesive neoprene seal, 3/4" x 5/8"	Door seals	BK	USA	
812N	Self-adhesive neoprene seal, 1" x 5/8"	Door seals	BK	USA	
813N	Self-adhesive neoprene seal, 1 1/4" x 5/8"	Door seals	BK	USA	
824N	Self-adhesive neoprene seal, 2/5" x 1/5"	Door seals	BK	USA	
826N	Self-adhesive neoprene seal, 3/8" x 1/8"	Door seals	BK	USA	
926N	Self-adhesive neoprene seal, 3/8" x 3/16"	Door seals	BK	USA	
2070N	Self-adhesive neoprene seal, 5/8" x 1/4"	Door seals	BK	USA	
3708N	Self-adhesive neoprene seal, 1" x 2/5"	Door seals	BK	USA	
4000	Jamb seal for double-hung wood windows, 1 3/4"	Door seals	B, Z	USA	
5000	Jamb seal for double-hung wood windows, 2"	Door seals	B, Z	USA	
8004N	Kerf pressure neoprene seal, 1/5"	Door seals	BK	USA	
8042S	Self-adhesive silicone seal, 7/16" x 1/5"	Door seals	BK	USA	
8043N	Kerf pressure neoprene seal, 3/8"	Door seals	BK	USA	
8047R	Neoprene intermediate stile, 7/8"	Door seals	-	USA	
8048S	Kerf pressure silicone seal, 1/4"	Door seals	BK	USA	
8052N	Kerf pressure neoprene seal, 3/8"	Door seals	BK	USA	
8053Q	Kerf pressure vinyl-covered foam seal, 3/8"	Door seals	BR, WH	USA	
8054S	Kerf pressure silicone seal, Ø 1/4" bulb	Door seals	Black, White	USA	-
8055S	Kerf pressure silicone seal, 3/8"	Door seals	BK, WH	USA	
8056S	Kerf pressure silicone seal, 7/16"	Door seals	BK, WH	USA	
8137	Self-adhesive pile brush seal, 5/16"	Door seals	CL	USA	
8138	Self-adhesive pile brush seal, 5/16"	Door seals	CL	USA	
8144S/8144FS	Self-adhesive silicone batwing type fire/smoke seal, 7/16" x 7/16"	Door seals	Black, White	USA	-
8145S	Self-adhesive silicone bulb and fin, fire seal, 1/2" x 3/16"	Door seals	Black	USA	-
8150S	Self-adhesive silicone seal, 1/2" x 3/8"	Door seals	BK	USA	

Auxiliary hardware

Zero (cont.)

Weatherstripping

Product	Description	Function	Finish	BAA COO	TAA COO
8172N	Self-adhesive neoprene seal, 1/4" x 1/8"	Door seals	BK	USA	
8216S	Self-adhesive silicone seal, 1/2" x 1/4"	Door seals	BK	USA	
8770N	Self-adhesive neoprene seal, 1/2" x 1/8"	Door seals	BK	USA	
8780N	Self-adhesive neoprene seal, 1" x 1/10"	Door seals	BK	USA	
8800S	Kerf pressure silicone seal, 1/4"	Door seals	BK, WH	USA	
8810S	Kerf pressure silicone seal, 1/4"	Door seals	BK, WH	USA	
8812S	Kerf pressure silicone seal, 1/4"	Door seals	BK, WH	USA	
8841R	Kerf pressure silicone seal, 5/16"	Door seals	BK	USA	
9131	Self-adhesive PVC seal, 3/4" x 3/16", for glass sliding doors	Door seals	CL	USA	
9137	Self-adhesive PVC seal, 1" lip, for glass sliding doors	Door seals	CL	USA	

Miscellaneous

Product	Description	Function	Finish	BAA COO	TAA COO
2070	Aluminum panel insert with neoprene rubber	Flood barrier shield	A	USA	
FS3003	Intumescent fire seal, expands 16-18x	Fire seal	Black	USA	
FS4004	Intumescent fire seal, expands 80x	Fire seal	Red	USA	

Advantage

Louvers

Product	Description	Finish	BAA COO
4CY, XX4CY, 40Y, 700AA, XX700AA, AFL100	Door louvers	All	USA

Lites

Product	Description	Finish	BAA COO	TAA COO
88G2, 88G4, 88G8, 784G, 784G-SS, 784G3, 784G5, XX784G, XX784G3, XX784G5, X500, X625, X750, X875, X1000, XX500, XX625, XX750, XX875, XX1000	Vision lites	All	USA	-
SP250, SP350, SP450, SP550	Circular vision lites	All	-	UK

Doors and frames

Steelcraft*

Metal doors

Product	Description	Gauge	BAA COO
L/LF/LW Series ‡	Laminated core	14, 16, 18 and 20	USA
LS Series	Stainless steel	14, 16 and 18	USA
SL Series	Square edge laminated core	18 and 20	USA
B/BF/BW Series ‡	Steel stiffened core	14, 16 and 18	USA
T/TF/TW Series	Temperature rise	14, 16, 18 and 20	USA
CE/CEF/CEW Series	Embossed panel	16, 18 and 20	USA
A14 Series	Full glass	14	USA
H/HF/HE Series	Hurricane rated	14 and 16	USA
Paladin™ PW Series	Tornado resistant	14	USA
GRAINTECH™ Series	Embossed wood grain panels	16 and 18	USA
INPACT™ Series	Integrated door system	16 and 18	USA

Metal frames

Product	Description	Gauge	BAA COO
F Series	Flush frame	12, 14 and 16	USA
FS, KS, MS Series	Stainless steel	14 and 16	USA
FN Series	Flush frame, 1" face	14 and 16	USA
MU Series	Multi-use frame	14 and 16	USA
FE and DE Series	Double egress frame	14 and 16	USA
DW Series	Drywall frame	14 and 16	USA
K Series	Drywall frame	14 and 16	USA
Paladin™ FP Series	Tornado resistant	14	USA
FT Series	Thermal break frame	14 and 16	USA
C, CK Series	Casing-ready frame	14 and 16	USA

Architectural stick

Product	Description	Gauge	BAA COO
F Series	Flush frame	14 and 16	USA
MU Series	Multi-use frame	14 and 16	USA
FN Series	Flush frame, 1" face	14 and 16	USA

‡ Meets A.T.F.P. Bomb blast criteria when used with Schlage or Falcon Grade 1 cylindrical or mortise locks only. Approved under ASTM F 1642 test method.
 * Meets AIS (defined on page 5).

Doors and frames

Republic*

Metal doors

Product	Description	Gauge	BAA COO
DL Series	Laminated core	20, 18, 16	USA
	Steel stiffened core	18, 16	USA
	Steel stiffened core/lead lined	18, 16	USA
	Temperature rise core	20, 18, 16	USA
	Embossed panel	18, 16	USA
	Hurricane rated (impact and non-impact)	18, 16	USA
	Acoustical rated	16	USA

Metal doors

Product	Description	Gauge	BAA COO
DE Series	Laminated core	18, 16, 14	USA
	Steel stiffened core	18, 16, 14	USA
	Steel stiffened core/lead lined	18, 16, 14	USA
	Temperature rise core	18, 16, 14	USA
	Embossed panel	18, 16	USA
	Hurricane rated (impact and non-impact)	18, 16, 14	USA
	Tornado rated	14	USA
	Acoustical rated	16, 14	USA
	Bullet resistant rated	14	USA
DP Series	Laminated core	20, 18	USA
	Embossed panel	18	USA
	Hurricane rated (impact and non-impact)	18	USA
DF Series	Tornado resistant	14	USA

Metal frames

Product	Description	Gauge	BAA COO
ME Series	Universal profile	16, 14	USA
MH Series	Drywall profile	16, 14	USA
SE Series	Universal profile/stick	16, 14, 12	USA
SH Series	Drywall profile/stick	16, 14	USA
DF Series	Tornado resistant	14	USA

Falcon*

Metal doors

Product	Description	Gauge	BAA COO
SZ Series	Flush door	18	USA

* Meets AIS (defined on page 5).

AD Systems

Sliding doors

Product	Description	BAA COO
ExamSlide™	Sliding door system	USA
OfficeSlide™	Sliding door system	USA
InsetSlide™	Sliding door system	USA
FireSlide™	Fire rated sliding door system	USA

Electronics

Locks

Schlage

Networked

Product	Description	Function	Finish	BAA COO	TAA COO
AD-300 ▲	Networked hardwired - direct RS-485 connection or Wiegand or clock & data	All	All	USA	Mexico
AD-302 ▲	FIPS 201-1/PIV compliant - Networked hardwired - direct RS-485 connection or Wiegand or clock & data	All	All	USA	Mexico
AD-400 ▲	Networked wireless - 900 MHz, secure encrypted data transmission	All	All	USA	Mexico
AD-402 ▲	FIPS 201-1/PIV compliant - Networked wireless - 900 MHz, secure encrypted data transmission	All	All	USA	Mexico

▲ Complete locks only for COO orders USA. See page 8 for additional cost and order requirements.

Standalone

Product	Description	Function	Finish	BAA COO	TAA COO
AD-200 ▲	Offline - rights on lock	All	All	USA	Mexico
AD-201 ▲	FIPS 201-1/PIV compliant - Offline - rights on lock	All	All	USA	Mexico
AD-250 ▲	Offline - rights on cards	All	All	USA	Mexico
CO-100	Offline; keypad only, manually programmable only	All	All	-	Mexico
CO-200	Offline; user access rights stored in lock	All	All	-	Mexico
CO-220	Offline; user access rights stored in lock	All	All	-	Mexico
CO-250	Offline; user access rights stored on magnetic stripe card	All	All	-	Mexico

▲ Complete locks only for COO orders USA. See page 8 for additional cost and order requirements.

Wireless

Product	Description	Function	Finish	BAA COO	TAA COO
NDE Series	Wireless cylindrical lock - 2.4GHz, secure encrypted data transmission	All	All	-	Mexico
LE Series	Wireless mortise lock - 2.4 GHz, secure encrypted data transmission	All	All	-	Mexico
Control Series	Wireless deadbolt / interconnect lock	All	All	-	Mexico

Note: Items on this page have BAA options in Allegion Electronic Security price book.

Locks

Schlage (cont.)

Accessories

Product	Description	Finish	BAA COO	TAA COO
ANT400	Antenna for PIMs used with wireless AD devices	-	-	Israel
CT5000	Standalone controller	-	-	Mexico
ECK400	Elevator kit includes ANT400-REM-I/O, WRI400, PIM400-TD2, 593-PI	-	-	Mexico
GCK400	Wireless gate kit includes WRI400, PIM400-TD2, ANT-REM-I/O, MGB+MCA5, 593-PI	-	-	Mexico
HHD	Hand Held Device	-	-	Korea
PIB300-2D ▲	Panel interface board for AD-300/301 hardwired locks - Wiegand integrations only	-	USA	Mexico
PIM400 ▲	Panel interface module for AD-400/401 wireless locks	-	USA	Mexico
REPTR400	Wireless Repeater to extend the distance from WAPM to PIM	-	-	Mexico
RLBD	Dry contact board for either PIM400-TD2 or PIB300-2D	-	USA‡	-
TK400	Wireless test kit for testing signal strength at WAPM	-	-	Mexico
WPR-400	Wireless portable reader - 900 MHZ, secure encrypted data transmission	-	-	Mexico
WRI400	Wireless reader interface for traditional hardwired openings	-	-	Mexico

▲ See page 8 for additional cost and order requirements

‡ Must be selected as option for PIM400 or PIB300-2D at time of order to qualify under BAA.

Readers and credentials

Schlage

Networked readers

Product	Description	Finish	BAA COO
SM10	Credential reader - mini-mullion	All	USA
MT11	Multi-technology reader - mullion	All	USA
MT11-485**	Multi-technology reader - mullion	All	USA
MTB11	Mobile enabled multi-technology reader - mullion	All	USA
MT15	Multi-technology reader - single gang	All	USA
MT15-485**	Multi-technology reader - single gang	All	USA
MTB15	Mobile enabled multi-technology reader - single gang	All	USA
MTK15	Multi-technology reader with keypad - single gang	All	USA
MTK15-485**	Multi-technology reader with keypad - single gang	All	USA
MTKB15	Mobile enabled multi-technology reader with keypad - single gang	All	USA
MTMS15	Multi-technology with magnetic stripe reader - single gang	All	USA
MTMS15-485**	Multi-technology with magnetic stripe reader - single gang	All	USA
MTMSK15	Multi-technology with magnetic stripe reader and keypad - single gang	All	USA
MTMSK15-485**	Multi-technology with magnetic stripe reader and keypad - single gang	All	USA

** FIPS 201-2 Compliant. By default, readers are configured with 75 bit format. Configuration to other approved output formats is available. FIPS 201-2 certified with approved access control systems and with RS-485 system interface only. When ordering FIPS compliant readers for RS-485 system interface you MUST add "-485" to the model number when placing the order.

Credentials

13.56 MHz MIFARE Classic® Smart Technology

Product number	Description	Finish	BAA COO
9420	Clamshell; 2.5k bit memory/ISO 14443	-	USA
9451	Clamshell; 1K byte/8k bit memory/ISO 14443	-	USA
9520	ISO glossy white; 2.5k bit memory/ISO 14443; composite	-	USA
9520M1	ISO glossy white with mag stripe; 2.5k bit memory/ISO 14443; composite	-	USA
9551	ISO glossy white; 1K byte/8k bit memory/ISO 14443; composite	-	USA
9551M1	ISO glossy white with mag stripe; 1K byte/8k bit memory/ISO 14443; composite	-	USA
9558	ISO glossy white; 4K byte/32k bit memory/ISO 14443; composite	-	USA
9558M1	ISO glossy white with mag stripe; 4K byte/32k bit memory/ISO 14443; composite	-	USA
9651	Keyfob; 1K byte/8k bit memory/ISO 14443	-	USA
9651T	Thin keyfob; 1K byte/8k bit memory/ISO 14443	-	USA
9751	PVC adhesive patch; 1K byte/8k bit memory/ISO 14443	-	USA
9758	PVC adhesive patch; 4K byte/32k bit memory/ISO 14443	-	USA

Readers and credentials

Schlage (cont.)

Credentials (cont.)

Multi-Technology: 125 kHz Proximity and 13.56 MHz Contactless MIFARE Classic Smart Card Technology

Product number	Description	Finish	BAA COO
9691T	Thin Keyfob, Combo 125 kHz/13.56 MHz MIFARE 1k byte/8k bit memory	-	USA
9951	ISO glossy white; Combo 125 kHz/13.56 MHz MIFARE 1K byte/8k bit memory	-	USA
9951M1	ISO glossy white with mag stripe; Combo 12 kHz/13.56 MHz MIFARE 1K byte/8k bit memory	-	USA
9958	ISO glossy white; Combo 125 kHz/13.56 MHz MIFARE 4K byte/32k bit memory	-	USA
9958M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz MIFARE 4K byte/32k bit memory	-	USA

13.56 MHz MIFARE® DESFire® EV1 Smart Technology

Product number	Description	Finish	BAA COO
8420	Clamshell; 2K byte/16K bit memory/ISO 14443	-	USA
8520	ISO glossy white; 2K byte/16K bit memory/ISO 14443	-	USA
8520M1	ISO glossy white with mag stripe; 2K byte/16K bit memory/ISO 14443	-	USA
8440	Clamshell; 4K byte/32K bit memory/ISO 14443	-	USA
8540	ISO glossy white; 4K byte/32K bit memory/ISO 14443	-	USA
8540M1	ISO glossy white with mag stripe; 4K byte/32K bit memory/ISO 14443	-	USA
8480	Clamshell; 8K byte/64K bit memory/ISO 14443	-	USA
8580	ISO glossy white; 8K byte/64K bit memory/ISO 14443	-	USA
8580M1	ISO glossy white with mag stripe; 8K byte/64K bit memory/ISO 14443	-	USA
8720	PVC adhesive patch; 2K byte/16K bit memory/ISO 14443	-	USA
8740	PVC adhesive patch; 4K byte/32K bit memory/ISO 14443	-	USA
8780	PVC adhesive patch; 8K byte/64K bit memory/ISO 14443	-	USA

Multi-Technology: 125 kHz Proximity and 13.56 MHz MIFARE DESFire EV1 Contactless Smart Card Technology

Product number	Description	Finish	BAA COO
8920	ISO glossy white; Combo 125 kHz/13.56 MHz 2K byte/16K bit memory	-	USA
8920M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz 2K byte/16K bit memory	-	USA
8940	ISO glossy white; Combo 125 kHz/13.56 MHz 4K byte/32K bit memory	-	USA
8940M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz 4K byte/32K bit memory	-	USA
8980	ISO glossy white; Combo 125 kHz/13.56 MHz 8K byte/64K bit memory	-	USA
8980 M1	ISO glossy white with mag stripe; Combo 125 kHz/13.56 MHz 8K byte/64K bit memory	-	USA

125 kHz Proximity Technology

Product number	Description	Finish	BAA COO
7410	Clamshell; HID Prox compatible	-	USA
7510	ISO glossy white card; HID Prox compatible; composite	-	USA
7510M1	ISO glossy white card with mag stripe; HID Prox compatible; composite	-	USA
7610	Keyfob; HID Prox compatible	-	USA
7610T	Thin keyfob; HID Prox compatible	-	USA
7010	PVC adhesive disk – 35mm; HID Prox compatible	-	USA

Biometrics

Schlage

Access control

Product	Description	BAA COO
HK-2	HandKey II reader	USA
HK-CR	HandKey CR reader	USA

Time and attendance

Product	Description	BAA COO
GT-400	GT-400 Time and attendance reader	USA
HP-1000	HandPunch time and attendance reader with memory for 50 users	USA
HP-1000-E	HandPunch time and attendance reader with Ethernet and memory for 100 users	USA
HP-1000-E-XL	HandPunch time and attendance reader with Ethernet and memory for 100 users, break compliant	USA
HP-1000-XL	HandPunch time and attendance reader with memory for 50 users, break compliant	USA
HP-2000	HandPunch time and attendance reader with memory for 512 users	USA
HP-2000-XL	HandPunch time and attendance reader with memory for 512 users, break compliant	USA
HP-3000	HandPunch time and attendance reader with memory for 512 users	USA
HP-3000-E	HandPunch time and attendance reader with Ethernet and memory for 512 users	USA
HP-3000-E-XL	HandPunch time and attendance reader with Ethernet and memory for 530 users, break compliant	USA
HP-3000-XL	HandPunch time and attendance reader with memory for 530 users, break compliant	USA
HP-4000	HandPunch time and attendance reader with memory for 530 users	USA
HP-4000-S	HandPunch time and attendance reader with memory for 530 users, includes handheld scanner	USA

Spares and accessories

F Series

Product	Description	BAA COO
BR-100	5V Relay	USA
DC-200	Data converter for 4 wire system, USB to RS-422 (HP only)	USA
FX-ENCL	Polyethylene with UV resist outdoor enclosure (supersedes model # HURCNE)	USA
HN-2-T1	HandNet tier one: Up to 5 HandKeys	USA
HN-2-T2	HandNet tier two: Up to 25 HandKeys	USA
HN-2-T3	HandNet tier three: Unlimited HandKeys	USA
MD-500	Internal 14.4K Baud dial-up modem	USA
S-PC-IKE-RB	Spare main board for HP-1000-E	USA
S-PC-IKE-XL-RB	Spare main board for HP-1000-E-XL	USA
S-PC-1K-RB	Spare main board for HP-1000	USA
S-PC-1K-XL-RB	Spare main board for HP-1000-XL	USA
S-PC-2K-RB	Spare main board for HP-2000	USA
S-PC-2K-XL-RB	Spare main board for HP-2000-XL	USA
S-PC-3K-RB	Spare main board for HP-3000	USA
S-PC-3K-XL-RB	Spare main board for HP-3000-XL	USA
S-PC-4K-RB	Spare main board for HP-4000	USA
S-PC-HK2-RB	HandKey II main PCB battery backup ready	USA
S-PC-HKCR-RB	HandKey CR main PCB battery backup ready	USA
S-PL-F	Platen overlay with antimicrobial and blue hand outline	USA
S-PL-F30	Complete platen assembly with antimicrobial and blue hand outline	USA

Biometrics

Spares and accessories (cont.)

F Series

Product	Description	BAA COO
S-TP-1000	HP-1000 Top panel assembly	USA
S-TP-1000-E	HP-1000-E Top panel assembly	USA
S-TP-1000-E-XL	HP-1000-E-XL Top panel assembly	USA
S-TP-1000-XL	HP-1000-XL Top panel assembly	USA
S-TP-2000	HP-2000 Top panel assembly	USA
S-TP-2000-XL	HP-2000-XL Top panel assembly	USA
S-TP-3000	HP-3000 Top panel assembly	USA
S-TP-3000-XL	HP-3000-XL Top panel assembly	USA
S-TP-4000	HP-4000 Top panel assembly	USA
S-TP-CR	HandKey CR Top panel assembly	USA
S-TP-HK	ID3D-R Top panel assembly	USA
S-TP-HK2	HandKey II Top panel assembly	USA
S-TP-HP	HandPunch Top panel assembly	USA
TM-100	Table-top secure mount for F Series	USA
TX-ENCL	Metal watertight enclosure (supersedes model # TSNAMI)	USA

G Series

Product	Description	BAA COO
GX-ENCL	Polyethylene with UV resist outdoor enclosure	USA
S-CP-BLUE	Replacement set (2) of caps for G HandPunch - BLUE	USA
S-CP-GRAY	Replacement set (2) of caps for G HandPunch	USA

The below related spares, options and accessories MUST be ordered and installed in the factory in the Hand Readers in order to meet BAA compliance. If sold separately, products are a non-domestic end product or non-designated country end product.

F Series

Product	Description	BAA COO
BB-200	Operational battery backup with power management board for reader with serial numbers below 1345000	USA
BB-250	Battery backup available only at the time of initial purchase	USA
EN-201*	Ethernet comm module, orange	USA
INT-HTR	"Outdoor platen heater. Factory option only, not available for field installation Includes 24 VDC power supply to operate HandReader"	USA
PROX	Externally mounted HID ProxPoint RF reader	USA
PS-110	Power supply. 120 VAC to 13.5 VDC with connector	USA
PS-220	Power supply. 220 VAC to 13.5 VDC with connector	USA
SC-100	Integrated side mounted Mifare smart card reader with external clear acrylic card holder	USA
PS-110	Power supply. 120 VAC to 13.5 VDC with connector	USA

G Series

Product	Description	BAA COO
BB-300	Operational battery backup with power management board	USA
GT-BCR	Integrated barcode reader for GT 400	USA
INT-HTR-G	Outdoor platen heater. Factory option only, not available for field installation Includes 24 VDC power supply to operate HandReader	USA

System components and accessories

Schlage

Pushbuttons/keyswitches

Product	Description	BAA COO
621 Series	1 1/4" Heavy duty pushbuttons	USA
623 Series	1 5/8" Heavy duty pushbuttons	USA
625 Series	2 3/4" Heavy duty pushbuttons	USA
630 Series	1 1/4" Extreme duty pushbuttons	USA
650 Series	Heavy duty keyswitches	USA
660 Series	Surface mini box distribution	USA
701 Series	Entry level pushbutton (round bottom)	USA
709 Series	Entry level pushbutton (square illuminated)	USA

Door position switch

Product	Description	BAA COO
674-OH	Overhead door floor mount	USA
679-05	Wood door and frame	USA
679-05HM	Hollow metal door and frame	USA
679-05WD	Wood door and metal frame	USA
7764	Concealed/flush mount	USA
7766	Surface mount	USA

Electronic horns

Product	Description	TAA COO
1910-1	Selica horn, 12/24 VDC	Mexico

Power supplies

Product	Description	BAA COO
PS902BAA ▲	Power supply, 2 Amp	USA
PS904BAA ▲	Power supply, 4 Amp	USA
PS906BAA ▲	Power supply, 6 Amp	USA

▲ See page 8 for additional cost and order requirements. Option board selections must be made for power supply at time of order. See page 39.

Door cords

Product	Description	BAA COO
788 Series	3/8" Armored door cords	USA
798 Series	1/2" Armored door cords	USA

FSH

Door position switch

Product	Description	TAA COO
FSS1	Door position high security switch	Australia

System components and accessories

PS900 Option boards listed below MUST be ordered with a BAA compliant power supply in order to meet BAA compliance.

Schlage and Von Duprin

Power supply option boards - PS900

Product	Description
900-4R	4 Independently controlled relays
900-4R FA	4 Independently controlled relays with FA
900-2RS	2 Relay board specifically for controlling Von Duprin exit devices
900-2RS FA	2 Relay board specifically for controlling Von Duprin exit devices
900-4RL	4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays
900-4RL FA	4 Relay board with integrated logic for controlling security interlocks, auto operators, and time delays with FA
900-8F	8 Fuse protected outputs
900-8F FA	8 Fuse protected outputs with FA
900-8P	8 PTC protected outputs
900-8P FA	8 PTC protected outputs with FA
900-BBK	Battery backup kit (includes two 7A/hr batteries)
900-BB	Battery backup board only
900-FA	Fire alarm relay (EIR) module

Power supply accessories - PS900

Product	Description
900-BAT	Backup battery pack (includes two 7A/hr batteries)
900-KL	Key lock

System components and accessories

Von Duprin

Electric strikes

Product	Description	Finish	BAA COO
6111	Rim exit device strike 6"	All	USA
6112	Rim exit device strike 9"	All	USA
6113	Rim exit device strike 6"	All	USA
6114	Rim night latch strike 7 1/2"	All	USA
6121	Rim exit device strike 9 1/8"	All	USA
6210	Mortise lock strike 4 7/8"	All	USA
6211	Mortise/cylindrical lock strike 4 7/8"	All	USA
6211AL	Mortise/cylindrical lock strike 4 7/8"	All	USA
6211WF	Mortise/cylindrical lock strike 4 7/8"	All	USA
6212	Mortise/cylindrical lock strike 6 3/8"	All	USA
6212WF	Mortise/cylindrical lock strike 6 3/8"	All	USA
6213	Mortise/cylindrical lock strike 6"	All	USA
6214	Mortise/cylindrical lock strike 9"	All	USA
6215	Mortise/cylindrical lock strike 9"	All	USA
6216	Mortise with deadbolt strike 9"	All	USA
6221	Mortise/cylindrical lock strike 6"	All	USA
6222	Mortise/cylindrical lock strike 9"	All	USA
6223	Mortise/cylindrical lock strike 6"	All	USA
6224	Mortise/cylindrical lock strike 9"	All	USA
6224AL	Mortise/cylindrical lock strike 9"	All	USA
6225	Mortise/cylindrical lock strike 9"	All	USA
6226	Mortise/cylindrical lock strike 9"	All	USA

Electric power transfers (EPTs)

Product	Description	Finish	BAA COO
EPT-2BAA ▲	EPT - Two 18 gauge wires	SP28, SP313	USA
EPT-10BAA ▲	EPT - Ten 24 gauge wires	SP28, SP313	USA

▲ See page 8 for order requirements.

Power supplies

Product	Description	Finish	BAA COO
PS914BAA ▲	High in rush power supply, 4 Amp	—	USA

▲ See page 8 for additional cost and order requirements. Option board selections must be made for power supply at time of order. See page 39.

Allegion Connect wiring

Product	Description	Finish	BAA COO
CON-6	6" wire with connectors on both ends	—	Mexico
CON-12	12" wire with connectors on both ends	—	Mexico
CON-26	26" wire with connectors on both ends	—	Mexico
CON-32	32" wire with connectors on both ends	—	Mexico
CON-38	38" wire with connectors on both ends	—	Mexico
CON-44	44" wire with connectors on both ends	—	Mexico
CON-50	50" wire with connectors on both ends	—	Mexico
CON-192	192" wire with connectors on both ends	—	Mexico
CON-6P	6" wire with connectors on one end and crimped pins on the other	—	Mexico
CON-12P	12" wire with connectors on one end and crimped pins on the other	—	Mexico
CON-26P	26" wire with connectors on one end and crimped pins on the other	—	Mexico
CON-32P	32" wire with connectors on one end and crimped pins on the other	—	Mexico
CON-38P	38" wire with connectors on one end and crimped pins on the other	—	Mexico
CON-44P	44" wire with connectors on one end and crimped pins on the other	—	Mexico
CON-50P	50" wire with connectors on one end and crimped pins on the other	—	Mexico
CON-192P	192" wire with connectors on one end and crimped pins on the other	—	Mexico

▲ See page 8 for additional cost and order requirements. Option board selections must be made for power supply at time of order. See page 39.

System components and accessories

Locknetics

Electromagnetic locks

Product	Description	Finish	TAA COO
MG600	600lb electromagnetic lock	630	Taiwan
MG600-2	600lb electromagnetic lock - double	630	Taiwan
MG600DT	600lb electromagnetic lock - monitored	630	Taiwan
MG600DT-2	600lb electromagnetic lock - monitored/double	630	Taiwan
MG1200	1200lb electromagnetic lock	630	Taiwan
MG1200-2	1200lb electromagnetic lock - double	630	Taiwan
MG1200DT	1200lb electromagnetic lock - monitored	630	Taiwan
MG1200DT-2	1200lb electromagnetic lock - monitored/double	630	Taiwan
WMG600	600lb weatherproof electromagnetic lock	630	Taiwan
WMG1200	1200lb weatherproof electromagnetic lock	630	Taiwan

Electromagnetic lock accessories

Product	Description	Finish	TAA COO
MFP63	5/8" filler plate	628	Taiwan
MFP50	1/2" filler plate	628	Taiwan
MLBK600	600lb L-bracket	628	Taiwan
MLBK1200	1200lb L-bracket	628	Taiwan
MUBK	U-bracket - 600/1200lb adjustable	628	Taiwan
MZBK600	600lb Z-bracket	628	Taiwan
MZBK1200	1200lb Z-bracket	628	Taiwan
WFP50	1/2" filler plate	628	Taiwan
WFP63	5/8" filler plate	628	Taiwan
WLBK1200	1200lb L-bracket	628	Taiwan
WLBK600	600lb L-bracket	628	Taiwan
WZBK600	600lb Z-bracket	628	Taiwan
WZBK1200	1200lb Z-bracket	628	Taiwan

Electric strikes

Product	Description	Finish	TAA COO
CS450-32D	Cylindrical lock strike $\frac{9}{16}$ "	630	Taiwan
CS450-LBM-32D	Cylindrical lock strike $\frac{9}{16}$ " with latch bolt monitoring	630	Taiwan
CS750-32D	Cylindrical lock strike $\frac{3}{4}$ "	630	Taiwan
CS750-LBM-32D	Cylindrical lock strike $\frac{3}{4}$ " with latch bolt monitoring	630	Taiwan
MS100-32D	Mortise lock strike 1"	630	Taiwan
MS100-F	Mortise lock strike 1" - fire rated	630	Taiwan
MS100-F-LBM-32D	Mortise lock strike 1" - fire rated with latch bolt monitoring	630	Taiwan
MS100-LBM-32D	Mortise lock strike 1" with latch bolt monitoring	630	Taiwan
NC450	E-strike - no cut - $\frac{9}{16}$ " deep	630	Taiwan
NC450-LBM	E-strike - no cut - $\frac{9}{16}$ " deep with latch bolt monitoring	630	Taiwan
RS200	Rim lock strike $\frac{1}{2}$ "	613, 630	Taiwan
RS200-LBM	Rim lock strike $\frac{1}{2}$ " with latch bolt monitoring	613, 630	Taiwan
RS300	Rim lock strike $\frac{3}{4}$ "	613, 630	Taiwan
RS300-F	Rim lock strike $\frac{3}{4}$ " - fire rated	613, 630	Taiwan
RS300-LBM	Rim lock strike $\frac{3}{4}$ " with latch bolt monitoring	613, 630	Taiwan
RS300-F-LBM	Rim lock strike $\frac{3}{4}$ " - fire rated with latch bolt monitoring	613, 630	Taiwan

System components and accessories

Locknetics (cont.)

Electric strike accessories

Product	Description	Finish	TAA COO
CCFP-KIT	Cylindrical lock strike radius corner faceplate kit	613, 630	Taiwan
CSFP-KIT-10B	Cylindrical lock strike faceplate kit	613	Taiwan
CSLE-5	Cylindrical lock strike lip extension 1/2" (12.5mm)	–	Taiwan
CSLE-1	Cylindrical lock strike lip extension 1" (25mm)	–	Taiwan
CSLE-2	Cylindrical lock strike lip extension 2" (50mm)	–	Taiwan
CWFP-KIT	Cylindrical lock strike wood faceplate kit	613, 630	Taiwan
ESTK-100	E-strike - metal template kit (CS, MDS, RS)	–	Taiwan
MDSFP-KIT-10B	Mortise strike faceplate kit	613	Taiwan
NCFP-KIT-10B	No cut faceplate kit	613	Taiwan
NCCFP-KIT	No cut radius corner faceplate kit	613, 630	Taiwan
NCWFP-KIT	No cut wood applications faceplate kit	613, 630	Taiwan
NC-RAMPS	Ramps replacement	630	Taiwan
RS SPACER	Rim strike spacer	613, 630	Taiwan

Push buttons

Product	Description	Finish	TAA COO
IPB-100	Entry level pushbutton (square illuminated)	-	Taiwan
IPB-100-N	Entry level pushbutton (square illuminated) narrow Stile	-	Taiwan
IPB-300	Entry level pushbutton (circle illuminated)	-	Taiwan
IPB-300-N	Entry level pushbutton (circle illuminated) - narrow stile	-	Taiwan
MPB-100	Entry level pushbutton (circle metal)	-	Taiwan
MPB-100-N	Entry level pushbutton (circle metal) - narrow stile	-	Taiwan

Specialty switches

Product	Description	Finish	TAA COO
TS-100	Dual LED touch switch	-	Taiwan
TS-100-N	Dual LED touch switch - narrow stile	-	Taiwan
WS-200	Wave exit motion sensor	-	Taiwan
WS-200-MB	Wave exit motion sensor with mounting box	-	Taiwan

Digital keypads

Product	Description	Finish	TAA COO
DKP-165	Indoor digital keypad	-	Taiwan
DKP-165-S	Indoor digital keypad - surface mount	-	Taiwan
DKP-165-FM	Indoor digital keypad - flush mount	-	Taiwan

Touch bars

Product	Description	Finish	TAA COO
TB-36	Touchbar - 36" door	628	Taiwan
TB-42	Touchbar - 42" door	628	Taiwan
TB-48	Touchbar - 48" door	628	Taiwan

System components and accessories

Locknetics (cont.)

Push plates

Product	Description	Finish	TAA COO
PPH-50	Narrow stile rectangular handicap push plate with plastic box	-	Taiwan
PPH-100-AL	Large round handicap push plate with aluminum box	630	Taiwan
PPH-100-PL	Large round handicap push plate with plastic box	630	Taiwan
PPH-200-LED	Large illuminated round handicap push plate with plastic box	630	Taiwan

Emergency breaks

Product	Description	Finish	TAA COO
EGB-100-G	Resettable emergency call point station - green case	-	Taiwan
EGB-100-R	Resettable emergency call point station - red case	-	Taiwan

Emergency break accessories

Product	Description	Finish	TAA COO
EGB-COV	Replacement and resettable key	-	Taiwan
EGB-KEY	Replacement clear plastic cover	-	Taiwan

Door cords

Product	Description	Finish	TAA COO
DC-AL-20	Medium duty door cord with aluminum end caps; stainless steel cable; 20" length	628	Taiwan
DC-BR-20	Medium duty door cord with aluminum end caps; stainless steel cable; 20" length	613	Taiwan
DC-HD-16	Heavy duty door cord with aluminum boxes; stainless steel cable; 16" length	613, 628	Taiwan
DC-PL-12	Light duty door cord with silver plastic end caps; stainless steel cable 12" length	628	Taiwan
DC-PL-20	Light duty door cord with silver plastic end caps; stainless steel cable 20" length	628	Taiwan

Specialty sensor and buzzer switches

Product	Description	Finish	TAA COO
TBR-100	Timer-buzzer rectifier with surge protection	-	Taiwan

Power supplies

Product	Description	TAA COO
LP150	1.5 amp power supply	Taiwan
LP250	2.5 amp power supply	Taiwan
LP250RDB4	2.5 amp power supply with 4 output relay distribution option board	Taiwan

Power supply accessories

Product	Description	Finish	TAA COO
LP150B	1.5 amp power supply board		Taiwan
LP250B	2.5 amp power supply board		Taiwan
RDB4	4 output relay distribution option board		Taiwan

System components and accessories

ISONAS

Reader-controllers

Product	Description	BAA COO	TAA COO
RC-04-PRX-M	04 Series proximity reader controller - Mullion	USA	-
RC-04-PRX-W	04 Series proximity reader controller - Single gang	USA	-
RC-04-PRX-WK	04 Series proximity reader controller with keypad - Single gang	USA	-
RC-04-MCT-M	04 Series multi-technology reader controller - Mullion	USA	-
RC-04-MCT-W	04 Series multi-technology reader controller - Single gang	USA	-
RC-04-MCT-WK	04 Series multi-technology reader controller with keypad - Single gang	USA	-
RC-05-MCT-M	05 Series multi-technology reader controller - Mullion	USA	-
RC-05-MCT-W	05 Series multi-technology reader controller - Single gang	USA	-
RC-05-MCT-WK	05 Series multi-technology reader controller with keypad - Single gang	USA	-

Readers

Product	Description	BAA COO	TAA COO
R-1-MCT-M	R1 Series multi-technology reader - Mullion	USA	-
R-1-MCT-W	R1 Series multi-technology reader - Single gang	USA	-
R-1-MCT-WK	R1 Series multi-technology reader with keypad - Single gang	USA	-

IP Bridge

Product	Description	BAA COO	TAA COO
IPB2.0-2Door	Pure IP IP-Bridge 2.0 2 door	USA	-
IPB2.0-3Door	Pure IP IP-Bridge 2.0 3 door	USA	-

Accessories/cables

Product	Description	BAA COO	TAA COO
ACC-EDK-3A	Advanced security module	USA	-
ACC-IRS-4700	Magnetic lock kit	USA	-
Cable-RC04-25-BAA*	RC-04 Cable 25' Pigtail	USA	-
CBL-RC05-25-BAA*	RC-05 Cable 25' Pigtail	USA	-

* See page 8 for additional cost and ordering requirements.

Allegion production sites

AD Systems

Sliding doors

2201 100th St. SW
Everett, WA 98204

Advantage

Vision lites and door louvres

4985 Raines Road
Memphis, TN 38118

United Kingdom

Allegion Connect

Allegion Connect wiring

Australia

Falcon

Door controls

121 W. Railroad Ave.
Princeton, IL 61356

Taiwan

Exits and mullions

2720 Tobey Drive
Indianapolis, IN 46219

Lock components

Calle Los Olivos #698
Col. Chavez
Tecate, Baja California, Mexico 21440

Mechanical locks¹

Carretera Transpeninsular 4580-4,
Col. Carlos Pacheco,
Ensenada, Baja California, Mexico 22890

3899 Hancock Expressway
Colorado Springs, CO 80911

Taiwan

Metal doors

9017 Blue Ash Road
Cincinnati, OH 45242

FSH

System components and accessories

Australia

Glynn Johnson

Overhead holders and stops

8506-A E. 30th St.
Indianapolis, IN 46219

ISONAS

Readers, controllers and accessories

4750 Walnut St., #110
Boulder, CO 80301

Ives

Mechanical accessories

8506-A E. 30th St.
Indianapolis, IN 46219

Canada

Taiwan

LCN

Door controls

121 W. Railroad Ave.
Princeton, IL 61356

Locknetics

System components and accessories

Taiwan

Republic

Metal doors and frames

155 Republic Drive
McKenzie, TN 38201
5430 FAA Blvd. Suite 100
Irving, TX 76031

Schlage

Accessories, biometrics, credentials, cylinders, keys and readers

3899 Hancock Expressway
Colorado Springs, CO 80911

Electronic and mechanical locks

Carretera Transpeninsular 4580-4,
Col. Carlos Pacheco,
Ensenada, Baja California, Mexico 22890
3899 Hancock Expressway
Colorado Springs, CO 80911

Schlage (cont.)

Finishing / zinc plated parts

El Florido Industrial Park
Tijuana, Baja California, Mexico 22680

Lock components

Calle Los Olivos #698
Col Chavez
Tecate, Baja California, Mexico 21440

Power supplies*

3899 Hancock Expressway
Colorado Springs, CO 80911

2720 Tobey Drive

Indianapolis, IN 46219

Residential/mechanical

2119 E. Kansas City Road
Olathe, KS 66061

Steelcraft

Metal doors and frames

9017 Blue Ash Road
Cincinnati, OH 45242

13770 Ramona Ave.

Chino, CA 91710

Von Duprin

Exits, mullions, electric strikes and power transfers

2720 Tobey Drive
Indianapolis, IN 46219

Power supplies²

3899 Hancock Expressway
Colorado Springs, CO 80911

2720 Tobey Drive

Indianapolis, IN 46219

Zero international

System components and accessories

8506-A E. 30th St.
Indianapolis, IN 46219
Canada

1. Some products shipped out of the Colorado Springs location as part of Fast Track/Pro Express/Quick Ship programs.

2. Minor, secondary operations and shipping of both Schlage and Von Duprin power supplies occur from both locations, therefore we list both addresses.

About Allegion

Allegion (NYSE: ALLE) is a global pioneer in seamless access, with leading brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion secures people and assets with a range of solutions for homes, businesses, schools and institutions. Allegion had \$2.9 billion in revenue in 2019 and sells products in almost 130 countries.

For more, visit www.allegion.com

KRYPTONITE ■ LCN ■  ■ STEELCRAFT ■ VON DUPRIN