

ProExpress™

Product catalog

Effective Q3 2016



Orders

Fax: 800.924.3551

Email: Order.Pro.Express@Allegion.com

Online: <https://portal.allegion.com>

Questions

Phone: 877.671.7011

ProExpress™

Index

Falcon**Locks**

W Series cylindrical locks	6-7
W Series with small rose cylindrical locks	8-9
B Series cylindrical locks	10-11
T Series cylindrical locks	12
K Series cylindrical locks	13
D200 Series deadbolts	14
MA Series mortise locks	15
Cylinders	16-18
Latches	19
Strikes	19

Exits

19 Series exit devices	21
19 Series trim	22
25 Series exit devices	23
25 Series trim	24
19/25 Parts	25
1690 Series exit devices	26
1790 Series exit devices	26
1990 Series exit devices	27
2090 Series exit devices	27

Closers

SC60 Series surface door closers	29
SC70 Series surface door closers	29
SC80 Series surface door closers	29
SC90 Series surface door closers	29
Parts and components	30

Ives

Flush bolts	32
Dust-proof strikes	32
Coordinators and accessories	33
Surface bolts	33

Latches	34
Door silencers	34
Pivots	35
Floor stops (includes dome stops and kick downs)	36
Wall stops	37
Vandal resistant trim	38
Hooks	38
Viewer	38
Door guard	38
Kick plates	39
Push plates	39
Pull plates	39
Door pulls	40
Architectural hinges	41
Continuous hinges	41

Glynn-Johnson

Push/pull latches	43
Overhead stops and holders	44-45

Schlage**Locks**

AL Series cylindrical locks	47
Cylinders	47

Von Duprin**Exits**

22 Series exit devices	49
22 Series trim	50
22 Series parts	51

LCN**Closers**

1250 Series cast iron surface door closers	53
--	----

1260 Series cast iron surface door closers	53
1450 Series aluminum surface door closers	53
1460 Series aluminum surface door closers	54
4050 Series aluminum surface door closers	54
Parts and components	55

ProExpress™

Guarantee

ProExpress orders will arrive to customers within 5 business days, guaranteed. If your order will not arrive on-time, Allegion will ship a like or better product* to arrive within 5 business days.**

* Like or better product will ship separately.

** Limitations apply. See page 5 of the ProExpress Price book for details.

Received by



3:00 p.m. EST
Arrives within five
business days

ProExpress program

How to order

ProExpress shipments are available on all products listed within this catalog. You can order all brands through one convenient location, combine all brands on a single order, and receive one shipment/invoice through the program.

Only products listed in this program are eligible.

Orders can be e-mailed to **Order.Pro.Express@Allegion.com**, placed online at the Allegion Portal (<https://portal.allegion.com>), or sent by fax to 800-924-3551. To speak with a Customer Care representative call 877-671-7011.

Orders received prior to 3:00 p.m. EST (excluding weekends and holidays) are guaranteed to **arrive on customer dock within 5 days** of order receipt. Standard buying program pricing applies.

Consult the current ProExpress Price Book for pricing information, ordering guidelines and a complete list of Terms & Conditions. All standard limited warranties apply. Consult current Falcon, Ives and Glynn-Johnson Price Books for a complete list of warranty information.

ProExpress™

FALCON

Locks

Contents

Locks

W Series cylindrical locks	6-7
W Series with small rose cylindrical locks	8-9
B Series cylindrical locks	10-11
T Series cylindrical locks	12
K Series cylindrical lock	13
D200 Series deadbolts	14
MA Series mortise locks	15

Cylinders

Cylinders	16-18
-----------	-------

Accessories

Latches	19
Strikes	19

ProExpress™

W Series cylindrical lock - 626 (satin chrome) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4"x 4-7/8" strike (30-148)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different



Dane

Quantum

Hana

Additional cylinders available on pages 16-18
Additional latches and strikes available on page 19


		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	Dane	626	-	S00029097685
		W12	Quantum	626	-	S00029097692
		W12	Hana	626	-	S00029188321
Passage		W101S	Dane	626	-	S00029097715
		W101S	Quantum	626	-	S00029097739
		W101S	Hana	626	-	S00029216321
Communicating/exit		W161D	Dane	626	-	S00029194674
		W161D	Quantum	626	-	S00029285136
Privacy		W301S	Dane	626	-	S00029097760
		W301S	Quantum	626	-	S00029097777
		W301S	Hana	626	-	S00029278596
Entry/office		W511P6D	Dane	626	6 Pin, Falcon G, KD	S00029207343
		W511CP6D	Dane	626	6 Pin, Schlage C, KD	S00029097937
		W511LD	Dane	626	Less 6-pin cylinder	S00029207190
		W511BD	Dane	626	Less SFIC	S00029097807
		W511P6D	Quantum	626	6 Pin, Falcon G, KD	S00029211647
		W511CP6D	Quantum	626	6 Pin, Schlage C, KD	S00029211661
		W511BD	Quantum	626	Less SFIC	S00029097814
		W511P6D	Hana	626	6 Pin, Falcon G, KD	S00031510882
		W511CP6D	Hana	626	6 Pin, Schlage C, KD	S00029363506
Classroom		W561P6D	Dane	626	6 Pin, Falcon G, KD	S00029207367
		W561CP6D	Dane	626	6 Pin, Schlage C, KD	S00029097968
		W561LD	Dane	626	Less 6-pin cylinder	S00029207350
		W561BD	Dane	626	Less SFIC	S00029097838
		W561P6D	Quantum	626	6 Pin, Falcon G, KD	S00029257201
		W561CP6D	Quantum	626	6 Pin, Schlage C, KD	S00029222285
		W561BD	Quantum	626	Less SFIC	S00029097845
		W561P6D	Hana	626	6 Pin, Falcon G, KD	S00031510899
		W561CP6D	Hana	626	6 Pin, Schlage C, KD	S00029278602
Storeroom		W581P6D	Dane	626	6 Pin, Falcon G, KD	S00029207404
		W581CP6D	Dane	626	6 Pin, Schlage C, KD	S00029098002
		W581LD	Dane	626	Less 6-pin cylinder	S00029207381
		W581BD	Dane	626	Less SFIC	S00029097883
		W581P6D	Quantum	626	6 Pin, Falcon G, KD	S00029211654
		W581CP6D	Quantum	626	6 Pin, Schlage C, KD	S00029220267
		W581BD	Quantum	626	Less SFIC	S00029097890
		W581P6D	Hana	626	6 Pin, Falcon G, KD	S00031510905
		W581CP6D	Hana	626	6 Pin, Schlage C, KD	S00029363490

W Series cylindrical lock - 613 (oil rubbed bronze) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (30-148)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 16-18

Additional latches and strikes available on page 19

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	Dane	613	-	S00029097661
		W12	Quantum	613	-	S00029210145
Passage		W101S	Dane	613	-	S00029097708
		W101S	Quantum	613	-	S00029210091
Privacy		W301S	Dane	613	-	S00029097753
		W301S	Quantum	613	-	S00029210152
Entry/office		W511P6D	Dane	613	6 Pin, Falcon G, KD	S00029285167
		W511CP6D	Dane	613	6 Pin, Schlage C, KD	S00029097913
		W511BD	Dane	613	Less SFIC	S00029097791
		W511P6D	Quantum	613	6 Pin, Falcon G, KD	S00029362769
		W511CP6D	Quantum	613	6 Pin, Schlage C, KD	S00029220373
		W511BD	Quantum	613	Less SFIC	S00029362745
Classroom		W561P6D	Dane	613	6 Pin, Falcon G, KD	S00029285228
		W561CP6D	Dane	613	6 Pin, Schlage C, KD	S00029097951
		W561BD	Dane	613	Less SFIC	S00029097821
		W561P6D	Quantum	613	6 Pin, Falcon G, KD	S00029362837
		W561CP6D	Quantum	613	6 Pin, Schlage C, KD	S00029222278
		W561BD	Quantum	613	Less SFIC	S00029362790
Storeroom		W581P6D	Dane	613	6 Pin, Falcon G, KD	S00029285266
		W581CP6D	Dane	613	6 Pin, Schlage C, KD	S00029097999
		W581BD	Dane	613	Less SFIC	S00029097876
		W581P6D	Quantum	613	6 Pin, Falcon G, KD	S00029362851
		W581CP6D	Quantum	613	6 Pin, Schlage C, KD	S00029220274
		W581BD	Quantum	613	Less SFIC	S00029362844

W Series small rose cylindrical lock - 626 (satin chrome) finish

Small rose W lock has 2-9/16" (65mm) diameter rose instead of 3-3/8" (86mm) in standard W Lock.

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4"x 4-7/8" strike (30-148)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 16-18

Additional latches and strikes available on page 19



		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	SR Dane	626	-	S00031511803
		W12	SR Quantum	626	-	S00031511810
Passage		W101S	SR Dane	626	-	S00031511827
		W101S	SR Quantum	626	-	S00031511834
Privacy		W301S	SR Dane	626	-	S00031511865
		W301S	SR Quantum	626	-	S00031511872
Entry/office		W511P6D	SR Dane	626	6 Pin, Falcon G, KD	S00031511889
		W511CP6D	SR Dane	626	6 Pin, Schlage C, KD	S00031511896
		W511BD	SR Dane	626	Less SFIC	S00031511919
		W511P6D	SR Quantum	626	6 Pin, Falcon G, KD	S00031511926
		W511CP6D	SR Quantum	626	6 Pin, Schlage C, KD	S00031511933
		W511BD	SR Quantum	626	Less SFIC	S00031511957
Classroom		W561P6D	SR Dane	626	6 Pin, Falcon G, KD	S00031511964
		W561CP6D	SR Dane	626	6 Pin, Schlage C, KD	S00031511971
		W561BD	SR Dane	626	Less SFIC	S00031511995
		W561P6D	SR Quantum	626	6 Pin, Falcon G, KD	S00031512008
		W561CP6D	SR Quantum	626	6 Pin, Schlage C, KD	S00031512015
		W561BD	SR Quantum	626	Less SFIC	S00031512039
Storeroom		W581P6D	SR Dane	626	6 Pin, Falcon G, KD	S00031512046
		W581CP6D	SR Dane	626	6 Pin, Schlage C, KD	S00031512053
		W581BD	SR Dane	626	Less SFIC	S00031512077
		W581P6D	SR Quantum	626	6 Pin, Falcon G, KD	S00031512084
		W581CP6D	SR Quantum	626	6 Pin, Schlage C, KD	S00031512091
		W581BD	SR Quantum	626	Less SFIC	S00031512114


W Series small rose cylindrical lock - 613 (oil rubbed bronze) finish

Small rose W lock has 2-9/16" (65mm) diameter rose instead of 3-3/8" (86mm) in standard W Lock.

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-3/4" door range standard.
- All functions (except dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (30-148)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 16-18

Additional latches and strikes available on page 19

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		W12	SR Dane	613	-	S00031534512
		W12	SR Quantum	613	-	S00031534529
Passage		W101S	SR Dane	613	-	S00031534536
		W101S	SR Quantum	613	-	S00031534581
Privacy		W301S	SR Dane	613	-	S00031534673
		W301S	SR Quantum	613	-	S00031534697
Entry/office		W511P6D	SR Dane	613	6 Pin, Falcon G, KD	S00031535076
		W511CP6D	SR Dane	613	6 Pin, Schlage C, KD	S00031535083
		W511BD	SR Dane	613	Less SFIC	S00031535106
		W511P6D	SR Quantum	613	6 Pin, Falcon G, KD	S00031535113
		W511CP6D	SR Quantum	613	6 Pin, Schlage C, KD	S00031535120
		W511BD	SR Quantum	613	Less SFIC	S00031535144
Classroom		W561P6D	SR Dane	613	6 Pin, Falcon G, KD	S00031535151
		W561CP6D	SR Dane	613	6 Pin, Schlage C, KD	S00031535168
		W561BD	SR Dane	613	Less SFIC	S00031535182
		W561P6D	SR Quantum	613	6 Pin, Falcon G, KD	S00031535199
		W561CP6D	SR Quantum	613	6 Pin, Schlage C, KD	S00031535205
		W561BD	SR Quantum	613	Less SFIC	S00031535229
Storeroom		W581P6D	SR Dane	613	6 Pin, Falcon G, KD	S00031535236
		W581CP6D	SR Dane	613	6 Pin, Schlage C, KD	S00031535243
		W581BD	SR Dane	613	Less SFIC	S00031535267
		W581P6D	SR Quantum	613	6 Pin, Falcon G, KD	S00031535274
		W581CP6D	SR Quantum	613	6 Pin, Schlage C, KD	S00031535281
		W581BD	SR Quantum	613	Less SFIC	S00031535304

Cylindrical locks

FALCON®

B Series cylindrical lock - 626 (satin chrome) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 2" door range standard.
- All functions (except dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (p/n 5164)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 16-18
Additional latches and strikes available on page 19



		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		B12	Dane	626	-	043156751075
		B12	Quantum	626	-	043156882540
Passage		B101S	Dane	626	-	043156890392
		B101S	Quantum	626	-	043156882526
Privacy		B301S	Dane	626	-	043156890408
		B301S	Quantum	626	-	043156882564
Entry/office		B511P6D	Dane	626	6 Pin, Falcon G, KD	S00031510943
		B511CP6D	Dane	626	6 Pin, Schlage C, KD	043156890415
		B511BD	Dane	626	Less SFIC	043156871315
		B511P6D	Quantum	626	6 Pin, Falcon G, KD	S00031510950
		B511CP6D	Quantum	626	6 Pin, Schlage C, KD	S00028501350
		B511BD	Quantum	626	Less SFIC	043156882625
Classroom		B561P6D	Dane	626	6 Pin, Falcon G, KD	S00031510967
		B561CP6D	Dane	626	6 Pin, Schlage C, KD	043156882687
		B561BD	Dane	626	Less SFIC	043156882670
		B561P6D	Quantum	626	6 Pin, Falcon G, KD	S00031510974
		B561CP6D	Quantum	626	6 Pin, Schlage C, KD	S00028502883
		B561BD	Quantum	626	Less SFIC	043156882700
Storeroom		B581P6D	Dane	626	6 Pin, Falcon G, KD	S00031510981
		B581CP6D	Dane	626	6 Pin, Schlage C, KD	043156890439
		B581BD	Dane	626	Less SFIC	043156871322
		B581P6D	Quantum	626	6 Pin, Falcon G, KD	S00031510998
		B581CP6D	Quantum	626	6 Pin, Schlage C, KD	S00028504368
		B581BD	Quantum	626	Less SFIC	043156882762

B Series cylindrical lock - 613 (oil rubbed bronze) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 2" door range standard.
- All functions (except dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (p/n 5164)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 16-18

Additional latches and strikes available on page 19

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		B12	Dane	613	-	043156882533
		B12	Quantum	613	-	S00028497684
Passage		B101S	Dane	613	-	043156882519
		B101S	Quantum	613	-	S00028497370
Privacy		B301S	Dane	613	-	043156882557
		B301S	Quantum	613	-	S00028498438
Entry/office		B511P6D	Dane	613	6 Pin, Falcon G, KD	S00031511001
		B511CP6D	Dane	613	6 Pin, Schlage C, KD	043156882595
		B511BD	Dane	613	Less SFIC	043156882588
		B511P6D	Quantum	613	6 Pin, Falcon G, KD	S00031511018
		B511CP6D	Quantum	613	6 Pin, Schlage C, KD	S00028501091
		B511BD	Quantum	613	Less SFIC	S00028501916
Classroom		B561P6D	Dane	613	6 Pin, Falcon G, KD	S00031540162
		B561CP6D	Dane	613	6 Pin, Schlage C, KD	043156882656
		B561BD	Dane	613	Less SFIC	043156882649
		B561P6D	Quantum	613	6 Pin, Falcon G, KD	S00031511025
		B561CP6D	Quantum	613	6 Pin, Schlage C, KD	S00028502753
		B561BD	Quantum	613	Less SFIC	S00028503187
Storeroom		B581P6D	Dane	613	6 Pin, Falcon G, KD	S00031511032
		B581CP6D	Dane	613	6 Pin, Schlage C, KD	043156882731
		B581BD	Dane	613	Less SFIC	043156882724
		B581P6D	Quantum	613	6 Pin, Falcon G, KD	S00031511049
		B581CP6D	Quantum	613	6 Pin, Schlage C, KD	S00028504184
		B581BD	Quantum	613	Less SFIC	S00028504702

T Series cylindrical lock - 626 (satin chrome) finish

- Grade 1, UL Listed 3 hour, 1-3/8" to 2" door range standard.
- All functions (except dummy) include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" x 4-7/8" strike (p/n 5164)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different



Dane

Quantum

Additional cylinders available on pages 16-18
Additional latches and strikes available on page 19

	Function	Trim	Finish	Cylinder	Part number
Single dummy trim 	T12	Dane	626		043156884605
	T12	Quantum	626		S00028554417
Passage 	T101S	Dane	626		S00032228465
	T101S	Quantum	626		S00032228472
Privacy 	T301S	Dane	626		S00032228489
	T301S	Quantum	626		S00032228496
Entry/office 	T511P6D	Dane	626	6 Pin, Falcon G, KD	S00032228854
	T511CP6D	Dane	626	6 Pin, Schlage C, KD	S00032228731
	T511LD	Dane	626	Less standard cylinder	S00032228595
	T511BD	Dane	626	Less SFIC	S00032228571
	T511P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228861
	T511CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228748
	T511LD	Quantum	626	Less standard cylinder	S00032228601
	T511BD	Quantum	626	Less SFIC	S00032228588
Classroom 	T561P6D	Dane	626	6 Pin, Falcon G, KD	S00032228878
	T561CP6	Dane	626	6 Pin, Schlage C, KD	S00032228755
	T561LD	Dane	626	Less standard cylinder	S00032228632
	T561BD	Dane	626	Less SFIC	S00032228618
	T561P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228885
	T561CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228762
	T561LD	Quantum	626	Less standard cylinder	S00032228625
	T561BD	Quantum	626	Less SFIC	S00032228649
Classroom security 	T381P6D	Dane	626	6 Pin, Falcon G, KD	S00032228830
	T381CP6D	Dane	626	6 Pin, Schlage C, KD	S00032228694
	T381LD	Dane	626	Less standard cylinder	S00032228526
	T381BD	Dane	626	Less SFIC	S00032228502
	T381P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228847
	T381CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228700
	T381LD	Quantum	626	Less standard cylinder	S00032228533
	T381BD	Quantum	626	Less SFIC	S00032228519
Storeroom 	T581P6D	Dane	626	6 Pin, Falcon G, KD	S00032228892
	T581CP6D	Dane	626	6 Pin, Schlage C, KD	S00032228809
	T581LD	Dane	626	Less standard cylinder	S00032228670
	T581BD	Dane	626	Less SFIC	S00032228656
	T581P6D	Quantum	626	6 Pin, Falcon G, KD	S00032228915
	T581CP6D	Quantum	626	6 Pin, Schlage C, KD	S00032228823
	T581LD	Quantum	626	Less standard cylinder	S00032228687
	T581BD	Quantum	626	Less SFIC	S00032228663

K Series cylindrical lock - 626 (satin chrome) finish

- Certified ANSI / BHMA Grade 1, UL Listed 3 Hour, 1-3/8" to 2-1/4" Door range
- All functions, except for dummy, include 1-1/8" X 2 1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4" X 4-7/8" strike
- Falcon G and Schlage C Cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 16-18
Additional latches and strikes available on page 19



Dane



Quantum

		Function	Trim	Finish	Cylinder	Part number
Single dummy trim		K12	Dane	626		043156513383
		K12	Quantum	626		043156513390
Passage		K101S	Dane	626		043156513369
		K101S	Quantum	626		043156513376
Privacy		K301S	Dane	626		043156513406
		K301S	Quantum	626		043156513413
Entry/office		K511P6D	Dane	626	6 Pin, Falcon G, KD	043156513604
		K511CP6D	Dane	626	6 Pin, Schlage C, KD	043156513543
		K511LD	Dane	626	Less standard cylinder	043156513444
		K511BD	Dane	626	Less SFIC	043156513420
		K511P6D	Quantum	626	6 Pin, Falcon G, KD	043156513611
		K511CP6D	Quantum	626	6 Pin, Schlage C, KD	043156513550
		K511LD	Quantum	626	Less standard cylinder	043156513451
		K511BD	Quantum	626	Less SFIC	043156513437
Classroom		K561P6D	Dane	626	6 Pin, Falcon G, KD	043156513628
		K561CP6D	Dane	626	6 Pin, Schlage C, KD	043156513567
		K561LD	Dane	626	Less standard cylinder	043156513482
		K561BD	Dane	626	Less SFIC	043156513468
		K561P6D	Quantum	626	6 Pin, Falcon G, KD	043156513635
		K561CP6D	Quantum	626	6 Pin, Schlage C, KD	043156513574
		K561LD	Quantum	626	Less standard cylinder	043156513499
		K561BD	Quantum	626	Less SFIC	043156513475
Storeroom		K581P6D	Dane	626	6 Pin, Falcon G, KD	043156513642
		K581CP6D	Dane	626	6 Pin, Schlage C, KD	043156513581
		K581LD	Dane	626	Less standard cylinder	043156513529
		K581BD	Dane	626	Less SFIC	043156513505
		K581P6D	Quantum	626	6 Pin, Falcon G, KD	043156513659
		K581CP6D	Quantum	626	6 Pin, Schlage C, KD	043156513598
		K581LD	Quantum	626	Less standard cylinder	043156513536
		K581BD	Quantum	626	Less SFIC	043156513512

D200 Grade 2 medium duty deadbolt - 626 (satin chrome) finish

- Grade 2, non UL Listed 3 hour, 1-3/8" – 2-1/4" standard cylinder door range; 1-5/8"-2" SFIC door range
- All functions include 2-3/8" – 2-3/4" universal square corner latch (p/n 30-253), 1-1/8" x 2-3/4" square corner lipless strike (p/n 10-094)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different



Additional cylinders available on pages 16-18

	Function	Finish	Cylinder	Part number
Classroom 	D211P6	626	6 Pin, Falcon G, KD	S00029895991
	D211CP6	626	6 Pin, Schlage C, KD	043156145270
	D211B	626	Less SFIC	043156145027
Single cylinder x turn 	D241P6	626	6 Pin, Falcon G, KD	S00029829965
	D241CP6	626	6 Pin, Schlage C, KD	043156146918
	D241B	626	Less SFIC	043156146451
Turn inside x blank outside 	D261	626	-	043156147120
Turn inside x rose outside 	D261M	626	-	043156147281
Turn inside x indicator outside 	D271	626	-	043156147489

D200 Grade 2 medium duty deadbolt - 613 (oil rubbed bronze) finish

- Grade 2, non UL Listed 3 hour, 1-3/8" – 2-1/4" standard cylinder door range; 1-5/8"-2" SFIC door range
- All functions include 2-3/8" – 2-3/4" universal square corner latch (p/n 30-253), 1-1/8" x 2-3/4" square corner lipless strike (p/n 10-094)
- Falcon G and Schlage C cylinders are 6 pin cylinders keyed 6, keyed different

Additional cylinders available on pages 16-18

	Function	Finish	Cylinder	Part number
Classroom 	D211P6	613	6 Pin, Schlage C, KD	043156145256
	D211B	613	Less SFIC	043156145003
Single cylinder x turn 	D241P6	613	6 Pin, Schlage C, KD	043156146550
	D241B	613	Less SFIC	043156146383
Turn inside x blank outside 	D261	613	-	043156147106
Turn inside x rose outside 	D261M	613	-	043156147229
Turn inside x indicator outside 	D271	613	-	043156147397

MA Series mortise lock - 626 (satin chrome) finish

- Grade 1, UL Listed 3 hour, 1-3/4" to 2-1/2" door range standard.
- All functions (except dummy) include 2-piece stainless steel latchbolt with 2-3/4" backset and ANSI 1-1/4" lip strike (p/n A8737-1)

Additional cylinders available on pages 16-18



Dane-Gala



Quantum-Gala





Quantum-Napa

		Function	Trim	Finish	Cylinder	Part number
Passage		MA101	Dane-Gala	626	-	043156197989
		MA101	Dane-Napa	626	-	043156197996
		MA101	Quantum-Gala	626	-	043156198009
		MA101	Quantum-Napa	626	-	S00031511124
Privacy		MA301	Dane-Gala	626	-	043156198016
		MA301	Dane-Napa	626	-	043156198023
		MA301	Quantum-Gala	626	-	043156198047
		MA301	Quantum-Napa	626	-	S00031511186
Entry/office		MA521L	Dane-Gala	626	Less cylinder	043156198054
		MA521L	Dane-Napa	626	Less cylinder	043156198061
		MA521L	Quantum-Gala	626	Less cylinder	043156198078
		MA521L	Quantum-Napa	626	Less cylinder	S00031511193
Classroom		MA561L	Dane-Gala	626	Less cylinder	043156198115
		MA561L	Dane-Napa	626	Less cylinder	043156198122
		MA561L	Quantum-Gala	626	Less cylinder	043156198139
		MA561L	Quantum-Napa	626	Less cylinder	S00031511209
Classroom security		MA441L	Dane-Gala	626	Less cylinder	S00031511216
		MA441L	Dane-Napa	626	Less cylinder	S00031511223
		MA441L	Quantum-Gala	626	Less cylinder	S00031511230
		MA441L	Quantum-Napa	626	Less cylinder	S00031511247
Storeroom		MA581L	Dane-Gala	626	Less cylinder	043156198184
		MA581L	Dane-Napa	626	Less cylinder	043156198191
		MA581L	Quantum-Gala	626	Less cylinder	043156198207
		MA581L	Quantum-Napa	626	Less cylinder	S00031511261
Apartment corridor		MA531L	Dane-Gala	626	Less cylinder	043156198085
		MA531L	Dane-Napa	626	Less cylinder	043156198092
		MA531L	Quantum-Gala	626	Less cylinder	043156198108
		MA531L	Quantum-Napa	626	Less cylinder	S00031511278
Dormitory		MA571L	Dane-Gala	626	Less cylinder	043156198146
		MA571L	Dane-Napa	626	Less cylinder	043156198153
		MA571L	Quantum-Gala	626	Less cylinder	043156198177
		MA571L	Quantum-Napa	626	Less cylinder	S00031511285

Interchangeable cores for all locks “less SFIC”

All cores 7 pin uncombined with no logo. 'A' keyway is the default for most key systems.

Finish	Capping	Keyway	Description	Part number
606	Falcon slide-cap 	A	SFIC, slide-cap, A keyway, 606	C649-606-A
		D	SFIC, slide-cap, D keyway, 606	C649-606-D
		E	SFIC, slide-cap, E keyway, 606	C649-606-E
		F	SFIC, slide-cap, F keyway, 606	C649-606-F
		G	SFIC, slide-cap, G keyway, 606	C649-606-G
		J	SFIC, slide-cap, J keyway, 606	C649-606-J
		TD	SFIC, slide-cap, TD keyway, 606	C649-606-TD
	Individual capping (Best style) 	A	SFIC, individual cap, A keyway, 606	CB849-606-A
		D	SFIC, individual cap, D keyway, 606	CB849-606-D
		E	SFIC, individual cap, E keyway, 606	CB849-606-E
		F	SFIC, individual cap, F keyway, 606	CB849-606-F
		G	SFIC, individual cap, G keyway, 606	CB849-606-G
		J	SFIC, individual cap, J keyway, 606	CB849-606-J
		TD	SFIC, individual cap, TD keyway, 606	CB849-606-TD
626	Falcon slide-cap 	A	SFIC, slide-cap, A keyway, 626	C648-626-A
		A	SFIC, slide-cap, A keyway, 626	C649-626-A
		D	SFIC, slide-cap, D keyway, 626	C649-626-D
		E	SFIC, slide-cap, E keyway, 626	C649-626-E
		F	SFIC, slide-cap, F keyway, 626	C649-626-F
		G	SFIC, slide-cap, G keyway, 626	C649-626-G
		J	SFIC, slide-cap, J keyway, 626	C649-626-J
		TD	SFIC, slide-cap, TD keyway, 626	C649-626-TD
	Individual capping (Best style) 	A	SFIC, individual cap, A keyway, 626	CB849-626-A
		D	SFIC, individual cap, D keyway, 626	CB849-626-D
		E	SFIC, individual cap, E keyway, 626	CB849-626-E
		F	SFIC, individual cap, F keyway, 626	CB849-626-F
		G	SFIC, individual cap, G keyway, 626	CB849-626-G
		J	SFIC, individual cap, J keyway, 626	CB849-626-J
		TD	SFIC, individual cap, TD keyway, 626	CB849-626-TD

MA lock - Housings for SFIC cylinders

Finish	Description	Part number
626	SFIC housing, MA lock, 626	C987-626
630	SFIC housing, MA lock, 630	C987-630

RIM cylinder housings for SFIC

Finish	Description	Part number
606	RIM, 606	C953-606
626	RIM, 626	C953-626

RIM cylinders

All cylinders 6 pin, 0 bitted

Finish	Keyway	Description	Part number
606	Falcon G	RIM cyl, Falcon G keyway, 0 bit, 606	951-6pin-0bit-FalconG-606
	Schlage C	RIM cyl, Schlage C keyway, 0 bit, 606	951-6pin-0bit-SchlageC-606
626	Falcon G	RIM cyl, Falcon G keyway, 0 bit, 626	951-6pin-0bit-FalconG-626
	Schlage C	RIM cyl, Schlage C keyway, 0 bit, 626	951-6pin-0bit-SchlageC-626

Cylinders for MA lock “less standard cylinder”

All cylinders 6 pin, 0 bitted

Finish	Function	Keyway	Description	Part number
626	1-1/8" (for Gala/Sectional trim)	Falcon G	Std cyl, MA lock Gala, Falcon G keyway, 0 bit, 626	985-6pin-0bit-FalconG-626
		Schlage C	Std cyl, MA lock Gala, Schlage C keyway, 0 bit, 626	985-6pin-0bit-SchlageC-626
	1-1/4" (for Napa trim)	Falcon G	Std cyl, MA lock Napa, Falcon G keyway, 0 bit, 626	986-6pin-0bit-FalconG-626
		Schlage C	Std cyl, MA lock Napa, Schlage C keyway, 0 bit, 626	986-6pin-0bit-SchlageC-626
630	1-1/8" (for Gala/Sectional trim)	Falcon G	Std cyl, MA lock Gala, Falcon G keyway, 0 bit, 630	985-6pin-0bit-FalconG-630
		Schlage C	Std cyl, MA lock Gala, Schlage C keyway, 0 bit, 630	985-6pin-0bit-SchlageC-630
	1-1/4" (for Napa trim)	Falcon G	Std cyl, MA lock Napa, Falcon G keyway, 0 bit, 630	986-6pin-0bit-FalconG-630
		Schlage C	Std cyl, MA lock Napa, Schlage C keyway, 0 bit, 630	986-6pin-0bit-SchlageC-630

Cylinders for W and W small Lock “less standard cylinder” - 626 (satin chrome) finish

All cylinders 6 pin, 0 bitted

Lever/knob	Function	Description	Keyway	Part number
Dane/ Quantum levers	All except classroom (W561)	Std cyl, W lock lever, Falcon G keyway, 0bit, 626	6 pin, 0 bitted, Falcon G keyway	Q330-154-0bit-626
		Std cyl, W lock lever, Schlage C keyway, 0bit, 626	6 pin, 0 bitted, Schlage C keyway	Q330-152-0bit-626
Hana knob	All except classroom (W561)	Std cyl, W lock knob, Falcon G keyway, 0bit, 626	6 pin, 0 bitted, Falcon G keyway	Q330-238-0bit-626
		Std cyl, W lock knob, Schlage C keyway, 0bit, 626	6 pin, 0 bitted, Schlage C keyway	Q330-237-0bit-626

Construction cores

All cylinders 6 pin, 0 bitted. Keyed construction cores may be ordered for use with interchange core locks and cylinders.


All keyed construction cores are assessed a non-refundable handling charge (50-231F) per core.

Disposable construction cores do not have any associated fees

Description	Part number
Construction core, 7 pin, black	C607CCA
Handling charge per 7 pin construction core	50-231F
Cut key, 7 pin construction core	KB632-2CCA
Cut control key, 7 pin construction core	KB609-2CCA
Disposable construction core	1408

Cylinder collars for rim cylinders and MA lock

For use with SFIC and standard cylinders

Finish	Shape	Size	Description	Part number
606	Rim cylinder collar	n/a	RIM collar, 606	008862-000-606
626	Rim cylinder collar	n/a	RIM collar, 626	008862-000-626
626	Straight protective collar for escutcheon trim 	9/32"	Straight collar, 9/32", 626	A08790-000-626
		13/32"	Straight collar, 13/32", 626	A08790-001-626
		17/32"	Straight collar, 17/32", 626	A08790-002-626
		21/32"	Straight collar, 21/32", 626	A08790-003-626
		55/64"	Straight collar, 55/32", 626	A08790-004-626
	Tapered protective collar for sectional/rose trim 	9/32"	Tapered collar, 9/32", 626	A08794-000-626
		13/32"	Tapered collar, 13/32", 626	A08794-001-626
		17/32"	Tapered collar, 17/32", 626	A08794-002-626
		21/32"	Tapered collar, 21/32", 626	A08794-003-626
	Blocking ring 	1/8"	Blocking ring, 1/8", 626	008876-000-626
		3/16"	Blocking ring, 3/16", 626	008876-005-626
		1/4"	Blocking ring, 1/4", 626	008876-001-626
		3/8"	Blocking ring, 3/8", 626	008876-002-626
		1/2"	Blocking ring, 1/2", 626	008876-003-626
		5/8"	Blocking ring, 5/8", 626	008876-004-626

Key blanks - SFIC

Keyblanks for SFIC 7 pin cylinders. Order in multiples of 50.

Key type	Keyway	Description	Part number
 Falcon bow	A	Key blank, SFIC, 7 pin, A keyway, Falcon bow	KB628A
	D	Key blank, SFIC, 7 pin, D keyway, Falcon bow	KB628D
	E	Key blank, SFIC, 7 pin, E keyway, Falcon bow	KB628E
	F	Key blank, SFIC, 7 pin, F keyway, Falcon bow	KB628F
	G	Key blank, SFIC, 7 pin, G keyway, Falcon bow	KB628G
	J	Key blank, SFIC, 7 pin, J keyway, Falcon bow	KB628J
	TD	Key blank, SFIC, 7 pin, TD keyway, Falcon bow	KB628TD
 Best style bow	A	Key blank, SFIC, 7 pin, A keyway, Best bow	KB800A
	D	Key blank, SFIC, 7 pin, D keyway, Best bow	KB800D
	E	Key blank, SFIC, 7 pin, E keyway, Best bow	KB800E
	F	Key blank, SFIC, 7 pin, F keyway, Best bow	KB800F
	G	Key blank, SFIC, 7 pin, G keyway, Best bow	KB800G
	J	Key blank, SFIC, 7 pin, J keyway, Best bow	KB800J
	TD	Key blank, SFIC, 7 pin, TD keyway, Best bow	KB800TD

Key blanks - standard cylinder

Keyblanks for standard 6 pin cylinders. Order in multiples of 50.

Keyway	Description	Part number
Falcon G	Key blank, std cyl, 6 pin, Falcon G keyway	KB577G

Latches

W lock latches

All latches square corner with 2-3/8" backset, 1" x 2-1/4", 630 finish is standard latch finish for all W lock 626 finish locksets

Finish	Function	Description	Part number
613	W101, W301	Springlatch, W lock, 613	Q330-207-613
	W161, W511, W561, W581	Deadlatch, W lock, 613	Q330-201-613
630	W101, W301	Springlatch, W lock, 630	Q330-207-630
	W161, W511, W561, W581	Deadlatch, W lock, 630	Q330-201-630

T lock latches

All latches square corner, 1" x 2-1/4", 630 finish is standard latch finish for all T lock 626 finish locksets

Finish	Function	Description	Part number
630	T101, T301	Springlatch, T lock, 630	23981137
	T511, T561, T581, T381	Deadlatch, T lock, 630	23981145

K lock latches

All latches square corner with 2 3/4" backset, 1" X 2 1/4", 626 finish

Finish	Function	Description	Part number
626	K101	Springlatch, K lock, 626	043156513901
	K511, K561, K581	Deadlatch, K lock, 626	043156513918

B lock latches

All latches square corner, 1" x 2-1/4", 630 finish is standard latch finish for all B lock 626 finish locksets

Finish	Function	Description	Part number
613	B101	Springlatch, B lock, 613	A57420-000-613
	B301	Restoring Latch, B lock, 613	A57620-000-613
	B161, B511, B561, B581	Deadlatch, B lock, 613	A57420-00d-613
630	B101	Springlatch, B lock, 630	A57420-000-630
	B301	Restoring Latch, B lock, 630	A57620-000-630
	B161, B511, B561, B581	Deadlatch, B lock, 630	A57420-00d-630

Strikes

W lock strikes

T-strikes have square corners with dimensions 1-1/8" x 2-3/4"; Radius corner strikes have full lip and dimensions 1-5/8" x 2-1/4", 630 finish is standard strike finish for all W lock 626 finish locksets

Finish	Function	Description	Part number
613	Radius corner, full lip strike, 1-5/8"x2-1/4"	Radius corner strike, W lock, 613	Q330-150-613
630	Radius corner, full lip strike, 1-5/8" x 2-1/4"	Radius corner strike, W lock, 630	Q330-150-630

T lock strikes

T-strikes have square corners with dimensions 1-1/8" x 2-3/4", available 630 finish;
Radius corner strikes have full lip and dimensions 1-5/8" x 2-1/4", available 626 finish

Finish	Function	Description	Part number
626/630	Radius corner, full lip strike, 1-5/8" x 2-1/4"	Radius corner strike, T lock, 626	Q001-048-626

K lock strikes

T-Strikes have square corners with demensions 1-1/8" X 2-3/4"; Radius corner strikes have full lip and dimensions 1-5/8" X 2-1/4", 630 finish is the standard strike finish for all K Series 626 finish locksets

Finish	Function	Description	Part number
630	Radius corner, full lip strike, 1 5/8" X 2-1/4"	Radius corner strike, K lock, 630	Q330-150-630

B lock strikes

T-strikes have square corners with dimensions 1-1/8" x 2-3/4"; Radius corner strikes have full lip and dimensions 1-5/8" x 2-1/4"

Finish	Function	Description	Part number
613	Radius corner, full lip strike, 1-5/8" x 2-1/4"	Radius corner strike, B lock, 613	Q001-048-613
626	Radius corner, full lip strike, 1-5/8" x 2-1/4"	Radius corner strike, B lock, 626	Q001-048-626

FALCON

Exits

Contents

19 Series exit devices	21
19 Series trim	22
25 Series exit devices	23
25 Series trim	24
19/25 Parts	25
1690 Series exit devices	26
1790 Series exit devices	26
1990 Series exit devices	27
2090 Series exit devices	27

- Dependable light-duty commercial exit device
- Grade 1, optional UL "B" label (1 1/2-hour) fire exit construction
- Two finishes available: **SP28** = Powder-coated aluminum **SP313** = Powder-coated dark bronze



19-R Series rim exit device

Trim function	Handing	Finish	Series	3'	4'
				SKU	
Exit only	–	SP28	Exit only	D19.10001	D19.10344
Exit only	–	SP313	Exit only	D19.10002	D19.10358

F-19-R Series rim fire exit hardware

Trim function	Handing	Finish	Series	3'	4'
				SKU	
Exit only	–	SP28	F-19-R-EO-SP28	D19.10085	D19.10384
Exit only	–	SP313	F-19-R-EO-SP313	D19.10086	D19.11130

19-V Series surface vertical rod exit device


Trim function	Handing	Finish	Series	Door height	3'	4'
					SKU	
Exit only	LHR	SP28	19-V-EO-SP28-LHR	7'	D19.10169	D19.10430
Exit only	RHR	SP28	19-V-EO-SP28-RHR	7'	D19.10347	D19.10469
Exit only	LHR	SP313	19-V-EO-SP313-LHR	7'	D19.10170	D19.10431
Exit only	RHR	SP313	19-V-EO-SP313-RHR	7'	D19.10421	D19.11204
Exit only	LHR	SP28	19-V-EO-SP28-LHR	8'	D19.10345	D19.10774
Exit only	RHR	SP28	19-V-EO-SP28-RHR	8'	D19.10703	D19.12660
Exit only	LHR	SP313	19-V-EO-SP313-LHR	8'	D19.10524	D19.10601
Exit only	RHR	SP313	19-V-EO-SP313-RHR	8'	D19.10542	D19.12460

F-19-V Series surface vertical rod fire exit hardware

Trim function	Handing	Finish	Series	Door height	3'	4'
					SKU	
Exit only	LHR	SP28	F-19-V-EO-SP28-LHR	7'	D19.10256	D19.10368
Exit only	RHR	SP28	F-19-V-EO-SP28-RHR	7'	D19.10425	D19.10369
Exit only	LHR	SP313	F-19-V-EO-SP313-LHR	7'	D19.10257	D19.11202
Exit only	RHR	SP313	F-19-V-EO-SP313-RHR	7'	D19.10426	D19.11203
Exit only	LHR	SP28	F-19-V-EO-SP28-LHR	8'	D19.10417	D19.11419
Exit only	RHR	SP28	F-19-V-EO-SP28-RHR	8'	D19.10418	D19.13213
Exit only	LHR	SP313	F-19-V-EO-SP313-LHR	8'	D19.11001	D19.11421
Exit only	RHR	SP313	F-19-V-EO-SP313-RHR	8'	D19.14179	D19.15454

Note: For door heights over 8' extension rods in 12" lengths must be ordered separately.

Falcon Series 19 trim



- Finishes available:
SP28 = Powder-coated aluminum
SP313 = Powder-coated dark bronze
US32D = Satin stainless steel
- **KIL** = Key-in-lever

19 Series trim

Series	Lever design	Handing	Finish	SKU
912-L	Dane	LHR	SP28	MTRIM.17909
912-L	Dane	RHR	SP28	MTRIM.17881
912-L	Dane	LHR	SP313	MTRIM.17920
912-L	Dane	RHR	SP313	MTRIM.17919
912-L	Quantum	LHR	SP28	MTRIM.18010
912-L	Quantum	RHR	SP28	MTRIM.18009
912-L	Quantum	LHR	SP313	MTRIM.18175
912-L	Quantum	RHR	SP313	MTRIM.18045
914-KIL-IC	KIL Dane	RHR	US32D	MTRIM.13874
914-KIL-IC	KIL Dane	RHR	SP313	MTRIM.14724
914-KIL-KD	KIL Dane	RHR	US32D	MTRIM.17413
914-KIL-KD	KIL Dane	RHR	SP313	MTRIM.17410
914-KIL-BE	KIL Dane	RHR	US32D	MTRIM.13354
914-KIL-BE	KIL Dane	RHR	SP313	MTRIM.14546
914-KIL-IC	KIL Dane	LHR	US32D	MTRIM.12887
914-KIL-IC	KIL Dane	LHR	SP313	MTRIM.13373
914-KIL-KD	KIL Dane	LHR	US32D	MTRIM.17560
914-KIL-KD	KIL Dane	LHR	SP313	MTRIM.17498
914-KIL-BE	KIL Dane	LHR	US32D	MTRIM.12821
914-KIL-BE	KIL Dane	LHR	SP313	MTRIM.13374
920NL	None	RHR	SP28	MTRIM.13429
920NL	None	LHR	SP28	MTRIM.13428
920NL	None	RHR	SP313	MTRIM.14507
920NL	None	LHR	SP313	MTRIM.13862
920DT	None	RHR	SP28	MTRIM.14568
920DT	None	LHR	SP28	MTRIM.13860
920DT	None	RHR	SP313	MTRIM.15089
920DT	None	LHR	SP313	MTRIM.13861
930NL	Handle pull	Non-handed	US32D	MTRIM.12828
930NL	Handle pull	Non-handed	SP313	MTRIM.13063

Cylinder reference notes: KIL-IC trims come with A Keyway cylinders and KIL-KD trims come with C Keyway cylinders

Cylinders

Finish	Description	Keyway	Compatible trim series	Part number
US26D/626	Rim cylinder, 6-pin, 0 bit	Falcon G	920NL	951-6pin-0bit-FalconG-626
US26D/626	Rim cylinder, 6-pin, 0 bit	Schlage C	920NL	951-6pin-0bit-SchlageC-626
US26D/626	1 1/8" Mortise w/straight cam, 6-pin, 0 bit	Falcon G	912-L	TBD
US10B/613	1 1/8" Mortise w/straight cam, 6-pin, 0 bit	Falcon G	912-L	TBD

- Heavy duty architectural exit device
- Grade 1, optional UL "A" label (3-hour) fire exit construction
- All devices include standard strike
- Two finishes available:
US32D = Satin stainless steel **US26D** = Satin chrome



25-R Series rim exit device

Trim function	Handing	Finish	Series	3'	4'
				SKU	
Exit only	–	US32D	25-R-EO-US32D	D25.10005	D25.12086
Exit only	–	US26D	25-R-EO-US26D	D25.10006	D25.11882

F-25-R Series rim fire exit hardware

Trim function	Handing	Finish	Series	3'	4'
				SKU	
Exit only	–	US32D	F-25-R-EO-US32D	D25.10167	D25.11633
Exit only	–	US26D	F-25-R-EO-US26D	D25.10168	D25.12150

25-V Series surface vertical rod exit device


Trim function	Handing	Finish	Series	Door height	3'	4'
					SKU	
Exit only	RHR	US32D	25-V-EO-US32D-RHR	7'	D25.10329	D25.11623
Exit only	LHR	US32D	25-V-EO-US32D-LHR	7'	D25.12087	D25.12088
Exit only	RHR	US26D	25-V-EO-US26D-RHR	7'	D25.10330	D25.11836
Exit only	LHR	US26D	25-V-EO-US26D-LHR	7'	D25.11727	D25.11837
Exit only	RHR	US32D	25-V-EO-US32D-RHR	8'	D25.12453	D25.18519
Exit only	LHR	US32D	25-V-EO-US32D-LHR	8'	D25.12248	D25.22931
Exit only	RHR	US26D	25-V-EO-US26D-RHR	8'	D25.12537	D25.12539
Exit only	LHR	US26D	25-V-EO-US26D-LHR	8'	D25.16918	D25.13494

F-25-V Series surface vertical rod fire exit hardware

Trim function	Handing	Finish	Series	Door height	3'	4'
					SKU	
Exit only	RHR	US32D	F-25-V-EO-US32D-RHR	7'	D25.10491	D25.12091
Exit only	LHR	US32D	F-25-V-EO-US32D-LHR	7'	D25.12089	D25.12090
Exit only	RHR	US26D	F-25-V-EO-US26D-RHR	7'	D25.10492	D25.12783
Exit only	LHR	US26D	F-25-V-EO-US26D-LHR	7'	D25.12205	D25.11880
Exit only	RHR	US32D	F-25-V-EO-US32D-RHR	8'	D25.16627	D25.12846
Exit only	LHR	US32D	F-25-V-EO-US32D-LHR	8'	D25.13962	D25.14862
Exit only	RHR	US26D	F-25-V-EO-US26D-RHR	8'	D25.12543	D25.12835
Exit only	LHR	US26D	F-25-V-EO-US26D-LHR	8'	D25.14685	D25.21844
Exit only	RHR	US32D	F-25-V-EO-LBRAFL-US32D-RHR	7'	D25.11742	–
Exit only	LHR	US32D	F-25-V-EO-LBRAFL-US32D-LHR	7'	D25.12239	–
Exit only	RHR	US26D	F-25-V-EO-LBRAFL-US26D-RHR	7'	D25.12553	–
Exit only	LHR	US26D	F-25-V-EO-LBRAFL-US26D-LHR	7'	D25.11840	–

Note: For door heights over 8' extension rods in 12" lengths must be ordered separately.

Falcon 25 Series trim

FALCON®

- Finishes available: **US32D** = Satin stainless steel, **US26D** = Satin chrome

25 Series trim

Series	Lever design	Handing	Finish	SKU
510L	Dane	RHR	US26D	MTRIM.17379
510L	Dane	LHR	US26D	MTRIM.17385
510L	Dane	RHR	US32D	MTRIM.17365
510L	Dane	LHR	US32D	MTRIM.17364
510L	Quantum	RHR	US26D	MTRIM.17432
510L	Quantum	LHR	US26D	MTRIM.17465
510L	Quantum	RHR	US32D	MTRIM.17494
510L	Quantum	LHR	US32D	MTRIM.17463
510L-NL	Dane	LHR	US26D	MTRIM.17405
510L-NL	Dane	RHR	US26D	MTRIM.17380
510L-NL	Dane	LHR	US32D	MTRIM.17434
510L-NL	Dane	RHR	US32D	MTRIM.17392
510L-NL	Quantum	LHR	US26D	MTRIM.17454
510L-NL	Quantum	RHR	US26D	MTRIM.17453
510L-NL	Quantum	LHR	US32D	MTRIM.17492
510L-NL	Quantum	RHR	US32D	MTRIM.17493
510L-DT	Dane	LHR	US26D	MTRIM.17497
510L-DT	Dane	RHR	US26D	MTRIM.17412
510L-DT	Dane	LHR	US32D	MTRIM.17545
510L-DT	Dane	RHR	US32D	MTRIM.17602
510L-DT	Quantum	LHR	US26D	MTRIM.17566
510L-DT	Quantum	RHR	US26D	MTRIM.17751
510L-DT	Quantum	LHR	US32D	MTRIM.17662
510L-DT	Quantum	RHR	US32D	MTRIM.17559
510L-BE	Dane	LHR	US26D	MTRIM.17388
510L-BE	Dane	RHR	US26D	MTRIM.17389
510L-BE	Dane	LHR	US32D	MTRIM.17396
510L-BE	Dane	RHR	US32D	MTRIM.17395
510L-BE	Quantum	LHR	US26D	MTRIM.17508
510L-BE	Quantum	RHR	US26D	MTRIM.17507
510L-BE	Quantum	LHR	US32D	MTRIM.17452
510L-BE	Quantum	RHR	US32D	MTRIM.17455
512NL	Handle pull	Non-handed	US32D	MTRIM.17433
512NL	Handle pull	Non-handed	US26D	MTRIM.17398

Cylinders

Finish	Description	Keyway	Compatible trim series	Part number
US26D/626	1 1/4" Mortise x straight cam, 6-pin, 0bit	Falcon G	510L/L-NL/512NL	986 - TBD
US32D/630	1 1/4" Mortise x straight cam, 6-pin, 0bit	Falcon G	510L/L-NL/512NL	986 - TBD

Parts

Part	Description	Finish	SKU
19-V	12" Extension rod	SP28	650006-689
19-V	12" Extension rod	SP313	650006-695
25-V	12" Extension rod	US32D	650006-032
EAK*	36" Exit alarm kit—25 Series device	US32D	650167-41
EAK*	36" Exit alarm kit—25 Series device	US26D	650167-51

Notes: **SP28** = Powder-coated aluminum, **SP313** = Powder-coated dark bronze, **US32D** = Satin stainless steel
 * If ordering exit alarm to be shipped with device, prefix nomenclature "EA".

Sex bolts

Model No.	Description	Finish	SKU
2729F	Sex bolt w/10-24 X 3/4" FPHMS	US10B	600180
2729P	Sex bolt w/10-24 X 3/4" PPHMS	US10B	600177
2729P	Sex bolt w/10-24 X 3/4" PPHMS	US26D	600179
2729F	Sex bolt w/10-24 X 3/4" FPHMS	US26D	600178
425	425 Sex bolt 10-24 (Pkg of 2)	US32D	034302-32

Notes: **US10B** = Oil-rubbed bronze, **US26D** = Satin chrome, **US32D** = Satin stainless steel

Sex bolt usage chart

Device	Sex bolt type w/QTY required		
	2729P	2729F	425
(F-)19-R	2	0	0
19-V	2	0	0
F-19-V	0	4	0
(F-) 25-R exit only	0	0	8
(F-) 25-R Device + trim	0	0	4
(F-) 25-V Device + trim	2	4	2
(F-) 25-V Exit only	2	4	6
(F-) 25-V Device + trim LBR	2	1	2
(F-) 25-V Exit only LBR	2	1	6

Mullions

Model No.	Description	Finish	SKU
4032 - 7'	Steel mullion (2" x 3") 7'H for use with 25/19 rim devices	SP28	MMULL.1042
2923 - 7'	Steel mullion (1 1/2" x 2 1/2") 7'H for use with 25/19 rim devices	Black prime	MMULL.1045

Falcon 1690 and 1790 Series

FALCON®

- Commercial grade pushpad exit device
- All devices are for a 36" wide door and 3' x 7' aluminum or hollow metal doors.
(Device includes PB48 strike and cylinder)
- Handing is easily field reversible
- **US28** = Anodized aluminum, **DC13**=Duranodic bronze
- NL/HB trim function is supplied with a C Keyway cylinder



1690 Series concealed vertical rod exit device

Trim function	Handing	Finish	Series	SKU
Exit only	–	US28	1690-EO-US28-RHR	D1690.10360
Exit only	–	DC13	1690-EO-DC13-RHR	D1690.10140
Night latch/hold back	–	US28	1692-NL-OP/HB-OP-US28-RHR	D1690.10385
Night latch/hold back	–	DC13	1692-NL-OP/HB-OP-DC13-RHR	D1690.10363

1690 Series concealed vertical rod exit device - electric latch retraction

Trim function	Handing	Finish	Series	SKU
Exit only	–	US28	EL1690-EO-US28-RHR*	D1690.10858
Exit only	–	DC13	EL1690-EO-DC13-RHR*	D1690.10883
Night latch/hold back	–	US28	EL1692-NL-OP/HB-OP-US28-RHR*	D1690.10878
Night latch/hold back	–	DC13	EL1692-NL-OP/HB-OP-DC13-RHR*	D1690.10869

* PS914 Von Duprin power supply with 2RS option board required to operate EL devices



1790 Series rim exit device

Trim function	Handing	Finish	Series	SKU
Exit only	–	US28	1790-EO-US28	D1790.10075
Exit only	–	DC13	1790-EO-DC13	D1790.10082
Night latch/hold back	–	US28	1792-NL-OP/HB-OP-US28	D1790.10091
Night latch/hold back	–	DC13	1792-NL-OP/HB-OP-DC13	D1790.10092

- Crossbar style exit device
- All devices are priced for 3'8" x 7' aluminum or hollow metal doors. (Price includes PB48 strike and cylinder)
- **P28** = painted aluminum - silver, **P13**=painted aluminum - dark bronze
- NL/HB trim function is supplied with a C Keyway cylinder



1990 Series concealed vertical rod exit device

Trim function	Handing	Finish	Series	SKU
Exit only	–	P28	1990-EO-P28-RHR	D1990.11001
Exit only	–	P13	1990-EO-P13-RHR	D1990.11003
Night latch/hold back	–	P28	1992-NL-OP/HB-OP-P28-RHR	D1990.11009
Night latch/hold back	–	P13	1992-NL-OP/HB-OP-P13-RHR	D1990.11011

Note: 1990 Device is easily field reversible.



2090 Series rim exit device

Trim function	Handing	Finish	Series	SKU
Exit only	LHR	P28	2090-EO-P28-LHR	D2090.11021
Exit only	RHR	P28	2090-EO-P28-RHR	D2090.11001
Exit only	LHR	P13	2090-EO-P13-LHR	D2090.11023
Exit only	RHR	P13	2090-EO-P13-RHR	D2090.11003
Night latch/hold back	LHR	P28	2092-NL-OP/HB-OP-P28-LHR	D2090.11029
Night latch/hold back	RHR	P28	2092-NL-OP/HB-OP-P28-RHR	D2090.11009
Night latch/hold back	LHR	P13	2092-NL-OP/HB-OP-P13-LHR	D2090.11031
Night latch/hold back	RHR	P13	2092-NL-OP/HB-OP-P13-RHR	D2090.11011

Pinion cam

Description	Finish	Handing	SKU
PB5 Pinion cam for 1690/1990/2090 devices (package of 10)	–	–	CAM.102

FALCON

Closers

Contents

SC60 Series surface door closers	29
SC70 Series surface door closers	29
SC80 Series surface door closers	29
SC90 Series surface door closers	29
Parts and components	30

SC60 Series surface door closers

- Light-medium duty door closer
- Adjustable sizes 1-5
- ANSI/BHMA 156.4, Grade 1 certified
- Meets ANSI 117.1
- Closers without Hold-Open arms are UL 10C fire rated.



SC60 Series	Arm function	Finish	Handing	Cylinder assembly	Cover	SKU
SC61	Rw/PA	ALUM	-	Std	Less	43571
SC61	Rw/PA	DKBRZ	-	Std	Less	43573
SC61	Hw/PA	ALUM	-	Std	Less	43583
SC61	Rw/PA	ALUM	-	Std	Slim	43601

Note: All SC60 Series closers ship with thru bolt, wood and machine screws (TBWMS).

SC70 Series surface door closers

- Heavy duty door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Meets ANSI 117.1
- Closers without Hold-Open arms are UL 10C fire rated.



SC70 Series	Arm Function	Finish	Handing	Cylinder assembly	Cover	SKU
SC71	Rw/PA	ALUM	-	Std	Full	43002
SC71	Rw/PA	DKBRZ	-	Std	Full	43003
SC71	Hw/PA	ALUM	-	Std	Full	43108
SC71	HD/PA	ALUM	-	Std	Full	43008
SC71	DS	ALUM	-	Std	Full	43014
SC71	DS/HO	ALUM	-	Std	Full	43020

Note: All SC70 Series closers ship with thru bolt, wood and machine screws (TBWMS).

SC80 Series surface door closers

- Medium duty door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Meets ANSI 117.1
- Closers without Hold-Open arms are UL 10C fire rated.



SC80 Series	Arm Function	Finish	Handing	Cylinder assembly	Cover	SKU
SC81	Rw/PA	ALUM	-	Std	Slim	43420
SC81	Rw/PA	DKBRZ	-	Std	Slim	43476
SC81	Rw/PA	ALUM	-	Std	Full	43434
SC81	Rw/PA	DKBRZ	-	Std	Full	43490
SC81	DS	ALUM	-	Std	Slim	43416
SC81	Hw/PA	ALUM	-	Std	Slim	43419
SC81	Hw/PA	DKBRZ	-	Std	Slim	43475
SC81	Hw/PA	ALUM	-	Std	Full	43433
SC81	Hw/PA	DKBRZ	-	Std	Full	43489

Note: All SC80 Series closers ship with thru bolt, wood and machine screws (TBWMS).

SC90 Series surface door closers

- Light duty door closer
- Fixed sizes; Size 4 available
- ANSI/BHMA 156.4, Grade 3 certified
- Closers without Hold-Open arms are UL 10C fire rated.

SC90 Series	Arm Function	Finish	Handing	Cylinder assembly	Cover	SKU
SC94	Rw/PA	ALUM	-	Std	Less	41891
SC94	Rw/PA	DKBRZ	-	Std	Less	41942

Note: All SC90 Series closers ship with thru bolt, wood and machine screws (TBWMS).

Notes: **ALUM** = Aluminum painted finish (689); **DKBRZ** = Dark bronze finish (695)

Rw/PA = Regular arm with parallel arm bracket

Hw/PA = Hold open arm with parallel arm bracket (Please note hold open arm configurations are not UL listed.)

DS = Dead stop arm

DS/HO = Dead stop hold open arm (Please note hold open arm configurations are not UL10C listed.)

Drop plates

FALCON®**Parts and components**

Series	Product number	Product description	Finish	SKU
SC60	SC60-18	Mounting plate - top jamb	ALUM	42084
SC60	SC60-18PA	Mounting plate - push side	ALUM	42123
SC60	SC60-18	Mounting plate - top jamb	DKBRZ	42136
SC60	SC60-18PA	Mounting plate - push side	DKBRZ	42133
SC70	SC70-18	Narrow frame back plate	ALUM	43066
SC70	SC70-18PA	Narrow top rail drop plate	ALUM	43069
SC70	SC70-18	Narrow frame back plate	DKBRZ	43067
SC70	SC70-18PA	Narrow top rail drop plate	DKBRZ	43070
SC80	SC80-18	Mounting plate - top jamb	ALUM	42159
SC80	SC80-18PA	Mounting plate - push side	ALUM	42162
SC80	SC80-18	Mounting plate - top jamb	DKBRZ	42179
SC80	SC80-18PA	Mounting plate - push side	DKBRZ	42182

IVES

Door accessories

Contents

Flush bolts	32
Dust-proof strikes	32
Coordinators and accessories	33
Surface bolts	33
Latches	34
Door silencers	34
Pivots	35
Floor stops (includes dome stops and kick downs)	36
Wall stops	37
Vandal resistant trim	38
Hooks	38
Viewer	38
Door guard	38
Kick plates	39
Push plates	39
Pull plates	39
Door pulls	40
Architectural hinges	41
Continuous hinges	41

ProExpress™

Flush bolts and strikes

IVES®


Flush bolts

Number	Description	Door Type	Finish
FB358	Manual - single	Wood	US10B
FB358	Manual — single	Wood	US26D
FB457	Manual flush bolt, single door	Metal	US26D
FB458	Manual — single	Metal	US26D
FB458	Manual flush bolt, single door	Metal	US3
262B26D	Manual flush bolt		B26D
FB458	Manual flush bolt 12 in	Metal	US15
FB31P	Automatic — pair	Metal	US32D
FB41P	Automatic — pair	Wood	US32D
FB51P	Constant latching — pair	Metal	US32D
FB61P	Constant latching — pair	Wood	US32D
262B3	Manual flush bolt		B3
262B10B	Manual flush bolt		B10B
FB256/7/8/457/8/0458-24"	Manual flush bolt rod - 24"		
FB256/7/8/457/8/0458-36"	Manual flush bolt rod - 36"		



Dust-proof strikes

Number	Description	Finish
DP1	Dust-proof strike — threshold only	US26D
DP2	Dust-proof strike — floor and/or threshold	US26D
DP2	Dust-proof strike — floor and/or threshold	US10B



CB1

Coordinators and accessories

Number	Description	Finish
COR52w/FL 20	Coordinator - 52" overall length w/FL 20	US28
COR52	Coordinator — 52" overall length	US28
FL20	Filler bar — 20" overall length	US28
MB1	Mounting bracket — stops over 2-1/2"	USP
MB1	Mounting bracket — stops over 2-1/2"	SP28
MB2	Mounting bracket — stops up to 2-1/2"	USP
MB2	Mounting bracket — stops over 2-1/2"	SP 28
CB1	Carry bar	USP



LG1



LG10



LG13

Lock guards

Number	Description	Finish
LG1	Lock guard with security pin	US32D
LG1	Lock guard with security pin	US2G
LG10	Lock guard	US32D
LG12	Lock guard	US32D
LG13	Lock guard	US32D
LG14	Lock guard	US32D



SB453

Surface bolts

Number	Description	Finish
SB360-12"	12" Surface bolt - heavy duty, packed with universal strike	US2C
SB453-8"-TB	8" Steel surface bolt, top-and-bottom strikes	US2C
SB1630B	8" Steel bottom bolt	US2G
SB1630T	8" Steel top bolt	US2G
SB1630TB	8" Steel bolt with top-and-bottom strikes	US2G
40-4 B26D	Modern surface bolt	B26D
054B26D	Dutch door bolt	B26D

Latches

IVES®




CL11



CL14



CL21A



RL30



RL36



RL38



RL1152

Roller latches, invisible latches, and ball-type or cabinet catch


Number	Description	Finish
CL11	Invisible latch, 7/16" x 1-1/4" x 1-7/8"	US26D
CL12	Invisible latch, 9/16" x 1-1/4" x 2-1/4"	US26D
CL14	Auxiliary pusher for invisible latches	US26D
CL21A	Four-way catch — full size doors w/hook plate	US26D
CL22	Three-way catch	US26D
2A3	Elbow cabinet catch	A3
2A92	Elbow cabinet catch	A92
42B10B	Pocket door bolt	B10B
42B15	Pocket door bolt	B15
42B26	Pocket door bolt	B26
RL30	Roller latch	US26D
RL32	Nylon roller	US26D
RL36	Roller latch, light-duty, mortise	US32D
RL38	Roller latch, light-duty, surface mounted	US32D
RL1152	Combination roller latch/applied stop	US26D
325A92	Magnetic catch	A92
326A92	Heavy duty magnetic catch	A92
327A92	Magnetic catch dual triple pole	A92
335B10B	Roller catch adjustable	B10B
347B10B	Ball catch	B10B
347B26	Ball catch	B26
347B26D	Ball catch	B26D
349B26D	Ball catch	B26D
347B15	Ball catch	B15



SR64

Door Silencers


Number	Description		Finish
SR64	Door silencers for metal frames, bag of 100		Gray
SR65	Door silencer for wood frames, bag of 100	Wood	Gray



Pivot set

Number	Description	Handing	Finish
7253 Pivot set	Center-hung pivot set	-	US26D
7255 Pivot set	Center-hung pivot set	-	US26D
7215 Pivot set RH	3/4" Offset pivot rh		US26D
7215 Pivot set LH	3/4" Offset pivot lh		US26D
7226	3/4" Offset pivot		US26D
7230F	Fire rated 3/4" offset pivot		US32D

Note: Set includes top-and-bottom pivots.



7215-7226-7227 INT

Intermediate pivots

Number	Description	Handing	Finish
7215-7226-7227 INT	Intermediate pivot for 7215, 7226 and 7227	RH	US26D
7215-7226-7227 INT	Intermediate pivot for 7215, 7226 and 7227	LH	US26D
7230F-7237F INT RH	Fire rated 3/4" offset pivot INT RH		US32D
7230F-7237F INT LH	Fire rated 3/4" offset pivot INT LH		US32D



91105F

Pocket pivot

Number	Size	Finish
91105F	Pocket pivot	US32D

Note: Pocket pivots are sold individually.

Floor stops

IVES®


FS436



FS18S



FS40



FS441



FS444



FS446



FS452



FS544



FS1153



FS1154

Floor stops, dome stops and kick downs

Number	Description	Finish
FS13	1" Height floor dome stop	US26D
FS434	Angle door stop	US2C
FS436	Dome stop	US26D
FS436	Dome stop	US3
FS436	Dome stop	US10B
FS436	Dome stop	US15
FS436	Dome stop	US26
FS436	Dome stop	US28
FS438	Dome stop	US26D
FS438	Dome stop	US10B
FS438	Dome stop	US26
FS438	Dome stop	US28
R435-1/2	1/2" riser for FS436 dome stop	US27
FS18L	Security floor stop — 3-1/2" bumper	-
FS18S	Security floor stop	-
FS40	Automatic floor type holder — 1/2" door to floor clearance	US26D
FS441	Floor door stop	US26D
FS441	Floor door stop	US10B
FS444	Heavy-duty door stop	US26D
FS444	Heavy-duty door stop	US10B
FS446	Heavy-duty door stop and holder	US26D
FS446	Heavy-duty door stop and holder	US10B
FS448	Heavy-duty floor door stop	US10B
FS448	Heavy-duty floor door stop	US26D
FS450	Floor door stop w/heavy duty holder	US26D
FS452-4"	Kick down door holder	US26D
FS452-5"	Kick down door holder	US26D
FS452-5"	Kick down door holder	US10B
FS495	Auto door stop and holder	US26D
FS544-4"	Kick down door holder — iron	SP28
FS544-4"	Kick down door holder — iron	SP4
FS455-4"	Kick down door holder	US3
FS455-4"	Kick down door holder	US10B
FS455-4"	Kick down door holder	US26D
FS455-4"	Kick down door holder	US3AL
FS455-4"	Kick down door holder	US27
FS555-5"	Kick down door holder — iron	SP28
FS544/555	Kick down holder part - rubber w/screw	
FS1153	Plunger-type door holder — 1-5/8" throw	US28
FS1154	Plunger-type door holder — 1-1/4" throw	US10



WS40



WS45



WS404CVX



WS406CVX



WS445

Wall stops

Number	Description	Screw pkg.	Finish
WS40	Automatic holder and stop	Universal	US26D
WS45	Automatic holder and stop	Universal	US26D
WS401CCV	Cast wall stop, concave bumper	Wood	US26D
WS401CVX	Cast wall stop, convex bumper	Wood	US26D
WS402CCV	Cast wall stop, concave bumper	Drywall	US26D
WS402CVX	Cast wall stop, convex bumper	Drywall	US26D
WS404CVX	Cast wall stop, convex bumper	Metal	US26D
WS33	Wall stop for drywall mounting		US26D
060F10B	Flexible door stop		F10B
060F14	Flexible door stop		F14
61A10B	Solid door stop		A10B
61A14	Solid door stop		A14
61A92	Solid door stop		A92
61A-W	Solid door stop		A-W
70A92	Hinge pin door stop		A92
411R-W	Wall stop adhesive back		R-W
WS447	Heavy duty wall door stop for drywall mounting		US26D
60A92	Door stop		A92
69F14	Hinge pin door stop (70-100 degree adjustment)		F14
69F15	Door stop		F15
70B15	Hinge pin door stop		B15
70B10B	Hinge pin door stop		B10B
70A10B	Hinge pin door stop		A10B
63F619E	Flexible door stop		63F619E
060F15	Flexible door stop		F15
060F26D	Flexible door stop		F26D
63F716E	Flexible door stop		F716E
61A15	Solid door stop		A15
70A-716	Hinge pin door stop (85-125 degree adjustment)	A-716	2.30
70A15	Hinge pin door stop		A15
WS406/407-CVX	Wall stop w/convex drywall anchor		US10B
WS406/407-CVX	Wall stop w/convex drywall anchor		US32D
WS 406/407-CCV	Wall stop w/concave drywall anchor		US3
WS 406/407-CCV	Wall stop w/concave drywall anchor		US10
WS 406/407-CCV	Wall stop w/concave drywall anchor		US10B
WS 406/407-CCV	Wall stop w/concave drywall anchor		US32D
WS445	Heavy-duty wall stop and holder	Drywall	US26D
60-5/062/70/430	Rubber tips 100/pkg		
CS115-20	Crash stop	---	US26D

Vandal resistant trim

Number	Description	Finish
VR910NL	Vandal resistant trim 98/99 rim or vertical rod	US32D
VR910-DT	Vandal resistant trim 98/99 rim or vertical rod	US32D

Hooks

Number	Description	Finish
571	Coat and hat hook	A92
571	Coat and hat hook	A3
571	Coat and hat hook	B10B
572	Coat and hat hook	B26D
581	Wardrobe hook	A92
582	Wardrobe hook	A92
582	Wardrobe hook	B26D
405	Coat and hat hook	A92
580	Ceiling hook	A92

Viewer

Number	Description	Finish
698	Wide angle viewer	B26D
U696B26D	1-Way viewer (150 degrees)	B26D
U698B26D	Wide angle viewer 1-3/8" to 2-1/8"	B26D
U698B3	Wide angle viewer 1-3/8" to 2-1/8"	B3
700B26D	1-Way viewer 1-3/8" to 2-1/16"	B26D
U700B26D	1-Way viewer 1-3/8"	B26D

Door guard

Number	Description	Finish
482	Door guard	B26D

Window lock

Number	Description	Finish
07B3	Window lock	B3

Kick plates

Number	Size	Finish
8400	8" x 34"	US32D
8400	8" x 34" B4E	US32D
8400	10" x 34"	US32D
8400	10" x 34" B4E	US32D
8400	10" x 34" B4E CS	US32D
8400	10" x 35"	US32D



8200

Push plates

Number	Size	Finish
8200	Push plate 3.5X15	US32D
8200	Push plate 4X16	US32D
8200	Push plate 3.5X15	US10B
8200	Push plate 4X16	US10B
8200	Push plate 4X16	US26D
8200	Push plate 3.5X15	US28
8200	Push plate 4X16	US28
8200	Push plate 6X16	US32D
8200	Push plate 8X16	US32D



8302

Pull plates

Number	Size	Center to center	Finish
8302-0	Pull plate 3.5X15 1-3/4"	10"	US32D
8103HD-0	Straight door pull 1-3/4"		US32D
8302-0	Pull plate 4X16 1-3/4"	10"	US32D
8302-6	Pull plate 4X16 1-3/4"	6"	US32D
8302-8	Pull plate 3.5X15 1-3/4"	8"	US32D
8302-8	Pull plate 4X16 1-3/4"	8"	US32D
8303-0	Pull plate 4X16 1-3/4"	10"	US32D
8303-8	Pull plate 4X16 1-3/4"	8"	US32D

Pulls

Number	Size	Finish
221B10B	Flush pull 1-3/4"	B10B
221B26D	Flush pull 1-3/4"	B26D
222B26D	Flush pull 1-3/4"	B26D
223B26D	Flush pull 1-3/4"	B26D
227B26D	Flush pull 1-3/4"	B26D
230B26D	Door edge pull 1-3/4"	B26D
990B-613	Sliding door pull 1-3/4"	B-613
990B-619	Sliding door pull 1-3/4"	B-619
991B-613	Sliding door pull 1-3/4"	B-613
991B-619	Sliding door pull 1-3/4"	B-619
8103EZHD-0	Straight door pull 1-3/4"	US32D
991	Sliding door pull 1-3/4"	B-716
9190HD-33-0	Pushbar/pull combo 1" round	US32D

Offset door pulls

Number	Size	Center to center	Finish
8190HD-0	90 Degree offset door pull 1-3/4"	10"	US10B
8190HD-2	90 Degree offset door pull 1-3/4"	12"	US32D
8190HD-0	90 Degree offset door pull 1-3/4"	10"	US32D
8190HD-0	90 degree offset door pull 1-3/4" (Mounting Type O)	10"	US32D
8190HD-2	90 Degree offset door pull 1-3/4" (Mounting Type O)	12"	US32D

Handrail bracket

Number	Description	Finish
HB159	Handrail bracket	US27
059A-BLK	Handrail bracket	A-BLK
059A-W	Handrail bracket	A-W
59A3	Handrail bracket	A3
059A92	Handrail bracket	A92
59A716	Handrail bracket	A716
59A15	Handrail bracket	A15



3CBI

Architectural hinges

Number	Description	Finish
3SP1 4.5 X 4.5	3 Knuckle full mortise spring hinge	US26D (652)
3PB1 4.5 x 4.5	3 Knuckle full mortise plain bearing hinge	US26D (652)
5PB1 4.5 x 4.5	5 Knuckle full mortise plain bearing hinge	US26D (652)
5PB1 4.5"x4.5" NRP	5 Knuckle full mortise 2 ball bearing hinge NRP	US26D (652)
5BB1 4.5 x 4.5	5 Knuckle full mortise 2 ball bearing hinge	USP (600)
5BB1 4.5 x 4.5	5 Knuckle full mortise 2 ball bearing hinge	US26D (652)
5BB1 4.5 x 4.5	5 Knuckle full mortise 2 ball bearing hinge	US32D (630)
5BB1 4.5 x 4.5 NRP	5 knuckle full mortise 2 ball bearing hinge NRP	USP (600)
5BB1 4.5 x 4.5 NRP	5 knuckle full mortise 2 ball bearing hinge NRP	US26D (652)
5BB1 4.5 x 4.5 NRP	5 Knuckle full mortise 2 ball bearing hinge NRP	US32D (630)
5BB1 HW 4.5" x 4.5"	5 Knuckle full mortise 2 ball bearing heavy wt. hinge	US26D (652)
5BB1 HW 4.5" x 4.5"	5 Knuckle full mortise 2 ball bearing heavy wt. hinge	US32D (630)
5BB1 HW 4.5" x 4.5" NRP	5 knuckle full mortise 2 ball bearing heavy wt. hinge NRP	US26D (652)
5BB1 HW 4.5" x 4.5" NRP	5 knuckle full mortise 2 ball bearing heavy wt. hinge NRP	US32D (630)
5BB1 HW 5" x 4.5"	5 knuckle full mortise 2 ball bearing heavy wt. hinge	US26D (652)
5BB1 HW 5" x 4.5" NRP	5 knuckle full mortise 2 ball bearing heavy wt. hinge NRP	US26D (652)
5BB1 HW 5"x4.5"	5 Knuckle mortise 2 ball bearing heavy wt. hinge	US32D (630)
5BB1 SC 4.5"	5 Knuckle ball bearing swing clear standard wt.	US26D (652)
5BB1 HW 5"x4.5" NRP	5 knuckle full mortise 2 ball bearing hinge NRP	US32D (630)
5BB1 4.5"x4.5"	5 Knuckle full mortise 2 ball bearing hinge	US3 (632)
5BB1 4.5"x4.5"	5 Knuckle full mortise 2 ball bearing hinge	US4 (633)
5BB1 4.5"x4.5"	5 Knuckle full mortise 2 ball bearing hinge	US10 (639)
5BB1 4.5"x4.5"	5 Knuckle full mortise 2 ball bearing hinge	US26 (651)
5BB1 4.5"x4"	5 Knuckle full mortise 2 ball bearing hinge	US26D (652)
5BB1 4.5"x4" NRP	5 knuckle full mortise 2 ball bearing hinge NRP	US26D (652)
5BB1 HW BSC 4.5"	5 knuckle ball bearing beveled swing clear HW	US26D (652)
5BB1 HW BSC 5"	5 knuckle ball bearing beveled swing clear HW	US26D (652)
5BB1 5"x4.5"	5 knuckle full mortise 2 ball bearing hinge	US26D (652)
5BB1 5"x4.5" NRP	5 knuckle full mortise 2 ball bearing hinge NRP	US26D (652)
5BB1 5"x4.5" NRP	5 knuckle full mortise 2 ball bearing hinge NRP	US32D (630)
5BB1 4.5"x4.5"	5 knuckle full mortise 2 ball bearing hinge	US10B (613)
5BB1 4.5"x4.5" NRP	5 Knuckle full mortise 2 ball bearing hinge NRP	US10B (613)
5BB1 4.5"x4.5"	5 Knuckle full mortise 2 ball bearing hinge	US10B (640)
5BB1 4.5"x4.5" NRP	5 Knuckle full mortise 2 ball bearing hinge NRP	US10B (640)
5BB1 HW 4.5"x4.5" NRP	5 Knuckle full mortise 2 ball bearing hinge NRP	US10B (613)
3CBI 4.5 x 4.5	3 Knuckle full mortise concealed bearing hinge	US32D (630)
3CBI 4.5 x 4.5 NRP	3 Knuckle full mortise concealed bearing hinge NRP	US26D (652)
3CBI 4.5 x 4.5 NRP	3 Knuckle full mortise concealed bearing hinge NRP	US32D (630)
3CBI HW 4.5" x 4.5"	3 Knuckle full mortise concealed bearing heavy wt. hinge	US26D (652)
3CBI HW 4.5" x 4.5" NRP	3 Knuckle full mortise concealed bearing heavy wt. hinge NRP	US26D (652)
3CBI HW 4.5" x 4.5" NRP	3 Knuckle full mortise concealed bearing heavy wt. Hinge NRP	US32D (630)
3CBI HW 5"x4.5"	3 Knuckle full mortise concealed bearing hinge	US26D (652)

Continuous hinges

Number	Description	Finish
112HD 83"	Continuous geared hinge heavy duty 83" length	US28
224HD 83"	Continuous geared hinge heavy duty 83" length	US28
700 83"	Continuous hinge, pin and barrel 83" length	US32D
700 95"	Continuous hinge, pin and barrel, 95" length	US32D
705 83"	Continuous hinge, concealed, 83" length	US32D

GLYNN-JOHNSON®

Overhead stops and holders

Contents

Push/pull latches	43
Overhead stops and holders	44-45



Push/pull latches

Push/pull latch	Description	Strike	Finish
HL6-2	Push/pull latch - 2 3/4" backset	Standard	US26D (652)
HL6-5	Push/pull latch - 5" backset	Standard	US26D (652)
HL6-2-A	Push/pull latch - 2 3/4" backset	ASA strike	US26D (652)
HL6-5-A	Push/pull latch - 5" backset	ASA strike	US26D (652)

Notes: **US28** = Anodized aluminum **313AN** = Duranodic dark bronze **US26D** = Satin chromium

Overhead stops and holders

GLYNN-JOHNSON**70 Series**

70 Series	Description	Function	Finish
704H	70 Series, size 4	Hold-open	US26D
704S	70 Series, size 4	Stop-only	US26D

**81 Series**

81 Series	Description	Function	Finish
814S	81 Series, size 4	Stop-only	US32D
814H	81 Series, size 4	Hold-open	US32D

**90 Series**

90 Series	Description	Function	Finish
903H	90 Series, size 3	Hold-open	US32D
903S	90 Series, size 3	Stop-only	US32D
904H	90 Series, size 4	Hold-open	US32D
904S	90 Series, size 4	Stop-only	US32D
905H	90 Series, size 5	Hold-open	US32D
905S	90 Series, size 5	Stop-only	US32D
906H	90 Series, size 6	Hold-open	US32D
906S	90 Series, size 6	Stop-only	US32D
AJK90	Angle jamb bracket kit	—	US26D



100 Series

100 Series	Description	Function	Finish
102S	100 Series, size 2	Stop-only	US32D
103S	100 Series, size 3	Stop-only	US32D
104H	100 Series, size 4	Hold-open	US32D
104S	100 Series, size 4	Stop-only	US32D
104S	100 Series, size 4	Stop-only	US10B
104S	100 Series, size 4	Stop-only	US32D
105H	100 Series, size 5	Hold-open	US32D
105S	100 Series, size 5	Stop-only	US32D
106S	100 Series, size 6	Stop-only	US32D



410 Series

410 Series	Description	Function	Finish
414S	410 Series, size 4	Stop only	652
414S	410 Series, size 4	Stop only	US32D
414H	410 Series, size 4	Hold open	US32D
413S	410 Series, size 3	Stop only	US32D



450 Series

450 Series	Description	Function	Finish
454H	450 Series, size 4	Hold open	US32D
454H	450 Series, size 4	Hold open	652
451S	450 Series, size 1	Stop-only	652
451S	450 Series, size 1	Stop-only	US32D
452S	450 Series, size 2	Stop-only	652
452S	450 Series, size 2	Stop-only	US32D
453S	450 Series, size 3	Stop-only	652
453S	450 Series, size 3	Stop-only	US32D
454S	450 Series, size 4	Stop-only	652
454S	450 Series, size 4	Stop-only	SP28
454S	450 Series, size 4	Stop-only	US10B
454S	450 Series, size 4	Stop-only	US32D
455S	450 Series, size 5	Stop-only	652
455S	450 Series, size 5	Stop-only	US32D



Locks



Contents

Locks

AL Series cylindrical locks	47
-----------------------------	----

Cylinders

Cylinders	47
-----------	----

AL Series cylindrical lock - 626 (satin chrome) finish

- Grade 2, UL Listed 3 hour, 1-3/8" to 1-7/8" door range standard.
- All functions include 1-1/8" x 2-1/4" square-corner latch with 2-3/4" backset and ANSI 1-1/4"x 4-7/8" strike (30-148)
- Schlage C cylinders are 6 pin cylinders keyed 6, keyed different



Saturn

		Function	Trim	Finish	Cylinder	Part number
Passage		AL10S	Saturn	626	—	043156959457
Privacy		AL40S	Saturn	626	—	043156959471
Entry/office		AL53PD	Saturn	626	KD C	043156959624
		AL53PD	Saturn	626	KD S123	043156564941
		AL53LD	Saturn	626	—	043156959631
		AL53JD	Saturn	626	—	043156959655
		AL53BD	Saturn	626	—	043156959778
Storeroom		AL80PD	Saturn	626	KD C	043156959709
		AL80PD	Saturn	626	KD S123	043156564958
		AL80LD	Saturn	626	—	043156959716
		AL80JD	Saturn	626	—	043156959730
		AL80BD	Saturn	626	—	043156959792
Cylinder (sold separately)		40-100	-	626	C123	043156995042

VON DUPRIN®

Exits

VON DUPRIN®

Contents

22 Series exit devices	49
22 Series trim	50
22 Parts	51

ProExpress™

- UL listed for Panic Exit Hardware
- Devices are ANSI A156.3, 2008 Grade 1
- Two finishes available: **SP28** = Powder-coated aluminum **SP313** = Powder-coated dark bronze



22 Series rim exit device

Trim function	Handing	Finish	Series	3'	4'
				SKU	
Exit only	–	SP28	22-EO-SP28	ED22.10000	ED22.10044
Exit only	–	SP313	22-EO-SP313	ED22.10003	ED22.10045

22 Series rim fire exit hardware

Trim function	Handing	Finish	Series	3'	4'
				SKU	
Exit only	–	SP28	22-EO-F SP28	ED22.10083	ED22.10052
Exit only	–	SP313	22-EO-F-SP313	ED22.10028	ED22.10249


2227 Series surface vertical rod panic device

Trim function	Handing	Finish	Series	Door height	3'	4'
					SKU	
Exit only	–	SP28	2227-EO-SP28	7'	ED22.10116	ED22.10085
Exit only	–	SP313	2227-EO-SP313	7'	ED22.10016	ED22.10248

2227-F Series surface vertical rod fire exit hardware

Trim function	Handing	Finish	Series	Door height	3'	4'
					SKU	
Exit only	–	SP28	2227-EO-F-SP28	7'	ED22.10037	ED22.10046
Exit only	–	SP313	2227-EO-F-SP313	7'	ED22.10038	ED22.10300

Von Duprin Series 22 trim



- Finishes available:
SP28 = Powder-coated aluminum
SP313 = Powder-coated dark bronze

22 Series trim

Series	Lever design	Handing	Finish	SKU
210-DT	-	-	SP28	TRIM.10034
210-DT	-	-	SP313	TRIM.10035
210-NL	-	-	SP28	TRIM.10036
210-NL	-	-	SP313	TRIM.10037
230-L	06	LHR	SP28	TRIM.10186
230-L	06	RHR	SP28	TRIM.10003
230-L	06	LHR	SP313	TRIM.10187
230-L	06	RHR	SP313	TRIM.10185
230-NL	-	-	SP28	TRIM.13206
230-NL	-	-	SP313	TRIM.10033
230-DT	-	-	SP28	TRIM.13205
230-DT	-	-	SP313	TRIM.10032

Cylinders

Model No.	Description	Compatible Trim Series	Finish	SKU
3215	Mortise 1-1/4"	230L	US26D	032111-26
3216	Rim Cylinder	210NL, 230NL	US26D	032210-26

Parts

Model No.	Description	Finish	SKU
ER-22	36" Extension Rod for 2227	SP28	051804689
ER-22	36" Extension Rod for 2227	SP313	051804695

Sex bolts

Model No.	Description	Finish	SKU
325	325 Sex Bolt 1/4 - 20 (pkg of 2)	—	034902-32
425	425 Sex Bolt 10-24 (Pkg of 2)	—	034302-32

Closers

Contents

1250 Series surface door closer	53
1260 Series surface door closer	53
1450 Series surface door closer	53
1460 Series surface door closer	54
4050 Series surface door closer	54
Parts and components	55

ProExpress™

1250 Series surface door closers

- Light duty cast aluminum door closer
- Adjustable sizes 1-5
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series	Arms	Finish	Handing	Cylinder assembly	Cover	SKU
1250	Rw/PA	AL	-	Std	None	078626400475
1250	Rw/PA	AL	-	Std	Slim	078626400477
1250	Hw/PA	AL	-	Std	None	078626400479
1250	Hw/PA	AL	-	Std	Slim	078626400481
1250	Rw/PA	DKBRZ	-	Std	None	078626400476
1250	Rw/PA	DKBRZ	-	Std	Slim	078626400478
1250	Hw/PA	DKBRZ	-	Std	None	078626400480
1250	Hw/PA	DKBRZ	-	Std	Slim	078626400482

Note: All 1250 Series closers ship with standard universal screw pack includes Self Reaming and Tapping Screws (SRT), Machine Screws, Wood Screws and Thru Bolts.

1260 Series surface door closers

- Light-medium duty cast iron door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series	Arms	Finish	Handing	Cylinder assembly	Cover	SKU
1261	Rw/PA	AL	-	Std	None	043156123339
1261	Hw/PA	AL	-	Std	None	043156418756
1261	Rw/PA	DKBRZ	-	Std	None	043156123346
1261	Hw/PA	DKBRZ	-	Std	None	043156123322

1450 Series surface door closers

- Medium duty cast aluminum door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series	Arms	Finish	Handing	Cylinder assembly	Cover	SKU
1450	Rw/PA	AL	-	Std	Slim	078626400483
1450	Rw/PA	AL	-	Std	Full	078626400495
1450	Hw/PA	AL	-	Std	Slim	078626400485
1450	Hw/PA	AL	-	Std	Full	078626400497
1450	Rw/PA	DKBRZ		Std	Slim	078626400484
1450	Rw/PA	DKBRZ		Std	Full	078626400496
1450	Hw/PA	DKBRZ		Std	Slim	078626400486
1450	Hw/PA	DKBRZ		Std	Full	078626400498

Note: All 1450 Series closers ship with standard universal screw pack includes Self Reaming and Tapping Screws (SRT), Machine Screws, Wood Screws and Thru Bolts.

Notes: **ALUM** = Aluminum painted finish (689); **DKBRZ** = Dark bronze finish (695)

Rw/PA = Regular arm with parallel arm bracket

Hw/PA = Hold open arm with parallel arm bracket (Please note hold open arm configurations are not UL listed.)

DS = Dead stop arm

EDA = Extra Duty Parallel Arm

CUSH = Cush-n-stop


SCUSH = Spring cush-n-stop

Surface door closers



1460 Series surface door closers

- Medium duty cast iron door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series	Arms	Finish	Handing	Cylinder assembly	Cover	SKU
1461	Rw/PA	AL	-	Std	Slim	043156871001
1461	Rw/PA	AL	-	Std	Full	078626400013
1461	Hw/PA	AL	-	Std	Slim	043156102228
1461	Hw/PA	AL	-	Std	Full	078626400014
1461	Rw/PA	DKBRZ	-	Std	Slim	043156871018
1461	Rw/PA	DKBRZ	-	Std	Full	078626400041
1461	Hw/PA	DKBRZ	-	Std	Slim	043156102235
1461	Hw/PA	DKBRZ	-	Std	Full	078626400042

4050 Series surface door closers

- Heavy duty cast aluminum door closer
- Adjustable sizes 1-6
- ANSI/BHMA 156.4, Grade 1 certified
- Closers without Hold-Open arms are UL 10C fire rated



Series	Arms	Finish	Handing	Cylinder assembly	Cover	SKU
4050	Rw/PA	AL	-	Std	Full	078626400499
4050	Hw/PA	AL	-	Std	Full	078626400501
4050	EDA	AL	-	Std	Full	078626400503
4050	Cush	AL	-	Std	Full	078626400505
4050	SCUSH	AL	-	Std	Full	078626400507
4050	Rw/PA	DKBRZ	-	Std	Full	078626400500
4050	Hw/PA	DKBRZ	-	Std	Full	078626400502
4050	EDA	DKBRZ	-	Std	Full	078626400504
4050	Cush	DKBRZ	-	Std	Full	078626400506
4050	SCUSH	DKBRZ	-	Std	Full	078626400508

Note: All 4050 Series closers ship with standard universal screw pack includes Self Reaming and Tapping Screws (SRT), Machine Screws, Wood Screws and Thru Bolts.

Notes: **ALUM** = Aluminum painted finish (689); **DKBRZ** = Dark bronze finish (695)

Rw/PA = Regular arm with parallel arm bracket

Hw/PA = Hold open arm with parallel arm bracket (Please note hold open arm configurations are not UL listed.)

DS = Dead stop arm

EDA = Extra Duty Parallel Arm

CUSH = Cush-n-stop

SCUSH = Spring cush-n-stop

Parts and components

Series	Number	Product Description	Finish	SKU
1250	18	Drop plate	ALUM	78626400509
1250	18PA	Drop plate - PA	ALUM	78626400511
1250	18	Drop plate	DKBRZ	78626400510
1250	18PA	Drop plate - PA	DKBRZ	78626400512
1260	18	Drop plate	ALUM	78626400388
1260	18PA	Drop plate - PA	ALUM	78626400389
1260	18	Drop plate	DKBRZ	78626400393
1260	18PA	Drop plate - PA	DKBRZ	78626400394
1450	18	Drop plate	ALUM	78626400513
1450	18PA	Drop plate - PA	ALUM	78626400515
1450	18FC	Drop plate (for full cover)	ALUM	78626400517
1450	18PAFC	Drop plate - PA (for full cover)	ALUM	78626400519
1450	18	Drop plate	DKBRZ	78626400514
1450	18PA	Drop plate - PA	DKBRZ	78626400516
1450	18FC	Drop plate (for full cover)	DKBRZ	78626400518
1450	18PAFC	Drop plate - PA (for full cover)	DKBRZ	78626400520
1460	18	Drop plate	ALUM	78626400017
1460	18PA	Drop plate - PA	ALUM	78626400018
1460	18FC	Drop plate (for full cover)	ALUM	78626400398
1460	18PAFC	Drop plate - PA (for full cover)	ALUM	78626400400
1460	18	Drop plate	DKBRZ	78626400045
1460	18PA	Drop plate - PA	DKBRZ	78626400046
1460	18FC	Drop plate (for full cover)	DKBRZ	78626400399
1460	18PAFC	Drop plate - PA (for full cover)	DKBRZ	78626400401
4050	18	Drop plate	ALUM	78626400521
4050	18PA	Drop plate - PA	ALUM	78626400523
4050	18	Drop plate	DKBRZ	78626400522
4050	18PA	Drop plate - PA	DKBRZ	78626400524

About Allegion

Allegion (NYSE: ALLE) is a global pioneer in safety and security, with leading brands like CISA®, Interflex®, LCN®, Schlage®, SimonsVoss® and Von Duprin®. Focusing on security around the door and adjacent areas, Allegion produces a range of solutions for homes, businesses, schools and other institutions. Allegion is a \$2 billion company, with products sold in almost 130 countries.

For more, visit www.allegion.com

aptiQ ■ LCN ■ **SCHLAGE** ■ STEELCRAFT ■ VON DUPRIN