

AMPCO Safety Tools

Catalogs
Master Index 2017



**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Adapter for Ratchet**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a1 (in)</u>	<u>a2 (in)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-143-RA</u>	1/4	1/2	24	25	15/16	.05
<u>W-142-RA</u>	3/8	1/2	32	45	1-1/4	.10
<u>W-141-RA</u>	1/2	3/4	42	70	1-1/2	.15
<u>W-140-RA</u>	3/4	1	57	180	2-1/4	.40

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Adze, Railroad**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>A-2</u>	130	860	2405	5	34	5.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**AwI**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1****Item #****d (mm)****l (mm)****Wt (g)****d (in)****l (in)****Wt (lbs)**A-1

5

185

45

3/16

7-1/4

.10

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Axe, Flat Head with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H (g)</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>A-5FG</u>	2720	125	200	915	3630	6	5	8	36	8.00
<u>A-6FG</u>	3630	125	200	915	4580	8	5	8	36	10.10

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Axe, Pick Head with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H (g)</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>A-15FG</u>	2720	125	300	915	3540	6	5	12	36	7.80
<u>A-16FG</u>	3630	125	300	915	4355	8	5	12	36	9.60

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Barrel Hook, Adjustable

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>b max (mm)</u>	<u>l max (kg)</u>	<u>Wt (g)</u>	<u>b max (in)</u>	<u>l max (lbs)</u>	<u>Wt (lbs)</u>
<u>B-10</u>	1060	680	4400	42	1500	9.70

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Barrel Hook, Fixed**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>b max (mm)</u>	<u>l max (kg)</u>	<u>Wt (g)</u>	<u>b max (in)</u>	<u>l max (lbs)</u>	<u>Wt (lbs)</u>
<u>B-15</u>	1060	680	2540	42	1500	5.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Bar, Extension**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a</u>	<u>d1 (mm)</u>	<u>d2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d1 (in)</u>	<u>d2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WE-1/4X2</u>	1/4	-	13	50	45	-	1/2	2	.10
<u>WE-1/4X4</u>	1/4	-	13	100	45	-	1/2	4	.10
<u>WE-1/4X6</u>	1/4	-	13	150	45	-	1/2	6	.10
<u>WE-3/8X2</u>	3/8	-	19	50	45	-	3/4	2	.10
<u>WE-3/8X4</u>	3/8	-	19	100	90	-	3/4	4	.20
<u>WE-3/8X6</u>	3/8	-	19	150	135	-	3/4	6	.30
<u>WE-1/2X3</u>	1/2	16	22	75	135	5/8	1-1/16	3	.30
<u>WE-1/2X5</u>	1/2	16	22	125	225	5/8	1-1/16	5	.50
<u>WE-1/2X10</u>	1/2	16	22	250	410	5/8	1-1/16	10	.90
<u>WE-3/4X4</u>	3/4	22	41	100	410	7/8	1-5/8	4	.90
<u>WE-3/4X8</u>	3/4	22	41	200	815	7/8	1-5/8	8	1.80

<u>Item #</u>	<u>a</u>	<u>d1 (mm)</u>	<u>d2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d1 (in)</u>	<u>d2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WE-3/4X16</u>	3/4	22	41	400	1590	7/8	1-5/8	16	3.50
<u>WE-1X8</u>	1	22	50	200	1540	7/8	2	8	3.40
<u>WE-1X16</u>	1	22	50	400	2540	7/8	2	16	5.60


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Bar, Sliding for Extension

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with United Kingdom Component


1

<u>Item #</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-281</u>	14	280	320	9/16	11	.70
<u>W-281L</u>	14	400	500	9/16	16	1.10
<u>W-256</u>	21	460	905	13/16	18	2.00
<u>W-256L</u>	21	630	1495	13/16	25	3.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Bar, Sliding-T**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>T-1/4</u>	1/4	115	65	4-1/2	.14
<u>T-3/8</u>	3/8	200	205	8	.45
<u>T-1/2</u>	1/2	300	500	12	1.10
<u>T-3/4</u>	3/4	460	1295	18	2.85
<u>T-1</u>	1	560	1815	22	4.00

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Bar, Crow**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-29</u>	28	16	460	770	1-1/8	5/8	18	1.70
<u>W-30</u>	33	19	610	1450	1-1/4	3/4	24	3.20
<u>W-30a</u>	39	22	760	2585	1-9/16	7/8	30	5.70
<u>W-31</u>	43	22	920	3130	1-11/16	7/8	36	6.90

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Bar, Pinch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>b (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>b (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-9</u>	25	19	460	1020	1	3/4	18	2.25
<u>P-8</u>	28	22	760	2175	1-1/8	7/8	30	4.80
<u>P-10</u>	35	25	910	3445	1-3/8	1	36	7.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Bar, Pry**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-11</u>	28	1525	8120	1-1/4	60	17.90
<u>P-12</u>	32	1730	10885	1-3/8	68	24.00

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Broom, Round Wire, Push (Handle sold separately)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



1

<u>Item #</u>	<u>Block Size c x b (mm)</u>	<u>Rows (mm)</u>	<u>Trim Length a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>Block Size c x b (in)</u>	<u>Rows (in)</u>	<u>Trim Length a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>	<u>Note</u>
<u>PB-10</u>	65 x 305	-	65	-	1135	2-1/2 x 12	6 x 26	2-1/2	-	2.50	Broom head only, Handle not included
<u>112559C</u>	-	-	-	1475	860	-	-	-	58	1.90	Handle only, Broom head not included

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # B-400

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

Block Size c x l (mm)	30 x 350
Rows (mm)	-
Trim Length a (mm)	30
Wt (g)	180
Block Size c x l (in)	1-1/8 x 13-3/4
Rows (in)	4 x 19
Trim Length a (in)	1-1/8
Wt (lbs)	.40



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # B-401

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

Block Size c x l (mm)	60 x 185
Rows (mm)	-
Trim Length a (mm)	45
Wt (g)	320
Block Size c x l (in)	2-1/4 x 7-1/4
Rows (in)	6 x 19
Trim Length a (in)	1-3/4
Wt (lbs)	.70



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # B-399

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

Block Size c x l (mm)	25 x 255
Rows (mm)	-
Trim Length a (mm)	30
Wt (g)	180
Block Size c x l (in)	1 x 10
Rows (in)	4 x 16
Trim Length a (in)	1-1/8
Wt (lbs)	.40


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # TB-10

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

Block Size c x l (mm)	13 x 200
Rows (mm)	-
Trim-Length a (mm)	13
Wt (g)	45
Block Size c x l (in)	1/2 x 7-7/8
Row (in)	3 x 7
Trim-Length a (in)	1/2
Wt (lbs)	.10


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # TB-20

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

Brush d Width (mm)	20
Brush b Length (mm)	100
Overall l Length (mm)	320
Wt (g)	45
Brush d Width (in)	13/16
Brush b Length (in)	4
Overall l Length (in)	12-1/2
Wt (lbs)	.10

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Brush, Cup, Crimped Wire**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>Dia. a</u> <u>(mm)</u>	<u>Arbor d</u> <u>(mm)</u>	<u>Arbor d (in)</u>	<u>Wire</u> <u>Size</u> <u>(mm)</u>	<u>Wt</u> <u>(g)</u>	<u>Dia.</u> <u>a</u> <u>(in)</u>	<u>Wire</u> <u>Size</u> <u>(in)</u>	<u>Max. Safe Free</u> <u>Speed (RPM)</u>	<u>Wt</u> <u>(lbs)</u>
<u>CB-30-CT</u>	75	threaded	5/8-11	.356	270	3	.014	12,500	.60
<u>CB-45</u>	100	plain	*1/2 (Requires Part Number DA-10)	.508	590	4	.020	8,000	1.30
<u>CB-45-CT</u>	100	threaded	5/8-11	.356	590	4	.014	8,000	1.30
<u>CB-44</u>	150	plain	5/8	.508	725	6	.020	6,000	1.60
<u>CB-44-CT</u>	150	threaded	5/8-11	.356	725	6	.014	6,000	1.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Brush, Cup, Knot Wire**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>Dia. a (mm)</u>	<u>Arbor d (mm)</u>	<u>Arbor d (in)</u>	<u>Wire Size (mm)</u>	<u>Wt (g)</u>	<u>Dia. a (in)</u>	<u>Wire Size (in)</u>	<u>Max. Safe Free Speed (RPM)</u>	<u>Wt (lbs)</u>
<u>CB-30-KT</u>	75	threaded	5/8-11	.508	320	3	.020	12,500	.70
<u>CB-40-KT</u>	100	threaded	5/8-11	.508	770	4	.020	7,000	1.70
<u>CB-60-KT</u>	150	threaded	5/8-11	.508	1405	6	.020	6,000	3.10

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # EB-1C

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

—

Dia. a (mm)	25
Shank d (mm)	6
Wire Size (mm)	.356
Wt (g)	90
Dia. a (in)	1
Shank d (in)	1/4
Wire Size (in)	.014
Max. Safe Free Speed (RPM)	20,000
Wt (lbs)	.20


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # EB-1K

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

—

Dia. a (mm)	25
Shank d (mm)	6
Wire Size (mm)	.508
Wt (g)	90
Dia. a (in)	1
Shank d (in)	1/4
Wire Size (in)	.020
Max. Safe Free Speed (RPM)	20,000
Wt (lbs)	.20

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Brush, Wheel, Knot Wire**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



1

<u>Item #</u>	<u>Dia.</u> <u>a</u> <u>(mm)</u>	<u>Face</u> <u>Width b</u> <u>(mm)</u>	<u>Arbor d</u> <u>(mm)</u>	<u>Arbor</u> <u>d (in)</u>	<u>Wire</u> <u>Size</u> <u>(mm)</u>	<u>Wt</u> <u>(g)</u>	<u>Dia.</u> <u>a</u> <u>(in)</u>	<u>Face</u> <u>Width</u> <u>b (in)</u>	<u>Wire</u> <u>Size</u> <u>(in)</u>	<u>Max. Safe</u> <u>Free Speed</u> <u>(RPM)</u>	<u>Wt</u> <u>(lbs)</u>
<u>WB-40KT</u>	100	9	threaded	5/8-11	.508	225	4	3/8	.020	20,000	.50
<u>WB-60KT</u>	150	13	threaded	5/8-11	.508	545	6	1/2	.020	9,000	1.20

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Brush, Wheel, Crimped Wire**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



1

<u>Item #</u>	<u>Dia.</u> <u>a</u> <u>(mm)</u>	<u>Face</u> <u>Width b</u> <u>(mm)</u>	<u>Arbor</u> <u>d</u> <u>(mm)</u>	<u>Arbor</u> <u>d (in)</u>	<u>Wire</u> <u>Size</u> <u>(mm)</u>	<u>Wt</u> <u>(g)</u>	<u>Dia.</u> <u>a</u> <u>(in)</u>	<u>Face</u> <u>Width</u> <u>b (in)</u>	<u>Wire</u> <u>Size</u> <u>(in)</u>	<u>Max. Safe</u> <u>Free Speed</u> <u>(RPM)</u>	<u>Wt</u> <u>(lbs)</u>
<u>WB-20C</u>	50	6	plain	1/2	.254	45	2	1/4	.008	20,000	.10
<u>WB-30C</u>	75	10	plain	1/2	.356	45	3	3/8	.014	20,000	.10
<u>WB-45A</u>	100	19	plain	3/8	.356	320	4	3/4	.014	6,000	.70
<u>WB-45</u>	100	19	plain	1/2	.356	320	4	3/4	.014	6,000	.70
<u>WB-45B</u>	100	19	plain	5/8	.356	320	4	3/4	.014	6,000	.70
<u>WB-44A</u>	150	25	plain	1/2	.356	680	6	1	.014	6,000	1.50
<u>WB-44</u>	150	25	plain	5/8	.356	680	6	1	.014	6,000	1.50
<u>WB-44B</u>	150	25	plain	3/4	.356	860	6	1	.014	6,000	1.90

<u>Item #</u>	<u>Dia. a (mm)</u>	<u>Face Width b (mm)</u>	<u>Arbor d (mm)</u>	<u>Arbor d (in)</u>	<u>Wire Size (mm)</u>	<u>Wt (g)</u>	<u>Dia. a (in)</u>	<u>Face Width b (in)</u>	<u>Wire Size (in)</u>	<u>Max. Safe Free Speed (RPM)</u>	<u>Wt (lbs)</u>
<u>WB-44C</u>	150	25	plain	1	.356	860	6	1	.014	6,000	1.90
<u>WB-44D</u>	150	25	plain	1-1/4	.356	860	6	1	.014	6,000	1.90


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Caulking Tool

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the United Kingdom


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>4-1032</u>	3	33	19	230	410	1/8	1-1/4	3/4	9	.90
<u>4-1035</u>	2	15	12	260	225	5/64	5/8	1/2	10-1/4	.50

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Caulking Tool

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the United Kingdom


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>4-1033</u>	6	26	19	200	410	1/4	1	3/4	7-3/4	.90

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Cape**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>C-5</u>	13	20	205	410	1/2	3/4	8	.90
<u>C-5a</u>	16	22	235	590	5/8	7/8	9	1.30

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # C-10

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	45
s (mm)	33
l (mm)	380
Wt (g)	2950
a (in)	1-3/4
s (in)	1-3/8
l (in)	15
Wt (lbs)	6.50

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Diamond Point**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>C-6</u>	13	20	205	455	1/2	3/4	8	1.00
<u>C-7</u>	19	23	310	905	3/4	7/8	12	2.00

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Groove**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in Germany

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>4-1049</u>	10	19	200	365	3/8	3/4	8	.80
<u>4-1050</u>	13	22	225	545	1/2	7/8	9	1.20

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Hand**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>C-12b</u>	6	6	130	45	1/4	1/4	5-1/4	.10
<u>C-12a</u>	11	10	140	45	7/16	3/8	5-3/4	.10
<u>C-12</u>	14	13	165	90	9/16	1/2	6-1/2	.20
<u>C-13</u>	19	17	155	225	3/4	5/8	6	.50
<u>C-14</u>	21	19	200	365	13/16	3/4	8	.80
<u>C-15</u>	17	17	230	365	11/16	5/8	9-1/8	.80
<u>C-16</u>	19	19	225	500	3/4	3/4	9	1.10
<u>C-17</u>	22	22	225	590	7/8	7/8	9	1.30
<u>C-18</u>	27	25	235	680	1-1/16	1	9-1/4	1.50
<u>C-19</u>	50	32	270	1540	2	1-1/4	10-5/8	3.40

<u>Item #</u>	<u>a (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>C-20</u>	13	13	305	270	9/16	1/2	12	.60
<u>C-21</u>	22	19	310	590	7/8	3/4	12	1.30
<u>C-22</u>	19	13	355	365	3/4	1/2	14-1/2	.80
<u>C-23</u>	25	25	460	1540	1	1	18	3.40
<u>C-24</u>	25	22	760	2360	1	7/8	30	5.20

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Hand, Oval**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>C-37</u>	18	11	150	225	11/16	7/16	5-7/8	.50
<u>C-38</u>	25	13	250	635	1	1/2	10	1.40

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Pneumatic, Hex Shank, Round Collar**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>b (mm)</u>	<u>l1 (mm)</u>	<u>l2 (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>b (in)</u>	<u>l1 (in)</u>	<u>l2 (in)</u>	<u>Wt (lbs)</u>
<u>C-9a</u>	29	75	305	150	2360	1-1/8	3	12	6	5.20
<u>C-9b</u>	29	67	305	150	2540	1-1/8	2-1/2	12	6	5.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Pneumatic Bull Point, Hex Shank, Round Collar**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>l1 (mm)</u>	<u>l2 (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>l1 (in)</u>	<u>l2 (in)</u>	<u>Wt (lbs)</u>
<u>C-8</u>	29	380	150	2585	1-1/8	15	6	5.70
<u>C-8a</u>	32	405	150	3540	1-1/4	16	6	7.80

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Pneumatic Scaling, Round Shank**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>b (mm)</u>	<u>l1 (mm)</u>	<u>l2 (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>b (in)</u>	<u>l1 (in)</u>	<u>l2 (in)</u>	<u>Wt (lbs)</u>
<u>CP-20-ST</u>	19	38	125	76	365	3/4	1-1/2	4-3/4	3	.80
<u>CP-21-ST</u>	22	44	130	76	455	7/8	1-3/4	5	3	1.00
<u>CP-22-ST</u>	22	64	150	76	545	7/8	2-1/2	6	3	1.20

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Pneumatic Scaling, Square Shank**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>CS-22-ST</u>	13	32	90	90	1/2	1-1/4	3-1/2	.20
<u>CS-23-ST</u>	13	16	125	90	1/2	5/8	5	.20
<u>CS-24-ST</u>	13	50	125	135	1/2	2	5	.30
<u>CS-25-ST</u>	13	50	200	320	1/2	2	7-3/4	.70

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Chisel, Pneumatic, Round Shank, Round Retaining Collar**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>b (mm)</u>	<u>l1 (mm)</u>	<u>l2 (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>b (in)</u>	<u>l1 (in)</u>	<u>l2 (in)</u>	<u>Wt (lbs)</u>
<u>CR-10-ST</u>	10	32	139	32	135	.401	1-1/4	5-1/2	1-1/4	.30
<u>CR-20-ST</u>	17	40	131	64	455	.680	1-1/2	5-1/4	2-1/2	1.00
<u>CR-21-ST</u>	17	45	139	64	500	.680	1-3/4	5-1/2	2-1/2	1.10
<u>CR-22-ST</u>	17	65	156	64	590	.680	2-1/2	6-1/8	2-1/2	1.30

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Clamp

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>C-30-1</u>	19	19	76	135	3/4	3/4	3	.30
<u>C-30-6</u>	115	75	290	4445	4-1/2	3	11-1/2	9.80
<u>C-30-8</u>	165	90	370	9115	6-1/2	3-1/2	14-1/2	20.10

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Clamp, Grounding

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in Germany


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>8480</u>	105	75	230	545	4-1/8	3	9	1.20

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # C-40

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

d (mm)	22
b (mm)	115
l1 (mm)	425
l2 (mm)	85
Wt (g)	4175
d (in)	7/8
b (in)	4-1/2
l1 (in)	16-3/4
l2 (in)	3-1/4
Wt (lbs)	9.20



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # CJ-1-ST

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	70
b (mm)	35
l (mm)	230
Wt (g)	410
a (in)	2-3/4
b (in)	1-3/8
l (in)	9
Wt (lbs)	.90


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # DA-10

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

Shank Dia. d1 (mm)

13

Arbor d2 (mm)

6

l (mm)

22

Wt (g)

45

Shank Dia. d1 (in)

1/2

Arbor d2 (in)

1/4

l (in)

7/8

Wt (lbs)

.10

Note

For use with wheel brushes with 1/2" plain Arbors



Ampco Safety Tools
204 Barnes Drive
Garland, TX 75042
Toll Free: 800-580-9835
Phone: 972-276-6181
Fax: 972-276-5815
Email: sales@ampcosafetytools.com
Website: www.ampcosafetytools.com

Drum Opener
1 Items Available

Non-Sparking, Non-Magnetic, Corrosion-Resistant
Made in the USA



View items


Item #	a (mm)	b (mm)	l (mm)	Wt (g)	a (in)	b (in)	l (in)	Wt (lbs)
<u>DO-100</u>	60	75	300	795	2-3/8	3	11-7/8	1.75



Ampco Safety Tools
204 Barnes Drive
Garland, TX 75042
Toll Free: 800-580-9835
Phone: 972-276-6181
Fax: 972-276-5815
Email: sales@ampcosafetytools.com
Website: www.ampcosafetytools.com

Dust Pan
2 Items Available

Non-Sparking, Non-Magnetic, Corrosion-Resistant
Made in the USA



View items

Item #	a (mm)	b (mm)	c (mm)	l (mm)	Wt (g)	a (in)	b (in)	c (in)	l (in)	Wt (lbs)
<u>D-49</u>	100	200	40	330	455	4	8	1-1/2	13	1.00
<u>D-50</u>	230	190	40	305	680	9	7-1/2	1-1/2	12	1.50



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # 7732

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the United Kingdom



Specifications

-

a (mm)	185
b (mm)	280
l (mm)	1180
Wt (g)	1815
a (in)	7-1/4
b (in)	11
l (in)	46-1/2
Wt (lbs)	4.00

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**File, Flat, Diamond Cut**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in Germany

**1**

<u>Item #</u>	<u>Note</u>	<u>a</u> <u>(mm)</u>	<u>b</u> <u>(mm)</u>	<u>c</u> <u>(mm)</u>	<u>l</u> <u>(mm)</u>	<u>Wt</u> <u>(g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>c (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>8370</u>	Bastard	20	5	265	380	225	13/16	3/16	10-1/2	15	.50
<u>8372</u>	Smooth	20	5	265	380	225	13/16	3/16	10-1/2	15	.50

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**File, Half Round**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in Germany

**1**

<u>Item #</u>	<u>Note</u>	<u>a</u> (mm)	<u>b</u> (mm)	<u>c</u> (mm)	<u>l</u> (mm)	<u>Wt</u> (g)	<u>a</u> (in)	<u>b</u> (in)	<u>c (in)</u>	<u>l (in)</u>	<u>Wt</u> (lbs)
<u>8380</u>	Bastard	26	10	260	370	270	1	3/8	10- 1/4	14- 1/2	.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**File, Round**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in Germany

**1**

<u>Item #</u>	<u>Note</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>8392</u>	Smooth	10	260	370	225	3/8	10-1/4	14-1/2	.50

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Fireman's Hook/Pike Pole with Fiberglass Handle (DIN 14851)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>PP-72</u>	145	385	1830	3040	5-11/16	15	72	6.70
<u>PP-96</u>	145	385	2440	3585	5-11/16	15	96	7.90

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com


Website: www.ampcosafetytools.com

Item # PP-48D

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Handles



Specifications

—

Note	D-Grip Handle
a (mm)	145
b (mm)	385
l (mm)	1220
Wt (g)	2950
a (in)	5-11/16
b (in)	15
l (in)	48

Wt (lbs)

6.50

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Flange Spreader**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a</u> (mm)	<u>b</u> (mm)	<u>c</u> (mm)	<u>s</u> (mm)	<u>l</u> (mm)	<u>Wt</u> (g)	<u>a</u> (in)	<u>b</u> (in)	<u>c</u> (in)	<u>s (in)</u>	<u>l</u> (in)	<u>Wt</u> (lbs)
<u>FS-100</u>	140	60	60	45	305	7350	5- 1/2	2- 1/4	2- 1/4	1- 13/16	12	16.20

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # F-5FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	180
b (mm)	290
l (mm)	1015
Wt (g)	1635
a (in)	7
b (in)	11-1/2
l (in)	40
Wt (lbs)	3.60

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Fork, Guncotton with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>Tine</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>F-1FG</u>	3	100	915	1225	4	36	2.70
<u>F-1AFG</u>	4	150	1065	1905	6	42	4.20

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # F-3FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

a (mm)

180

b (mm)

290

l (mm)

1660

Wt (g)

1406

a (in)

7

b (in)

11-1/2

l (in)

65-1/4

Wt (lbs)

3.20



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # F-4FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

a (mm)	230
b (mm)	330
l (mm)	1665
Wt (g)	1770
a (in)	9
b (in)	13
l (in)	65-1/2
Wt (lbs)	3.90

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hammer, Backing Out, German Type, with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H (g)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>H-32FG</u>	340	8	355	860	.75	5/16	14	1.90
<u>H-34FG</u>	390	10	355	905	1.00	3/8	14	2.00
<u>H-36FG</u>	700	12	355	905	1.50	1/2	14	2.00
<u>H-38FG</u>	890	16	355	955	2.00	5/8	14	2.10

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Hammer, Ball Peen with Fiberglass Handle

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>H (g)</u>	<u>I (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>I (in)</u>	<u>Wt (lbs)</u>
<u>H-00FG</u>	115	250	135	.25	9-3/4	.30
<u>H-112FG</u>	340	280	500	.75	11	1.10
<u>H-1FG</u>	340	355	545	.75	14	1.20
<u>H-212FG</u>	455	280	635	1.00	11	1.40
<u>H-2FG</u>	455	355	680	1.00	14	1.50
<u>H-312FG</u>	680	280	815	1.50	11	1.80
<u>H-3FG</u>	680	355	860	1.50	14	1.90
<u>H-412FG</u>	905	280	1045	2.00	11	2.30
<u>H-4FG</u>	905	355	1090	2.00	14	2.40
<u>H-5FG</u>	1020	355	1225	2.25	14	2.70

<u>Item #</u>	<u>H (g)</u>	<u>I (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>I (in)</u>	<u>Wt (lbs)</u>
H-6FG	1135	355	1360	2.50	14	3.00

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # H-10FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

H (g)	680
I (mm)	355
Wt (g)	860
H (lbs)	1.50
I (in)	14
Wt (lbs)	1.90


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Hammer, Claw with Fiberglass Handle

Non-Sparking, Non Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>H-19FG</u>	340	355	590	.75	14	1.30
<u>H-20FG</u>	455	355	725	1.00	14	1.60
<u>H-21FG</u>	680	355	905	1.50	14	2.00

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hammer, Cross Peen, Engineers'/Blacksmiths' with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>H-40FG</u>	700	355	905	1.50	14	2.00
<u>H-41FG</u>	1150	380	1450	2.50	15	3.20
<u>H-42FG</u>	1600	380	1860	3.50	15	4.10

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hammer, Cutoff with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1****Item #****H (g)****I (mm)****Wt (g)****H (lbs)****I (in)****Wt (lbs)**H-50FG

1360

380

1540

3.00

15

3.40

H-51FG

2270

380

2270

5.00

15

5.00

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hammer, Double Face, Machinists' with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>H-44FG</u>	100	250	180	.25	9-3/4	.40
<u>H-452FG</u>	680	280	815	1.50	11	1.80
<u>H-45FG</u>	680	355	860	1.50	14	1.90
<u>H-462FG</u>	800	280	860	1.75	11	1.90
<u>H-46FG</u>	800	355	905	1.75	14	2.00
<u>H-47FG</u>	905	355	1000	2.00	14	2.20

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Hammer, Scaling with Fiberglass Handle

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>H-602FG</u>	455	280	590	1.00	11	1.30
<u>H-60FG</u>	455	355	590	1.00	14	1.30
<u>H-612FG</u>	680	280	860	1.50	11	1.90
<u>H-61FG</u>	680	355	905	1.50	14	2.00
<u>H-62FG</u>	1360	380	1495	3.00	15	3.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hammer, Sheet Metal with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H (g)</u>	<u>I (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>I (in)</u>	<u>Wt (lbs)</u>
<u>H-30FG</u>	490	355	680	1.00	14	1.50

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Hammer, Blacksmiths' Sledge with Fiberglass Handle

Newly Re-Designed, AMPCO Strikeforce™, Blacksmiths' Sledge Hammers

Non-Slip Grip & Enhanced Force Transfer!

Power in the Clutch!™

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



1

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>H-142FG</u>	800	280	955	2.00	11	2.10
<u>H-14FG</u>	800	350	1000	2.00	14	2.20
<u>H-152FG</u>	1000	280	1180	2.50	11	2.60
<u>H-15FG</u>	1000	350	1180	2.50	14	2.60
<u>H-162FG</u>	1250	280	1360	2.75	11	3.00
<u>H-16FG</u>	1250	350	1450	2.75	14	3.20
<u>H-172FG</u>	1500	280	1495	3.00	11	3.30
<u>H-17FG</u>	1500	350	1540	3.00	14	3.40

<u>Item #</u>	<u>H (g)</u>	<u>I (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>I (in)</u>	<u>Wt (lbs)</u>
<u>H-182FG</u>	2000	280	1995	4.00	11	4.40
<u>H-18FG</u>	2000	350	2040	4.00	14	4.50
<u>H-702FG</u>	3000	380	3085	6.00	15	6.80



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Hammer, Sledge with Fiberglass Handle


Newly Re-Designed, AMPCO Strikeforce™ Sledge Hammers

Now with Overstrike Protection, Non-Slip Super Grip® & Enhanced Force Transfer!

Grip It, Rip It, and Get The Job Done!™

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



1

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>H-69FG</u>	1500	350	1540	3.00	14	3.40
<u>H-70FG</u>	3000	840	3040	6.00	33	6.70
<u>H-71FG</u>	3500	840	4035	8.00	33	8.90
<u>H-712FG</u>	4000	840	4080	9.00	33	9.00
<u>H-72FG</u>	4500	840	4715	10.00	33	10.40
<u>H-722FG</u>	5000	840	5985	11.00	33	13.20
<u>H-724FG</u>	5500	840	6375	12.00	33	14.05
<u>H-726FG</u>	6000	840	6895	13.00	33	15.20
<u>H-73FG</u>	7000	840	7030	16.00	33	15.50

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
H-74FG	8000	840	8575	18.00	33	18.90
H-76FG	10000	840	10750	22.00	33	23.70



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # H-90FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)

90

b (mm)

165

l (mm)

355

Wt (g)

905

a (in)

3-5/8

b (in)

6-1/2

l (in)

14

Wt (lbs)

2.00


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Hex Nut Driver (Metric)

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>ND-3.5MM</u>	3.5	130	215	45
<u>ND-4MM</u>	4	130	215	45
<u>ND-4.5MM</u>	4.5	130	215	45
<u>ND-5MM</u>	5	130	215	45
<u>ND-5.5MM</u>	5.5	130	215	45
<u>ND-6MM</u>	6	130	215	45
<u>ND-6.5MM</u>	6.5	130	215	90
<u>ND-7MM</u>	7	130	215	90
<u>ND-7.5MM</u>	7.5	130	215	90
<u>ND-8MM</u>	8	130	215	90
<u>ND-9MM</u>	9	130	215	90

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>ND-10MM</u>	10	130	230	135
<u>ND-11MM</u>	11	130	230	135
<u>ND-12MM</u>	12	130	230	135
<u>ND-13MM</u>	13	130	230	135
<u>ND-14MM</u>	14	130	230	180
<u>ND-15MM</u>	15	130	230	180
<u>ND-16MM</u>	16	130	225	180
<u>ND-17MM</u>	17	130	225	225
<u>ND-18MM</u>	18	130	225	225

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hex Nut Driver (Inch)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>s (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>ND-1/8</u>	1/8	3-7/16	6-7/8	.10
<u>ND-5/32</u>	5/32	3-7/16	6-7/8	.10
<u>ND-3/16</u>	3/16	3-7/16	6-7/8	.10
<u>ND-7/32</u>	7/32	3-7/16	6-7/8	.10
<u>ND-1/4</u>	1/4	3-7/16	6-7/8	.10
<u>ND-9/32</u>	9/32	3-7/16	6-7/8	.10
<u>ND-5/16</u>	5/16	3-7/16	6-7/8	.20
<u>ND-11/32</u>	11/32	3-7/16	7-7/16	.20
<u>ND-3/8</u>	3/8	3-7/16	7-7/16	.20
<u>ND-7/16</u>	7/16	3-7/16	7-7/16	.20
<u>ND-1/2</u>	1/2	3-7/16	7-7/16	.20

<u>Item #</u>	<u>s (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>ND-9/16</u>	9/16	3-7/16	7-7/16	.20
<u>ND-5/8</u>	5/8	3-7/16	7-7/16	.40
<u>ND-11/16</u>	11/16	4-5/16	9	.50
<u>ND-3/4</u>	3/4	4-5/16	9	.50
<u>ND-13/16</u>	13/16	4-5/16	9	.50
<u>ND-7/8</u>	7/8	4-5/16	9	.50

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hoe, Garden/Mixing, Straight Blade with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>H-100FG</u>	150	1400	1680	6	55	3.70
<u>H-101FG</u>	200	1400	1770	8	55	3.90
<u>H-102FG</u>	250	1400	2270	10	55	5.00
<u>H-103FG</u>	290	1400	2040	11-1/2	55	4.50

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Hoe, Planters'/Mixing, Angled Blade with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>H-110FG</u>	200	1400	1495	7-3/4	55	3.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Insulated Non-Sparking Tools - Pliers**

Insulated, Non-Sparking, Non-Magnetic, Corrosion-Resistant

1000V Rated

Made in the USA

**1**

<u>Item #</u>	<u>a max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>IP-31</u>	13	208	270	1/2	8-3/16	.60
<u>IP-35</u>	-	225	455	-	8-3/4	1.00
<u>IP-36</u>	-	185	225	-	7-1/4	.50
<u>IP-39</u>	40	260	365	1-1/2	10-1/4	.80

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Insulated Non-Sparking Tools - Screwdrivers**

Insulated, Non-Sparking, Non-Magnetic, Corrosion-Resistant

1000V Rated

Made in the USA

**1**

<u>Item #</u>	<u>Type</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wgt. (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wgt. (lbs)</u>
<u>IS-1099</u>	2	-	105	210	90	-	4	8-1/4	.20
<u>IS-49</u>	-	8	150	260	135	5/16	6	10-1/4	.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Insulated Non-Sparking Tools - Sockets & Accessories**

Insulated, Non-Sparking, Non-Magnetic, Corrosion-Resistant Sockets

1000V Rated

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>ISS-3/8D7/16</u>	3/8	-	45	7/16	1-1/2	.10
<u>ISS-3/8D1/2</u>	3/8	-	45	1/2	1-1/2	.10
<u>ISS-3/8D9/16</u>	3/8	-	45	9/16	1-1/2	.10
<u>IW-142R</u>	3/8	197	365	-	7-3/4	.80
<u>IWE-3/8x6</u>	3/8	155	135	-	6	.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Insulated Non-Sparking Tools - Wrenches**

Insulated, Non-Sparking, Non-Magnetic, Corrosion-Resistant

1000V Rated

Made in the USA

**1**

<u>Item #</u>	<u>s max (mm)</u>	<u>s (in)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>s max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>IW-71</u>	29	-	213	225	1-1/8	8-3/8	.50
<u>IW-72</u>	33	-	268	410	1-5/16	10-1/2	.90
<u>IWSB-7/16</u>	-	7/16	-	45	-	5-1/2	.10
<u>IWSB-1/2</u>	-	1/2	-	45	-	5-7/8	.20
<u>IWSB-9/16</u>	-	9/16	-	90	-	6-1/4	.20

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # IM-20

Non-Sparking, Non-Magnetic, Corrosion Resistant

1000V Rated (Adjustable Wrenches are not 1000V Rated)

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Adjustable Combination Wrench, 8"**: IP-31
- **Linemans'/Side Cutting Pliers, 8-1/2"**: IP-35
- **Diagonal Cutting Pliers, 7"**: IP-36
- **Groove Joint Pliers, 10"**: IP-39
- **#2 Phillips Screwdriver**: IS-1099
- **Standard Screwdriver, 5/16" Tip**: IS-49
- **Standard Socket, 6-Point, 3/8" Drive, 7/16"**: ISS-3/8D7/16
-

[+ more](#)

Specifications

-

length (mm)

405

width (mm)

235

height (mm)

205

Wt (g)

4990

length (in)	16
width (in)	9-1/4
height (in)	8
Wt (lbs)	11.00



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # IM-21

Non-Sparking, Non-Magnetic, Corrosion-Resistant

1000V Rated (Adjustable Wrenches are not 1000V Rated)

Made in the USA

Set Includes:

- **Adjustable Combination Pliers, 8"**: IP-31
- **Linemans'/Side Cutting Pliers, 8-1/2"**: IP-35
- **Groove Joint Pliers**: IP-39
- **#2 Phillips Screwdriver**: IS-1099
- **Standard Screwdriver, 5/16" Tip**: IS-49
- **Adjustable Wrench, 8"**: IW-71
- **Choice of 2 Single Box End Wrenches, 12-Point - 7/16", 1/2" or 9/16**: IWSB-7/16, IWSB-1/2 or IWSB-9/16
- **Toothbrush Style Scratch Brush**



[+ more](#)

Specifications

—

length (mm)

405

width (mm)

235

height (mm)

205

Wt (g)

3400

length (in)	16
width (in)	9-1/4
height (in)	8
Wt (lbs)	7.50


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # K-5

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

b (mm)

145

l (mm)

260

Wt (g)

45

b (in)

5-3/4

l (in)

10-1/4

Wt (lbs)

.10



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # K-1

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

b (mm)	80
l (mm)	175
Wt (g)	45
b (in)	3-1/8
l (in)	6-3/4
Wt (lbs)	.10



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # K-50

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	25
b (mm)	220
l (mm)	400
Wt (g)	340
a (in)	1
b (in)	8-1/2
l (in)	15-3/4
Wt (lbs)	.75

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Knife, Gasket**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>K-52</u>	30	400	690	1340	1-3/16	15-3/4	27	2.95
<u>K-54</u>	40	800	1240	2040	1-1/2	31-1/2	49	4.50

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # K-40

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

a (mm)	65
b (mm)	115
l (mm)	190
Wt (g)	45
a (in)	2-1/2
b (in)	4-9/16
l (in)	7-1/2
Wt (lbs)	.10


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Knife, Putty/Hand Scraper, Stiff Blade

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>K-15</u>	20	85	185	45	3/4	3-3/8	7-1/4	.10
<u>K-21</u>	30	90	200	45	1-1/4	3-9/16	7-3/4	.10
<u>K-20</u>	50	105	205	90	2	4	8	.20
<u>K-30</u>	90	115	215	135	3-1/2	4-1/2	8-1/2	.30

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # K-31

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

a (mm)

90

b (mm)

115

l (mm)

215

Wt (g)

135

a (in)

3-1/2

b (in)

4-1/2

l (in)

8-1/2

Wt (lbs)

.30



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # K-10

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	22
b (mm)	100
l (mm)	190
Wt (g)	90
a (in)	7/8
b (in)	4
l (in)	7-1/2
Wt (lbs)	.20

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Mallet with Fiberglass Handle**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H (g)</u>	<u>L (mm)</u>	<u>Wt (g)</u>	<u>H (lbs)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>M-1FG</u>	900	355	1000	2.00	14	2.20
<u>M-2FG</u>	1590	380	1815	3.50	15	4.00
<u>M-3FG</u>	2700	380	2720	6.00	15	6.00

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # MS-1-ST

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

L (mm)

405

Wt (g)

815

L (in)

16

Wt (lbs)

1.80



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-55FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	415
b (mm)	100
c (mm)	75
l (mm)	920
Wt (g)	2270
a (in)	16-1/4
b (in)	3-7/8
c (in)	3
l (in)	36-1/4

Wt (lbs)	5.00
----------	------

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Mop Holder (Handle sold separately)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a</u> (mm)	<u>l1</u> (mm)	<u>l2</u> (mm)	<u>Wt</u> (g)	<u>a</u> (in)	<u>l1</u> (in)	<u>l2</u> (in)	<u>Wt</u> (lbs)	<u>Note</u>
<u>M-1286</u>	170	230	-	635	6-1/2	9	-	1.40	Mop Holder only, Handle not included
<u>112559C</u>	-	-	1435	860	-	-	56-1/2	1.90	Handle only, Mop Holder not included

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # N-1

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

—

a (mm)

115

l (mm)

460

Wt (g)

1635

a (in)

4-1/2

l (in)

18

Wt (lbs)

3.60


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # P-96

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

a (mm)

230

l (mm)

370

Wt (g)

905

a (in)

9

l (in)

14-1/2

Wt (lbs)

2.00

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pick, Miners' (Handle sold separately)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>H</u> <u>(g)</u>	<u>b</u> <u>(mm)</u>	<u>l</u> <u>(mm)</u>	<u>Wt</u> <u>(g)</u>	<u>H</u> <u>(lbs)</u>	<u>b</u> <u>(in)</u>	<u>l</u> <u>(in)</u>	<u>Wt</u> <u>(lbs)</u>	<u>Note</u>
<u>P-7</u>	2100	406	-	3320	4.63	16	-	7.32	Pick Head only, Handle not included
<u>14736S-A</u>	-	-	915	1220	-	-	36	2.69	Handle only, Pick Head not included

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pick, Railroad or Clay (*Handle sold separately)**


Non-Sparking, Non-Magnetic, Corrosion-Resistant

Fiberglass Handle sold separately

Made in the USA

*Part# 7700 - 7706, Wooden Handle provided

Made in the United Kingdom

**1**

<u>Item #</u>	<u>H</u> (g)	<u>a</u> (mm)	<u>b</u> (mm)	<u>l</u> (mm)	<u>Wt</u> (g)	<u>H</u> (lbs)	<u>a</u> (in)	<u>b</u> (in)	<u>l</u> (in)	<u>Wt</u> (lbs)	<u>Note</u>
<u>*P-1</u>	2041	535	25	915	1950	4.50	21	1	36	4.30	Pick Head only, Fiberglass Handle not included
<u>*P-3</u>	3035	635	32	915	2860	6.69	25	1- 1/4	36	6.30	Pick Head only, Fiberglass Handle not included
<u>*P-6</u>	4708	700	38	915	4535	10.38	27- 1/2	1- 1/2	36	10.00	Pick Head only, Fiberglass Handle not included

<u>Item #</u>	<u>H</u> <u>(g)</u>	<u>a</u> <u>(mm)</u>	<u>b</u> <u>(mm)</u>	<u>l</u> <u>(mm)</u>	<u>Wt</u> <u>(g)</u>	<u>H</u> <u>(lbs)</u>	<u>a</u> <u>(in)</u>	<u>b</u> <u>(in)</u>	<u>l</u> <u>(in)</u>	<u>Wt</u> <u>(lbs)</u>	<u>Note</u>
<u>7700</u>	1500	400	50	900	1540	3.30	15- 3/4	2	35- 1/2	3.40	Wooden Handle Included
<u>7702</u>	2500	500	50	950	2585	5.50	19- 5/8	2	37	5.70	Wooden Handle Included
<u>7704</u>	3000	550	55	950	2950	6.60	21- 5/8	2- 1/8	37	6.50	Wooden Handle Included
<u>7706</u>	3500	600	55	950	3220	7.70	23- 5/8	2- 1/8	37	7.10	Wooden Handle Included
<u>14736S-A</u>	-	-	-	915	1220	-	-	-	36	2.69	Fiberglass Handle only, Pick Head not included

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pick, Thread Cleaning**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-20</u>	6	250	45	1/4	10	.10
<u>P-22</u>	10	250	90	3/8	10	.20
<u>P-24</u>	13	250	180	1/2	10	.40

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Drift Pin, Barrel Type/Double-End Aligning Pin**

Non-Sparking, Non-Magnetic, Corrosion Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>D-1</u>	5	17	200	225	3/16	11/16	8	.50
<u>D-2</u>	8	21	200	320	5/16	13/16	8	.70
<u>D-3</u>	10	24	200	410	7/16	15/16	8	.90
<u>D-4</u>	13	27	200	545	9/16	1-1/16	8	1.20
<u>D-5</u>	18	30	200	815	11/16	1-3/16	8	1.80
<u>D-6</u>	22	33	200	1000	13/16	1-5/16	8	2.20

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Drift Pin, Straight Type/Single-End Alignig Pin**

Non-Sparking, Non-Magnetic, Corrosion Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>D-20</u>	6	13	150	90	1/4	1/2	6	.20
<u>D-21</u>	7	17	150	180	9/32	11/16	6	.40
<u>D-22</u>	8	21	205	320	5/16	13/16	8	.70
<u>D-23</u>	12	24	255	590	7/16	15/16	10	1.30
<u>D-24</u>	13	29	255	770	1/2	1-1/8	10	1.70

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Pin, Offset

Non-Sparking, Non-Magnetic, Corrosion Resistant

Made in the USA


1

<u>Item #</u>	<u>d (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-8200</u>	16	152	450	680	5/8	6	17-3/4	1.50
<u>P-8202</u>	19	152	450	1045	3/4	6	17-3/4	2.30
<u>P-8204</u>	24	152	450	1815	15/16	6	17-3/4	4.00
<u>P-8206</u>	25	152	450	2245	1	6	17-3/4	4.95
<u>P-8208</u>	35	152	450	3650	1-3/8	6	17-3/4	8.05

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # 9300

Non-Sparking, Non-Magnetic, Corrosion Resistant

Made in the USA with Foreign Components



Specifications

d max (mm)	50
a (mm)	100
l (mm)	430
Wt (g)	2225
d max (in)	2
a (in)	4
l (in)	17
Wt (lbs)	4.90

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pliers, Adjustable Combination with Grips**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-30</u>	8	165	180	5/16	6-1/2	.40
<u>P-31</u>	13	205	225	1/2	8	.50

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # 4-1242

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Components


Specifications

-

l (mm)

230

Wt (g)

520

l (in)

9-7/8

Wt (lbs)

1.15


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # P-36

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

l (mm)

180

Wt (g)

180

l (in)

7

Wt (lbs)

.40

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pliers, Flat Nose with Grips (DIN 5248)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Components

**1****Item #****L (mm)****Wt (g)****L (in)****Wt (lbs)**8254

160

135

6-1/4

.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pliers, Groove Joint with Grips**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-39</u>	45	255	320	1-1/2	10	.70
<u>P-312</u>	55	300	545	2-1/8	12	1.20

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # P-35

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

l (mm)

230

Wt (g)

410

l (in)

8-1/2

Wt (lbs)

.90


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # P-326

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

l (mm)	180
---------------	-----

Wt (g)	90
---------------	----

l (in)	7
---------------	---

Wt (lbs)	.20
-----------------	-----

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pliers, Round Nose with Grips (DIN 5249)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Components

**1****Item #****l (mm)****Wt (g)****l (in)****Wt (lbs)**8264

160

90

6-1/4

.20

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pliers, Snap/Retaining Ring (DIN 5256)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Components

**1**

<u>Item #</u>	<u>L (mm)</u>	<u>Ring (mm)</u>	<u>Wt (g)</u>	<u>L (in)</u>	<u>Ring (in)</u>	<u>Wt (lbs)</u>	<u>Note</u>
<u>8320</u>	140	8 - 25	45	5-1/2	5/16 - 1	.10	Internal
<u>8322</u>	180	19 - 60	135	7	3/4 - 2-3/8	.30	Internal
<u>8324</u>	225	40 - 100	225	8-3/4	1-9/16 - 3-15/16	.50	Internal
<u>8326</u>	290	85 - 165	410	11-1/2	3-5/16 - 6-1/2	.90	Internal

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Pliers, Snap/Retaining Ring (DIN 5254)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Components

**1**

<u>Item #</u>	<u>L (mm)</u>	<u>Ring (mm)</u>	<u>Wt (g)</u>	<u>L (in)</u>	<u>Ring (in)</u>	<u>Wt (lbs)</u>	<u>Note</u>
<u>8300</u>	140	3 - 10	45	5-1/2	1/8 - 3/8	.10	External
<u>8302</u>	140	10 - 25	45	5-1/2	3/8 - 1	.10	External
<u>8304</u>	180	19 - 60	135	7	3/4 - 2-3/8	.30	External
<u>8306</u>	225	40 - 100	225	8-3/4	1-9/16 - 3-15/16	.50	External
<u>8308</u>	310	85 - 165	545	12-1/4	3-5/16 - 6-1/2	1.20	External


1



Ampco Safety Tools
204 Barnes Drive
Garland, TX 75042
Toll Free: 800-580-9835
Phone: 972-276-6181
Fax: 972-276-5815
Email: sales@ampcosafetytools.com
Website: www.ampcosafetytools.com

Item # 8350

Non-Sparking, Non-Magnetic, Corrosion-Resistant
Made in Germany



Specifications		-
I (mm)	185	
Wt (g)	270	
I (in)	7-1/4	
Wt (lbs)	.60	


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # 8270

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Components


Specifications

-

Dia. (mm)

0.5 - 5

I (mm)

155

Wt (g)

90

Dia. (in)

1/32 - 3/16

I (in)

6

Wt (lbs)

.20

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Punch (DIN 6458)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-8501</u>	1	9.5	120	45	3/64	3/8	4-3/4	.10
<u>P-8502</u>	2	13	120	90	5/64	1/2	4-3/4	.20
<u>P-8503</u>	3	13	120	90	1/8	1/2	4-3/4	.20
<u>P-8504</u>	4	13	120	90	5/32	1/2	4-3/4	.20
<u>P-8505</u>	5	13	120	90	3/16	1/2	4-3/4	.20
<u>P-8506</u>	6	13	120	90	1/4	1/2	4-3/4	.20
<u>P-8507</u>	7	13	120	90	9/32	1/2	4-3/4	.20
<u>P-8508</u>	8	13	120	90	5/16	1/2	4-3/4	.20
<u>P-8505L</u>	5	13	150	90	13/64	1/2	6	.20
<u>P-8506L</u>	6	13	150	90	1/4	1/2	6	.20
<u>P-8507L</u>	7	13	150	90	9/32	1/2	6	.20

<u>Item #</u>	<u>a (mm)</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-8508L</u>	8	13	150	90	5/16	1/2	6	.20
<u>P-8509</u>	9	13	150	90	3/8	1/2	6	.20
<u>P-8510</u>	10	13	150	135	25/64	1/2	6	.30
<u>P-8512</u>	12	16	150	180	15/32	5/8	6	.40
<u>P-8513</u>	13	19	150	180	1/2	3/4	6	.40
<u>P-8514</u>	14	19	150	295	9/16	3/4	6	.65
<u>P-8516</u>	16	19	200	365	5/8	3/4	7-3/4	.80
<u>P-8518</u>	18	22	200	365	45/64	7/8	7-3/4	.80
<u>P-8520</u>	20	25	200	610	25/32	1	7-3/4	1.35
<u>P-8522</u>	22	25	200	635	7/8	1	7-3/4	1.40

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Punch, Center**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-1290</u>	8	100	45	5/16	4	.10
<u>P-1291</u>	10	115	45	3/8	4-1/2	.10
<u>P-1292</u>	13	130	90	1/2	5	.20
<u>P-1292A</u>	14	70	90	9/16	4-1/4	.20
<u>P-1293</u>	16	150	135	5/8	6	.30
<u>P-1294</u>	18	140	180	11/16	5-1/2	.40
<u>P-1295</u>	20	160	225	3/4	6-1/4	.50
<u>P-1296</u>	24	205	500	15/16	8	1.10
<u>P-1297</u>	27	240	770	1-1/16	9-1/2	1.70

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Punch, Machinists'**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-40</u>	5	16	215	250	3/16	5/8	8-1/2	.55
<u>P-41</u>	10	19	230	410	3/8	3/4	9	.90
<u>P-42</u>	13	25	255	885	1/2	1	10	1.95

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Punch, Pin**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>P-48</u>	1.5	8	110	45	1/16	5/16	4-3/16	.10
<u>P-49</u>	2	8	110	45	1/16	5/16	4-3/16	.10
<u>P-50</u>	3	10	125	45	1/8	3/8	5	.10
<u>P-50A</u>	4	13	125	115	5/32	1/2	5	.25
<u>P-50B</u>	5	13	125	115	3/16	1/2	5	.25
<u>P-51</u>	6	14	150	115	1/4	9/16	6	.25
<u>P-51A</u>	8	14	150	135	5/16	9/16	6	.30
<u>P-52</u>	10	14	175	160	3/8	9/16	7	.35
<u>P-53</u>	13	17	200	295	1/2	11/16	8	.65
<u>P-54</u>	16	21	230	475	5/8	13/16	9	1.05

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # R-10FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)

360

l (mm)

1530

Wt (g)

1495

a (in)

14-1/4

l (in)

60-1/4

Wt (lbs)

3.30



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # 8360

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the United Kingdom



Specifications

—

a (mm)	115
b (mm)	300
l (mm)	540
Wt (g)	815
a (in)	4-1/2
b (in)	11-3/4
l (in)	21-1/4
Wt (lbs)	1.80

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Item # 8356**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in Italy

**Specifications**

—

b (mm)

12

l (mm)

300

Wt (g)

45

b (in)

1/2

l (in)

11-3/4

Wt (lbs)

.10

Note

Overall length measures from hole to hole on the saw blade equaling 11-3/4" OAL



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Scraper (Handle sold separately)

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



1													
<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>c (mm)</u>	<u>l1 (mm)</u>	<u>l2 (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>c (in)</u>	<u>l1 (in)</u>	<u>l2 (in)</u>	<u>Wt (lbs)</u>	<u>Note</u>
<u>S-20</u>	75	64	6	230	-	500	3	2- 1/2	1/4	9	-	1.10	Scraper Blade only, Handle not included
<u>S-21</u>	100	64	6	230	-	680	4	2- 1/2	1/4	9	-	1.50	Scraper Blade only, Handle not included
<u>S-22</u>	125	64	6	230	-	725	5	2- 1/2	1/4	9	-	1.60	Scraper Blade only, Handle not included
													Scraper

<u>Item #</u>	<u>a</u> (mm)	<u>b</u> (mm)	<u>c</u> (mm)	<u>l1</u> (mm)	<u>l2</u> (mm)	<u>Wt</u> (g)	<u>a</u> (in)	<u>b</u> (in)	<u>c</u> (in)	<u>l1</u> (in)	<u>l2</u> (in)	<u>Wt</u> (lbs)	<u>Note</u>
<u>S-23</u>	150	57	6	215	-	770	6	2- 1/4	1/4	8- 1/2	-	1.70	Blade only, Handle not included
<u>S-30</u>	75	38	6	180	-	455	3	1- 1/2	1/4	7	-	1.00	Scraper Blade only, Handle not included
<u>S-31</u>	100	38	6	180	-	455	4	1- 1/2	1/4	7	-	1.00	Scraper Blade only, Handle not included
<u>S-32</u>	125	32	6	180	-	455	5	1- 1/4	1/4	7	-	1.00	Scraper Blade only, Handle not included
<u>S-33</u>	150	38	6	170	-	500	6	1- 1/2	1/4	6- 3/4	-	1.10	Scraper Blade only, Handle not included
<u>112559C</u>	-	-	-	-	1475	860	-	-	-	-	58	1.90	Handle only, Scraper Blade not included

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Scraper, Deck**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-10ag</u>	22	200	180	7/8	7-7/8	.40
<u>S-10g</u>	50	300	545	2	12	1.20

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-11g

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	38
l (mm)	380
Wt (g)	725
a (in)	1-1/2
l (in)	15
Wt (lbs)	1.60


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # 8500

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the United Kingdom


Specifications

-

a (mm)

20

b (mm)

200

l (mm)

320

Wt (g)

225

a (in)

3/4

b (in)

8

l (in)

12-1/2

Wt (lbs)

.50

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Scraper, Floor, Plain (Handle sold separately)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a</u> <u>(mm)</u>	<u>b</u> <u>(mm)</u>	<u>l</u> <u>(mm)</u>	<u>Wt</u> <u>(g)</u>	<u>a</u> <u>(in)</u>	<u>b</u> <u>(in)</u>	<u>l</u> <u>(in)</u>	<u>Wt</u> <u>(lbs)</u>	<u>Note</u>
<u>S-71S</u>	150	170	-	725	6	6- 3/4	-	1.60	Scraper Blade only, Handle not included
<u>112559C</u>	-	-	1650	860	-	-	65	1.90	Handle only, Scraper Blade not included

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-1069

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	95
b (mm)	95
l (mm)	480
Wt (g)	590
a (in)	3-3/4
b (in)	3-3/4
l (in)	19
Wt (lbs)	1.30



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-5

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

H (g)	450
a (mm)	75
l (mm)	450
Wt (g)	955
H (lbs)	1
a (in)	3
l (in)	17-3/4
Wt (lbs)	2.10

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Scraper, Rust**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the United Kingdom

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>8600</u>	75	200	600	500	3	8	23-1/2	1.10
<u>8602</u>	75	200	800	635	3	8	31-1/2	1.40
<u>8604</u>	75	200	1000	770	3	8	39-1/4	1.70
<u>8606</u>	75	200	1200	905	3	8	47-1/4	2.00

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Scraper, Ship**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-27</u>	100	70	405	545	4	2-3/4	16	1.20
<u>S-27-5</u>	-	blade only	-	180	-	blade only	-	.40

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-40

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)

75

l (mm)

235

Wt (g)

30

a (in)

3

l (in)

9-1/4

Wt (lbs)

.07



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # 4-1268

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the United Kingdom



Specifications

-

b (mm)

200

l (mm)

320

Wt (g)

180

b (in)

8

l (in)

12-1/2

Wt (lbs)

.40

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Screwdriver, Cabinet-Tip**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-53</u>	5	80	170	45	3/16	3-1/8	6-5/8	.10
<u>S-55</u>	5	150	240	90	3/16	6	9-1/2	.20
<u>S-52</u>	6	100	195	45	1/4	4	7-5/8	.10
<u>S-56</u>	10	305	430	270	3/8	12	17	.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Screwdriver, Offset**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-1004b</u>	6	130	45	1/4	5	.10
<u>S-1004</u>	10	140	45	3/8	5-1/4	.10
<u>S-1005</u>	13	190	180	1/2	7-1/4	.40

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Screwdriver, Phillips**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>Type</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-1098</u>	0	60	150	45	2-3/8	6	.10
<u>S-1099a</u>	1	75	155	45	3	6-1/2	.10
<u>S-1099</u>	2	100	190	45	4	7-1/2	.10
<u>S-1100</u>	3	150	260	90	6	10-1/8	.20
<u>S-1101</u>	4	200	330	180	8	13	.40

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Screwdriver, Standard**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-34</u>	3	60	140	45	1/8	2-3/8	5-1/2	.10
<u>S-54</u>	3	150	240	45	1/8	6	9-1/2	.10
<u>S-35</u>	4	70	165	45	5/32	2-3/4	6-1/2	.10
<u>S-36</u>	4	120	215	45	5/32	4-3/4	8-1/2	.10
<u>S-37</u>	5	80	170	45	3/16	3-1/8	6-5/8	.10
<u>S-38</u>	6	100	195	45	1/4	4	7-5/8	.10
<u>S-39</u>	6	150	245	90	1/4	5-7/8	9-5/8	.20
<u>S-48</u>	8	75	165	45	5/16	3	6-1/2	.10
<u>S-49</u>	8	150	260	90	5/16	6	10-1/8	.20
<u>S-50</u>	10	200	330	180	3/8	8	13	.40
<u>S-51</u>	10	300	430	270	3/8	12	17	.60



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-39

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Set Includes:

- **Standard Screwdriver, 5/16" Tip, 3" Blade: S-48**
- **Standard Screwdriver, 5/16" Tip, 6" Blade: S-49**
- **Standard Screwdriver, 3/8" Tip, 8" Blade: S-50**
- **#1 Phillips Screwdriver: S-1099A**
- **#2 Phillips Screwdriver: S-1099**
- **#3 Phillips Screwdriver: S-1100**
- **Roll-Up Case with Velcro Fastener: CASE-6PC**



Specifications

—

length (mm)

355

width (mm)

110

height (mm)

110

Wt (g)

885

length (in)	14
width (in)	4-1/4
height (in)	4-1/4
Wt (lbs)	1.95



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-100

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

d (mm)	3
l (mm)	150
Wt (g)	45
d (in)	1/8
l (in)	6
Wt (lbs)	.10

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Shears, Cutting**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-59</u>	75	150	45	3	6	.10
<u>S-599</u>	110	200	135	4-1/2	8	.30
<u>S-60</u>	150	300	500	6	12	1.10
<u>S-61</u>	200	380	1270	8	15	2.80

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Snips, Tin

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-1126a</u>	50	210	180	2	8	.40
<u>S-1144</u>	75	305	545	3	12	1.20
<u>S-1144a</u>	115	355	955	4-1/2	14	2.10

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-83FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

a (mm)	230
b (mm)	285
l (mm)	940
Wt (g)	2040
a (in)	9
b (in)	11-1/4
l (in)	37
Wt (lbs)	4.50



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-81FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	230
b (mm)	285
l (mm)	1435
Wt (g)	2495
a (in)	9
b (in)	11-1/4
l (in)	56-1/2
Wt (lbs)	5.50



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-80FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	355
b (mm)	430
l (mm)	1015
Wt (g)	1495
a (in)	14
b (in)	17
l (in)	40
Wt (lbs)	3.30


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # S-79FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

-

a (mm)	355
b (mm)	430
l (mm)	1535
Wt (g)	2130
a (in)	14
b (in)	17
l (in)	60-1/2
Wt (lbs)	4.70



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-84FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	230
b (mm)	280
l (mm)	940
Wt (g)	2270
a (in)	9
b (in)	11
l (in)	37
Wt (lbs)	5.00



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # S-82FG

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	230
b (mm)	280
l (mm)	1475
Wt (g)	2810
a (in)	9
b (in)	11
l (in)	58
Wt (lbs)	6.20

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 1/4" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-1/4D4MM</u>	1/4	4	13	45
<u>SS-1/4D4.5MM</u>	1/4	4.5	13	45
<u>SS-1/4D5MM</u>	1/4	5	13	45
<u>SS-1/4D5.5MM</u>	1/4	5.5	13	45
<u>SS-1/4D6MM</u>	1/4	6	13	45
<u>SS-1/4D7MM</u>	1/4	7	13	45
<u>SS-1/4D8MM</u>	1/4	8	16	45
<u>SS-1/4D9MM</u>	1/4	9	16	45
<u>SS-1/4D10MM</u>	1/4	10	17	45

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-1/4D11MM</u>	1/4	11	17	45
<u>SS-1/4D12MM</u>	1/4	12	21	45
<u>SS-1/4D13MM</u>	1/4	13	21	45
<u>SS-1/4D14MM</u>	1/4	14	22	45

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 1/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in.)</u>	<u>s (in.)</u>	<u>l (in.)</u>	<u>Wt (lbs)</u>
<u>SS-1/4D3/16</u>	1/4	3/16	9/16	.10
<u>SS-1/4D7/32</u>	1/4	7/32	9/16	.10
<u>SS-1/4D1/4</u>	1/4	1/4	5/8	.10
<u>SS-1/4D9/32</u>	1/4	9/32	5/8	.10
<u>SS-1/4D5/16</u>	1/4	5/16	5/8	.10
<u>SS-1/4D11/32</u>	1/4	11/32	5/8	.10
<u>SS-1/4D3/8</u>	1/4	3/8	11/16	.10
<u>SS-1/4D7/16</u>	1/4	7/16	11/16	.10
<u>SS-1/4D1/2</u>	1/4	1/2	13/16	.10

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
SS-1/4D9/16	1/4	9/16	7/8	.10

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 3/8" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-3/8D7MM</u>	3/8	7	19	45
<u>SS-3/8D8MM</u>	3/8	8	19	45
<u>SS-3/8D9MM</u>	3/8	9	21	45
<u>SS-3/8D10MM</u>	3/8	10	21	45
<u>SS-3/8D11MM</u>	3/8	11	22	45
<u>SS-3/8D12MM</u>	3/8	12	25	45
<u>SS-3/8D13MM</u>	3/8	13	25	45
<u>SS-3/8D14MM</u>	3/8	14	27	45
<u>SS-3/8D15MM</u>	3/8	15	27	45

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-3/8D16MM</u>	3/8	16	30	45
<u>SS-3/8D17MM</u>	3/8	17	30	45
<u>SS-3/8D18MM</u>	3/8	18	30	45
<u>SS-3/8D19MM</u>	3/8	19	30	45
<u>SS-3/8D20MM</u>	3/8	20	30	45
<u>SS-3/8D21MM</u>	3/8	21	32	90
<u>SS-3/8D22MM</u>	3/8	22	33	90
<u>SS-3/8D23MM</u>	3/8	23	33	90
<u>SS-3/8D24MM</u>	3/8	24	33	135
<u>SS-3/8D25MM</u>	3/8	25	33	135

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 3/8" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-3/8D1/4</u>	3/8	1/4	3/4	.10
<u>SS-3/8D5/16</u>	3/8	5/16	3/4	.10
<u>SS-3/8D3/8</u>	3/8	3/8	13/16	.10
<u>SS-3/8D7/16</u>	3/8	7/16	7/8	.05
<u>SS-3/8D1/2</u>	3/8	1/2	15/16	.10
<u>SS-3/8D9/16</u>	3/8	9/16	1-1/16	.10
<u>SS-3/8D5/8</u>	3/8	5/8	1-1/8	.10
<u>SS-3/8D11/16</u>	3/8	11/16	1-1/8	.10
<u>SS-3/8D3/4</u>	3/8	3/4	1-3/16	.20

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-3/8D13/16</u>	3/8	13/16	1-1/4	.20
<u>SS-3/8D7/8</u>	3/8	7/8	1-5/16	.20
<u>SS-3/8D15/16</u>	3/8	15/16	1-5/16	.30
<u>SS-3/8D1</u>	3/8	1	1-3/8	.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 1/2" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-1/2D6MM</u>	1/2	6	30	45
<u>SS-1/2D7MM</u>	1/2	7	30	45
<u>SS-1/2D8MM</u>	1/2	8	30	45
<u>SS-1/2D9MM</u>	1/2	9	30	45
<u>SS-1/2D10MM</u>	1/2	10	30	45
<u>SS-1/2D11MM</u>	1/2	11	30	45
<u>SS-1/2D12MM</u>	1/2	12	30	45
<u>SS-1/2D13MM</u>	1/2	13	30	45
<u>SS-1/2D14MM</u>	1/2	14	30	45

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-1/2D15MM</u>	1/2	15	30	45
<u>SS-1/2D16MM</u>	1/2	16	37	90
<u>SS-1/2D17MM</u>	1/2	17	37	90
<u>SS-1/2D18MM</u>	1/2	18	37	90
<u>SS-1/2D19MM</u>	1/2	19	37	135
<u>SS-1/2D20MM</u>	1/2	20	38	135
<u>SS-1/2D21MM</u>	1/2	21	38	135
<u>SS-1/2D22MM</u>	1/2	22	38	135
<u>SS-1/2D23MM</u>	1/2	23	38	180
<u>SS-1/2D24MM</u>	1/2	24	38	180
<u>SS-1/2D25MM</u>	1/2	25	38	225
<u>SS-1/2D26MM</u>	1/2	26	38	270
<u>SS-1/2D27MM</u>	1/2	27	38	270
<u>SS-1/2D28MM</u>	1/2	28	41	320
<u>SS-1/2D29MM</u>	1/2	29	41	320
<u>SS-1/2D30MM</u>	1/2	30	41	320

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 1/2" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-1/2D1/4</u>	1/2	1/4	1-3/16	.10
<u>SS-1/2D5/16</u>	1/2	5/16	1-3/16	.10
<u>SS-1/2D3/8</u>	1/2	3/8	1-3/16	.10
<u>SS-1/2D7/16</u>	1/2	7/16	1-3/16	.10
<u>SS-1/2D1/2</u>	1/2	1/2	1-3/16	.10
<u>SS-1/2D9/16</u>	1/2	9/16	1-3/16	.10
<u>SS-1/2D19/32</u>	1/2	19/32	1-3/16	.20
<u>SS-1/2D5/8</u>	1/2	5/8	1-7/16	.20
<u>SS-1/2D21/32</u>	1/2	21/32	1-7/16	.20

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-1/2D11/16</u>	1/2	11/16	1-7/16	.20
<u>SS-1/2D3/4</u>	1/2	3/4	1-7/16	.20
<u>SS-1/2D25/32</u>	1/2	25/32	1-7/16	.30
<u>SS-1/2D13/16</u>	1/2	13/16	1-7/16	.30
<u>SS-1/2D7/8</u>	1/2	7/8	1-1/2	.40
<u>SS-1/2D15/16</u>	1/2	15/16	1-1/2	.40
<u>SS-1/2D1</u>	1/2	1	1-1/2	.40
<u>SS-1/2D1-1/16</u>	1/2	1-1/16	1-1/2	.50
<u>SS-1/2D1-1/8</u>	1/2	1-1/8	1-5/8	.50
<u>SS-1/2D1-3/16</u>	1/2	1-3/16	1-5/8	.70
<u>SS-1/2D1-1/4</u>	1/2	1-1/4	1-5/8	.70
<u>SS-1/2D1-5/16</u>	1/2	1-5/16	1-7/8	.80
<u>SS-1/2D1-3/8</u>	1/2	1-3/8	1-7/8	1.00
<u>SS-1/2D1-7/16</u>	1/2	1-7/16	1-7/8	1.30
<u>SS-1/2D1-1/2</u>	1/2	1-1/2	2-3/16	1.40
<u>SS-1/2D1-9/16</u>	1/2	1-9/16	2-1/4	1.60

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 3/4" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-3/4D19MM</u>	3/4	19	44	180
<u>SS-3/4D21MM</u>	3/4	21	44	180
<u>SS-3/4D22MM</u>	3/4	22	44	180
<u>SS-3/4D23MM</u>	3/4	23	44	180
<u>SS-3/4D24MM</u>	3/4	24	46	225
<u>SS-3/4D25MM</u>	3/4	25	46	225
<u>SS-3/4D26MM</u>	3/4	26	46	225
<u>SS-3/4D27MM</u>	3/4	27	46	225
<u>SS-3/4D28MM</u>	3/4	28	46	225

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-3/4D29MM</u>	3/4	29	46	225
<u>SS-3/4D30MM</u>	3/4	30	48	320
<u>SS-3/4D31MM</u>	3/4	31	49	410
<u>SS-3/4D32MM</u>	3/4	32	49	410
<u>SS-3/4D33MM</u>	3/4	33	49	410
<u>SS-3/4D34MM</u>	3/4	34	49	455
<u>SS-3/4D35MM</u>	3/4	35	49	455
<u>SS-3/4D36MM</u>	3/4	36	49	590
<u>SS-3/4D37MM</u>	3/4	37	52	635
<u>SS-3/4D38MM</u>	3/4	38	52	635
<u>SS-3/4D40MM</u>	3/4	40	52	635
<u>SS-3/4D41MM</u>	3/4	41	52	635
<u>SS-3/4D42MM</u>	3/4	42	57	815
<u>SS-3/4D46MM</u>	3/4	46	57	815
<u>SS-3/4D47MM</u>	3/4	47	62	1135
<u>SS-3/4D50MM</u>	3/4	50	62	1135

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 3/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-3/4D3/4</u>	3/4	3/4	1-11/16	.40
<u>SS-3/4D13/16</u>	3/4	13/16	1-11/16	.40
<u>SS-3/4D7/8</u>	3/4	7/8	1-3/4	.40
<u>SS-3/4D15/16</u>	3/4	15/16	1-13/16	.40
<u>SS-3/4D1</u>	3/4	1	1-13/16	.50
<u>SS-3/4D1-1/16</u>	3/4	1-1/16	1-15/16	.70
<u>SS-3/4D1-1/8</u>	3/4	1-1/8	2	.80
<u>SS-3/4D1-3/16</u>	3/4	1-3/16	2	.80
<u>SS-3/4D1-1/4</u>	3/4	1-1/4	2	.90

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-3/4D1-5/16</u>	3/4	1-5/16	2	1.10
<u>SS-3/4D1-3/8</u>	3/4	1-3/8	2	1.10
<u>SS-3/4D1-7/16</u>	3/4	1-7/16	2	1.40
<u>SS-3/4D1-1/2</u>	3/4	1-1/2	2-1/16	1.40
<u>SS-3/4D1-9/16</u>	3/4	1-9/16	2-1/4	1.50
<u>SS-3/4D1-5/8</u>	3/4	1-5/8	2-1/4	1.50
<u>SS-3/4D1-11/16</u>	3/4	1-11/16	2-1/4	2.00
<u>SS-3/4D1-3/4</u>	3/4	1-3/4	2-9/16	2.00
<u>SS-3/4D1-13/16</u>	3/4	1-13/16	2-9/16	2.00
<u>SS-3/4D1-7/8</u>	3/4	1-7/8	2-9/16	2.40
<u>SS-3/4D1-15/16</u>	3/4	1-15/16	2-9/16	2.40
<u>SS-3/4D2</u>	3/4	2	2-9/16	2.40
<u>SS-3/4D2-1/16</u>	3/4	2-1/16	2-13/16	3.30
<u>SS-3/4D2-1/8</u>	3/4	2-1/8	2-13/16	3.50
<u>SS-3/4D2-3/16</u>	3/4	2-3/16	3-1/16	3.50
<u>SS-3/4D2-1/4</u>	3/4	2-1/4	3-1/16	4.80

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 1" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-1D34MM</u>	1	34	65	635
<u>SS-1D36MM</u>	1	36	65	545
<u>SS-1D38MM</u>	1	38	65	1090
<u>SS-1D40MM</u>	1	40	65	1090
<u>SS-1D41MM</u>	1	41	65	955
<u>SS-1D42MM</u>	1	42	65	955
<u>SS-1D46MM</u>	1	46	71	1590
<u>SS-1D50MM</u>	1	50	83	1905
<u>SS-1D55MM</u>	1	55	87	2175

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SS-1D60MM</u>	1	60	87	2225
<u>SS-1D65MM</u>	1	65	87	2360
<u>SS-1D70MM</u>	1	70	100	3445
<u>SS-1D75MM</u>	1	75	110	5490
<u>SS-1D80MM</u>	1	80	110	6125
<u>SS-1D85MM</u>	1	85	120	5805
<u>SS-1D90MM</u>	1	90	120	6660
<u>SS-1D95MM</u>	1	95	120	6660
<u>SS-1D100MM</u>	1	100	130	9695

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard, 6-Point, 1" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-1D1-1/16</u>	1	1-1/16	2-1/2	1.00
<u>SS-1D1-1/8</u>	1	1-1/8	2-1/2	1.00
<u>SS-1D1-3/16</u>	1	1-3/16	2-1/2	1.00
<u>SS-1D1-1/4</u>	1	1-1/4	2-1/2	1.00
<u>SS-1D1-5/16</u>	1	1-5/16	2-1/2	1.00
<u>SS-1D1-3/8</u>	1	1-3/8	2-3/4	1.30
<u>SS-1D1-7/16</u>	1	1-7/16	2-3/4	1.30
<u>SS-1D1-1/2</u>	1	1-1/2	2-3/4	1.70
<u>SS-1D1-9/16</u>	1	1-9/16	2-3/4	1.70

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SS-1D1-5/8</u>	1	1-5/8	2-7/8	2.30
<u>SS-1D1-11/16</u>	1	1-11/16	2-7/8	2.80
<u>SS-1D1-3/4</u>	1	1-3/4	2-7/8	2.80
<u>SS-1D1-13/16</u>	1	1-13/16	2-7/8	2.80
<u>SS-1D1-7/8</u>	1	1-7/8	2-7/8	2.80
<u>SS-1D1-15/16</u>	1	1-15/16	2-7/8	2.80
<u>SS-1D2</u>	1	2	3-3/16	4.00
<u>SS-1D2-1/16</u>	1	2-1/16	3-3/16	4.00
<u>SS-1D2-1/8</u>	1	2-1/8	3-7/16	4.00
<u>SS-1D2-3/16</u>	1	2-3/16	3-7/16	4.50
<u>SS-1D2-1/4</u>	1	2-1/4	3-7/16	5.00
<u>SS-1D2-5/16</u>	1	2-5/16	3-7/16	5.00
<u>SS-1D2-3/8</u>	1	2-3/8	3-7/16	5.00
<u>SS-1D2-7/16</u>	1	2-7/16	3-7/16	5.00
<u>SS-1D2-1/2</u>	1	2-1/2	3-7/16	5.00
<u>SS-1D2-9/16</u>	1	2-9/16	3-7/16	5.00


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com


 Website: www.ampcosafetytools.com
Item # W-160M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Metric:** 4MM - 14MM
- **Ratchet:** W-143R
- **Extension Bar:** WE-1/4X4
- **Case:** W-160-BOX


Specifications

-

length (mm)

130

width (mm)

230

height (mm)

30

Wt (g)

500

length (in)

5

width (in)

9

height (in)	1-1/4
Wt (lbs)	1.10
Drive (in)	1/4
Socket Sizes (mm)	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com


 Website: www.ampcosafetytools.com
Item # W-160

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Inch:** 3/16" - 9/16"
- **Ratchet:** W-143R
- **Extension Bar:** WE-1/4X4
- **Case:** W-160-BOX


Specifications

-

length (mm)

130

width (mm)

230

height (mm)

30

Wt (g)

500

length (in)

5

width (in)

9

height (in)	1-1/4
Wt (lbs)	1.10
Drive (in)	1/4
Socket Sizes (in)	3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com


Item # W-260M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Metric:** 10MM - 32MM
- **Ratchet:** W-141-R
- **Sliding Bar:** W-281
- **Extension Bar:** WE-1/2X10
- **Hinged Handle Wrench:** W-283
- **Case:** CASE-W-260M



Specifications

—

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

7495

length (in)

16

width (in)	21
height (in)	5-1/2
Wt (lbs)	16.30
Drive (in)	1/2
Socket Sizes (mm)	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # W-260

Non-Sparking, Non-Magnetic, Corrosion Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Socket Set:

- **Sockets, 6-Point, Inch:** 5/16" - 1-1/4"
- **Ratchet:** W-141-R
- **Sliding Bar:** W-281
- **Extension Bar:** WE-1/2X10
- **Hinged Handle Wrench:** W-283
- **Case:** CASE-W-260


Specifications

-

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

8165

length (in)	16
width (in)	21
height (in)	5-1/2
Wt (lbs)	18.00
Drive (in)	1/2
Socket Sizes (in)	5/16, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com


Item # W-290

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Inch:** 1/2" - 1-1/4"
- **Ratchet:** W-141-R
- **Sliding Bar:** W-281
- **Extension Bar:** WE-1/2X10
- **Hinged Handle Wrench:** W-283
- **Case:** CASE-W-290



Specifications

—

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

4535

length (in)	16
width (in)	21
height (in)	5-1/2
Wt (lbs)	10.00
Drive (in)	1/2
Socket Sizes (in)	1/2, 11/16, 7/8, 1-1/16, 1-1/4



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # W-291M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Socket, 6-Point, Metric:** 36MM - 60MM
- **Ratchet:** W-140R
- **Sliding Bar:** W-256
- **Extension Bar:** WE-3/4X16
- **Hinged Handle Wrench:** W-257
- **Case:** CASE-W-291M



Specifications

—

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

18370

length (in)

16

width (in)	21
height (in)	5-1/2
Wt (lbs)	40.50
Drive (in)	3/4
Socket Sizes (mm)	36, 38, 41, 46, 50, 55, 60


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # W-291

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Inch:** 1-5/16" - 2"
- **Ratchet:** W-140R
- **Sliding Bar:** W-256
- **Extension Bar:** WE-3/4X16
- **Hinged Handle Wrench:** W-257
- **Case:** CASE-W-291


Specifications

-

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

19050

length (in)	16
width (in)	21
height (in)	5-1/2
Wt (lbs)	42.00
Drive (in)	3/4
Socket Sizes (in)	1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 1/4" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-1/4D4MM</u>	1/4	4	50	45
<u>DW-1/4D4.5MM</u>	1/4	4.5	50	25
<u>DW-1/4D5MM</u>	1/4	5	50	25
<u>DW-1/4D5.5MM</u>	1/4	5.5	50	25
<u>DW-1/4D6MM</u>	1/4	6	50	25
<u>DW-1/4D7MM</u>	1/4	7	50	25
<u>DW-1/4D8MM</u>	1/4	8	50	25

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-1/4D9MM</u>	1/4	9	50	35
<u>DW-1/4D10MM</u>	1/4	10	50	45
<u>DW-1/4D11MM</u>	1/4	11	50	70
<u>DW-1/4D12MM</u>	1/4	12	50	70
<u>DW-1/4D13MM</u>	1/4	13	50	70
<u>DW-1/4D14MM</u>	1/4	14	50	90

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 1/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-1/4D3/16</u>	1/4	3/16	1-15/16	.10
<u>DW-1/4D7/32</u>	1/4	7/32	1-15/16	.10
<u>DW-1/4D1/4</u>	1/4	1/4	1-15/16	.10
<u>DW-1/4D9/32</u>	1/4	9/32	1-15/16	.10
<u>DW-1/4D5/16</u>	1/4	5/16	1-15/16	.10
<u>DW-1/4D11/32</u>	1/4	11/32	1-15/16	.10
<u>DW-1/4D3/8</u>	1/4	3/8	1-15/16	.10
<u>DW-1/4D7/16</u>	1/4	7/16	1-15/16	.10

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
DW-1/4D1/2	1/4	1/2	1-15/16	.10
DW-1/4D9/16	1/4	9/16	1-15/16	.20
				1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 3/8" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-3/8D7MM</u>	3/8	7	44	45
<u>DW-3/8D8MM</u>	3/8	8	44	45
<u>DW-3/8D9MM</u>	3/8	9	44	45
<u>DW-3/8D10MM</u>	3/8	10	44	90
<u>DW-3/8D11MM</u>	3/8	11	44	90
<u>DW-3/8D12MM</u>	3/8	12	44	90
<u>DW-3/8D13MM</u>	3/8	13	44	90
<u>DW-3/8D14MM</u>	3/8	14	47	90

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-3/8D15MM</u>	3/8	15	47	90
<u>DW-3/8D16MM</u>	3/8	16	50	135
<u>DW-3/8D17MM</u>	3/8	17	50	135
<u>DW-3/8D18MM</u>	3/8	18	54	135
<u>DW-3/8D19MM</u>	3/8	19	54	135
<u>DW-3/8D20MM</u>	3/8	20	54	135
<u>DW-3/8D21MM</u>	3/8	21	63	200
<u>DW-3/8D22MM</u>	3/8	22	63	220
<u>DW-3/8D23MM</u>	3/8	23	64	220
<u>DW-3/8D24MM</u>	3/8	24	65	220
<u>DW-3/8D25MM</u>	3/8	25	67	220

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 3/8" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-3/8D1/4</u>	3/8	1/4	1-3/4	.20
<u>DW-3/8D5/16</u>	3/8	5/16	1-3/4	.20
<u>DW-3/8D3/8</u>	3/8	3/8	1-3/4	.20
<u>DW-3/8D7/16</u>	3/8	7/16	1-3/4	.20
<u>DW-3/8D1/2</u>	3/8	1/2	1-3/4	.20
<u>DW-3/8D9/16</u>	3/8	9/16	1-7/8	.20
<u>DW-3/8D5/8</u>	3/8	5/8	2	.20
<u>DW-3/8D11/16</u>	3/8	11/16	2-1/8	.20

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-3/8D3/4</u>	3/8	3/4	2-1/8	.30
<u>DW-3/8D13/16</u>	3/8	13/16	2-1/2	.40
<u>DW-3/8D7/8</u>	3/8	7/8	2-1/2	.40
<u>DW-3/8D15/16</u>	3/8	15/16	2-1/2	.40
<u>DW-3/8D1</u>	3/8	1	2-1/2	.40

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 1/2" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-1/2D6MM</u>	1/2	6	75	180
<u>DW-1/2D7MM</u>	1/2	7	75	180
<u>DW-1/2D8MM</u>	1/2	8	75	180
<u>DW-1/2D9MM</u>	1/2	9	75	180
<u>DW-1/2D10MM</u>	1/2	10	75	180
<u>DW-1/2D11MM</u>	1/2	11	75	180
<u>DW-1/2D12MM</u>	1/2	12	75	180
<u>DW-1/2D13MM</u>	1/2	13	75	180

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-1/2D14MM</u>	1/2	14	75	180
<u>DW-1/2D15MM</u>	1/2	15	75	180
<u>DW-1/2D16MM</u>	1/2	16	75	225
<u>DW-1/2D17MM</u>	1/2	17	75	225
<u>DW-1/2D18MM</u>	1/2	18	75	225
<u>DW-1/2D19MM</u>	1/2	19	75	270
<u>DW-1/2D20MM</u>	1/2	20	75	270
<u>DW-1/2D21MM</u>	1/2	21	75	270
<u>DW-1/2D22MM</u>	1/2	22	75	340
<u>DW-1/2D23MM</u>	1/2	23	75	340
<u>DW-1/2D24MM</u>	1/2	24	75	410
<u>DW-1/2D25MM</u>	1/2	25	75	410
<u>DW-1/2D26MM</u>	1/2	26	75	410
<u>DW-1/2D27MM</u>	1/2	27	75	410
<u>DW-1/2D28MM</u>	1/2	28	75	410
<u>DW-1/2D29MM</u>	1/2	29	75	500
<u>DW-1/2D30MM</u>	1/2	30	75	500

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 1/2" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-1/2D1/4</u>	1/2	1/4	3-3/16	.50
<u>DW-1/2D5/16</u>	1/2	5/16	3-3/16	.50
<u>DW-1/2D3/8</u>	1/2	3/8	3-3/16	.50
<u>DW-1/2D7/16</u>	1/2	7/16	3-3/16	.50
<u>DW-1/2D1/2</u>	1/2	1/2	3-3/16	.50
<u>DW-1/2D9/16</u>	1/2	9/16	3-3/16	.50
<u>DW-1/2D19/32</u>	1/2	19/32	3-3/16	.50
<u>DW-1/2D5/8</u>	1/2	5/8	3-3/16	.50

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-1/2D21/32</u>	1/2	21/32	3-3/16	.50
<u>DW-1/2D11/16</u>	1/2	11/16	3-3/16	.50
<u>DW-1/2D3/4</u>	1/2	3/4	3-3/16	.50
<u>DW-1/2D25/32</u>	1/2	25/32	3-3/16	.50
<u>DW-1/2D13/16</u>	1/2	13/16	3-3/16	.60
<u>DW-1/2D7/8</u>	1/2	7/8	3-3/16	.80
<u>DW-1/2D15/16</u>	1/2	15/16	3-3/16	.80
<u>DW-1/2D1</u>	1/2	1	3-3/16	.90
<u>DW-1/2D1-1/16</u>	1/2	1-1/6	3-3/16	1.10
<u>DW-1/2D1-1/8</u>	1/2	1-1/8	3-3/16	1.10
<u>DW-1/2D1-3/16</u>	1/2	1-3/16	3-3/16	1.10
<u>DW-1/2D1-1/4</u>	1/2	1-1/4	3-3/16	1.10
<u>DW-1/2D1-5/16</u>	1/2	1-5/16	3-3/16	1.30
<u>DW-1/2D1-3/8</u>	1/2	1-3/8	3-3/16	1.50
<u>DW-1/2D1-7/16</u>	1/2	1-7/16	3-3/16	1.50
<u>DW-1/2D1-1/2</u>	1/2	1-1/2	3-3/16	1.90
<u>DW-1/2D1-9/16</u>	1/2	1-9/16	3-3/16	1.90

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 3/4" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

Item #	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-3/4D19MM</u>	3/4	19	85	365
<u>DW-3/4D21MM</u>	3/4	21	85	365
<u>DW-3/4D22MM</u>	3/4	22	85	385
<u>DW-3/4D23MM</u>	3/4	23	85	455
<u>DW-3/4D24MM</u>	3/4	24	85	455
<u>DW-3/4D25MM</u>	3/4	25	85	455
<u>DW-3/4D26MM</u>	3/4	26	85	610
<u>DW-3/4D27MM</u>	3/4	27	85	610

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-3/4D28MM</u>	3/4	28	85	610
<u>DW-3/4D29MM</u>	3/4	29	85	660
<u>DW-3/4D30MM</u>	3/4	30	85	660
<u>DW-3/4D31MM</u>	3/4	31	85	705
<u>DW-3/4D32MM</u>	3/4	32	85	705
<u>DW-3/4D33MM</u>	3/4	33	85	885
<u>DW-3/4D34MM</u>	3/4	34	85	860
<u>DW-3/4D35MM</u>	3/4	35	85	860
<u>DW-3/4D36MM</u>	3/4	36	85	905
<u>DW-3/4D37MM</u>	3/4	37	85	1000
<u>DW-3/4D38MM</u>	3/4	38	85	1000
<u>DW-3/4D40MM</u>	3/4	40	95	1000
<u>DW-3/4D41MM</u>	3/4	41	95	1225
<u>DW-3/4D42MM</u>	3/4	42	95	1475
<u>DW-3/4D46MM</u>	3/4	46	95	1475
<u>DW-3/4D47MM</u>	3/4	47	95	1860
<u>DW-3/4D50MM</u>	3/4	50	95	1860

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 3/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-3/4D3/4</u>	3/4	3/4	3-1/4	.75
<u>DW-3/4D13/16</u>	3/4	13/16	3-1/4	.75
<u>DW-3/4D7/8</u>	3/4	7/8	3-1/4	.75
<u>DW-3/4D15/16</u>	3/4	15/16	3-1/4	.75
<u>DW-3/4D1</u>	3/4	1	3-3/8	.90
<u>DW-3/4D1-1/16</u>	3/4	1-1/16	3-3/8	1.30
<u>DW-3/4D1-1/8</u>	3/4	1-1/8	3-3/8	1.30
<u>DW-3/4D1-3/16</u>	3/4	1-3/16	3-3/8	1.30

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-3/4D1-1/4</u>	3/4	1-1/4	3-3/8	1.70
<u>DW-3/4D1-5/16</u>	3/4	1-5/16	3-3/8	1.70
<u>DW-3/4D1-3/8</u>	3/4	1-3/8	3-3/8	1.70
<u>DW-3/4D1-7/16</u>	3/4	1-7/16	3-3/8	1.70
<u>DW-3/4D1-1/2</u>	3/4	1-1/2	3-3/8	1.90
<u>DW-3/4D1-9/16</u>	3/4	1-9/16	3-3/8	1.90
<u>DW-3/4D1-5/8</u>	3/4	1-5/8	3-3/8	1.90
<u>DW-3/4D1-11/16</u>	3/4	1-11/16	3-3/8	3.00
<u>DW-3/4D1-3/4</u>	3/4	1-3/4	3-7/16	3.00
<u>DW-3/4D1-13/16</u>	3/4	1-13/16	3-7/16	3.50
<u>DW-3/4D1-7/8</u>	3/4	1-7/8	3-7/16	3.50
<u>DW-3/4D1-15/16</u>	3/4	1-15/16	3-1/2	3.50
<u>DW-3/4D2</u>	3/4	2	3-1/2	3.50
<u>DW-3/4D2-1/16</u>	3/4	2-1/16	3-1/2	4.60
<u>DW-3/4D2-1/8</u>	3/4	2-1/8	3-1/2	4.60
<u>DW-3/4D2-3/16</u>	3/4	2-3/16	3-1/2	4.60
<u>DW-3/4D2-1/4</u>	3/4	2-1/4	3-1/2	5.60

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 1"Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DW-1D41MM</u>	1	41	90	1110
<u>DW-1D42MM</u>	1	42	90	1110
<u>DW-1D46MM</u>	1	46	90	1635
<u>DW-1D50MM</u>	1	50	95	2175
<u>DW-1D55MM</u>	1	55	100	2870
<u>DW-1D60MM</u>	1	60	105	2870
<u>DW-1D65MM</u>	1	65	110	3515
<u>DW-1D70MM</u>	1	70	120	4425

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
DW-1D75MM	1	75	120	4425
DW-1D80MM	1	80	130	6705
DW-1D85MM	1	85	140	6705
DW-1D90MM	1	90	140	7655
DW-1D95MM	1	95	140	7655
DW-1D100MM	1	100	150	12700

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well, 6-Point, 1" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-1D1-5/8</u>	1	1-5/8	3-7/16	2.50
<u>DW-1D1-11/16</u>	1	1-11/16	3-7/16	3.70
<u>DW-1D1-3/4</u>	1	1-3/4	3-7/16	3.70
<u>DW-1D1-13/16</u>	1	1-13/16	3-7/16	3.70
<u>DW-1D1-7/8</u>	1	1-7/8	3-7/16	3.70
<u>DW-1D1-15/16</u>	1	1-15/16	3-5/8	3.65
<u>DW-1D2</u>	1	2	3-11/16	4.90
<u>DW-1D2-1/16</u>	1	2-1/16	3-11/16	4.90

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DW-1D2-1/8</u>	1	2-1/8	3-15/16	4.90
<u>DW-1D2-3/16</u>	1	2-3/16	3-15/16	6.30
<u>DW-1D2-1/4</u>	1	2-1/4	3-15/16	6.30
<u>DW-1D2-5/16</u>	1	2-5/16	4	6.40
<u>DW-1D2-3/8</u>	1	2-3/8	4-1/16	6.20
<u>DW-1D2-7/16</u>	1	2-7/16	4-5/16	5.90
<u>DW-1D2-1/2</u>	1	2-1/2	4-5/16	5.90
<u>DW-1D2-9/16</u>	1	2-9/16	4-5/16	5.90
<u>DW-1D2-5/8</u>	1	2-5/8	4-5/8	9.95
<u>DW-1D2-3/4</u>	1	2-3/4	4-5/8	11.75
<u>DW-1D2-13/16</u>	1	2-13/16	4-13/16	11.75
<u>DW-1D2-15/16</u>	1	2-15/16	4-13/16	13.30
<u>DW-1D3</u>	1	3	5-1/16	13.30
<u>DW-1D3-1/8</u>	1	3-1/8	5-1/16	15.30
<u>DW-1D3-1/4</u>	1	3-1/4	5-1/4	15.30
<u>DW-1D3-3/8</u>	1	3-3/8	5-7/16	15.30
<u>DW-1D3-1/2</u>	1	3-1/2	5-7/16	17.30

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well Impact, 6-Point, 1/2" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DWI-1/2D8MM</u>	1/2	8	75	180
<u>DWI-1/2D9MM</u>	1/2	9	75	180
<u>DWI-1/2D10MM</u>	1/2	10	75	180
<u>DWI-1/2D11MM</u>	1/2	11	75	205
<u>DWI-1/2D12MM</u>	1/2	12	75	205
<u>DWI-1/2D13MM</u>	1/2	13	75	205

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DWI-1/2D14MM</u>	1/2	14	75	205
<u>DWI-1/2D15MM</u>	1/2	15	75	205
<u>DWI-1/2D16MM</u>	1/2	16	75	225
<u>DWI-1/2D17MM</u>	1/2	17	75	90
<u>DWI-1/2D18MM</u>	1/2	18	75	90
<u>DWI-1/2D19MM</u>	1/2	19	75	90
<u>DWI-1/2D20MM</u>	1/2	20	75	295
<u>DWI-1/2D21MM</u>	1/2	21	75	295
<u>DWI-1/2D22MM</u>	1/2	22	75	500
<u>DWI-1/2D23MM</u>	1/2	23	75	500
<u>DWI-1/2D24MM</u>	1/2	24	75	410
<u>DWI-1/2D25MM</u>	1/2	25	75	410
<u>DWI-1/2D26MM</u>	1/2	26	75	410
<u>DWI-1/2D27MM</u>	1/2	27	75	410

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DWI-1/2D28MM</u>	1/2	28	75	410
<u>DWI-1/2D29MM</u>	1/2	29	75	545
<u>DWI-1/2D30MM</u>	1/2	30	75	545
<u>DWI-1/2D31MM</u>	1/2	31	75	545
<u>DWI-1/2D32MM</u>	1/2	32	75	545


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Sockets, Deep Well Impact, 6-Point, 1/2" Drive, Inch

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DWI-1/2D3/8</u>	1/2	3/8	3-3/16	.40
<u>DWI-1/2D7/16</u>	1/2	7/16	3-3/16	.40
<u>DWI-1/2D1/2</u>	1/2	1/2	3-3/16	.40
<u>DWI-1/2D9/16</u>	1/2	9/16	3-3/16	.40
<u>DWI-1/2D5/8</u>	1/2	5/8	3-3/16	.55
<u>DWI-1/2D11/16</u>	1/2	11/16	3-3/16	.50
<u>DWI-1/2D3/4</u>	1/2	3/4	3-3/16	.60
<u>DWI-1/2D13/16</u>	1/2	13/16	3-3/16	.70

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DWI-1/2D7/8</u>	1/2	7/8	3-3/16	.70
<u>DWI-1/2D15/16</u>	1/2	15/16	3-3/16	.80
<u>DWI-1/2D1</u>	1/2	1	3-3/16	.90
<u>DWI-1/2D1-1/16</u>	1/2	1-1/16	3-3/16	.90
<u>DWI-1/2D1-1/8</u>	1/2	1-1/8	3-3/16	.90
<u>DWI-1/2D1-3/16</u>	1/2	1-3/16	3-3/16	1.00
<u>DWI-1/2D1-1/4</u>	1/2	1-1/4	3-3/16	1.00
<u>DWI-1/2D1-5/16</u>	1/2	1-5/16	3-3/16	1.40
<u>DWI-1/2D1-3/8</u>	1/2	1-3/8	3-3/16	1.40
<u>DWI-1/2D1-7/16</u>	1/2	1-7/16	3-3/16	1.40
<u>DWI-1/2D1-1/2</u>	1/2	1-1/2	3-3/16	1.90
<u>DWI-1/2D1-9/16</u>	1/2	1-9/16	3-3/16	1.90

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well Impact, 6-Point, 3/4" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DWI-</u> <u>3/4D17MM</u>	3/4	17	85	365
<u>DWI-</u> <u>3/4D18MM</u>	3/4	18	85	365
<u>DWI-</u> <u>3/4D19MM</u>	3/4	19	85	410
<u>DWI-</u> <u>3/4D20MM</u>	3/4	20	85	410
<u>DWI-</u> <u>3/4D21MM</u>	3/4	21	85	410

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DWI-3/4D22MM</u>	3/5	22	85	410
<u>DWI-3/4D23MM</u>	3/4	23	85	410
<u>DWI-3/4D24MM</u>	3/4	24	85	410
<u>DWI-3/4D25MM</u>	3/4	25	85	410
<u>DWI-3/4D26MM</u>	3/4	26	85	610
<u>DWI-3/4D27MM</u>	3/4	27	85	610
<u>DWI-3/4D28MM</u>	3/4	28	85	610
<u>DWI-3/4D29MM</u>	3/4	29	85	635
<u>DWI-3/4D30MM</u>	3/4	30	85	660
<u>DWI-3/4D31MM</u>	3/4	31	85	680
<u>DWI-3/4D32MM</u>	3/4	32	85	705
<u>DWI-3/4D33MM</u>	3/4	33	85	885
<u>DWI-3/4D34MM</u>	3/4	34	85	885
<u>DWI-3/4D35MM</u>	3/4	35	85	885

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>L (mm)</u>	<u>Wt (g)</u>
<u>DWI-3/4D36MM</u>	3/4	36	85	1000
<u>DWI-3/4D37MM</u>	3/4	37	85	1000
<u>DWI-3/4D38MM</u>	3/4	38	85	1000
<u>DWI-3/4D39MM</u>	3/4	39	95	1090
<u>DWI-3/4D40MM</u>	3/4	40	95	1110
<u>DWI-3/4D41MM</u>	3/4	41	95	1110
				1 2

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Deep Well Impact, 6-Point, 3/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DWI-3/4D9/16</u>	3/4	9/16	3-1/4	.85
<u>DWI-3/4D5/8</u>	3/4	5/8	3-1/4	.85
<u>DWI-3/4D11/16</u>	3/4	11/16	3-1/4	.85
<u>DWI-3/4D3/4</u>	3/4	3/4	3-1/4	.80
<u>DWI-3/4D13/16</u>	3/4	13/16	3-1/4	.80
<u>DWI-3/4D7/8</u>	3/4	7/8	3-1/4	.80
<u>DWI-3/4D15/16</u>	3/4	15/16	3-1/4	.70
<u>DWI-3/4D1</u>	3/4	1	3-3/8	1.00

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>DWI-3/4D1-1/16</u>	3/4	1-1/16	3-3/8	1.20
<u>DWI-3/4D1-1/8</u>	3/4	1-1/8	3-3/8	1.30
<u>DWI-3/4D1-3/16</u>	3/4	1-3/16	3-3/8	1.30
<u>DWI-3/4D1-1/4</u>	3/4	1-1/4	3-3/8	1.55
<u>DWI-3/4D1-5/16</u>	3/4	1-5/16	3-3/8	1.70
<u>DWI-3/4D1-3/8</u>	3/4	1-3/8	3-3/8	1.70
<u>DWI-3/4D1-7/16</u>	3/4	1-7/16	3-3/8	1.70
<u>DWI-3/4D1-1/2</u>	3/4	1-1/2	3-3/8	2.00
<u>DWI-3/4D1-9/16</u>	3/4	1-9/16	3-3/8	2.00
<u>DWI-3/4D1-5/8</u>	3/4	1-5/8	3-3/8	2.00
<u>DWI-3/4D1-11/16</u>	3/4	1-11/16	3-3/8	2.20
<u>DWI-3/4D1-3/4</u>	3/4	1-3/4	3-7/16	2.20
<u>DWI-3/4D1-13/16</u>	3/4	1-13/16	3-7/16	2.20
<u>DWI-3/4D1-7/8</u>	3/4	1-7/8	3-7/16	2.50
<u>DWI-3/4D1-15/16</u>	3/4	1-15/16	3-1/2	2.70
<u>DWI-3/4D2</u>	3/4	2	3-11/16	2.70
<u>DWI-3/4D2-1/16</u>	3/4	2-1/16	3-11/16	3.30

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 4-Point, 1/2" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>I-1/2D1-7/16-4PT</u>	1/2	1-7/16	1-7/8	1.8
<u>I-1/2D1-5/8-4PT</u>	1/2	1-5/8	2-1/16	2.3

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 4-Point, 3/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1****Item #****a (in)****s (in)****l (in)****Wt (lbs)**I-3/4D1-7/16-
4PT

3/4

1-7/16

2-3/16

2

I-3/4D1-5/8-
4PT

3/4

1-5/8

2-3/8

2.7

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 4-Point, 1" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1****Item #****a (in)****s (in)****l (in)****Wt (lbs)**I-1D1-7/16-4PT

1

1-7/16

2-3/8

2.2

I-1D1-5/8-4PT

1

1-5/8

2-9/16

2.8

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 6-Point, 1/2" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>I-1/2D8MM</u>	1/2	8	30	70
<u>I-1/2D9MM</u>	1/2	9	30	70
<u>I-1/2D10MM</u>	1/2	10	30	70
<u>I-1/2D11MM</u>	1/2	11	30	70
<u>I-1/2D12MM</u>	1/2	12	30	70
<u>I-1/2D13MM</u>	1/2	13	30	70
<u>I-1/2D14MM</u>	1/2	14	30	70
<u>I-1/2D15MM</u>	1/2	15	30	70
<u>I-1/2D16MM</u>	1/2	16	37	90

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>I-1/2D17MM</u>	1/2	17	37	90
<u>I-1/2D18MM</u>	1/2	18	37	90
<u>I-1/2D19MM</u>	1/2	19	37	90
<u>I-1/2D20MM</u>	1/2	20	38	135
<u>I-1/2D21MM</u>	1/2	21	38	135
<u>I-1/2D22MM</u>	1/2	22	38	135
<u>I-1/2D23MM</u>	1/2	23	38	180
<u>I-1/2D24MM</u>	1/2	24	38	180
<u>I-1/2D25MM</u>	1/2	25	38	180
<u>I-1/2D26MM</u>	1/2	26	38	225
<u>I-1/2D27MM</u>	1/2	27	38	225
<u>I-1/2D28MM</u>	1/2	28	40	225
<u>I-1/2D29MM</u>	1/2	29	40	270
<u>I-1/2D30MM</u>	1/2	30	40	270
<u>I-1/2D31MM</u>	1/2	31	40	340
<u>I-1/2D32MM</u>	1/2	32	40	270

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 6-Point, 1/2" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>I-1/2D3/8</u>	1/2	3/8	1-3/16	.10
<u>I-1/2D7/16</u>	1/2	7/16	1-3/16	.10
<u>I-1/2D1/2</u>	1/2	1/2	1-3/16	.10
<u>I-1/2D9/16</u>	1/2	9/16	1-3/16	.10
<u>I-1/2D5/8</u>	1/2	5/8	1-7/16	.20
<u>I-1/2D11/16</u>	1/2	11/16	1-7/16	.20
<u>I-1/2D3/4</u>	1/2	3/4	1-7/16	.25
<u>I-1/2D13/16</u>	1/2	13/16	1-7/16	.30
<u>I-1/2D7/8</u>	1/2	7/8	1-1/2	.30

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>I-1/2D15/16</u>	1/2	15/16	1-1/2	.30
<u>I-1/2D1</u>	1/2	1	1-1/2	.40
<u>I-1/2D1-1/16</u>	1/2	1-1/16	1-1/2	.50
<u>I-1/2D1-1/8</u>	1/2	1-1/8	1-5/8	.50
<u>I-1/2D1-3/16</u>	1/2	1-3/16	1-5/8	.60
<u>I-1/2D1-1/4</u>	1/2	1-1/4	1-5/8	.60
<u>I-1/2D1-5/16</u>	1/2	1-5/16	1-7/8	.80
<u>I-1/2D1-3/8</u>	1/2	1-3/8	1-7/8	.90
<u>I-1/2D1-7/16</u>	1/2	1-7/16	1-7/8	1.00
<u>I-1/2D1-1/2</u>	1/2	1-1/2	2-3/16	1.20
<u>I-1/2D1-9/16</u>	1/2	1-9/16	2-1/4	1.60
				1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 6-Point, 3/4" Drive, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>I-3/4D17MM</u>	3/4	17	44	205
<u>I-3/4D18MM</u>	3/4	18	44	180
<u>I-3/4D19MM</u>	3/4	19	44	180
<u>I-3/4D20MM</u>	3/4	20	44	180
<u>I-3/4D21MM</u>	3/4	21	44	180
<u>I-3/4D22MM</u>	3/4	22	44	180
<u>I-3/4D23MM</u>	3/4	23	44	180
<u>I-3/4D24MM</u>	3/4	24	46	225
<u>I-3/4D25MM</u>	3/4	25	46	225

<u>Item #</u>	<u>a (in)</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>I-3/4D26MM</u>	3/4	26	46	295
<u>I-3/4D27MM</u>	3/4	27	46	295
<u>I-3/4D28MM</u>	3/4	28	46	295
<u>I-3/4D29MM</u>	3/4	29	48	295
<u>I-3/4D30MM</u>	3/4	30	48	320
<u>I-3/4D31MM</u>	3/4	31	50	365
<u>I-3/4D32MM</u>	3/4	32	50	365
<u>I-3/4D33MM</u>	3/4	33	50	500
<u>I-3/4D34MM</u>	3/4	34	50	500
<u>I-3/4D35MM</u>	3/4	35	50	500
<u>I-3/4D36MM</u>	3/4	36	50	545
<u>I-3/4D37MM</u>	3/4	37	50	545
<u>I-3/4D38MM</u>	3/4	38	50	545
<u>I-3/4D39MM</u>	3/4	39	50	545
<u>I-3/4D40MM</u>	3/4	40	52	545
<u>I-3/4D41MM</u>	3/4	41	52	545

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 6-Point, 3/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>I-3/4D9/16</u>	3/4	9/16	1-1/2	.40
<u>I-3/4D5/8</u>	3/4	5/8	1-1/2	.40
<u>I-3/4D11/16</u>	3/4	11/16	1-11/16	.40
<u>I-3/4D3/4</u>	3/4	3/4	1-11/16	.40
<u>I-3/4D13/16</u>	3/4	13/16	1-11/16	.40
<u>I-3/4D7/8</u>	3/4	7/8	1-3/4	.40
<u>I-3/4D15/16</u>	3/4	15/16	1-13/16	.40
<u>I-3/4D1</u>	3/4	1	1-13/16	.50
<u>I-3/4D1-1/16</u>	3/4	1-1/16	1-15/16	.80

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>I-3/4D1-1/8</u>	3/4	1-1/8	2	.80
<u>I-3/4D1-3/16</u>	3/4	1-3/16	2	.80
<u>I-3/4D1-1/4</u>	3/4	1-1/4	2	.90
<u>I-3/4D1-5/16</u>	3/4	1-5/16	2-1/16	1.00
<u>I-3/4D1-3/8</u>	3/4	1-3/8	2-1/16	1.00
<u>I-3/4D1-7/16</u>	3/4	1-7/16	2-1/16	1.20
<u>I-3/4D1-1/2</u>	3/4	1-1/2	2-3/8	1.40
<u>I-3/4D1-9/16</u>	3/4	1-9/16	2-3/8	1.40
<u>I-3/4D1-5/8</u>	3/4	1-5/8	2-3/8	1.40
<u>I-3/4D1-11/16</u>	3/4	1-11/16	2-7/16	1.60
<u>I-3/4D1-3/4</u>	3/4	1-3/4	2-7/16	1.60
<u>I-3/4D1-13/16</u>	3/4	1-13/16	2-7/16	1.60
<u>I-3/4D1-7/8</u>	3/4	1-7/8	2-7/16	1.70
<u>I-3/4D1-15/16</u>	3/4	1-15/16	2-7/16	1.70
<u>I-3/4D2</u>	3/4	2	2-7/16	1.70
<u>I-3/4D2-1/16</u>	3/4	2-1/16	2-13/16	2.60

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 6-Point, 1" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (in)</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>I-1D1-5/16</u>	1	1-5/16	2-1/2	1.3
<u>I-1D1-7/16</u>	1	1-7/16	2-1/2	1.8
<u>I-1D1-1/2</u>	1	1-1/2	2-5/8	1.7
<u>I-1D1-9/16</u>	1	1-9/16	2-5/8	1.65
<u>I-1D1-5/8</u>	1	1-5/8	2-5/8	2.2
<u>I-1D1-11/16</u>	1	1-11/16	2-7/8	2.25
<u>I-1D1-3/4</u>	1	1-3/4	2-7/8	3.1
<u>I-1D1-13/16</u>	1	1-13/16	3	3.25
<u>I-1D1-7/8</u>	1	1-7/8	3	3.15

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 8-Point, 1/2" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1****Item #****s (in)****l (in)****Wt (lbs)**I-1/2D1-7/16-
8PT

1-7/16

1-7/8

1.7

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 8-Point, 3/4" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1****Item #****l (in)****s (in)****Wt (lbs)**I-3/4D1-7/16-
8PT

1-7/16

2-3/16

2

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Sockets, Standard Impact, 8-Point, 1" Drive, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>L (in)</u>	<u>s (in)</u>	<u>Wt (lbs)</u>
<u>I-1D1-5/16-8PT</u>	1-5/16	2-1/2	2.3
<u>I-1D1-7/16-8PT</u>	1-7/16	2-1/2	2.2
<u>I-1D1-1/2-8PT</u>	1-1/2	2-5/8	2.9
<u>I-1D1-9/16-8PT</u>	1-9/16	2-5/8	3
<u>I-1D1-5/8-8PT</u>	1-5/8	2-5/8	3.6
<u>I-1D1-11/16-8PT</u>	1-11/16	2-7/8	3.9
<u>I-1D1-3/4-8PT</u>	1-3/4	2-7/8	3.75
<u>I-1D1-13/16-8PT</u>	1-13/16	3	4.9

<u>Item #</u>	<u>L (in)</u>	<u>s (in)</u>	<u>Wt (lbs)</u>
I-1D1-7/8-8PT	1-7/8	3	4.8
			1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Spatula

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-90</u>	25	150	260	45	1	6	10-1/4	.10
<u>S-91</u>	40	230	350	135	1-1/2	9	14	.30
<u>S-92</u>	50	355	490	270	2	14	19-1/4	.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Scoop, Sugar**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>c (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>c (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>S-43</u>	75	125	50	200	410	3	5	2	8	.90
<u>S-44</u>	125	200	90	300	1000	4-7/8	8	3-1/2	12	2.20
<u>S-45</u>	140	255	100	360	1540	5-1/2	10	4	14	3.40

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # IM-20

Non-Sparking, Non-Magnetic, Corrosion Resistant

1000V Rated (Adjustable Wrenches are not 1000V Rated)

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Adjustable Combination Wrench, 8"**: IP-31
- **Linemans'/Side Cutting Pliers, 8-1/2"**: IP-35
- **Diagonal Cutting Pliers, 7"**: IP-36
- **Groove Joint Pliers, 10"**: IP-39
- **#2 Phillips Screwdriver**: IS-1099
- **Standard Screwdriver, 5/16" Tip**: IS-49
- **Standard Socket, 6-Point, 3/8" Drive, 7/16"**: ISS-3/8D7/16
-

[+ more](#)

Specifications

-

length (mm)

405

width (mm)

235

height (mm)

205

Wt (g)

4990

length (in)	16
width (in)	9-1/4
height (in)	8
Wt (lbs)	11.00



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # IM-21

Non-Sparking, Non-Magnetic, Corrosion-Resistant

1000V Rated (Adjustable Wrenches are not 1000V Rated)

Made in the USA

Set Includes:

- **Adjustable Combination Pliers, 8"**: IP-31
- **Linemans'/Side Cutting Pliers, 8-1/2"**: IP-35
- **Groove Joint Pliers**: IP-39
- **#2 Phillips Screwdriver**: IS-1099
- **Standard Screwdriver, 5/16" Tip**: IS-49
- **Adjustable Wrench, 8"**: IW-71
- **Choice of 2 Single Box End Wrenches, 12-Point - 7/16", 1/2" or 9/16**: IWSB-7/16, IWSB-1/2 or IWSB-9/16
- **Toothbrush Style Scratch Brush**



[+ more](#)

Specifications

—

length (mm)

405

width (mm)

235

height (mm)

205

Wt (g)

3400

length (in)	16
width (in)	9-1/4
height (in)	8
Wt (lbs)	7.50


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com


 Website: www.ampcosafetytools.com
Item # W-160M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Metric:** 4MM - 14MM
- **Ratchet:** W-143R
- **Extension Bar:** WE-1/4X4
- **Case:** W-160-BOX


Specifications

-

length (mm)

130

width (mm)

230

height (mm)

30

Wt (g)

500

length (in)

5

width (in)

9

height (in)	1-1/4
Wt (lbs)	1.10
Drive (in)	1/4
Socket Sizes (mm)	4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # W-160

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Inch:** 3/16" - 9/16"
- **Ratchet:** W-143R
- **Extension Bar:** WE-1/4X4
- **Case:** W-160-BOX



Specifications

—

length (mm)	130
width (mm)	230
height (mm)	30
Wt (g)	500
length (in)	5
width (in)	9

height (in)	1-1/4
Wt (lbs)	1.10
Drive (in)	1/4
Socket Sizes (in)	3/16, 7/32, 1/4, 9/32, 5/16, 11/32, 3/8, 7/16, 1/2, 9/16



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # W-260M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Metric:** 10MM - 32MM
- **Ratchet:** W-141-R
- **Sliding Bar:** W-281
- **Extension Bar:** WE-1/2X10
- **Hinged Handle Wrench:** W-283
- **Case:** CASE-W-260M



Specifications

—

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

7495

length (in)

16

width (in)	21
height (in)	5-1/2
Wt (lbs)	16.30
Drive (in)	1/2
Socket Sizes (mm)	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # W-260

Non-Sparking, Non-Magnetic, Corrosion Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Socket Set:

- **Sockets, 6-Point, Inch:** 5/16" - 1-1/4"
- **Ratchet:** W-141-R
- **Sliding Bar:** W-281
- **Extension Bar:** WE-1/2X10
- **Hinged Handle Wrench:** W-283
- **Case:** CASE-W-260



Specifications

—

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

8165

length (in)	16
width (in)	21
height (in)	5-1/2
Wt (lbs)	18.00
Drive (in)	1/2
Sockets (in)	5/16, 3/8, 7/16, 1/2, 9/16, 19/32, 5/8, 11/16, 3/4, 25/32, 13/16, 7/8, 15/16, 1, 1-1/16, 1-1/8, 1-1/4


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com


 Website: www.ampcosafetytools.com
Item # W-290

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Inch:** 1/2" - 1-1/4"
- **Ratchet:** W-141-R
- **Sliding Bar:** W-281
- **Extension Bar:** WE-1/2X10
- **Hinged Handle Wrench:** W-283
- **Case:** CASE-W-290


Specifications

-

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

4535

length (in)	16
width (in)	21
height (in)	5-1/2
Wt (lbs)	10.00
Drive (in)	1/2
Socket Sizes (in)	1/2, 11/16, 7/8, 1-1/16, 1-1/4



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com


Item # W-291M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Socket, 6-Point, Metric:** 36MM - 60MM
- **Ratchet:** W-140R
- **Sliding Bar:** W-256
- **Extension Bar:** WE-3/4X16
- **Hinged Handle Wrench:** W-257
- **Case:** CASE-W-291M



Specifications

—

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

18370

length (in)

16

width (in)	21
height (in)	5-1/2
Wt (lbs)	40.50
Drive (in)	3/4
Socket Sizes (mm)	36, 38, 41, 46, 50, 55, 60


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # W-291

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (Sliding Bar for Extension made in the USA with United Kingdom Components)

Set Includes:

- **Sockets, 6-Point, Inch:** 1-5/16" - 2"
- **Ratchet:** W-140R
- **Sliding Bar:** W-256
- **Extension Bar:** WE-3/4X16
- **Hinged Handle Wrench:** W-257
- **Case:** CASE-W-291


Specifications

-

length (mm)

405

width (mm)

535

height (mm)

140

Wt (g)

19050

length (in)	16
width (in)	21
height (in)	5-1/2
Wt (lbs)	42.00
Drive (in)	3/4
Socket Sizes (in)	1-5/16, 1-3/8, 1-7/16, 1-1/2, 1-9/16, 1-5/8, 1-11/16, 1-3/4, 1-13/16, 1-7/8, 2



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-39

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Set Includes:

- **Standard Screwdriver, 5/16" Tip, 3" Blade: S-48**
- **Standard Screwdriver, 5/16" Tip, 6" Blade: S-49**
- **Standard Screwdriver, 3/8" Tip, 8" Blade: S-50**
- **#1 Phillips Screwdriver: S-1099A**
- **#2 Phillips Screwdriver: S-1099**
- **#3 Phillips Screwdriver: S-1100**
- **Roll-Up Case with Velcro Fastener: CASE-6PC**



Specifications

—

length (mm)

355

width (mm)

110

height (mm)

110

Wt (g)

885

length (in)	14
width (in)	4-1/4
height (in)	4-1/4
Wt (lbs)	1.95



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-41M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Set Includes:

- **8MM Combination Wrench:** 1300
- **10MM Combination Wrench:** 1304
- **12MM Combination Wrench:** 1308
- **14MM Combination Wrench:** 1312
- **17MM Combination Wrench:** 1318
- **19MM Combination Wrench:** 1322
- **22MM Combination Wrench:** 1328
- **Roll-Up Case with Velcro Fastener:** CASE-7PC



Specifications

length (mm)	330
width (mm)	75
height (mm)	75
Wt (g)	1225

length (in)	13
width (in)	3
height (in)	3
Wt (lbs)	2.70



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-41

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Set Includes:

- **3/8" Combination Wrench:** W-601
- **7/16" Combination Wrench:** W-611
- **1/2" Combination Wrench:** W-621
- **9/16" Combination Wrench:** W-631
- **5/8" Combination Wrench:** W-641
- **3/4" Combination Wrench:** W-661
- **7/8" Combination Wrench:** W-671
- **Roll-Up Case with Velcro Fastener:** CASE-7PC



Specifications

—

length (mm)

330

width (mm)

75

height (mm)

75

Wt (g)

1200

length (in)	13
width (in)	3
height (in)	3
Wt (lbs)	2.65



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-42M, Hex Key Set, Metric, 10pc

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with Italian and US Components

Set Includes:

- **1.5MM Hex Key:** WH-1.5MM
- **2MM Hex Key:** WH-2MM
- **3MM Hex Key:** WH-3MM
- **4MM Hex Key:** WH-4MM
- **5MM Hex Key:** WH-5MM
- **6MM Hex Key:** WH-6MM
- **7MM Hex Key:** WH-7MM
- **8MM Hex Key:** WH-8MM
- **9MM Hex Key:** WH-9MM
- **10MM Hex Key:** WH-10MM
- **Roll-Up Case with Velcro Fastener:** M-42CASE



Specifications

length (mm)

180

width (mm)

90

height (mm)	90
Wt (g)	430
length (in)	7
width (in)	3-1/2
height (in)	3-1/2
Wt (lbs)	.95



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-42

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with Italian and US Components

Set Includes:

- **1/16" Hex Key:** WH-1/16
- **5/64" Hex Key:** WH-5/64
- **3/32" Hex Key:** WH-3/32
- **1/8" Hex Key:** WH-1/8
- **5/32" Hex Key:** WH-5/32
- **3/16" Hex Key:** WH-3/16
- **7/32" Hex Key:** WH-7/32
- **1/4" Hex Key:** WH-1/4
- **5/16" Hex Key:** WH-5/16
- **3/8" Hex Key:** WH-3/8
- **Roll-Up Case with Velcro Fastener:** M-42CASE



Specifications

length (mm)

180

width (mm)

90

height (mm)	90
Wt (g)	320
length (in)	7
width (in)	3-1/2
height (in)	3-1/2
Wt (lbs)	70



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-46

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Kit Includes:

- **Standard Screwdriver, 5/16" Tip, 3" Blade:** S-48
- **Combination Pliers, 6-1/2":** P-30
- **Adjustable End Wrench, 8":** W-71
- **Crate Opener, 9":** CJ-1-ST
- **Tool Box:** CASE-4PC



Specifications

—

length (mm)

260

width (mm)

90

height (mm)

90

Wt (g)

1020

length (in)	10-1/4
width (in)	3-1/2
height (in)	3-1/2
Wt (lbs)	2.25



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-47

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Kit Includes:

- **Standard Screwdriver, 5/16" Tip, 3" Blade:** S-48
- **Combination Pliers, 6-1/2":** P-30
- **Adjustable End Wrench, 8":** W-71
- **Crate Opener, 9":** CJ-1-ST
- **#2 Phillips Screwdriver:** S-1099
- **Groove Joint Pliers, 10":** P-39
- **Tool Box:** CASE-6PC



Specifications

—

length (mm)

330

width (mm)

110

height (mm)

110

Wt (g)

1540

length (in)	13
width (in)	4-1/4
height (in)	4-1/4
Wt (lbs)	3.40



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-48

Non-Sparking, Non-Magnetic, Corrosion-Resistant

***Made in the USA**

Tool Kit, 11pc

Kit Includes:

- Combination Pliers, 8": P-31
- Shoe Handle Brush: B-399
- Putty Knife (Stiff Blade), 1-1/4" X 3-9/16" Blade, 7-3/4" OAL: K-21
- Common Knife, 3-1/8" Blade, 6-3/4" OAL: K-1
- Groove Joint Pliers, 10": P-39
- #2 Phillips Screwdriver: S-1099
- Standard Screwdriver, 5/16" Tip, 6" Blade: S-49
- Claw Hammer with Fiberglass Handle, 16oz.: H-20FG
- Adjustable End Wrench, 6": W-70
-



[+ more](#)

Specifications

—

length (mm)

405

width (mm)

235

height (mm)

205

Wt (g)	4740
length (in)	16
width (in)	9-1/4
height (in)	8
Wt (lbs)	10.45



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-49

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Kit Includes:

- **Double End Box Wrench 5/16" X 3/8"**: W-3109
- **Double End Box Wrench 7/16" X 1/2"**: W-3120
- **Double End Box Wrench 9/16" X 5/8"**: W-3150
- **Double End Box Wrench 3/4" X 7/8"**: W-3180
- **#2 Phillips Screwdriver**: S-1099
- **Standard Screwdriver, 5/16" Tip, 6" Blade**: S-49
- **Adjustable End Wrench, 10"**: W-72
- **Combination Pliers, 6-1/2"**: P-30
- **Combination Pliers, 8"**: P-



[+ more](#)

Specifications

—

length (mm)

405

width (mm)

235

height (mm)

205

Wt (g)

6620

length (in)	16
width (in)	9-1/4
height (in)	8
Wt (lbs)	14.60



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-50

Non-Sparking, Non-Magnetic, Corrosion-Resistant


Made in the USA

Cabinet Features:

- Sturdy construction of 3/4" plywood to resist warping.
- Spar varnished for moisture resistance and marine applications.
- Cabinet latch can be locked to secure your investment.
- Individual placement of each tool makes it obvious when one is missing.
- Tools are secured in place so that the cabinet can stand upright or laid down for storage.

Kit Includes:

- Wrecking Bar, 36": W-31
- Adjustable End Wrench,



[+ more](#)

Specifications

-

length (mm)

1300

width (mm)

900

height (mm)

280

Wt (g)	74845
length (in)	50
width (in)	36
height (in)	11
Wt (lbs)	165



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com


Item # M-51

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Kit Includes:

- **Shoe Handle Brush:** B-399
- **Crate Opener, 9":** CJ-1-ST
- **Claw Hammer with Fiberglass Handle, 16oz.:** H-20FG
- **Common Knife, 5-3/4" Blade, 10-3/4" OAL:** K-5
- **Putty Knife (Stiff Blade), 1-1/4" X 3-9/16" Blade, 7-3/4" OAL:** K-21
- **Groove Joint Plier, 12":** P-312
- **Long-Nose Pliers with Cutters, 7":** P-326
- **Combination Pliers, 8":** P-31
- **Deck Scraper, 1-1/2" Blade, 15" OAL:** S-11G
-



[+ more](#)

Specifications

length (mm)

345

width (mm)

345

height (mm)

415

Wt (g)	8915
length (in)	13-1/2
width (in)	13-1/2
height (in)	16-1/4
Wt (lbs)	19.65


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Trowel, Bricklayers'

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>T-10</u>	130	215	335	500	5-1/8	8-1/2	13-1/4	1.10
<u>T-12</u>	140	280	360	545	5-1/2	11	14-1/4	1.20


1



Ampco Safety Tools
204 Barnes Drive
Garland, TX 75042
Toll Free: 800-580-9835
Phone: 972-276-6181
Fax: 972-276-5815
Email: sales@ampcosafetytools.com
Website: www.ampcosafetytools.com

Item # T-40

Non-Sparking, Non-Magnetic, Corrosion-Resistant
Made in the USA



Specifications		-
I (mm)	140	
Wt (g)	25	
I (in)	5-1/2	
Wt (lbs)	.05	

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Universal Joint**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>UJ-1/4</u>	1/4	30	25	1-1/4	.05
<u>UJ-3/8</u>	3/8	50	70	2	.15
<u>UJ-1/2</u>	1/2	70	135	2-3/4	.30
<u>UJ-3/4</u>	3/4	100	500	4	1.10
<u>UJ-1</u>	1	150	1135	6	2.50

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Valve Wheel Hook

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WV-30</u>	30	55	13	300	365	1-3/16	2-3/16	1/2	11-3/4	.80
<u>WV-32</u>	35	60	13	350	410	1-3/8	2-3/8	1/2	13-3/4	.90
<u>WV-34</u>	40	70	16	400	680	1-5/8	2-3/8	5/8	15-3/4	1.50
<u>WV-36</u>	45	80	16	450	815	1-3/4	3	5/8	17-3/4	1.80
<u>WV-38</u>	50	90	19	500	1315	2	3-7/16	3-1/4	19-3/4	2.90
<u>WV-40</u>	60	105	22	600	2130	2-3/8	4	7/8	23-5/8	4.70
<u>WV-42</u>	70	120	25	700	3355	2-3/4	4-3/4	1	27-1/2	7.40
<u>WV-44</u>	80	135	28	800	4990	3-1/8	5-3/8	1-1/8	31-1/2	11.00

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # WV-20

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

a1 (mm)	40
a2 (mm)	30
b (mm)	115
d (mm)	13
l (mm)	500
Wt (g)	635
a1 (in)	1-9/16
a2 (in)	1-3/16
b (in)	4-7/16
d (in)	1/2
l (in)	19-3/4

Wt (lbs)

1.40


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Item # BW-1

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


Specifications

—

a (mm)	21
b (mm)	105
d (mm)	6
l (mm)	310
Wt (g)	610
a (in)	13/16
b (in)	4-1/16
d (in)	1/4
l (in)	12-1/4
Wt (lbs)	1.35

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wedge, Flange**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-1</u>	6	15	80	45	1/4	1/2	3-1/4	.10
<u>W-2</u>	13	19	95	90	1/2	3/4	3-3/4	.20
<u>W-3</u>	13	25	150	180	1/2	1	6	.40
<u>W-4</u>	19	38	150	365	3/4	1-1/2	6	.80
<u>W-5</u>	13	32	180	270	1/2	1-1/4	7	.60
<u>W-6</u>	19	50	180	635	3/4	2	7	1.40
<u>W-7</u>	41	38	195	1135	1-5/8	1-1/2	7-3/4	2.50
<u>W-8</u>	25	38	200	725	1	1-1/2	8	1.60
<u>W-9</u>	19	50	200	700	3/4	2	8	1.66
<u>W-10</u>	32	50	215	1225	1-1/4	2	8-1/2	2.70

<u>Item #</u>	<u>a (mm)</u>	<u>b (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>a (in)</u>	<u>b (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-11</u>	10	50	180	410	3/8	2	7	.90
<u>W-12</u>	10	50	90	180	3/8	2	3-1/2	.40
<u>W-13</u>	50	50	200	1860	2	2	8	4.10

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Adjustable End**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>s max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>s max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-70</u>	24	150	90	15/16	6	.20
<u>W-71</u>	29	200	180	1-1/8	8	.40
<u>W-72</u>	33	255	320	1-5/16	10	.70
<u>W-73</u>	38	305	590	1-1/2	12	1.30
<u>W-74</u>	43	380	1180	1-11/16	15	2.60

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box End, 12-Point, Metric (DIN 3111)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1 2**

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>4400</u>	14	155	45
<u>4402</u>	15	155	45
<u>4404</u>	16	155	45
<u>4406</u>	17	155	45
<u>4408</u>	18	190	90
<u>4410</u>	19	190	90
<u>4412</u>	20	190	90
<u>4414</u>	21	190	90
<u>4416</u>	22	190	90
<u>4418</u>	23	190	90
<u>4420</u>	24	230	225

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>4422</u>	25	230	225
<u>4424</u>	26	230	225
<u>4426</u>	27	230	225
<u>4428</u>	28	230	225
<u>4430</u>	29	230	225
<u>4432</u>	30	265	680
<u>4434</u>	32	265	680
<u>4436</u>	33	265	680
<u>4438</u>	34	265	680
<u>4440</u>	35	330	680
<u>4442</u>	36	330	680
<u>4444</u>	37	330	680
<u>4446</u>	38	330	680
<u>4448</u>	41	330	680

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box End, 12-Point, Inch (DIN 3111)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1 2**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>4600</u>	1/2	6	.20
<u>4602</u>	9/16	6	.20
<u>4604</u>	19/32	6	.20
<u>4606</u>	5/8	6	.20
<u>4608</u>	11/16	6	.20
<u>4610</u>	3/4	7-1/2	.30
<u>4612</u>	25/32	7-1/2	.30
<u>4614</u>	13/16	7-1/2	.30
<u>4616</u>	7/8	7-1/2	.30
<u>4618</u>	15/16	9	.60
<u>4620</u>	31/32	9	.60

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>4622</u>	1	9	.60
<u>4624</u>	1-1/16	9	.60
<u>4626</u>	1-1/8	10-1/2	1.50
<u>4628</u>	1-3/16	10-1/2	1.50
<u>4630</u>	1-1/4	10-1/2	1.50
<u>4632</u>	1-5/16	10-1/2	1.50
<u>4634</u>	1-3/8	13	1.50
<u>4636</u>	1-7/16	13	1.50
<u>4638</u>	1-1/2	13	1.50
<u>4640</u>	1-9/16	13	1.50
<u>4642</u>	1-5/8	13	1.50
<u>4644</u>	1-11/16	13	1.50
<u>4646</u>	1-3/4	15-3/4	2.50
<u>4648</u>	1-13/16	15-3/4	2.50
1 2			

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box End, Double, Offset Type, 12-Point, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1 2**

<u>Item #</u>	<u>s1 x s2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>1000</u>	6 x 7	155	45
<u>1002</u>	7 x 9	155	45
<u>1004</u>	8 x 9	155	45
<u>1006</u>	8 x 10	170	45
<u>1008</u>	9 x 11	170	45
<u>1010</u>	10 x 11	170	45
<u>1012</u>	10 x 12	180	45
<u>1014</u>	11 x 12	180	45
<u>1016</u>	12 x 13	180	45
<u>1018</u>	10 x 14	200	90
<u>1020</u>	11 x 14	200	90

<u>Item #</u>	<u>s1 x s2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>1022</u>	12 x 14	200	90
<u>1024</u>	13 x 15	230	135
<u>1026</u>	14 x 15	230	135
<u>1028</u>	14 x 17	230	180
<u>1030</u>	16 x 17	260	225
<u>1032</u>	16 x 18	260	225
<u>1034</u>	17 x 19	280	270
<u>1036</u>	18 x 19	280	270
<u>1038</u>	17 x 22	330	365
<u>1040</u>	19 x 22	330	365
<u>1042</u>	19 x 24	330	365
<u>1044</u>	20 x 22	330	365
<u>1046</u>	21 x 23	330	365
<u>1048</u>	22 x 24	360	455

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box End, Double, Offset Type, 12-Point, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1**

<u>Item #</u>	<u>s1 x s2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-3109</u>	5/16 x 3/8	7-3/4	.20
<u>W-3110</u>	3/8 x 7/16	7-3/4	.20
<u>W-3120</u>	7/16 x 1/2	7-3/4	.20
<u>W-3130</u>	1/2 x 9/16	9-1/2	.40
<u>W-3140</u>	1/2 x 19/32	9-1/2	.40
<u>W-3150</u>	9/16 x 5/8	9-1/2	.40
<u>W-3160</u>	5/8 x 3/4	10-3/4	.60
<u>W-3170</u>	11/16 x 25/32	10-3/4	.60
<u>W-3180</u>	3/4 x 7/8	12-1/4	1.10
<u>W-3190</u>	13/16 x 7/8	12-1/4	.70
<u>W-3210</u>	7/8 x 1	14-3/4	1.20

<u>Item #</u>	<u>s1 x s2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-3220</u>	7/8 x 1-1/16	15-1/8	1.30
<u>W-3221</u>	15/16 x 1	14-3/4	1.10
<u>W-3230</u>	15/16 x 1-1/16	15-1/8	1.30
<u>W-3240</u>	1 x 1-1/8	15-1/8	1.30
<u>W-3241</u>	1-1/16 x 1-1/8	15-1/8	2.30
<u>W-3250</u>	1-1/16 x 1-1/4	19-1/4	2.30
<u>W-3260</u>	1-1/8 x 1-5/16	19-1/4	2.30
<u>W-3261</u>	1-1/4 x 1-5/16	19-1/4	2.30
<u>W-3270</u>	1-1/4 x 1-7/16	19-1/4	2.30
<u>W-3271</u>	1-7/16 x 1-5/8	19-1/4	2.50

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box End, Double, Straight Type, 12-Point, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1**

<u>Item #</u>	<u>s1 x s2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>0800</u>	6 x 7	100	45
<u>0802</u>	8 x 10	130	45
<u>0804</u>	9 x 11	130	45
<u>0806</u>	12 x 14	155	45
<u>0808</u>	13 x 15	170	90
<u>0810</u>	14 x 17	170	90
<u>0812</u>	16 x 18	190	90
<u>0814</u>	17 x 19	190	90
<u>0816</u>	19 x 22	235	180
<u>0818</u>	21 x 23	235	215
<u>0820</u>	24 x 27	270	340

<u>Item #</u>	<u>s1 x s2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>0822</u>	26 x 28	295	475
<u>0824</u>	30 x 32	330	565
<u>0826</u>	30 x 36	360	770
<u>0828</u>	32 x 36	360	770
<u>0830</u>	36 x 41	400	1495

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box End, Double, Straight Type, 12-Point, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1**

<u>Item #</u>	<u>s1 x s2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>0860</u>	1/4 x 5/16	4	.10
<u>0862</u>	5/16 x 3/8	5	.10
<u>0864</u>	3/8 x 7/16	5	.10
<u>0866</u>	7/16 x 9/16	6	.10
<u>0868</u>	1/2 x 5/8	6-1/2	.10
<u>0870</u>	1/2 x 19/32	6-1/2	.20
<u>0872</u>	9/16 x 11/16	6-1/2	.20
<u>0874</u>	5/8 x 25/32	7-1/2	.20
<u>0876</u>	11/16 x 3/4	7-1/2	.20
<u>0878</u>	3/4 x 7/8	9-1/4	.40
<u>0880</u>	13/16 x 15/16	9-1/4	.40

<u>Item #</u>	<u>s1 x s2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>0882</u>	15/16 x 1-1/16	10-1/2	.75
<u>0884</u>	1 x 1-1/8	11-1/2	1.05
<u>0886</u>	1-3/16 x 1-1/4	13	1.25
			1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box For Extension Tube, 12-Point, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1 2**

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>d (mm)</u>	<u>Wt (g)</u>
<u>4800</u>	30	117	21	800
<u>4802</u>	32	117	21	800
<u>4804</u>	33	117	21	800
<u>4806</u>	34	117	21	800
<u>4808</u>	35	127	21	850
<u>4810</u>	36	127	21	850
<u>4812</u>	37	132	21	950
<u>4814</u>	38	132	21	950
<u>4816</u>	41	139	21	1000

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>d (mm)</u>	<u>Wt (g)</u>
<u>4818</u>	42	139	21	1000
<u>4820</u>	46	158	24	1400
<u>4822</u>	47	158	24	1400
<u>4824</u>	50	164	24	1550
<u>4826</u>	52	164	24	1550
<u>4828</u>	54	164	24	1550
<u>4830</u>	55	168	24	1650
<u>4832</u>	56	168	24	1650
<u>4834</u>	58	168	24	1650
<u>4836</u>	60	188	29	2450
<u>4838</u>	63	188	29	2450
<u>4840</u>	65	196	29	2700
<u>4842</u>	67	196	29	2700
<u>4844</u>	70	202	29	2850
<u>4846</u>	71	202	29	2850
<u>4848</u>	75	210	29	3200

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Box For Extension Tube, 12-Point, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1 2**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>d (in)</u>	<u>Wt (lbs)</u>
<u>4950</u>	1-3/16	4-1/2	4/5	1.76
<u>4952</u>	1-1/4	4-1/2	4/5	1.76
<u>4954</u>	1-5/16	4-1/2	4/5	1.76
<u>4956</u>	1-3/8	5	4/5	1.87
<u>4958</u>	1-7/16	5	4/5	1.87
<u>4960</u>	1-1/2	5-1/4	4/5	2.09
<u>4962</u>	1-9/16	5-1/2	4/5	2.21
<u>4964</u>	1-5/8	5-1/2	4/5	2.21
<u>4966</u>	1-11/16	5-1/2	4/5	2.21

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>d (in)</u>	<u>Wt (lbs)</u>
<u>4968</u>	1-3/4	5-1/2	4/5	2.21
<u>4970</u>	1-13/16	6-1/4	1	3.09
<u>4972</u>	1-7/8	6-1/4	1	3.09
<u>4974</u>	2	6-1/2	1	3.42
<u>4976</u>	2-1/16	6-1/2	1	3.42
<u>4978</u>	2-1/8	6-1/2	1	3.42
<u>4980</u>	2-3/16	6-3/4	1	3.64
<u>4982</u>	2-1/4	6-3/4	1	3.64
<u>4984</u>	2-5/16	6-3/4	1	3.64
<u>4986</u>	2-3/8	7-1/4	1	5.40
<u>4988</u>	2-7/16	7-1/4	1	5.40
<u>4990</u>	2-1/2	7-1/4	1	5.40
<u>4992</u>	2-9/16	7-3/4	1-1/4	5.95
<u>4994</u>	2-5/8	7-3/4	1-1/4	5.95
<u>4996</u>	2-3/4	8	1-1/4	6.28
<u>4998</u>	2-13/16	8	1-1/4	6.28

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Extension Tube For Box Wrench**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with United Kingdom Component

**1**

<u>Item #</u>	<u>d1 (mm)</u>	<u>d2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d1 (in)</u>	<u>d2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>5050</u>	30	22	600	800	1-1/4	3/4	23-1/2	1.76
<u>5054</u>	35	25	700	1450	1-3/8	1	27-1/2	3.20
<u>5058</u>	40	30	750	2250	1-5/8	1-1/4	29-1/2	4.96


1



Ampco Safety Tools
 204 Barnes Drive
 Garland, TX 75042
 Toll Free: 800-580-9835
 Phone: 972-276-6181
 Fax: 972-276-5815
 Email: sales@ampcosafetytools.com
 Website: www.ampcosafetytools.com

Item # W-56

Non-Sparking, Non-Magnetic, Corrosion-Resistant
 Made in the USA



Specifications		-
I (mm)	305	
Wt (g)	635	
I (in)	12	
Wt (lbs)	1.40	



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815


Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # W-58-S

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA



Specifications

—

a (mm)	65
b (mm)	60
l (mm)	385
Wt (g)	1045
a (in)	2-1/2
b (in)	2-1/4
l (in)	15
Wt (lbs)	2.30

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Chain Pipe**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-60</u>	38	510	2540	1-1/2	20	5.60
<u>W-61</u>	65	685	4035	2-1/2	27	8.90
<u>W-62</u>	305	1830	29575	12	72	65.20
<u>W-63</u>	100	915	12475	4	36	27.50

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Combination (Metric)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>1298</u>	6	115	45
<u>1299</u>	7	115	45
<u>1300</u>	8	115	45
<u>1302</u>	9	115	45
<u>1304</u>	10	160	45
<u>1306</u>	11	175	45
<u>1308</u>	12	190	90
<u>1310</u>	13	205	90
<u>1312</u>	14	205	90
<u>1314</u>	15	225	135

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>1316</u>	16	225	135
<u>1318</u>	17	245	180
<u>1320</u>	18	245	180
<u>1322</u>	19	270	180
<u>1324</u>	20	270	180
<u>1326</u>	21	295	270
<u>1328</u>	22	295	270
<u>1330</u>	23	325	365
<u>1332</u>	24	325	365
<u>1334</u>	25	355	410
<u>1336</u>	26	355	410
<u>1338</u>	27	355	410
<u>1340</u>	28	390	590
<u>1341</u>	29	390	590
<u>1342</u>	30	390	590

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Combination (Inch)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-600</u>	5/16	4-1/2	.10
<u>W-601</u>	3/8	6-1/4	.10
<u>W-601A</u>	13/32	6-1/4	.10
<u>W-611</u>	7/16	6-7/8	.10
<u>W-621</u>	1/2	7-1/2	.10
<u>W-631</u>	9/16	8	.20
<u>W-632</u>	19/32	8	.20
<u>W-641</u>	5/8	8-7/8	.30
<u>W-651</u>	11/16	9-5/8	.40
<u>W-661</u>	3/4	10-3/4	.50

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-662</u>	25/32	10-3/4	.50
<u>W-670</u>	13/16	11-5/8	.50
<u>W-671</u>	7/8	11-5/8	.80
<u>W-671b</u>	15/16	12-7/8	.80
<u>W-670a</u>	31/32	12-7/8	.80
<u>W-671a</u>	1	14	.80
<u>W-672</u>	1-1/16	14	.90
<u>W-673</u>	1-1/8	15-3/8	1.30
<u>W-673a</u>	1-3/16	15-3/8	1.30
<u>W-674</u>	1-1/4	17	1.70
<u>W-675</u>	1-5/16	17	1.70
<u>W-676</u>	1-3/8	19	2.00
<u>W-677</u>	1-7/16	19	2.00
<u>W-678</u>	1-1/2	19	2.00
<u>W-678a</u>	1-9/16	19	2.00



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-41M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Set Includes:

- **8MM Combination Wrench:** 1300
- **10MM Combination Wrench:** 1304
- **12MM Combination Wrench:** 1308
- **14MM Combination Wrench:** 1312
- **17MM Combination Wrench:** 1318
- **19MM Combination Wrench:** 1322
- **22MM Combination Wrench:** 1328
- **Roll-Up Case with Velcro Fastener:** CASE-7PC



Specifications

length (mm)	330
length (in)	75
width (mm)	75
width (in)	1225

height (mm)	13
height (in)	3
Wt (g)	3
Wt (lbs)	2.70



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-41

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

Set Includes:

- **3/8" Combination Wrench:** W-601
- **7/16" Combination Wrench:** W-611
- **1/2" Combination Wrench:** W-621
- **9/16" Combination Wrench:** W-631
- **5/8" Combination Wrench:** W-641
- **3/4" Combination Wrench:** W-661
- **7/8" Combination Wrench:** W-671
- **Roll-Up Case with Velcro Fastener:** CASE-7PC



Specifications

length (mm)	330
width (mm)	75
height (mm)	75
Wt (g)	1200

length (in)	13
width (in)	3
height (in)	3
Wt (lbs)	2.65

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Construction, Offset Type with Pin (Metric)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>W-2217</u>	17	320	340
<u>W-2218</u>	18	320	340
<u>W-2219</u>	19	350	680
<u>W-2220</u>	20	350	680
<u>W-2221</u>	21	350	680
<u>W-2222</u>	22	350	680
<u>W-2223</u>	23	370	680
<u>W-2224</u>	24	370	680
<u>W-2225</u>	25	370	770
<u>W-2226</u>	26	370	770
<u>W-2227</u>	27	370	770

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>W-2228</u>	28	400	770
<u>W-2229</u>	29	400	770
<u>W-2230</u>	30	400	770
<u>W-2232</u>	32	400	770
<u>W-2233</u>	33	400	770
<u>W-2234</u>	34	400	770
<u>W-2235</u>	35	430	2130
<u>W-2236</u>	36	430	2130
<u>W-2237</u>	37	430	2130
<u>W-2238</u>	38	430	2130
<u>W-2241</u>	41	470	2130
<u>W-2242</u>	42	470	2130
<u>W-2246</u>	46	500	2450
<u>W-2247</u>	47	500	2450

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Construction, Offset Type with Pin (Inch)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-219</u>	11/16	11-1/2	.75
<u>W-220</u>	7/8	14	1.50
<u>W-221</u>	1-1/16	15	1.68
<u>W-222</u>	1-1/4	15	1.70
<u>W-223</u>	1-7/16	18	4.00
<u>W-224</u>	1-5/8	20	5.40
<u>W-225</u>	1-13/16	21-1/2	6.30
<u>W-226</u>	2	21-1/2	6.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench Handle, Hinged**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>a</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-295</u>	1/4	150	115	5-3/4	.25
<u>W-293</u>	3/8	215	365	8-1/2	.80
<u>W-283</u>	1/2	300	860	12	1.90
<u>W-257</u>	3/4	460	1225	18	2.70
<u>W-254</u>	1	560	2675	22	5.90

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Hex Key, Metric (DIN 911)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with Italian Component

**1**

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>WH-1.5MM</u>	1.5	20	63	45
<u>WH-2MM</u>	2	20	63	45
<u>WH-2.5MM</u>	2.5	20	63	45
<u>WH-3MM</u>	3	20	63	45
<u>WH-4MM</u>	4	25	70	45
<u>WH-5MM</u>	5	28	79	45
<u>WH-6MM</u>	6	32	90	45
<u>WH-7MM</u>	7	35	95	45
<u>WH-8MM</u>	8	36	100	45
<u>WH-9MM</u>	9	38	105	90

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>WH-10MM</u>	10	40	110	90
<u>WH-11MM</u>	11	41	120	135
<u>WH-12MM</u>	12	44	125	135
<u>WH-13MM</u>	13	51	135	180
<u>WH-14MM</u>	14	57	140	225
<u>WH-17MM</u>	17	63	160	410
<u>WH-19MM</u>	19	70	180	590
<u>WH-22MM</u>	22	80	200	905
<u>WH-24MM</u>	24	90	222	1360
<u>WH-27MM</u>	27	100	250	1860
<u>WH-30MM</u>	30	115	280	2585
<u>WH-32MM</u>	32	125	320	3740
<u>WH-36MM</u>	36	140	355	4670

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Hex Key, Inch (DIN 911)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with Italian Component

**1**

<u>Item #</u>	<u>s (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WH-1/16</u>	1/16	1/2	1-3/4	.10
<u>WH-5/64</u>	5/64	3/4	1-7/8	.10
<u>WH-3/32</u>	3/32	3/4	1-7/8	.10
<u>WH-1/8</u>	1/8	13/16	2-5/16	.10
<u>WH-5/32</u>	5/32	7/8	2-1/2	.10
<u>WH-3/16</u>	3/16	7/8	2-7/8	.10
<u>WH-7/32</u>	7/32	1-1/16	3-1/8	.10
<u>WH-1/4</u>	1/4	1-1/16	3-5/16	.10
<u>WH-5/16</u>	5/16	1-3/8	3-3/4	.10
<u>WH-3/8</u>	3/8	1-7/16	4-5/16	.20

<u>Item #</u>	<u>s (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WH-7/16</u>	7/16	1-9/16	4-3/4	.30
<u>WH-1/2</u>	1/2	1-3/4	5-1/4	.40
<u>WH-9/16</u>	9/16	1-3/4	5-3/4	.60
<u>WH-5/8</u>	5/8	1-7/8	6-1/4	.70
<u>WH-11/16</u>	11/16	2-1/4	7-1/4	1.10
<u>WH-3/4</u>	3/4	2-1/4	7-1/4	1.20
<u>WH-7/8</u>	7/8	2-1/4	7-1/4	2.10
<u>WH-1</u>	1	2-1/4	7-1/4	2.30


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181


Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Wrench, Hex Key, T-Handle, Metric

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>WT-2MM</u>	2	115	150	90
<u>WT-2.5MM</u>	2.5	115	150	90
<u>WT-3MM</u>	3	115	150	90
<u>WT-4MM</u>	4	115	150	90
<u>WT-5MM</u>	5	115	150	90
<u>WT-6MM</u>	6	115	150	135
<u>WT-7MM</u>	7	115	150	180
<u>WT-8MM</u>	8	115	150	225
<u>WT-9MM</u>	9	115	150	225
<u>WT-10MM</u>	10	115	150	225

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
				1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Hex Key, T-Handle, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>s (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WT-5/64</u>	5/64	4-1/2	6	.20
<u>WT-3/32</u>	3/32	4-1/2	6	.20
<u>WT-1/8</u>	1/8	4-1/2	6	.20
<u>WT-5/32</u>	5/32	4-1/2	6	.20
<u>WT-3/16</u>	3/16	4-1/2	6	.30
<u>WT-7/32</u>	7/32	4-1/2	6	.30
<u>WT-1/4</u>	1/4	4-1/2	6	.40
<u>WT-5/16</u>	5/16	4-1/2	6	.50
<u>WT-3/8</u>	3/8	4-1/2	6	.50

1



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-42M

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with Italian and US Components

Set Includes:

- **1.5MM Hex Key:** WH-1.5MM
- **2MM Hex Key:** WH-2MM
- **3MM Hex Key:** WH-3MM
- **4MM Hex Key:** WH-4MM
- **5MM Hex Key:** WH-5MM
- **6MM Hex Key:** WH-6MM
- **7MM Hex Key:** WH-7MM
- **8MM Hex Key:** WH-8MM
- **9MM Hex Key:** WH-9MM
- **10MM Hex Key:** WH-10MM
- **Roll-Up Case with Velcro Fastener:** M-42CASE



Specifications

length (mm)

180

width (mm)

90

height (mm)	90
Wt (g)	430
length (in)	7
width (in)	3-1/2
height (in)	3-1/2
Wt (lbs)	.95



Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.com

Website: www.ampcosafetytools.com

Item # M-42

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with Italian and US Components

Set Includes:

- **1/16" Hex Key:** WH-1/16
- **5/64" Hex Key:** WH-5/64
- **3/32" Hex Key:** WH-3/32
- **1/8" Hex Key:** WH-1/8
- **5/32" Hex Key:** WH-5/32
- **3/16" Hex Key:** WH-3/16
- **7/32" Hex Key:** WH-7/32
- **1/4" Hex Key:** WH-1/4
- **5/16" Hex Key:** WH-5/16
- **3/8" Hex Key:** WH-3/8
- **Roll-Up Case with Velcro Fastener:** M-42CASE



Specifications

length (mm)

180

width (mm)

90

height (mm)	90
Wt (g)	320
length (in)	7
width (in)	3-1/2
height (in)	3-1/2
Wt (lbs)	.70

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Monkey (Railroad)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>s max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>s max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-1145</u>	38	200	635	1-1/2	8	1.40
<u>W-1146</u>	48	255	955	1-7/8	10	2.10
<u>W-1147</u>	58	305	1540	2-1/4	12	3.40
<u>W-1148</u>	70	380	2225	2-13/16	15	4.90
<u>W-1149</u>	80	460	3585	3	18	7.90
<u>W-1150</u>	105	540	4765	4-1/8	21	10.50

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Open End, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1 2 3**

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>0102</u>	8	115	45
<u>0104</u>	9	115	45
<u>0106</u>	10	115	45
<u>0108</u>	11	145	45
<u>0110</u>	12	145	45
<u>0112</u>	13	145	45
<u>0114</u>	14	145	45
<u>0116</u>	15	185	135
<u>0118</u>	16	185	135
<u>0120</u>	17	185	135
<u>0122</u>	18	185	135

<u>Item #</u>	<u>s (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>0124</u>	19	185	135
<u>0126</u>	20	185	135
<u>0128</u>	21	240	135
<u>0130</u>	22	240	270
<u>0132</u>	23	240	270
<u>0134</u>	24	240	270
<u>0136</u>	25	240	270
<u>0138</u>	26	240	270
<u>0140</u>	27	240	270
<u>0142</u>	28	260	365
<u>0144</u>	29	260	365
<u>0146</u>	30	260	365
<u>0148</u>	32	285	455
<u>0150</u>	33	285	455

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Open End, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA with German Component

**1 2 3**

Item #	s (in)	l (in)	Wt (lbs)
<u>0250</u>	5/16	4-1/2	.10
<u>0252</u>	11/32	4-1/2	.10
<u>0254</u>	3/8	4-1/2	.10
<u>0256</u>	13/32	4-1/2	.10
<u>0258</u>	7/16	5-3/4	.10
<u>0260</u>	1/2	5-3/4	.10
<u>0262</u>	9/16	5-3/4	.10
<u>0264</u>	19/32	7-1/4	.30
<u>0266</u>	5/8	7-1/4	.30
<u>0268</u>	11/16	7-1/4	.30
<u>0270</u>	3/4	7-1/4	.30

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>0272</u>	25/32	7-1/4	.30
<u>0274</u>	13/16	9-1/2	.60
<u>0276</u>	7/8	9-1/2	.60
<u>0278</u>	15/16	9-1/2	.60
<u>0280</u>	31/32	9-1/2	.60
<u>0282</u>	1	9-1/2	.60
<u>0284</u>	1-1/16	9-1/2	.60
<u>0286</u>	1-1/8	10-1/4	.80
<u>0288</u>	1-3/16	10-1/4	.80
<u>0290</u>	1-1/4	11-1/4	1.00
<u>0292</u>	1-5/16	11-1/4	1.00
<u>0294</u>	1-3/8	12-1/4	1.30
<u>0296</u>	1-7/16	12-1/4	1.30
<u>0298</u>	1-1/2	12-1/4	1.30


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Wrench, Open End, Double, Metric

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1 2 3

<u>Item #</u>	<u>s1 & s2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>WO-6X7</u>	6 x 7	100	45
<u>WO-6X8</u>	6 x 8	100	45
<u>WO-7X8</u>	7 x 8	125	45
<u>WO-7X9</u>	7 x 9	125	45
<u>WO-8X9</u>	8 x 9	125	45
<u>WO-8X10</u>	8 x 10	125	45
<u>WO-9X10</u>	9 x 10	125	45
<u>WO-9X11</u>	9 x 11	125	45
<u>WO-10X11</u>	10 x 11	125	45
<u>WO-10X12</u>	10 x 12	125	45
<u>WO-11X12</u>	11 x 12	125	90

<u>Item #</u>	<u>s1 & s2 (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>WO-10X13</u>	10 x 13	145	90
<u>WO-10X14</u>	10 X 14	145	90
<u>WO-11X13</u>	11 x 13	145	90
<u>WO-11X14</u>	11 x 14	145	90
<u>WO-12X13</u>	12 x 13	145	90
<u>WO-12X14</u>	12 x 14	145	90
<u>WO-13X14</u>	13 x 14	145	90
<u>WO-13X15</u>	13 x 15	145	90
<u>WO-14X15</u>	14 x 15	165	135
<u>WO-14X16</u>	14 x 16	165	135
<u>WO-14X17</u>	14 x 17	165	135
<u>WO-16X17</u>	16 x 17	165	135
<u>WO-16X18</u>	16 x 18	165	135
<u>WO-17X19</u>	17 x 19	175	180

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Open End, Double, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>s1 & s2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WO-1/4X5/16</u>	1/4 x 5/16	5	.10
<u>WO-5/16X11/32</u>	5/16 x 11/32	5	.10
<u>WO-5/16X3/8</u>	5/16 x 3/8	5	.10
<u>WO-3/8X7/16</u>	3/8 x 7/16	5	.10
<u>WO-7/16X1/2</u>	7/16 x 1/2	5	.10
<u>WO-1/2X9/16</u>	1/2 x 9/16	5-3/4	.20
<u>WO-1/2X5/8</u>	1/2 x 5/8	5-3/4	.20
<u>WO-1/2X11/16</u>	1/2 x 11/16	6-1/2	.30
<u>WO-9/16X5/8</u>	9/16 x 5/8	6-1/2	.30
<u>WO-9/16X3/4</u>	9/16 x 3/4	6-1/2	.30

<u>Item #</u>	<u>s1 & s2 (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WO-5/8X11/16</u>	5/8 x 11/16	6-7/8	.40
<u>WO-5/8X3/4</u>	5/8 x 3/4	6-7/8	.40
<u>WO-11/16X3/4</u>	11/16 x 3/4	6-7/8	.40
<u>WO-11/16X25/32</u>	11/16 x 25/32	6-7/8	.40
<u>WO-11/16X7/8</u>	11/16 x 7/8	8	.50
<u>WO-3/4X13/16</u>	3/4 x 13/16	8	.50
<u>WO-3/4X7/8</u>	3/4 x 7/8	8	.50
<u>WO-25/32X7/8</u>	25/32 x 7/8	8	.50
<u>WO-13/16X7/8</u>	13/16 x 7/8	8	.50
<u>WO-7/8X15/16</u>	7/8 x 15/16	9	.70
<u>WO-7/8X1</u>	7/8 x 1	9	.70
<u>WO-7/8X1-1/16</u>	7/8 x 1-1/16	9	.70
<u>WO-15/16X1</u>	15/16 x 1	10-1/4	1.10
<u>WO-15/16X1-1/16</u>	15/16 x 1-1/16	10-1/4	1.10
<u>WO-1X1-1/8</u>	1 x 1-1/8	10-1/4	1.10

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Pipe, Aluminum**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-211AL</u>	64	255	590	2-1/2	10	1.30
<u>W-212AL</u>	71	355	860	2-13/16	14	1.90
<u>W-213AL</u>	81	460	1315	3-3/16	18	2.90
<u>W-214AL</u>	108	610	2270	4-1/4	24	5.00
<u>W-215AL</u>	144	915	4310	5-11/16	36	9.50
<u>W-216AL</u>	192	1220	7895	7-9/16	48	17.40

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Pipe, Aluminum Bronze**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-210</u>	49	205	545	1-15/16	8	1.20
<u>W-211</u>	64	255	815	2-1/2	10	1.80
<u>W-212</u>	71	355	1270	2-13/16	14	2.80
<u>W-213</u>	81	460	1995	3-3/16	18	4.40
<u>W-214</u>	108	610	3495	4-1/4	24	7.70
<u>W-215</u>	144	915	6805	5-11/16	36	15.00
<u>W-216</u>	192	1220	13290	7-9/16	48	29.30

1


Ampco Safety Tools

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

 Email: sales@ampcosafetytools.com

 Website: www.ampcosafetytools.com
Wrench, Ratchet

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA


1

<u>Item #</u>	<u>a</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>W-143R</u>	1/4	130	135	5	.30
<u>W-142R</u>	3/8	185	340	7-1/4	.75
<u>W-141R</u>	1/2	250	545	10	1.20
<u>W-140R</u>	3/4	455	1770	18	3.90
<u>W-139R</u>	1	660	4080	26	9.00

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Socket, L-Type, 6-Point, Metric**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SL-8</u>	8	33	175	225
<u>SL-9</u>	9	35	185	225
<u>SL-10</u>	10	37	195	225
<u>SL-11</u>	11	39	205	225
<u>SL-12</u>	12	42	220	225
<u>SL-13</u>	13	45	240	225
<u>SL-14</u>	14	45	240	225
<u>SL-15</u>	15	48	250	635
<u>SL-16</u>	16	48	250	680
<u>SL-17</u>	17	51	270	635

<u>Item #</u>	<u>s (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>
<u>SL-18</u>	18	51	270	635
<u>SL-19</u>	19	55	290	770
<u>SL-20</u>	20	55	290	770
<u>SL-21</u>	21	59	310	815
<u>SL-22</u>	22	59	310	815
<u>SL-23</u>	23	63	335	955
<u>SL-24</u>	24	63	335	975
<u>SL-25</u>	25	69	365	1090
<u>SL-26</u>	26	69	365	1135
<u>SL-27</u>	27	69	365	1135
<u>SL-28</u>	28	75	395	1270
<u>SL-29</u>	29	75	395	1270
<u>SL-30</u>	30	75	395	1270
<u>SL-32</u>	32	80	425	1405
<u>SL-33</u>	33	80	425	2225

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Socket, L-Type, 6-Point, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

Item #	s (in)	a (in)	l (in)	Wt (lbs)
<u>SL-5/16</u>	5/16	1-1/16	6-3/4	.50
<u>SL-11/32</u>	11/32	1-1/4	7-1/4	.50
<u>SL-3/8</u>	3/8	1-1/2	7-1/2	.56
<u>SL-13/32</u>	13/32	1-1/2	8	.56
<u>SL-7/16</u>	7/16	1-5/8	8-1/2	.62
<u>SL-1/2</u>	1/2	1-3/4	9-1/2	1.20
<u>SL-9/16</u>	9/16	1-3/4	9-1/2	1.20
<u>SL-19/32</u>	19/32	1-7/8	9-3/4	1.50
<u>SL-5/8</u>	5/8	1-7/8	9-3/4	1.50
<u>SL-11/16</u>	11/16	2	10-1/2	1.60

<u>Item #</u>	<u>s (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>SL-3/4</u>	3/4	2-11/64	11-1/2	1.75
<u>SL-25/32</u>	25/32	2-11/64	11-1/2	1.85
<u>SL-13/16</u>	13/16	2-5/16	12-1/4	1.96
<u>SL-7/8</u>	7/8	2-5/16	12-1/4	2.06
<u>SL-15/16</u>	15/16	2-15/32	13-1/4	2.19
<u>SL-31/32</u>	31/32	2-23/32	14-1/4	2.20
<u>SL-1</u>	1	2-23/32	14-1/4	2.20
<u>SL-1-1/16</u>	1-1/16	2-23/32	14-1/4	2.64
<u>SL-1-1/8</u>	1-1/8	2-61/64	15-1/2	2.89
<u>SL-1-3/16</u>	1-3/16	2-61/64	5-1/2	2.89
<u>SL-1-1/4</u>	1-1/4	3-3/16	16-3/4	3.16
<u>SL-1-5/16</u>	1-5/16	3-3/16	16-3/4	3.36
<u>SL-1-3/8</u>	1-3/8	3-1/2	18-1/4	3.53
<u>SL-1-7/16</u>	1-7/16	3-1/2	18-1/4	3.53
<u>SL-1-1/2</u>	1-1/2	3-1/2	18-1/4	3.83

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Spanner, Adjustable**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d max (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d max (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WP-5-ST</u>	32 - 75	205	180	1-1/4 - 3	8	.40
<u>WP-6-ST</u>	50 - 120	285	455	2 - 4-3/4	11	1.00
<u>WP-7-ST</u>	115 - 170	310	500	4-1/2 - 6-3/8	12	1.12

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Spanner, Fixed (DIN 1810)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA (WFS-12-14, WFS-16-20, WFS-25-28 & WFS-30-32 are Made in the USA with German Components)

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WFS-12-14</u>	12 - 14	110	45	7/16 - 9/16	4-1/4	.10
<u>WFS-16-20</u>	16 - 20	110	45	5/8 - 13/16	4-1/4	.10
<u>WFS-25-28</u>	25 - 28	135	45	15/16 - 1-1/8	5-1/4	.10
<u>WFS-30-32</u>	30 - 32	135	45	1-3/16 - 1-1/4	5-1/4	.10
<u>WFS-34-36</u>	34 - 36	170	90	1-5/16 - 1-7/16	6-3/4	.20
<u>WFS-40-42</u>	40 - 42	170	90	1-9/16 - 1-11/16	6-3/4	.20
<u>WFS-45-50</u>	45 - 50	205	135	1-3/4 - 2	8	.30
<u>WFS-52-55</u>	52 - 55	205	135	2-1/16 - 2-3/16	8	.30
<u>WFS-58-62</u>	58 - 62	245	320	2-1/4 - 2-7/16	9-3/4	.70

<u>Item #</u>	<u>d (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WFS-68-75</u>	68 - 75	245	320	2-11/16 - 3	9-3/4	.70
<u>WFS-80-90</u>	80 - 90	285	365	3-1/8 - 3-1/2	11-1/4	.80
<u>WFS-95-100</u>	95 - 100	285	365	3-3/4 - 4	11-1/4	.80
<u>WFS-110-115</u>	110 - 115	335	635	4-5/16 - 4-9/16	13-1/4	1.40
<u>WFS-120-130</u>	120 - 130	335	635	4-11/16 - 5-1/8	13-1/4	1.40
<u>WFS-135-145</u>	135 - 145	385	905	5-5/16 - 5-3/4	15-1/4	2.00
<u>WFS-155-165</u>	155 - 165	385	905	6-1/8 - 6-1/2	15-1/4	2.00

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Striking Box, 6-Point, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-1808</u>	1-1/4	6-1/2	1.10
<u>WS-1808A</u>	1-5/16	7-1/2	1.40
<u>WS-1809</u>	1-7/16	7-1/2	1.40
<u>WS-1809A</u>	1-1/2	8-3/4	2.40
<u>WS-1810</u>	1-5/8	8-3/4	2.40
<u>WS-1810A</u>	1-11/16	9-7/8	2.90
<u>WS-1811</u>	1-13/16	9-7/8	2.90
<u>WS-1811A</u>	1-7/8	10-5/8	3.20
<u>WS-1812</u>	2	10-5/8	3.20

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-1813</u>	2-3/16	11-1/2	3.70
<u>WS-1814</u>	2-3/8	12-1/4	3.80
<u>WS-1815</u>	2-9/16	13-1/2	4.80
<u>WS-1815A</u>	2-5/8	13-1/2	4.80
<u>WS-1816</u>	2-3/4	17	6.80

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Striking Box, 6-Point, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-1808</u>	1-1/4	6-1/2	1.10
<u>WS-1808A</u>	1-5/16	7-1/2	1.40
<u>WS-1809</u>	1-7/16	7-1/2	1.40
<u>WS-1809A</u>	1-1/2	8-3/4	2.40
<u>WS-1810</u>	1-5/8	8-3/4	2.40
<u>WS-1810A</u>	1-11/16	9-7/8	2.90
<u>WS-1811</u>	1-13/16	9-7/8	2.90
<u>WS-1811A</u>	1-7/8	10-5/8	3.20
<u>WS-1812</u>	2	10-5/8	3.20

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-1813</u>	2-3/16	11-1/2	3.70
<u>WS-1814</u>	2-3/8	12-1/4	3.80
<u>WS-1815</u>	2-9/16	13-1/2	4.80
<u>WS-1815A</u>	2-5/8	13-1/2	4.80
<u>WS-1816</u>	2-3/4	17	6.80

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Striking Box, 12-Point, Inch (DIN 7444)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-11/16</u>	11/16	6-1/4	.60
<u>WS-3/4</u>	3/4	6-1/4	.60
<u>WS-7/8</u>	7/8	6-1/4	.60
<u>WS-1</u>	1	6-1/4	.60
<u>WS-1-1/16</u>	1-1/16	7	.70
<u>WS-1-1/8</u>	1-1/8	7	.70
<u>WS-1-3/16</u>	1-3/16	7-7/8	1.20
<u>WS-1-1/4</u>	1-1/4	7-7/8	1.20
<u>WS-1-5/16</u>	1-5/16	7-7/8	1.20
<u>WS-1-3/8</u>	1-3/8	7-7/8	1.20

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-1-7/16</u>	1-7/16	7-7/8	1.20
<u>WS-1-1/2</u>	1-1/2	9	1.80
<u>WS-1-9/16</u>	1-9/16	9	1.80
<u>WS-1-5/8</u>	1-5/8	9	1.80
<u>WS-1-11/16</u>	1-11/16	9	1.70
<u>WS-1-3/4</u>	1-3/4	9	1.70
<u>WS-1-13/16</u>	1-13/16	9	1.70
<u>WS-1-7/8</u>	1-7/8	10	2.70
<u>WS-2</u>	2	10	2.70
<u>WS-2-1/16</u>	2-1/16	10	2.70
<u>WS-2-1/8</u>	2-1/8	10	2.70
<u>WS-2-3/16</u>	2-3/16	10	2.70
<u>WS-2-1/4</u>	2-1/4	11-1/4	4.00
<u>WS-2-5/16</u>	2-5/16	11-1/4	4.00
<u>WS-2-3/8</u>	2-3/8	11-1/4	4.00

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Striking Box, 12-Point, Inch (DIN 7444)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2**

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-11/16</u>	11/16	6-1/4	.60
<u>WS-3/4</u>	3/4	6-1/4	.60
<u>WS-7/8</u>	7/8	6-1/4	.60
<u>WS-1</u>	1	6-1/4	.60
<u>WS-1-1/16</u>	1-1/16	7	.70
<u>WS-1-1/8</u>	1-1/8	7	.70
<u>WS-1-3/16</u>	1-3/16	7-7/8	1.20
<u>WS-1-1/4</u>	1-1/4	7-7/8	1.20
<u>WS-1-5/16</u>	1-5/16	7-7/8	1.20
<u>WS-1-3/8</u>	1-3/8	7-7/8	1.20

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WS-1-7/16</u>	1-7/16	7-7/8	1.20
<u>WS-1-1/2</u>	1-1/2	9	1.80
<u>WS-1-9/16</u>	1-9/16	9	1.80
<u>WS-1-5/8</u>	1-5/8	9	1.80
<u>WS-1-11/16</u>	1-11/16	9	1.70
<u>WS-1-3/4</u>	1-3/4	9	1.70
<u>WS-1-13/16</u>	1-13/16	9	1.70
<u>WS-1-7/8</u>	1-7/8	10	2.70
<u>WS-2</u>	2	10	2.70
<u>WS-2-1/16</u>	2-1/16	10	2.70
<u>WS-2-1/8</u>	2-1/8	10	2.70
<u>WS-2-3/16</u>	2-3/16	10	2.70
<u>WS-2-1/4</u>	2-1/4	11-1/4	4.00
<u>WS-2-5/16</u>	2-5/16	11-1/4	4.00
<u>WS-2-3/8</u>	2-3/8	11-1/4	4.00

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Striking Open End, Inch**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1 2 3**

<u>Item #</u>	<u>s (in)</u>	<u>L (in)</u>	<u>Wt (lbs)</u>
<u>WSO-1/2</u>	1/2	6-1/2	.60
<u>WSO-9/16</u>	9/16	6-1/2	.60
<u>WSO-5/8</u>	5/8	7-1/4	.70
<u>WSO-11/16</u>	11/16	7-1/4	.70
<u>WSO-3/4</u>	3/4	7-1/4	.70
<u>WSO-13/16</u>	13/16	7-3/4	1.10
<u>WSO-7/8</u>	7/8	7-3/4	1.10
<u>WSO-15/16</u>	15/16	7-3/4	1.10
<u>WSO-1</u>	1	7-3/4	1.10
<u>WSO-1-1/16</u>	1-1/16	7-3/4	1.10

<u>Item #</u>	<u>s (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WSO-1-1/8</u>	1-1/8	9	1.70
<u>WSO-1-3/16</u>	1-3/16	9	1.70
<u>WSO-1-1/4</u>	1-1/4	9	1.70
<u>WSO-1-5/16</u>	1-5/16	9	1.70
<u>WSO-1-3/8</u>	1-3/8	9	1.70
<u>WSO-1-7/16</u>	1-7/16	9	1.70
<u>WSO-1-1/2</u>	1-1/2	10	2.60
<u>WSO-1-9/16</u>	1-9/16	10	2.60
<u>WSO-1-5/8</u>	1-5/8	10	2.60
<u>WSO-1-11/16</u>	1-11/16	10	2.60
<u>WSO-1-3/4</u>	1-3/4	10	2.60
<u>WSO-1-13/16</u>	1-13/16	10	2.60
<u>WSO-1-7/8</u>	1-7/8	10	2.60
<u>WSO-1-15/16</u>	1-15/16	11-1/4	4.10
<u>WSO-2</u>	2	11-1/4	4.10

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Valve Wheel, Aluminum**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

Item #	d (mm)	a (mm)	b (mm)	l (mm)	Wt (g)	d (in)	a (in)	b (in)	l (in)	Wt (lbs)
<u>WV-100</u>	35	70	73	355	1110	1-3/8	2-3/4	2-7/8	14-1/4	2.45
<u>WV-200</u>	45	92	89	465	1570	1-3/4	3-9/16	3-1/2	18-1/4	3.46
<u>WV-300</u>	64	127	133	660	3630	2-1/2	4-13/16	5-1/4	26-5/16	8

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835


Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Valve Wheel (DIN 87311)**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WV-10</u>	36	60	370	590	1-3/8	2-3/8	14-1/2	1.30
<u>WV-12</u>	48	80	430	1135	1-7/8	3-1/8	17	2.50
<u>WV-14</u>	62	102	550	2405	2-7/16	4	21-5/8	5.30

1

**Ampco Safety Tools**

204 Barnes Drive

Garland, TX 75042

Toll Free: 800-580-9835

Phone: 972-276-6181

Fax: 972-276-5815

Email: sales@ampcosafetytools.comWebsite: www.ampcosafetytools.com**Wrench, Valve Wheel, Double**

Non-Sparking, Non-Magnetic, Corrosion-Resistant

Made in the USA

**1**

<u>Item #</u>	<u>d1 (mm)</u>	<u>d2 (mm)</u>	<u>a (mm)</u>	<u>l (mm)</u>	<u>Wt (g)</u>	<u>d1 (in)</u>	<u>d2 (in)</u>	<u>a (in)</u>	<u>l (in)</u>	<u>Wt (lbs)</u>
<u>WVD-100</u>	23	16	25	205	170	15/16	5/8	1	8	0.38

1