

SHOWN: 0469 PAPER TOWEL
DISPENSER AND
WASTE RECEPTACLE




Traditional™ Collection

This time-honored collection provides exceptional value, offering a broad array of items for well-equipped washrooms. Double-pan doors incorporate a “no-flex” structural fiberboard core. Combining seamless construction and crisp design lines, this


elegant collection provides strength, comfort, beauty, and durability. All units have keyed-alike tumbler locks for ease in maintenance. Automatic dispensers feature a proximity sensor activated dispensing mechanism.

WHAT MAKES THE TRADITIONAL™ COLLECTION UNIQUE?




STAINLESS STEEL CONSTRUCTION

Fabricated with 22 gauge stainless steel with face trim, the recessed cabinet features one-piece construction with no miters or welding for durability.



DOUBLE-PAN DOORS

The double-pan doors incorporate a “no-flex” structural fiberboard core, adding strength and endurance for long-term use.



SAFE EASY DISPENSING

Towel dispensers have hemmed opening for safe, easy dispensing, minimizing waste, and ensuring hygienic use.



EASY LIFT OUT RECEPTACLE

Fully removable stainless steel waste cans allow contents to be easily discarded for efficient ongoing maintenance and cleanliness.

TRADITIONAL™ COLLECTION



MULTI-PURPOSE CABINETS



PAPER TOWEL DISPENSERS



WASTE RECEPTACLES



0462-AD TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 350 C-fold or 475 multi-fold paper towels. 2 gal. (7.6 L) waste receptacle. Door and cabinet fabricated of 22 gauge stainless steel.

MODEL OPTION:

0462-AD-9 Surface mounted with 9" stainless steel collar.

Unit Size:

14¹/₁₄" x 28" x 4¹/₄"
(362 x 711 x 108 mm)

Wall Opening:

12³/₄" x 26¹/₂" x 4"
(324 x 673 x 102 mm)



0469 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold or 800 multi-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

0469-2 Semi-recessed with 2" stainless steel collar.

0469-9 Surface mounted with 9" stainless steel collar.

0469-BL 18 gal. (68 L) waste receptacle. Projects 8" (205 mm) from wall.

Unit Size:

17¹/₄" x 56" x 4¹/₄"
(438 x 1422 x 108 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 4"
(400 x 1384 x 102 mm)

TRADITIONAL™ COLLECTION



04697 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold paper towels. 12 gal. (46 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

04697-4 Semi-recessed with 4" stainless steel collar.
04697-9 Surface mounted with 9" stainless steel collar.
04697-BL 18 gal. (68 L) waste receptacle, projects 4" (102 mm) from wall.

Unit Size:

17¹/₄" x 56" x 7¹/₄"
 (438 x 1422 x 184 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 7¹/₄"
 (400 x 1384 x 184 mm)



04692A TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING:

[A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

04692: Mechanical lever dispenser.

Unit Size:

17¹/₄" x 56" x 10¹/₄"
 (438 x 1422 x 260 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 10"
 (400 x 1384 x 254 mm)





0467 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 600 C-fold, 800 multi-fold, or 1100 single-fold paper towels. 7 gal. (26 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

MODEL OPTIONS:

0467-2 Semi-recessed with 2" stainless steel collar.
0467-9 Surface mounted with 9" stainless steel collar.

Unit Size:

13" x 55" x 6 1/2"
 (330 x 1397 x 165 mm)

Wall Opening:

11 1/2" x 53 1/2" x 6 1/4"
 (292 x 1359 x 159 mm)



046926 TRADITIONAL™ SEMI-RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses single full width cut towel 12" (305 mm) long from pull-towel autocut dispenser. With manual override feed wheel on the side of the cabinet. 13.5 gal. (52 L) waste receptacle. Door and back fabricated of 18 gauge stainless steel.

Unit Size:

17 1/4" x 56" x 9 1/4"
 (438 x 1422 x 235 mm)

Wall Opening:

15 3/4" x 54 1/2" x 4"
 (400 x 1384 x 102 mm)

TRADITIONAL™ COLLECTION



046921A TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Proximity sensing no-touch recessed unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. 12 gal. (45.4 L) waste receptacle. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

Unit Size:

17¹/₄" x 56" x 10¹/₄"
(438 x 1422 x 260 mm)

Wall Opening:

15³/₄" x 54¹/₂" x 10¹/₄"
(400 x 1384 x 260 mm)



046924A TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER AND WASTE RECEPTACLE

Note: This product design has been updated and is now product number 646924A (A-9, AC, AC-9) of the Simplicity™ Collection. See page 35.



0457 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 350 C-fold or 500 multi-fold paper towels; well-suited for smaller washrooms with less space and traffic. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0457-9 Surface mounted with 9" stainless steel collar.

Unit Size:

12³/₄" x 17¹/₄" x 4¹/₄"
(324 x 438 x 108 mm)

Wall Opening:

11¹/₄" x 15³/₄" x 4" (286 x 400 x 102 mm)



0452 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

Dispenses 600 C-fold or 800 multi-fold paper towels. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0452-9 Surface mounted with 9" stainless steel collar.

Unit Size:

14¹/₄" x 28" x 4¹/₄"
(326 x 711 x 108 mm)

Wall Opening:

12³/₄" x 26¹/₂" x 4" (324 x 673 x 102 mm)



045224A TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING: [A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

045224: Mechanical lever dispenser.

Unit Size:

17¹/₄" x 30¹/₂" x 10¹/₄"
(438 x 775 x 260 mm)

Wall Opening:

15³/₄" x 29" x 4" (400 x 737 x 102 mm)



045210A TRADITIONAL™ AUTOMATIC RECESSED ROLL PAPER TOWEL DISPENSER

Dispenses pre-set length from 8" or 9" wide rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

SUFFIX OPTIONS FOR POWER/MOUNTING:

[A, A-6, A-9, AC, AC-6, AC-9]

A: Powered by 4 D-size batteries (not included).

AC: Powered by AC plug-in adapter.

-6: Semi-recessed with 6" stainless steel collar.

-9: Surface mounted with 9" stainless steel collar.

Unit Size:

17¹/₄" x 28" x 10" (438 x 711 x 254 mm)

Wall Opening:

15³/₄" x 26¹/₂" x 10¹/₄" (400 x 673 x 260 mm)



0458 TRADITIONAL™ SEMI-RECESSED WASTE RECEPTACLE

Stainless steel waste container locks into cabinet, removable for servicing. Fabricated of 22 gauge stainless steel.

MODEL OPTION:

0458-9 Surface mounted with 9" stainless steel collar.

Unit Size:

17¹/₄" x 30¹/₂" x 8¹/₄" (438 x 775 x 210 mm)

Wall Opening:

15³/₄" x 29" x (variable*) (400 x 737 mm)

*[0458 if 4" (102 mm) x 4" and 12 gals. (46 L); 0458-CX if 1/2" (13 mm) x 7¹/₂" (191 mm) and 12 gals. (46 L); 0458-DX if 8" (203 mm) x 4" (102 mm) and 18 gals. (68 L)]



04733 TRADITIONAL™ RECESSED WASTE RECEPTACLE

Self-closing panel covers the receptacle opening, removable 3 gal. (11.4 L) stainless steel waste receptacle. Fabricated of 22 gauge stainless steel.

Unit Size:

14¹/₄" x 28" x 4¹/₂" (362 x 711 x 114 mm)

Wall Opening:

12³/₄" x 26¹/₂" x 4" (324 x 673 x 102 mm)

TRADITIONAL™ COLLECTION



0210 TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel, this unit dispenses 400 C-fold or 525 multi-fold paper towels without adjustment or adapters and is fitted with tumbler lock and heavy-duty stainless steel piano hinge.

Overall Dimensions:

11" x 14⁵/₈" x 4¹/₁₆"
(279 x 371 x 103 mm)



0215 TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER—PETITE

Dispenses 200 C-fold or 275 multi-fold paper towels; well-suited for low traffic areas. Fabricated of 22 gauge stainless steel.

Overall Dimensions:

11" x 8" x 4"
(279 x 203 x 102 mm)



0439 TRADITIONAL™ RECESSED PAPER TOWEL DISPENSER

This cabinet has 2 push-up flaps for bottom-filling with towels and dispenses 600 C-fold or 800 multi-fold paper towels; designed to conceal the dispenser behind mirror or wall so only the towel tray opening is visible. Fabricated of 22 gauge stainless steel.

Note for Designers: Leave 6" min. (152 mm) clearance below towel tray opening for space to pull towels; units are installed before hanging mirror or applying finished wall.

Overall Dimensions:

11¹/₂" x 18" x 4¹/₂"
(292 x 457 x 108 mm)



8522 TRADITIONAL™ SURFACE MOUNTED ROLL PAPER TOWEL DISPENSER

Mechanical unit dispenses a pre-set length per cycle from 8" or 9" (205 or 230 mm) wide, 800 ft. (244 m) long rolls. Fabricated of 22 gauge stainless steel, 18 gauge door.

MODEL OPTIONS:

8523A Powered by 4 D-size batteries (not included).

8523AC Powered by AC plug-in adapter.

Overall Dimensions:

14" x 16" x 9¹/₂"
(356 x 406 x 241 mm)




8165 TRADITIONAL™ SURFACE MOUNTED ROLL PAPER TOWEL DISPENSER

Holds standard paper towel roll up to 6" (152 mm) diameter; heavy-duty aluminum casting with satin-matte, silver-grey finish. Designed for controlled delivery of towels, and its concealed locking device on molded plastic spindle prevents theft.

Overall Dimensions:

Unit measures 13" (330 mm) wide; projects 6" (152 mm) from wall.



0245-SS TRADITIONAL™ SURFACE MOUNTED PAPER TOWEL DISPENSER

Fabricated of 22 gauge stainless steel. This unit dispenses 400 single-fold paper towels.

Overall Dimensions:

11¹/₄" x 6¹/₄" x 5⁵/₈"
(285 x 160 x 143 mm)



0828 TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; holds 6.5 gal. (24.8 L) of waste.

Overall Dimensions:
14" x 18" x 6"
(356 x 457 x 152 mm)



0825 TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 17 gal. (64 L) with top and bottom hemmed edges; interior hooks for liner.

MODEL OPTION:
0826 has 12 gal. (45.4 L) capacity with 15¼" x 23" x 8" (387 x 584 x 203 mm) dimensions.

Overall Dimensions:
15¾" x 21⅞" x 11⅜"
(400 x 556 x 298 mm)



0810 TRADITIONAL™ FREESTANDING WASTE RECEPTACLE WITH TOP

Fabricated of 22 gauge stainless steel; holds 14.3 gal. (54 L); self-closing doors on top with vinyl wall bumpers, rubber feet and hooks for liners.

MODEL OPTION:
0812 has 19.4 gal. (73.4 L) capacity with 13" x 38½" x 12¼" (330 x 978 x 311 mm) dimensions.

Overall Dimensions:
13" x 30½" x 12¼"
(330 x 775 x 311 mm)



0811 TRADITIONAL™ FREESTANDING OPEN WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel; holds 14.3 gal. (54 L); self-closing doors on top with vinyl wall bumpers, rubber feet and hooks for liners.

MODEL OPTION:
0813 has 19.4 gal. (73.4 L) capacity with 13" x 30" x 12¼" (330 x 762 x 311 mm) dimensions.

Overall Dimensions:
13" x 22" x 12¼"
(330 x 559 x 311 mm)



0827 TRADITIONAL™ SURFACE MOUNTED WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 2 gal. (7.6 L) of waste.

Overall Dimensions:
10½" x 9" x 4⅞"
(267 x 229 x 121 mm)



0829 CORNER WASTE RECEPTACLE

Fabricated of 22 gauge stainless steel with hemmed top and bottom edges for safety; capacity of 16 gal. (60 L) of waste.

Overall Dimensions:
15" x 23" x 14½"
(381 x 584 x 368 mm)

TRADITIONAL™ COLLECTION



4004 TRADITIONAL™ UNDER VANITY TOWEL DISPENSER AND WASTE RECEPTACLE

Dispenses 300 C-fold or 475 multi-fold paper towels and has a waste capacity of 10 gal. (38 L). Waste disposal door is spring loaded to remain shut. Fabricated of 20 gauge stainless steel.

Unit Size:

17⁷/₁₆" x 24" x 14⁷/₁₆"
(443 x 610 x 367 mm)

Under Mount

Requirements:

17¹/₂" x 30" x 14¹/₂"
(445 x 762 x 368 mm)

Exposed Cabinet Size:

13¹/₂" x 24" x 12¹/₂"
(343 x 610 x 318 mm)



1000 TRADITIONAL™ CIRCULAR COUNTER TOP WASTE CHUTE

Provides waste deposit access to receptacle (not furnished) placed directly below chute; made of heavy gauge stainless steel with rolled flange and exposed surfaces that have satin finish.

MODEL OPTION:

1000A has a 9" (229 mm) outside diameter with a counter opening of 8⁵/₈" (206 mm) diameter.

Unit Size:

6³/₄" (171 mm)
outside diameter

Counter Opening:

5³/₄" (146 mm)
diameter



1001 TRADITIONAL™ COUNTER TOP MOUNTED PAPER TOWEL DISPENSER/WASTE RECEPTACLE

Capacity of 1 package of C-fold paper towels for loading by pushing through hinged dispensing flaps. Loose waste receptacle to be placed directly below waste door on the vanity floor is provided. Capacity is 7.5 gal. (28 L).

Unit Size:

14¹/₄" x 15" x 3³/₃₂"
(362 x 381 x 2 mm)

Counter Opening:

12¹/₂" x 13¹/₂"
(318 x 343 mm)



1002 TRADITIONAL™ COUNTER TOP MOUNTED PAPER TOWEL DISPENSER

Capacity of 1 package of C-fold paper towels for loading by pushing downward through hinged dispensing flaps.

Unit Size:

14¹/₄" x 6" x 3³/₃₂"
(362 x 152 x 2 mm)

Counter Opening:

12¹/₂" x 4¹/₄"
(318 x 108 mm)



1003 TRADITIONAL™ COUNTER TOP MOUNTED WASTE RECEPTACLE

Push door is self-closing. A 12" x 12" x 12" (305 x 305 mm) waste receptacle is furnished to be placed directly below waste door on the vanity floor.

Unit Size:

14¹/₄" x 10" x 3³/₃₂"
(362 x 254 x 2 mm)

Counter Opening:

8³/₄" x 12¹/₂"
(222 x 318 mm)