










Markar Edge Guard Order Form

☐ 161 Latch Bolt Auto Flush Bolts 	Top Of Door 	☐ For use on 1 3/4" door ☐ For use on 1 7/8" door ☐ For use on ____" door ☐ EG308  ☐ EGT308  ☐ EGC308  QUANTITY: _____ <u>DOOR EDGE</u> ☐ BEVEL (standard If not specified) ☐ SQUARE <u>HANDING</u> ☐ LH/ RHR ACTIVE ☐ RH/LHR ACTIVE ☐ LH/RHR INACTIVE ☐ RH/LHR INACTIVE <u>Butt Hinge Size</u> ☐ 4 1/2" x 4 1/2" ☐ 5" x 5" ☐ Custom <u>DOOR TAG INFO</u> _____ _____ _____ _____ _____ <u>Special Instructions</u> _____ _____ _____ _____ _____ _____	TDTB = Top of Door to Top of Butt Hinge 				
☐ 86 Mortise Lock 		☐ ASA Strike 	☐ 161 Strike 	☐ Manual Flush Bolt Auto Flush Bolt (Hollow Metal Door) 	☐ Auto Flush Bolt (Wood Door) ***REMAINING SUPPORT*** STRIP CAN BE REMOVED AT THE CUSTOMER DISCRETION IF NEEDED 	☐ Custom (Specify Dimensions) Lead-time will vary 	☐ Fire Bolt (Specify Hole Size) _____

Customer:	I, THE UNDERSIGNED, APPROVE THE DESIGN AND DIMENSIONS AS SHOWN ON THIS PRINT, AND AUTHORIZE THE FABRICATION OF THESE EDGE GUARDS AS INDICATED.
P.O. No.	Signed: _____

phone: 800 824-3018
fax: 800 243-3656

4226 Transport Street
Ventura, CA 93003 USA

5535 Distribution Drive
Memphis, TN 38141 USA

information@markar.com
www.markar.com

ASSA ABLOY

The global leader in
door opening solutions

800-824-3018 | www.markar.com
Check the web site for the up-to-date catalog


Copyright © 2015-2017, Pemko Manufacturing Co., an ASSA ABLOY Group company. All rights reserved.
Reproduction in whole or in part without the express written permission of Pemko Manufacturing Co. is prohibited.

To process order, please circle handing illustrated below.

Markar Current Transfer Prep (CTP) Information Form

In order to assign an accurate ship date and begin production of your order, please provide us with the information requested. We appreciate your cooperation and time to assist us in providing you with the type of product that will meet our requirements.

ALL PT LOCATIONS ARE REQUIRED FROM TOP OF DOOR TO CENTERLINE OF PREP



Company Name: _____
 Contact Name: _____
 P.O.#: _____
 Job Name: _____
 Phone Number: _____
 Fax Number: _____

CTP (Power Transfer Model)

- ☐ Pemko/Markar EL-CEPT
- ☐ Pemko/Markar EL-EPT ***
- ☐ Pemko/Markar EL-EPTL ***
- ☐ Pemko/Markar EL-EPT-SC
- ☐ Securitron CEPT
- ☐ Securitron EPT/Adams Rite 4612-1 ***
- ☐ Securitron EPTL/Adams Rite 4612-2 ***
- ☐ Securitron EPT-SC/Adams Rite 4612-SC
- ☐ Von Duprin EPT-2 & EPT-10
- ☐ Precision ***
- ☐ Other (Template Needed) _____

Specify Hinge Leaf to Recieve Mortise Prep *** (needed)

- ☐ Frame Leaf
- ☐ Door Leaf

Hinge Length: _____

RHR/LH: _____

LHR/RH: _____

Notes: _____

Order acknowledgement will be sent after all information requirements are met to determine a ship date

phone: 800 824-3018

fax: 800 243-3656

4226 Transport Street

Ventura, CA 93003 USA

5535 Distribution Drive

Memphis, TN 38141 USA

information@markar.com

www.markar.com

800-824-3018 | www.markar.com

Check the web site for the up-to-date catalog

Copyright © 2015-2017, Pemko Manufacturing Co., an ASSA ABLOY Group company. All rights reserved.
 Reproduction in whole or in part without the express written permission of Pemko Manufacturing Co. is prohibited.

ASSA ABLOY

The global leader in
 door opening solutions

Markar ETO Custom Hinge Information Form

The global leader in
door opening solutions

<u>Company name :</u>		<u>ETO# :</u>
<u>Contact name :</u>		<u>Po # :</u>
<u>Phone :</u>		<u>Quote:</u>
<u>FAX :</u>		<u>Date:</u>
<u>Email :</u>	<u>Requestor :</u>	
<u>Item description :</u>		

Comments:

It is our goal to produce a custom hinge in a timely manner, done right the first time for your customer. Please fill in all of the information below, and attach all pertinent sketches and drawings to assist us in achieving our goal. To maintain proper door clearances and to avoid additional fabrication complexities, edge mounted continuous hinges are best applied to square edge doors. Consult factory for beveled edge doors. Thank you!

Door Qty.____ Multiple sizes: ☐ Yes ☐ No
 Door height:____ Width:____ Thickness:____
 Handing: LH ☐ RH ☐ LHR ☐ RHR ☐
 Wood door ☐ Hollow metal door ☐ Gauge:____
 Approx. door weight: _____

Frame

Frame Size: Rabbet____ Face____ Stop____
 Gauge____ Reinforcement Y ☐ or N ☐

Hinge

Degree of required swing: 90° ☐ 180° ☐
 Hinge material: SS ☐ AL ☐ Carbon steel ☐
 Custom finish required? Yes ☐ No ☐
 Fire rated/UL Stamp: Yes ☐ No ☐
 Electrification required: Yes ☐ No ☐
 Custom Hole Pattern: Yes ☐ No ☐
 If "YES" show hole locations and sizes, countersink, etc.


Wide throw required : Yes ☐ No ☐

If 'YES', show WT requirements with all dimensions,
 and select Square ☐ or Beveled ☐ door edge.

NOTE: ALL FIELDS MUST BE COMPLETED TO PROCESS REQUEST

Add or Attach Additional Sheet if Required

Include all applicable dimensions when making drawing



Note: If there is any hardware that will affect the manufacturing of our product, all detailed templates must be attached. (ie: Adjustable Door Bottom; EPT prep, etc.)

Hardware Mfr: _____

Template number: _____

Architectural Door Accessories

ASSA ABLOY

Markar ERS_xDSH_ Customer Form Behavioral Health Application

The global leader in
door opening solutions

Please fill in all boxes below with the relevant information. All boxes must be filled in to ensure you receive the correct DSH hinge.

0.090"

15-7/8" SER

PLEASE PROVIDE YOUR PO#

DOOR HANDING: RH/LH

WILL THERE BE A THRESHOLD? Y/N
IF YES, DESCRIBE BELOW:

CHOOSE ONE:

FRAME LEAF DOOR LEAF

☐ NONE

☐ SER4
(LOCATED TOP OF HINGE)

☐ SER8
(LOCATED TOP OF HINGE)

☐ SER12
(LOCATED TOP OF HINGE)

T.O.F. TO CL OF LOCK SET

CHOOSE ONE:

ERS: TOP FLUSHBOLT
OR
ERSMP: MULTIPOINT LATCH

CASE FRAME STRIKE SIDE (OR SINGLE RABBIT OPTIONAL)

BACKSET

LOCKSET & TRIM PART NUMBERS (DESCRIPTION)

DOOR UNDERCUT

FRAME HEIGHT

1-15/16"

1-3/4"

1-7/8"

3"

36" OPENING

25/32"

2"

3-3/4"

1-3/4"

1/8" MIN.

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

5535 Distribution Drive
Memphis, TN 38141
P: 800.824.3018 | F: 800.243.3656

www.assaabloydooraccessories.us

Architectural Door Accessories

ASSA ABLOY

Markar DSH_ Customer Form Behavioral Health Application

The global leader in
door opening solutions

Please fill in all boxes below with the relevant information. All boxes must be filled in to ensure you receive the correct DSH hinge.

0.090"

15-7/8" SER

PLEASE PROVIDE YOUR PO#

DOOR HANDING: RH/LH

WILL THERE BE A THRESHOLD? Y/N
IF YES, DESCRIBE BELOW:

CHOOSE ONE:

FRAME LEAF DOOR LEAF

NONE

SER4
(LOCATED TOP OF HINGE)

SER8
(LOCATED TOP OF HINGE)

SER12
(LOCATED TOP OF HINGE)

FRAME HEIGHT

DOOR UNDERCUT

1-3/4"

1-15/16"

1-7/8"

3"

36" OPENING

25/32"

2"

3-3/4"

1-3/4"

1/8 MIN.

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

5535 Distribution Drive
Memphis, TN 38141
P: 800.824.3018 | F: 800.243.3656



www.assaabloydooraccessories.us

Architectural Door Accessories

ASSA ABLOY

Markar DSH1000 x ERS_ - Door Clearances When Open Behavioral Health Application

The global leader in
door opening solutions



DO NOT SCALE

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

5535 Distribution Drive
Memphis, TN 38141
P: 800.824.3018 | F: 800.243.3656

www.assaabloydooraccessories.us


Architectural Door Accessories

ASSA ABLOY

Markar DSH1000 x ERS_ - Right Hand Layout Template DSH1000 x ERS

The global leader in
door opening solutions

DSH1000 x ERS_ Double Swing 100 Deg Hinge & Emergency Release Stop



Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

5535 Distribution Drive
Memphis, TN 38141
P: 800.824.3018 | F: 800.243.3656

www.assaabloydooraccessories.us

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

DSH1000 x ERS_ TEMPLATE - 10/18


Architectural Door Accessories

ASSA ABLOY

Markar DSH1000 x ERS_ - Left Hand Layout Template DSH1000 x ERS

The global leader in
door opening solutions

DSH1000 x ERS_ Double Swing 100 Deg Hinge & Emergency Release Stop



Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

5535 Distribution Drive
Memphis, TN 38141
P: 800.824.3018 | F: 800.243.3656

www.assaabloydooraccessories.us


Architectural Door Accessories

ASSA ABLOY

Markar DHS1000 x SER Prep

The global leader in
door opening solutions

DO NOT SCALE
DIMENSIONS: INCHES



Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

5535 Distribution Drive
Memphis, TN 38141
P: 800.824.3018 | F: 800.243.3656

www.assaabloydooraccessories.us

Architectural Door Accessories

ASSA ABLOY

Markar Dutch Door Hinge Order Form

The global leader in
door opening solutions



Please fill in all boxes below with the relevant information. All boxes must be filled in to ensure you receive the correct hinge.

Customer:	
Model:	Qty:
P.O. No.	
MM-	


I, the undersigned, approve the design and dimensions as shown on this print, and authorize the fabrication of these parts as indicated.

Signed:


Date:




LEFT HAND



RIGHT HAND



LEFT HAND REVERSE



RIGHT HAND REVERSE

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

5535 Distribution Drive
Memphis, TN 38141
P: 800.824.3018 | F: 800.243.3656
www.markar.com

Architectural Door Accessories

ASSA ABLOY

Pemko ERS_xDSH_ Customer Form Behavioral Health Application

The global leader in
door opening solutions

Please fill in all boxes below with the relevant information. All boxes must be filled in to ensure you receive the correct DSH hinge.

0.090"

8" SER

PLEASE PROVIDE YOUR PO#

DOOR HANDING: RH/LH

WILL THERE BE A THRESHOLD? Y/N
IF YES, DESCRIBE BELOW:

FRAME HEIGHT

T.O.F. TO CL OF LOCK SET

CASE FRAME STRIKE SIDE (OR SINGLE RABBIT OPTIONAL)

CHECK ONE

ERS: TOP FLUSHBOLT
OR
ERSMP: MULTIPOINT LATCH

BACKSET

LOCKSET & TRIM PART NUMBERS (DESCRIPTION)

DOOR UNDERCUT

FRAME LEAF

DOOR LEAF

SER4 (LOCATED TOP OF HINGE)

SER8 (LOCATED TOP OF HINGE)

SER12 (LOCATED TOP OF HINGE)

1 5/8"

3/8"

1 1/4"

2 1/2"

DSH 1 3/4" PIVOT POINT

3"

HINGE CAP PULL SIDE OF DOOR

36" FRAME OPENING

1/8" MIN.

1/8"

5/16"

ERS PIVOT POINT

CASE FRAME STRIKE SIDE (OR SINGLE RABBIT OPTIONAL)

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

www.assaabloydooraccessories.us

USA:
Ventura, CA 93003
Phone: 800.283.9988

Memphis, TN 38141
Phone: 800.824.3018

Canada:
Vancouver, BC V2T6W3
Phone: 877.535.7888

Toronto, ON L4K4T9
Phone: 877.535.7888

Architectural Door Accessories

ASSA ABLOY

Pemko DSH_ Customer Form Behavioral Health Application

The global leader in
door opening solutions

Please fill in all boxes below with the relevant information. All boxes must be filled in to ensure you receive the correct DSH hinge.

0.090"

8" SER

PLEASE PROVIDE YOUR PO#

DOOR HANDING: RH/LH

WILL THERE BE A THRESHOLD? Y/N
IF YES, DESCRIBE BELOW:

CHECK ONE

FRAME LEAF DOOR LEAF

SER4
(LOCATED TOP OF HINGE)

SER8
(LOCATED TOP OF HINGE)

SER12
(LOCATED TOP OF HINGE)

FRAME HEIGHT

DOOR UNDERCUT

1 5/8" 3/8"

1 1/4" 2 1/2"

DSH 1 3/4" PIVOT POINT

HINGE CAP PULL SIDE OF DOOR

36" FRAME OPENING

1/8 MIN.

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

www.assaabloydooraccessories.us

USA:
Ventura, CA 93003
Phone: 800.283.9988

Memphis, TN 38141
Phone: 800.824.3018

Canada:
Vancouver, BC V2T6W3
Phone: 877.535.7888



Toronto, ON L4K4T9
Phone: 877.535.7888

Architectural Door Accessories

ASSA ABLOY

Pemko ERS x DSH01- Door Clearances When Open Behavioral Health Application

The global leader in
door opening solutions



DO NOT SCALE

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

www.assaabloydooraccessories.us

USA:
Ventura, CA 93003
Phone: 800.283.9988

Memphis, TN 38141
Phone: 800.824.3018

Canada:
Vancouver, BC V2T6W3
Phone: 877.535.7888

Toronto, ON L4K4T9
Phone: 877.535.7888


Architectural Door Accessories

ASSA ABLOY

Pemko ERS_x DSHP01 - Right Hand Layout Template ERSxDSHP01

The global leader in
door opening solutions

ERS Emergency Release Stop & Double Swing 100 Deg Hinge



DRILL SIZE CHART

MATERIAL	THICKNESS	DRILL SIZE
ALUM.	0.090-0.140	13
METAL	20 GAUGE	17
METAL	16-18 GAUGE	15
METAL	12-14 GAUGE	13
	N/A	5/32"

Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

www.assaabloydooraccessories.us

USA:
Ventura, CA 93003
Phone: 800.283.9988

Memphis, TN 38141
Phone: 800.824.3018


Canada:
Vancouver, BC V2T6W3
Phone: 877.535.7888

Toronto, ON L4K4T9
Phone: 877.535.7888

Pemko ERS_x DSHP01 - Left Hand Layout Template ERSxDSHP01

The global leader in
door opening solutions

ERS Emergency Release Stop & Double Swing 100 Deg Hinge



Manufacturer reserves the right to make changes without formal notice. Contact Engineering for latest revision.

www.assaabloydooraccessories.us

USA:
Ventura, CA 93003
Phone: 800.283.9988

Memphis, TN 38141
Phone: 800.824.3018

Canada:
Vancouver, BC V2T6W3
Phone: 877.535.7888

Toronto, ON L4K4T9
Phone: 877.535.7888

Rockwood Hinge Side Door Edge Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information


Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Phone/Fax: _____ / _____ Email: _____
PO #: _____

Select a Mortised ☐ 300 ☐ 301 ☐ 302 ☐ 302B ☐ 306B-AST ☐ 306B-AST
Door Edge: Non-Mortised ☐ 304 ☐ 305 ☐ 306-RKW ☐ 306-AST ☐ 306B ☐ 306B-AST
☐ 308 ☐ 309 ☐ 310 ☐ 310B ☐ 310BS
☐ Other _____

Order Line #: _____ Quantity: _____ Handing: _____ Tag. No's: _____

Select Hinge Size,
Door Type and Fill
in Dimensions:


☐ UL Rated



*Door Edge Height if
different from net
door height _____

Specify Mounting
(if not standard)

- Torx Screws
- Tek Screws




* Standard Door Thickness
is 1 3/4" if not please advise: _____

* Standard Leg Length for non mortised
edge is 1 1/4" if not please advise: _____


* Standard Leg Length for mortised edge
is 7/8" if not please advise: _____

Note: Your door thickness is a nominal dimension. Doors can vary
+ or - 1/16" from the nominal dimension. When ordering, verify
actual door thickness to assure a working fit of the door edge.

☐ Door with 3 Hinges



☐ Door with 4 Hinges



Architectural Door Accessories

ASSA ABLOY

Rockwood Lock Side Door Edge Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____

Company Name: _____ Account #: _____

Phone/Fax: _____ / _____ Email: _____

PO #: _____

Select a Mortised ☐ 300 ☐ 301 ☐ 302 ☐ 302B ☐ 306B ☐ 306B-AST

Door Edge: Non-Mortised ☐ 304 ☐ 305 ☐ 306-RKW ☐ 306-AST ☐ 306B ☐ 306B-AST

☐ 308 ☐ 309 ☐ 310 ☐ 310-B ☐ 310BS

☐ Other _____

Order Line #: _____ Quantity: _____ Hanging: _____ Tag. No's: _____

Select Cutout,
Door Type and Fill
in Dimensions:

☐ **UL Rated**

_____ * Door Edge
Height if different
from net door height

Astragal Side

(306-AST, 306B-AST ONLY)

- ☐ Active Door
☐ Inactive Door

Specify Mounting

(if not standard)

- Torx Screws
- Tek Screws


* Standard Door
Thickness is $1\frac{3}{4}"$ if not
please advise: _____

* Standard Leg Length
for non mortised edge
is $1\frac{1}{4}"$ if not please
advise: _____


* Standard Leg Length
for mortised edge
is $\frac{7}{8}"$ if not please
advise: _____

Note: Your door thickness is a nominal
dimension. Doors can vary + or - $\frac{1}{16}"$
from the nominal dimension. When
ordering, verify actual door thickness to
assure a working fit of the door edge.


☐ **161 Latch
Bolt**




☐ **86 Mortise
Lock**




☐ **ASA Strike**




☐ **Cylindrical
Strike**



☐ **Manual
Flush Bolt**




☐ **Automatic
Flush Bolt**




Fire Bolt


☐ **Active
Door**




☐ **Inactive
Door**



☐ **Metal Door**



☐ **Wood Door**



(Net Door Height)
* 84" and 96" are opening
sizes - please provide
net door height.

(Net Door Height)
* 84" and 96" are opening
sizes - please provide
net door height.

*Above is a representation of a prep location on the edge of the door.

300 Main Street

Rockwood, Pennsylvania 15557

P: 800.458.2424 | F: 800.922.9212

www.assaabloydooraccessories.us | orders.rockwood@assaabloy.com

Copyright © 2019, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

OF-DE 2/19

Rockwood 70 Series Push Plate Prep Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____

Account #: _____ Phone/Fax: _____ / _____


Email: _____ PO #: _____ Line #: _____

Series: ☐ **70** -.050" Thick ☐ **71** -.062" Thick ☐ **73** -.125" Thick


Size: ☐ **A** - 3" x 12" ☐ **B** - 3 1/2" x 15" ☐ **C** - 4" x 16" ☐ **G** - 4" x 20" ☐ **Other** - W: _____" x H: _____"

Standard Prep Sizes and Locations: 1 1/4" Cylinder Hole Cutout; 3/8" Diameter Thumbturn Hole Cutout (2" from top to centerline of hole prep)


Cylindrical Prep



Cylindrical and Pull Prep



Pull Prep




Quantity: Cylindrical: _____ Cylindrical and Pull Prep: _____ Pull Prep: _____

Finish: _____

Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive ☐ No Hole/No Adhesive

Engraving (Specify Text): _____

*Options for plates 4" wide or less



Rockwood 70 Series Push Plate Prep Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____

Account #: _____ Phone/Fax: _____ / _____


Email: _____ PO #: _____ Line #: _____

Series: ☐ **70** - .050" Thick ☐ **71** - .062" Thick ☐ **73** - .125" Thick

Size: ☐ **E** - 6" x 16" ☐ **F** - 8" x 16" ☐ **Other** - W: _____" x H _____"


Standard Prep Sizes and Locations: 1 1/4" Cylinder Hole Cutout; 3/8" Diameter Thumbturn Hole Cutout (2" from top to centerline of hole prep)

Cylindrical Prep




LH/RHR Push Side Shown

Cylindrical and Pull Prep



RH/LHR Pull Side Shown

Pull Prep



RH/LHR Pull Side Shown

Quantity: Cylindrical: LH/RHR _____ RH/LHR _____ Cylindrical and Pull: LH/RHR _____ RH/LHR _____ Pull: LH/RHR _____ RH/LHR _____

Finish: _____

Indicate if Plate is for Pull Side:


Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive

☐ No Hole/No Adhesive ☐ *Lug-Lug Screws

*Lug Screws only an option for 73 plates

Engraving (Specify Text): _____

Handing Chart



Architectural Door Accessories

ASSA ABLOY


Rockwood Custom Strikes Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212


Customer Information

Contact Name: _____ Date: _____
 Company Name: _____ Account #: _____
 Street Address: _____ Phone/Fax: _____ / _____
 City/State/Zip: _____ Email: _____




Select Bolt Hole Size

☐ 11/16" x 1 1/4" ☐ 3/4" x 1 1/4" ☐ Other: W _____ x L _____




Select Bolt Hole Size

1. ☐ 11/16" x 1 1/4" ☐ 3/4" x 1 1/4" ☐ Other: W _____ x L _____
 2. ☐ 11/16" x 1 1/4" ☐ 3/4" x 1 1/4" ☐ Other: W _____ x L _____



Select Bolt Hole Size

☐ 11/16" x 1 1/4" ☐ 3/4" x 1 1/4" ☐ Other: W _____ x L _____



Select Bolt Hole Size


1. ☐ 11/16" x 1 1/4" ☐ 3/4" x 1 1/4" ☐ Other: W _____ x L _____
 2. ☐ 11/16" x 1 1/4" ☐ 3/4" x 1 1/4" ☐ Other: W _____ x L _____

Order Form for CS-ASA1, CS-ASA2, CS-OM, CS-T

Order Line #	Qty	Part #	Flat or Curved	LH	RH	MS or WS Fastener	Finish
Options							

ASSA ABLOY is the global leader in door opening solutions, dedicated to satisfying end-user needs for security, safety and convenience

590-DA



Order Form for 590-DA

Is Door: ☐ Center Hung¹ ☐ Flush with Jamb²

Order Line #	Quantity	Part #	Jamb Width	Finish
Options				

Rockwood Custom Pivots Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Phone/Fax: _____ / _____ Email: _____
PO #: _____ Line Item #: _____

1" Wide Leafs

QTY


- ☐ CP10 (top): _____
- ☐ CP10HD (top): _____
- ☐ CP40 (bottom): _____
- ☐ CP40HD (bottom): _____

7/8" Wide Leafs

QTY


- ☐ CP20 (top): _____
- ☐ CP20HD (top): _____
- ☐ CP50 (bottom): _____
- ☐ CP50HD (bottom): _____

Top:



Finish: _____

Bottom:



Note: Material Solid Brass Leaf, Stainless Steel Pin

Fasteners: 6 ea. #12 x 1 1/4" Flat Head Wood Screw

Where applicable please use NFPA 80 5.4 guidelines in determining the number and locations of pivots.

Modifying construction or components of Custom Pivot Assembly can impact performance and will void manufacturer's warranty and liability.

Architectural Door Accessories

ASSA ABLOY

Rockwood Vandal Resistant Order Form


The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212


Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____


* Cylinder Prep optional




VRT12




VRT22




VRT14




VRT24



VRT16



VRT26



VRP30

Vandal Resistant Products can be ordered to mount with an exit device, or in conjunction with a mortise lock. Include exit device and mortise lock templates when ordering. (If not being paired with either, please advise.)

Stud locations shown above are an indication that an exit device can be mated to these pulls. This is not indicating a standard pattern of these studs, we can custom manufacture the pull to the exit device required.

No.	Integral Latch Guard	Textured Black Grip	Size	Weight
VRT12	No	No	5 ⁷ / ₈ " x 12"	2.3 lbs
VRT22	No	Yes	5 ⁷ / ₈ " x 12"	2.3 lbs
VRT14	Yes	No	6 ³ / ₄ " x 12"	3.2 lbs
VRT24	Yes	Yes	6 ³ / ₄ " x 12"	3.2 lbs
VRT16	No	No	5 ³ / ₈ " x 12"	2.5 lbs
VRT26	No	Yes	5 ³ / ₈ " x 12"	2.5 lbs
VRP30	N/A	No	4" x 16" - 2 ¹¹ / ₁₆ " Proj.	3.25 lbs

Required Order Information (Please supply all required templates)

Qty	Product #	Mating Manufacturer	Part #	Device Template #	Template # for Cylinder Hole Loc.	Cylinder Dia.	Door Handing	Single or Pair	Finish

NOTE: Orders will not be processed until all Templates have been received.

NOTE: Mounting hardware is not provided for VRT to attach with exit device.

300 Main Street

Rockwood, Pennsylvania 15557

P: 800.458.2424 • F: 800.922.9212

www.rockwoodmfg.com • orders.rockwood@assaabloy.com

Copyright © 2017, Rockwood Manufacturing Company, an ASSA ABLOY Group company. All rights reserved. Reproduction in whole or in part without the express written permission of Rockwood Manufacturing Company is prohibited.

Rockwood KB1150 Angle Plate Order Form


The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____

Angle of Bend (select one):
☐ 90° for Push Side of Square Door
☐ 90° for Pull Side of Square Door
☐ Other: _____
☐ 93° for Push Side of Beveled Door
☐ 87° for Pull Side of Beveled Door



Size: Height: _____ x Width: _____ x Return: _____

Quantity: LH/RHR: _____ RH/LHR: _____

Finish: _____

Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive ☐ No Hole/No Adhesive

☐ **UL:** *Max size is 56"H x 46 1/2"W; If selected, handing is required.

REQUIREMENT: If cut outs are required, specify the size and location.

Architectural Door Accessories

ASSA ABLOY

Rockwood KB1151 Two-Sided Angle Plate Order Form


The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____

- Angle of Bend** (select one):
- ☐ Both 90° for Push Side of Square Door
 - ☐ Both 90° for Pull Side of Square Door
 - ☐ One 90° Bend and One 93° Bend for Push Side of Beveled/Square Door
 - ☐ One 90° Bend and One 87° Bend for Pull Side of Beveled/Square Door
 - ☐ Both 93° for Push Side of Beveled Door
 - ☐ Both 87° for Pull Side of Beveled Door



Size: Height: _____ x Width: _____ x Return: _____

Quantity: LH/RHR _____ RH/LHR _____ **Finish:** _____

Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive ☐ No Hole/No Adhesive

☐ **UL:** *Max size is 56"H x 46 1/2"W; If selected, handing is required.

REQUIREMENT: If cut outs are required, specify the size and location.

Architectural Door Accessories

ASSA ABLOY

Rockwood KB1152 Bottom Angle Plate Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212


Customer Information

Contact Name: _____ Date: _____

Company Name: _____ Account #: _____

Street Address: _____ Phone/Fax: _____ / _____

City/State/Zip: _____ Email: _____



Size: Height: _____ x Width: _____ x Return: _____

Quantity: LH _____ RH _____ **Finish:** _____

Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive ☐ No Hole/No Adhesive

☐ **UL:** *Max size is 56"H x 46 1/2"W; If selected, handing is required.

REQUIREMENT: If cut outs are required, specify the size and location.

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 | F: 800.922.9212
www.assaabloydooraccessories.us | orders.rockwood@assaabloy.com

Copyright © 2019, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

OF-KB1152 2/19

Rockwood K1050 Notch Order Form



The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____

Handing Chart



Quantity: LH/RHR: _____ RH/LHR: _____

Finish: _____

Indicate if Plate is for Pull Side:

Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive ☐ No Hole/No Adhesive ☐ Truss
☐ Magnetic ☐ Counter Sunk (CSNK) ☐ Counter Sunk/Torx (CSNK/Torx) ☐ Hand Counter Sunk (HANDCSNK)

Options (choose all that apply): HBEV (Heavy Bevel) UL

NOTE: Beveled Edges included on all plates. *UL screwed apply only. Max size is 54"H x 46 1/2"W. *UL Location shown if applicable

Material Thickness is .050".

Rockwood K1050 Cylindrical Prep Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information



Contact Name: _____ Date: _____

Company Name: _____ Account #: _____


Street Address: _____ Phone/Fax: _____ / _____

City/State/Zip: _____ Email: _____

Handing Chart



*LH/RHR Push Side



*RH/LHR Push Side

Quantity: LH/RHR: _____ RH/LHR: _____

Finish: _____

Indicate If Plate Is For Pull Side:

Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive ☐ No Hole/No Adhesive ☐ Truss
☐ Magnetic ☐ Counter Sunk (CSNK) ☐ Counter Sunk/Torx (CSNK/Torx) ☐ Hand Counter Sunk (HANDCSNK)

Options (choose all that apply): HBEV (Heavy Bevel) ☐ UL ☐

NOTE: Beveled Edges included on all plates. *UL screwed apply only. Max size is 54"H x 46 1/2" W. *UL Location shown if applicable

Material Thickness is .050".

Architectural Door Accessories

ASSA ABLOY

Rockwood K1050 Louver Prep Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information




Contact Name: _____ Date: _____

Company Name: _____ Account #: _____


Street Address: _____ Phone/Fax: _____ / _____

City/State/Zip: _____ Email: _____

Handing Chart



**LH/RHR Push Side*



**RH/LHR Push Side*

Quantity: LH/RHR: _____ RH/LHR: _____

Finish: _____

Indicate If Plate Is For Pull Side:

Mounting: ☐ Standard ☐ Torx ☐ Tek ☐ Self-Adhesive ☐ No Hole/No Adhesive ☐ Truss
☐ Magnetic ☐ Counter Sunk (CSNK) ☐ Counter Sunk/Torx (CSNK/Torx) ☐ Hand Counter Sunk (HANDCSNK)

Options (choose all that apply): HBEV (Heavy Bevel) UL

*NOTE: Beveled Edges included on all plates. *UL screwed apply only. Max size is 54"H x 46 1/2"W. *UL Location shown if applicable*

Material Thickness is .050".


Rockwood RM751 Flat Edge Pull Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____



Quantity: _____ Finish: _____

Customer Note: If solid edge required please specify size: ☐ A = $\varnothing 5/16"$ ☐ B = $\varnothing 3/8"$ ☐ C = $\varnothing 1/2"$

Customer Note: Please specify thickness of any cladding material being used on the door.

Architectural Door Accessories

ASSA ABLOY

Rockwood RM752 Flat Edge Pull Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212



Customer Information

Contact Name: _____ Date: _____

Company Name: _____ Account #: _____

Street Address: _____ Phone/Fax: _____ / _____

City/State/Zip: _____ Email: _____



Quantity: _____ Finish: _____

Customer Note: If solid edge required please specify size: ☐ A = $\varnothing 5/16"$ ☐ B = $\varnothing 3/8"$ ☐ C = $\varnothing 1/2"$

Customer Note: Please specify thickness of any cladding material being used on the door.



Rockwood RM753 Bevel Edge Pull Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____



Quantity: _____ Finish: _____

Customer Note: If solid edge required please specify size: ☐ A = $\varnothing 5/16"$ ☐ B = $\varnothing 3/8"$ ☐ C = $\varnothing 1/2"$

Customer Note: Please specify thickness of any cladding material being used on the door.

Architectural Door Accessories

ASSA ABLOY



Rockwood RM754 Bevel Edge Pull Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____



Quantity: _____ Finish: _____

Customer Note: If solid edge required please specify size: ☐ A = $\varnothing 5/16"$ ☐ B = $\varnothing 3/8"$ ☐ C = $\varnothing 1/2"$

Customer Note: Please specify thickness of any cladding material being used on the door.

Architectural Door Accessories

ASSA ABLOY



Rockwood RM755 Double Edge Flat Pull Order Form

The global leader in
door opening solutions

Fill out this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Contact Name: _____ Date: _____
Company Name: _____ Account #: _____
Street Address: _____ Phone/Fax: _____ / _____
City/State/Zip: _____ Email: _____



Quantity: _____ Finish: _____

Customer Note: If solid edge required please specify size: ☐ A = $\varnothing 5/16"$ ☐ B = $\varnothing 3/8"$ ☐ C = $\varnothing 1/2"$

Customer Note: Please specify thickness of any cladding material being used on the door.

Architectural Door Accessories

ASSA ABLOY

Rockwood Full Height LP3301 Order Form

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800.922.9212

Customer Information

Company Name: _____ Date: _____



Account #: _____ Phone/Fax: _____ / _____

Email: _____ PO #: _____ Line #: _____

☐ Full Height
Bolt Up (FHU) Qty: _____

☐ Full Height
Bolt Down (FHD) Qty: _____

☐ Full Height Bolts
Both (FHB) Qty: _____



NOTE: Cylinder must be located 34"-48" above finished floor to meet ADA requirements.
California ADA requires cylinder to be located 36"-46" above finished floor.

*Bolts shown at top and bottom for visual purposes.
Bolt(s) will be dependent on application chosen.

Finish: _____

Top CTC (from 10" to 80"): _____

Bottom CTC (from 10" to 80"): _____

Top End to Post (from 3" to 12" in 1/16" increments): _____

Bottom End to Post (from 3" to 12" in 1/16" increments): _____

Door Type: ☐ Glass ☐ Metal ☐ Wood

Door Thickness: _____

Hole Size (for glass door application only): _____

Cylinder Type: ☐ 01-Stock Yale

☐ 02-SFIC Housing (standard)

☐ 03-SFIC Housing w/PCC

☐ 05-Customer Provided

☐ 07-Dummy Cylinder

☐ 09-7 PIN SFIC HSG w/Yale Core

Thumbturn Type: ☐ ADA ☐ Standard

NOT TO SCALE

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

OF-LP FULHTS - 10/18

Architectural Door Accessories

ASSA ABLOY

Rockwood Half Height LP3301 Order Form

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212


Customer Information

Company Name: _____ Date: _____


Account #: _____ Phone/Fax: _____ / _____

Email: _____ PO #: _____ Line #: _____

☐ Half Height Bolts Up (DBU) Qty: _____



☐ Half Height Bolts Down (DBD) Qty: _____



Note: Cylinder must be located 34"-48" above finished floor to meet ADA requirements.
California ADA requires cylinder to be located 36"-46" above finished floor.

Push Bar Options: ☐ BEPB - Bent End Both Sides ☐ BEPC - Bent End Cylinder Side ☐ BEPT - Bent End Thumbturn Side
☐ PMPB - Post MT Both Sides ☐ PMPC - Post MT Cylinder Side ☐ PMPT - Post MT Thumbturn Side

Finish: _____

CTC (from 10" to 80"): _____

End to Post (from 3" to 12" in 1/16" increments): _____

Door Type: ☐ Glass ☐ Metal ☐ Wood

Door Thickness: _____

Hole Size (for glass door application only): _____

Cylinder Type: ☐ 01-Stock Yale ☐ 02-SFIC Housing (standard) ☐ 03-SFIC Housing w/PCC
☐ 05-Customer Provided ☐ 07-Dummy Cylinder ☐ 09-7 PIN SFIC HSG w/Yale Core

Thumbturn Type: ☐ ADA ☐ Standard

Handing (required with Horizontal Push Bar only-Specify Qty): ☐ LH _____ ☐ LHR _____ ☐ RH _____ ☐ RHR _____

Push Bar CTC (from 10" to 48" - required with Horizontal Push Bar only): _____

NOT TO SCALE

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

OF-LP HLFHTS - 09/18

Architectural Door Accessories

ASSA ABLOY





VRT12/VRT12C for Corbin Russwin ED5200 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Architectural Door Accessories

ASSA ABLOY

VRT12/VRT12C for Precision 2100A Series Exit Devices

The global leader in
door opening solutions





Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____

Account #: _____ Phone/Fax: _____ / _____

Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street

Rockwood, Pennsylvania 15557

P: 800.458.2424 • F: 800.922.9212

www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

OF-VRT12 12/18





VRT12/VRT12C for Sargent 8800 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

Architectural Door Accessories

ASSA ABLOY





VRT14/VRT14C for Corbin Russwin ED5200 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 | F: 800.922.9212
www.assaabloydooraccessories.us | orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Architectural Door Accessories

ASSA ABLOY


VRT14/VRT14C for Precision 2100A Series Exit Devices

The global leader in
door opening solutions


Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information


Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____




LHR: QTY _____ Finish _____



RHR: QTY _____ Finish _____



LHR: QTY _____ Finish _____



RHR: QTY _____ Finish _____

☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 | F: 800.922.9212
www.assaabloydooraccessories.us | orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.


VRT14/VRT14C for Sargent 8800 Series Exit Devices

The global leader in
door opening solutions


Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information


Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____




LHR: QTY _____ Finish _____



RHR: QTY _____ Finish _____



LHR: QTY _____ Finish _____



RHR: QTY _____ Finish _____

☐ **Note: If custom dimension please provide further information.**

Architectural Door Accessories

ASSA ABLOY


VRT16/VRT16C for Corbin Russwin ED5200 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Architectural Door Accessories

ASSA ABLOY





VRT16/VRT16C for Precision 2100A Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.





VRT16/VRT16C for Sargent 8800 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

Architectural Door Accessories

ASSA ABLOY





VRT22/VRT22C for Corbin Russwin ED5200 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Architectural Door Accessories

ASSA ABLOY





VRT22/VRT22C for Precision 2100A Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.





VRT22/VRT22C for Sargent 8800 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

Architectural Door Accessories

ASSA ABLOY





VRT24/VRT24C for Corbin Russwin ED5200 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 | F: 800.922.9212
www.assaabloydooraccessories.us | orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

Architectural Door Accessories

ASSA ABLOY


VRT24/VRT24C for Precision 2100A Series Exit Devices

The global leader in
door opening solutions


Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information


Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____




LHR: QTY _____ Finish _____



RHR: QTY _____ Finish _____



LHR: QTY _____ Finish _____



RHR: QTY _____ Finish _____

☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 | F: 800.922.9212
www.assaabloydooraccessories.us | orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.





VRT24/VRT24C for Sargent 8800 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

Architectural Door Accessories

ASSA ABLOY


VRT26/VRT26C for Corbin Russwin ED5200 Series Exit Devices

The global leader in
door opening solutions

Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____
Account #: _____ Phone/Fax: _____ / _____
Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

OF-VRT26 10/18

Architectural Door Accessories

ASSA ABLOY

VRT26/VRT26C for Precision 2100A Series Exit Devices

The global leader in
door opening solutions





Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____

Account #: _____ Phone/Fax: _____ / _____

Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**

300 Main Street
Rockwood, Pennsylvania 15557
P: 800.458.2424 • F: 800.922.9212
www.assaabloydooraccessories.us • orders.rockwood@assaabloy.com

Copyright © 2018, ASSA ABLOY Accessories and Door Controls Group, Inc. All rights reserved. Reproduction in whole or in part without the express written permission of ASSA ABLOY Accessories and Door Controls Group, Inc. is prohibited.

VRT26/VRT26C for Sargent 8800 Series Exit Devices

The global leader in
door opening solutions





Complete this form and email to: orders.rockwood@assaabloy.com / or fax to: 800-922-9212

Customer Information

Company Name: _____ Date: _____

Account #: _____ Phone/Fax: _____ / _____

Email: _____ PO #: _____ Line #: _____



☐ **Note: If custom dimension please provide further information.**