

WARDROBE HOOKS

Solid Brass & Aluminum



- All Ives hooks on this page are constructed of solid brass or cast aluminum that conforms to ANSI/BHMA A156.16 L13113 for brass and L33113 for aluminum
- All hooks include installation screws

Packing & Sold In: As shown below.

Sold In: Both broken and full box quantities. Discount available for full box orders.



A
Traditional
Double Prong

B
Wide Body
Double Prong



C
C-Shaped
Double Prong



D
Large
Double Prong

	Finish	Item#	Dimensions	Material	Box Qty
A	TRADITIONAL DOUBLE PRONG – 3" PROJECTION				
	Bright Brass	IV571A3	1-1/4"W x 1-3/4"H	Aluminum	50
	Antique Brass	IV571A5	1-1/4"W x 1-3/4"H	Aluminum	20
	Bright Nickel	IV571A14	1-1/4"W x 1-3/4"H	Aluminum	20
	Aluminum	IV571A92	1-1/4"W x 1-3/4"H	Aluminum	20
	White Epoxy	IV571A-W	1-1/4"W x 1-3/4"H	Aluminum	20
	Black Epoxy	IV571A-BLK	1-1/4"W x 1-3/4"H	Aluminum	20
	Bright Brass	IV571MB3	1-1/4"W x 1-3/4"H	Solid Brass	10
	Antique Brass	IV571MB5	1-1/4"W x 1-3/4"H	Solid Brass	10
	Oil Rub Bronze	IV571MB10B	1-1/4"W x 1-3/4"H	Solid Brass	10
	Satin Nickel	IV571MB15	1-1/4"W x 1-3/4"H	Solid Brass	10
	Bright Chrome	IV571MB26	1-1/4"W x 1-3/4"H	Solid Brass	10
	Satin Chrome	IV571MB26D	1-1/4"W x 1-3/4"H	Solid Brass	10

B	WIDE BODY DOUBLE PRONG – 2-1/2" PROJECTION				
	Bright Brass	IV405A3	7/8"W x 1-1/2"H	Aluminum	50
	Bright Nickel	IV405A14	7/8"W x 1-1/2"H	Aluminum	50

C	C-SHAPED DOUBLE PRONG – 3-3/4" PROJECTION				
	Bright Chrome	IV574A26	1-3/4"W x 1-5/8"H x Overall Height = 5"	Aluminum	15

D	LARGE DOUBLE PRONG – 3-5/8" PROJECTION				
	Bright Brass	IV575A3	1-3/8"W x 2-1/4"H x Overall Height = 5-3/4"	Aluminum	10
	Aluminum	IV575A92	1-3/8"W x 2-1/4"H x Overall Height = 5-3/4"	Aluminum	10

	(E) SINGLE PRONG		(F) DOUBLE PRONG	
Finish	Aluminum 1-5/8" Projection 1-1/4"W x 1-1/4"H Item# (Box Qty)	Solid Brass 1-11/16" Projection 1-1/4"W x 1-1/4"H Item # (Box Qty)	Aluminum 1-3/32" Projection 1-3/16"W x 1-1/16"H Item # (Box Qty)	Solid Brass 1" Projection 1-1/4"W x 1-1/8"H Item # (Box Qty)
Bright Brass	IV581A3 (20)	IV581MB3 (10)	IV582A3 (20)	IV582MB3 (10)
Antique Brass	-	-	IV582A5 (50)	-
Satin Nickel	-	IV581MB15 (10)	-	IV582MB15 (10)
Bright Nickel	IV581A14 (50)	-	IV582A14 (50)	-
Bright Chrome	-	IV581MB26 (10)	-	IV582MB26 (10)
Satin Chrome	-	IV581MB26D (10)	-	IV582MB26D (10)
Aluminum	IV581A92 (20)	-	IV582A92 (20)	-
Black Epoxy	IV581A-BLK (20)	-	IV582A-BLK (20)	-
White Epoxy	IV581A-W (20)	-	IV582A-W (20)	-



E
Single Prong



F
Double Prong

SECTION O BUILDERS HARDWARE

HOOKS

WARDROBE HOOKS

Zinc

- Amerock's standard line of wardrobe hooks
- Six different types of hooks: Small Single Prong, Medium Coat & Hat, Large Coat & Hat, Double Prong Robe, Pilltop Coat & Hat & Contemporary
- Available in four finishes: Silver, Oil Rubbed Bronze, White & Chrome
- Hooks are made of zinc
- All hooks include installation screws



	Silver Finish Item#	Oil Rubbed Brze Finish Item #	White Finish Item #	Chrome Finish Item#	Hook Dimensions	Projection	Box Qty
SMALL SINGLE PRONG HOOK							
A	AMH55440-S	AMH55440-ORB	-	-	1-11/16"H x 3/4"W	1-1/2"	10
MEDIUM COAT & HAT HOOK							
B	AMH55445-S	AMH55445-ORB	AMH55445-GW	-	3-1/4"H x 13/16"W	2-1/2"	10
LARGE COAT & HAT HOOK							
C	AMH55451-S	AMH55451-ORB	AMH55451-GW	-	4-1/4"H x 1"W	4"	10
DOUBLE PRONG ROBE HOOK							
D	AMH55457-S	AMH55457-ORB	AMH55457-GW	AMH55457-26	2-7/8"H x 2-7/8"W	1-1/2"	10
PILLTOP COAT & HAT HOOK							
E	AMH55465-S	AMH55465-ORB	-	-	5-1/2"H x 1-1/2"W	3-1/2"	10
GLOBE COAT & HAT HOOK							
F	-	-	-	AMH55469-W26	6-1/4"H x 1-1/2"W	3-1/4"	10
CONTEMPORARY COAT & HAT HOOK							
G	AMH55472-S	-	-	-	5"H x 1-3/16"W	3-1/2"	10

WARDROBE HOOKS

Zinc

- Made of Zinc and available in 8 finishes
- Includes four 8/32" x 1" installation screws
- One type, double prong
- Base: 1-1/16"

Packing & Sold In: Each



Item#	Dimensions	Finish
BQ8010-03	3/8"W x 3-1/16"H x 4"L	Polished Brass
BQ8011-26	3/8"W x 3-1/16"H x 4"L	Polished Chrome
BQ8012-PN	3/8"W x 3-1/16"H x 4"L	Brushed Nickel
BQ8013-WN	3/8"W x 3-1/16"H x 4"L	Weathered Nickel
BQ8014-55	3/8"W x 3-1/16"H x 4"L	Satin Black
BQ8015-ORB	3/8"W x 3-1/16"H x 4"L	Oil Rubbed Bronze
BQ8016-VB	3/8"W x 3-1/16"H x 4"L	Venetian Bronze
BQ8017-LWI	3/8"W x 3-1/16"H x 4"L	Weathered Iron

WARDROBE HOOKS



- Made of Zinc Die Cast
- Screws included: Yes
- Screw size: 6 x 1"
- Length: 5-1/5"
- Projection: 2-4/9"
- Width: 1-3/8"

Packing & Sold In: Each




Item #	Finish
LAB46305-OB-CE	Distressed Oil Rubbed Bronze

HOOK RACKS

Zinc & Wood

**NEW
ITEM!**

- Amerock's line of hook racks
- Seven different types of racks: Four Hooks Key & Gadget, Three Hooks Beadboard, Four Hooks Contemporary, Four Hooks Classic, Six Hooks Classic, Three Hooks Beveled & Five Hooks Beveled
- Finish combinations are listed below
- Hooks are made of zinc and racks are made of wood
- All hook racks include installation screws



	Hook Finish	Rack Finish	Item #	Hook Dimensions (Height x Width x Projection)	Rack Dimensions (Height x Length x Projection)	Overall Proj.	Box Qty
FOUR HOOKS KEY & GADGET RACK, 9" LENGTH							
A	Silver	White	AMH55590-WS	7/8" x 1/2" x 1-1/4"	1-11/16" x 8-3/4" x 5/8"	1-7/8"	6
B	White	White	AMH55590-WGW	7/8" x 1/2" x 1-1/4"	1-11/16" x 8-3/4" x 5/8"	1-7/8"	6
C	Silver	Mahogany	AMH55590-MS	7/8" x 1/2" x 1-1/4"	1-11/16" x 8-3/4" x 5/8"	1-7/8"	6
D	Oil-Rub Bronze	Honey Pine	AMH55590-HORB	7/8" x 1/2" x 1-1/4"	1-11/16" x 8-3/4" x 5/8"	1-7/8"	6
THREE HOOKS BEADBOARD RACK, 18" LENGTH							
E	White/Chrome	White	AMH55640-WW26	6" x 1-7/16" x 3-1/4"	4-5/8" x 18" x 13/16"	3-7/8"	2
FOUR HOOKS CONTEMPORARY RACK, 18" LENGTH							
F	Silver	Mahogany	AMH55643-MS	5-1/8" x 1-1/8" x 1-1/8"	2-3/4" x 18" x 5/8"	4-1/8"	2
FOUR HOOKS CLASSIC RACK, 18" LENGTH							
G	Silver	White	AMH55646-WS	3-1/2" x 13/16" x 2-3/8"	4-3/4" x 18" x 5/8"	3"	2
H	White	White	AMH55646-WGW	3-1/2" x 13/16" x 2-3/8"	4-3/4" x 18" x 5/8"	3"	2
SIX HOOKS CLASSIC RACK, 27" LENGTH							
I	Silver	White	AMH55651-WS	4-5/8" x 1" x 3-5/8"	3-9/16" x 27" x 5/8"	4-1/4"	2
J	White	White	AMH55651-WGW	4-5/8" x 1" x 3-5/8"	3-9/16" x 27" x 5/8"	4-1/4"	2
THREE HOOKS BEVELED RACK, 18" LENGTH							
K	Silver	White	AMH55656-WS	5-1/2" x 7/16" x 3-1/2"	4" x 18" x 13/16"	4-1/4"	2
L	Oil-Rub Bronze	Mahogany	AMH55656-MORB	5-1/2" x 7/16" x 3-1/2"	4" x 18" x 13/16"	4-1/4"	2
M	Oil-Rub Bronze	Honey Pine	AMH55656-HORB	5-1/2" x 7/16" x 3-1/2"	4" x 18" x 13/16"	4-1/4"	2
FIVE HOOKS BEVELED RACK, 27" LENGTH							
N	Silver	White	AMH55662-WS	5-1/2" x 7/16" x 3-1/2"	4" x 27" x 13/16"	4-1/4"	2
O	Oil-Rub Bronze	Mahogany	AMH55662-MORB	5-1/2" x 7/16" x 3-1/2"	4" x 27" x 13/16"	4-1/4"	2
P	Oil-Rub Bronze	Honey Pine	AMH55662-HORB	5-1/2" x 7/16" x 3-1/2"	4" x 27" x 13/16"	4-1/4"	2

CEILING HOOKS

Double Ceiling Hook

- Made of cast aluminum and available in three finishes
- One type, double prong with 2-1/4" projection
- Includes installation screws

Packing: Full boxes of 50.

Sold In: Both broken and full box quantities.

Discount available for full box orders.



Item#	Dimensions	Finish	Box Qty
IV580A3	1-7/8"W x 1"H	Bright Brass	50
IV580A14	1-7/8"W x 1"H	Bright Nickel	50
IV580A92	1-7/8"W x 1"H	Aluminum	50


OVER-THE-DOOR HOOKS

Zinc

**NEW
ITEM!**

- Amerock's line of over-the-door hooks
- Two different types of hooks: Single Over-The-Door & Triple Over-The-Door
- Available in three finishes: Silver, Oil Rubbed Bronze & White
- Hooks are made of zinc
- All hooks include installation screws

Packing & Sold In: Each



	Silver Finish Item#	Oil Rubbed Bronze Finish Item #	White Finish Item #	Hook Dimensions	Rack Dimensions	Box Qty
SINGLE OVER-THE-DOOR HOOK						
A	AMH55540-S	AMH55540-ORB	AMH55540-GW	7"H x 1"W x 5-1/2"Projection	10"H x 7/8"L	4
TRIPLE OVER-THE-DOOR HOOK						
B	AMH55548-S	AMH55548-ORB	AMH55548-GW	7"H x 1"W x 5-1/2"Projection	10"H x 9"L	4

UTILITY HOOKS

Steel Material

- KV's line of heavy duty steel utility hooks
- Available in one finish: Anochrome
- Tested and meets ANSI/ BHMA A156.9-2003
- Supplied with steel screws

Packing: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.

A



B



	Dimensions	Anochrome Item#	Box Qty
SINGLE PRONG HOOKS			
A	5-1/2" Length	KVP3A-5-1/2	10
	10" Length	KVP3A-10	10
	3" Length	KV1132A-3	12
B	4" Length	KV1132A-4	12
	6" Length	KV1132A-6	12
	10" Length	KV1132A-10	12

UTILITY HOOKS


Stainless Steel

- Sugatsune's premium line of utility hooks
- NSF approved, utility hooks meet Food Equipment Industry Standards
- Constructed of 304 stainless steel material
- Available in: Mirror Stainless Steel or Polished Stainless Steel
- Supplied with stainless steel screws

Packing: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.



	Overall Height	Projection	Load Capacity	Mirror Stainless Steel Item#	Polished Stainless Steel Item#	Box Qty
SINGLE PRONG HOOKS						
A	1-37/64"H	1-1/32"	44 lbs.	SLEL25	-	30
	2-9/64"H	1-17/64"	44 lbs.	SLEL30	-	20
B	63/64"H	63/64"	44 lbs.	SLEP25	-	30
	1-19/64"H	1-17/64"	44 lbs.	SLEP40	-	20
C	1-29/64"H	1-27/32"	22 lbs.	SLFC50	-	40
	1-47/64"H	2-9/16"	26 lbs.	SLFC65	-	20
D	25/32"H	1-7/32"	15.4 lbs.	-	SLTY30	100
	29/32"H	1-7/16"	15.4 lbs.	-	SLTY35	50
	1-1/16"H	1-23/32"	17.6 lbs.	-	SLTY40	50


HANDRAIL BRACKETS

Brass & Aluminum

- Handrail brackets come in two sizes: 2-7/16" and 2-3/4" from wall to center of hand rail
- Brackets are made of solid brass and cast aluminum
- All items are supplied with screws and "u" brackets

Packing & Sold In: As shown below.

Sold In: Both broken and full box quantities. Discount available for full box orders.



	Item#	Finish	Overall Dimensions (Width X Height)	Wall to Center of Handrail	Material	Conforms to ANSI/ BHMA	Box Qty
SMALL HANDRAIL BRACKET							
A	IV059A3	Bright Brass	1-3/8"W x 2-1/4"H	2-7/16"	Aluminum	A156.16/L33061	20
	IV059A5	Antique Brass	1-3/8"W x 2-1/4"H	2-7/16"	Aluminum	A156.16/L33061	20
	IV059B15	Satin Nickel	1-3/8"W x 2-1/4"H	2-7/16"	Brass	A156.16/L13061	10
LARGE HANDRAIL BRACKET							
B	IV59A3	Bright Brass	1-1/2"W x 2-13/16"H	2-3/4"	Aluminum	A156.16/L33061	20
	IV59A5	Antique Brass	1-1/2"W x 2-13/16"H	2-3/4"	Aluminum	A156.16/L33061	20
	IV59A14	Bright Nickel	1-1/2"W x 2-13/16"H	2-3/4"	Aluminum	A156.16/L33061	20
	IV59A92	Aluminum	1-1/2"W x 2-13/16"H	2-3/4"	Aluminum	A156.16/L33061	20
	IV59MB3	Bright Brass	1-1/2"W x 2-13/16"H	2-3/4"	Brass	A156.16/L13061	10
	IV59MB15	Satin Nickel	1-1/2"W x 2-15/16"H	2-3/4"	Brass	A156.16/L13061	10
	IV59MB26D	Satin Chrome	1-1/2"W x 2-15/16"H	2-3/4"	Brass	A156.16/L13061	10
	IV59MB5	Antique Brass	1-1/2"W x 2-15/16"H	2-3/4"	Brass	A156.16/L130061	10

BACKSPLASH & COUNTERTOP RAILING SYSTEMS


5/8" Diameter Solid Brass Railing

- Lavi's premium line of solid brass backsplash and countertop railing system is made up of three components: Railing, Post Bracket, and Ball End Cap
- Available in two finishes: Bright Brass and Bright Chrome
- Railing is sold in 4' lengths and is 5/8" diameter and 3/64" thick

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: Each

	Dimensions	Fits Railing Size	Bright Brass Item#	Bright Chrome Item#
RAILING				
A	5/8" Dia. x 48"L	-	BC60PB-4	BC60PC-4
POST BRACKET				
B	1"W x 1-7/8"H	5/8"	BC382PB	BC382PC
BALL END CAP				
C	1 1/16"W x 3/4"H	5/8"	BC384PB	BC384PC*





BAR & FOOT RAILINGS

1", 1-1/2" & 2" Diameter Solid Brass/Stainless Steel Railing

- Available in two finishes: bright brass and satin stainless steel
- Bright Brass finish is made of solid brass
- Satin Stainless Steel finish is made of 304 stainless steel
- Three diameters available: 1", 1-1/2", and 2" and four lengths available: 4', 6', 8' and 12'
- Railing is 3/64" thick
- Rust resistant
- Bar railing sleeves have an inside friction fit which tightly connects two lengths of railing together
- Sleeves are sold separately, see below

Packing & Sold In: Each

	Dimensions (Diameter x Thickness)	Length	Bright Brass Item#	Satin Stainless Steel Item#
A	1"Dia. x 3/64"Thick	4'	BC100-48	-
	1"Dia. x 3/64"Thick	6'	BC100-72	-
	1"Dia. x 3/64"Thick	8'	BC100-96	-
	1-1/2"Dia. x 3/64"Thick	4'	BC110-48	BC110-48SS
	1-1/2"Dia. x 3/64"Thick	6'	BC110-72	BC110-72SS
	1-1/2"Dia. x 3/64"Thick	8'	BC110-96	BC110-96SS
	1-1/2"Dia. x 3/64"Thick	12'	BC110-144	BC110-144SS
	2"Dia. x 3/64"Thick	4'	BC120-48	BC120-48SS
	2"Dia. x 3/64"Thick	6'	BC120-72	BC120-72SS
	2"Dia. x 3/64"Thick	8'	BC120-96	BC120-96SS
B	2"Dia. x 3/64"Thick	12'	BC120-144	BC120-144SS
	Sleeve Item #		Description	
	BC830-1		1" diameter sleeve connector	
	BC830-1H		1-1/2" diameter sleeve connector	
	BC830-2		2" diameter sleeve connector	






BAR RAILING WALL & CUT FLANGES

Solid Brass & Stainless Steel

- Two flange types are available: full round and cut flange
- Available in two finishes: Bright Brass and Satin Stainless Steel
- Bright Brass finish is made of solid brass
- Satin Stainless Steel finish is made of 304 stainless steel
- Sold with screws

Packing & Sold In: Each

	Diameter x Height	Fits Railing Diameter	Bright Brass Item#	Satin Stainless Steel Item#
FULL ROUND FLANGES				
A	2"D x 7/8"H	1"	BC500-1	-
	3"D x 1-1/4"H	1-1/2"	BC510-1H	BC510-1HSS
	4"D x 1-1/4"H	2"	BC530-2	BC530-2SS
CUT FLANGES				
B	3"D x 2"W	1-1/2"	BC511-1H	BC511-1HSS
	4"D x 2-1/2"W	2"	BC531-2	BC531-2SS



BRASS BAR RAILING FLANGE CANOPY

Steel

**NEW
ITEM!**



- Steel flange is internally threaded to accept the 12" steel pipe that is then inserted into the brass rail. Flange canopy covers the steel flange
- Flange canopy is made of Solid Brass with a Bright Brass finish

Packing & Sold In: Each

Item #	Depth	Height	Fits Tubing Diameter
BC540-1H	4"	1-1/2"	1-1/4"



BRASS BAR RAILING FLOOR FLANGE

Steel

**NEW
ITEM!**



- 2" x 5" steel floor flange
- Made of Solid Brass with a Bright Brass finish

Packing & Sold In: Each

Item #	Depth	Height	Fits Tubing Diameter
BC532-2	5"	1-3/8"	2"



SECTION O




BUILDERS HARDWARE

BAR RAILING FOOTRAIL/ARMRAIL BRACKETS

Solid Brass & Stainless Steel

- Available in two finishes: Bright Brass and Satin Stainless Steel
- Bright Brass finish is made of solid brass
- Satin Stainless Steel finish is made of 304 stainless steel
- Three mounting types: Bar, Floor and combination Bar/Floor
- 4 foot spacing between brackets is recommended
- Sold with screws

Packing & Sold In: Each



	Dimensions	Fits Railing Size	Bright Brass Item#	Satin Stainless Steel Item#
BAR MOUNT FOOTRAIL/ARMRAIL BRACKETS				
A	6-1/16"CP x 4"B	1-1/2"	BC402-1H	BC402-1HSS
	6-7/8"CP x 4-1/4"B	2"	BC402-2	BC402-2SS
FLOOR MOUNT FOOTRAIL/ARMRAIL BRACKETS				
B	6"CP x 6-5/16"B	1-1/2"	BC404-1H	-
	6-1/8"CP x 6-11/16"B	2"	BC404-2	-
BAR/FLOOR MOUNT FOOTRAIL/ARMRAIL BRACKETS				
C	6-7/16"CP x 6-5/8"H	1-1/2"	BC400-1H	BC400-1HSS
	6-1/8"CP x 7"H	2"	BC400-2	BC400-2SS
BAR/FLOOR MOUNT FOOTRAIL/ARMRAIL BRACKET - VICTORIAN				
D	8-1/8"CP x 4-11/16"B	2"	BC410-2	-




BAR RAILING HANDRAIL/POST BRACKETS

Solid Brass & Stainless Steel

- Available in two finishes: Bright Brass and Satin Stainless Steel
- Bright Brass finish is made of solid brass
- Satin Stainless Steel finish is made of 304 stainless steel
- Sold with screws

Packing & Sold In: Each

	Dimensions	Fits Railing Size	Bright Brass Item#	Satin Stainless Steel Item#
FLUSH CENTER POST				
A	2-7/16"CP x 2-5/16"D	1-1/2"	BC342-1HPB	BC342-1HSS
BALL END POST				
B	2-3/4"CP x 2-15/16"D	1-1/2"	BC330-1H	-
	3"CP x 3-3/8"D	2"	BC330-2	-
	5"CP x 3-1/4"D	2"	BC334-2	-
BALL CENTER POST				
C	2-3/4"CP x 2-15/16"D	1-1/2"	BC332-1H	-
	5"CP x 3-1/4"D	2"	BC336-2	-
STANDARD HANDRAIL BRACKET				
D	2-1/2"CP x 2-1/2"D	1-1/2"	BC301-1H	BC301-1HSS
	2-3/4"CP x 2-1/2"D	2"	BC301-2	BC301-2SS




BAR RAILING FLUSH & BALL FITTINGS

Solid Brass & Stainless Steel

- Available in two finishes: Bright Brass and Satin Stainless Steel
- Bright Brass finish is made of solid brass
- Satin Stainless Steel finish is made of 304 stainless steel ball 90° Ell and Ball Tee

Packing & Sold In: Each

	Dimensions	Fits Railing Size	Bright Brass Item#	Satin Stainless Steel Item#
90° ELL FLUSH FITTINGS				
A	2"W x 2"L	1-1/2"	BC732-1H	-
	2-1/2"W x 2-1/2"L	2"	BC732-2	BC732-2SS
RADIUS ELL FLUSH FITTINGS				
B	2-7/8"W x 2-7/8"L	1-1/2"	BC731-1H	BC731-1HSS
	3"W x 3"L	2"	BC731-2	BC731-2SS
135° ANGLE FLUSH FITTINGS				
C	2-15/16"W x 3"L	1-1/2"	BC730-1H	BC730-1HSS
	2-7/8"W x 3-3/8"L	2"	BC730-2	BC730-2SS
BALL 90° ELL TRADITIONAL FITTINGS				
D	2-1/2"D x 2-3/4"L	1-1/2"	BC702-1H	BC702-1HSS
	3-1/4"D x 3-1/4"L	2"	BC702-2	BC702-2SS
BALL TEE TRADITIONAL FITTINGS				
E	2-1/2"D x 2-3/4"L	1-1/2"	BC704-1H	BC704-1HSS
	3-1/4"D x 3-3/8"L	2"	-	BC704-2SS




BAR RAILING END CAPS & FINIALS

Solid Brass & Stainless Steel

- Caps the open rail ends of handrails and footrails
- Available in five styles: Outer, Inner, Half Ball, Ball Finial, and Scroll Finial
- Bright Brass finish is made of solid brass
- Satin Stainless Steel finish is made of 304 stainless steel

Packing & Sold In: Each

	Dimensions	Fits Railing Size	Bright Brass Item#	Satin Stainless Steel Item#
OUTER END CAP				
A	2-1/8"D x 7/8"H	2"	BC600W-2	-
INNER END CAP				
B	1-1/2"D x 1/8"H	1-1/2"	BC600-1H	BC600-1HSS
	2"D x 1/8"H	2"	BC600-2	BC600-2SS
HALF BALL END CAP				
C	1-1/2"D x 3/4"H	1-1/2"	BC602-1H	BC602-1HSS
	2"D x 1"H	2"	BC602-2	BC602-2SS
BALL FINIALS				
D	2-5/8"D x 3-1/4"H	1-1/2"	BC604-1H	-
	3-1/8"D x 4-1/2"H	2"	BC604-2	-
SCROLL FINIALS				
E	2-3/4"W x 2-7/8"H	1-1/2"	BC606-1H	-
	3-1/4"W x 2-1/2"H	2"	BC606-2	-



BRASS BAR RAILING, ACCESSORIES

Packing & Sold In: Each

Item#	Description
SCREW ASSORTMENT	
A BC206	Screw assortment includes: (6) #10 woodscrews 1-1/2" long, (3) #12 woodscrews 2" long, (4) #8 self-tapping machine screws 1" long, (1) 8-5/8" long self-tapping machine screw
METAL POLISH	
B BC202	Metal polish used to repolish uncoated brass, aluminum and stainless steel (6.33 oz. tube)
CONTACT CEMENT	
C BC201	Contact cement used to firmly adhere solid brass connections. Anaerobic cement sets in the absence of air - container is only half full (1 oz.)



A - Screw Assortment



C - Contact Cement



B - Metal Polish





HAND & FOOT RAIL KITS

1-1/2" & 2" Diameter Tubing

- Handrail kits feature 1-1/2" diameter tubing while foot rail kits include 2" diameter rails
- Kits include all material necessary to construct 8' or 12' long straight railing system
- Hand and foot rail kits are available in Bright Brass and Satin Stainless Steel finishes
- All kit components are securely packaged together in a single box to provide convenient transport to the job site and easy assembly/installation


Packing and Sold In: Each



	Bright Brass Item#	Satin Stainless Steel Item#	Description	Kit Includes
A	BC00-HR1008-1H	BC44-HR1008-1H	8' Hand Rail Kit	(2) 1-1/2"Dia. x 4'L Rails, (3) Brackets, (1) Internal Sleeve, & (2) End Caps
	BC00-FR1008-2	BC44-FR1008-2	8' Foot Rail Kit	(2) 2"Dia. x 4'L Rails, (3) Brackets, (1) Internal Sleeve, & (2) End Caps
B	BC00-HR1012-1H	BC44-HR1012-1H	12' Hand Rail Kit	(1) 1-1/2"Dia. x 3'8"L Rail, (2) 1-1/2"Dia. x 4'2"L Rails, (4) Brackets, (2) Internal Sleeves, & (2) End Caps
	BC00-FR1012-2	BC44-FR1012-2	12' Foot Rail Kit	(1) 2"Dia. x 3'8"L Rail, (2) 2"Dia. x 4'2"L Rails, (4) Brackets, (2) Internal Sleeves, & (2) End Caps

ACCESSORIES

	Item #	Description
C	BC202	Metal polish used to re-polish uncoated brass, aluminum and stainless steel (6.33 oz. tube)
D	BC201	Contact cement used to firmly adhere solid brass connections. Anaerobic cement sets in the absence of air - container is only half full (1 oz.)




TOILET PARTITION HARDWARE TECHNICAL INFORMATION



General Information

Jacknob® Corp. has been supplying the highest quality partition hardware for over 40 years. The following pages depict just some of the items that are available from Baer Supply Company's inventory. There are literally hundreds of additional items available on special order as well as other finishes (brass, polished brass and cast or stamped stainless steel). Special orders are shipped within 72 hours. Contact your territory representative or our inside sales department to receive a complete catalog of the products available.

About ADA Compliance: The American Disabilities Act (ADA) of 1992 was enacted to make accessible all areas of public, municipal and commercial buildings to the physically challenged. Public lavatories and restrooms require special consideration to comply with these new and vigorously enforced regulations. The Jacknob® Corporation has placed specific emphasis on thoroughly understanding and providing the correct hardware to satisfy these new laws, and is ready to supply what you need to come up to code. While their hardware meets or exceeds the new ADA guidelines, they and Baer Supply Company do indemnify ourselves as corporate and individual entities against situations of installation and actions of others as beyond our control.



TOILET DOOR HARDWARE KIT


Mortise Hinge Kits - Swing-In & Swing-Out Versions

- Jacknob's toilet door hardware kit with mortise hinges
- In-swing means the partition door will swing in towards the toilet
- Out-swing means the partition door will swing away from the toilet
- Mortise hinges provide 110° of opening
- All hardware kits will complete one door
- Two finishes available: Zamak with a chrome plating and cast stainless steel
- Mortise hinges are designed to be used on partitions/pilasters that are 1-1/4" thick
- Two versions of hinges are available: one kit for 7/8" thick doors and one kit for 1" thick doors
- Items on this page are sold as complete kits, all items represented on this page can be also individually purchased (see next page)
- All hardware kits are supplied with mounting screws

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: Each


Jacknob



	Zamak w/ Chrome Finish Item#	Cast Stainless Steel w/ Stainless Steel Finish Item#	For Door/ Thickness of:	Kits Include:
IN-SWING TOILET DOOR HARDWARE KIT – INCLUDING MOUNTING SCREWS				
A	JN11000	JN11003*	1" Door	(1)110° Top Hinge, (1)Top Insert, (1)110° Bottom Hinge, (1)Bottom Insert, (1)Hinge Pin, Strike/Keeper, (1)Latch & (1) Hook
	JN17800	JN17803*	7/8" Door	(1)110° Top Hinge, (1)Top Insert, (1)110° Bottom Hinge, (1) Bottom Insert, (1) Hinge Pin, Strike/Keeper, (1)Latch, & (1) Hook
OUT-SWING TOILET DOOR HARDWARE KIT – INCLUDING MOUNTING SCREWS				
B	JN21000	JN21003*	1" Door	(1)110° Top Hinge, (1)Top Insert, (1)110° Bottom Hinge, (1) Bottom Insert, (1) Hinge Pin, Strike/Keeper, (1) Latch, (1)Hook & (1)Door Pull
	JN27800	JN27803*	7/8" Door	(1)110° Top Hinge, (1) Top Insert, (1)110° Bottom Hinge, (1) Bottom Insert, (1) Hinge Pin, Strike/Keeper, (1) Latch, (1) Hook & (1) Door Pull

TOILET DOOR HARDWARE

Mortise Hinge and Toilet Door Components



TOILET DOOR HARDWARE COMPONENTS						
	Zamak w/ Chrome Finish Item#	Cast Stainless Steel w/ Stainless Steel Finish Item#	Description	Door Type	For Door Size Thickness	For Pilaster Size
C	JN3790	JN3793*	110° Mortise Top Hinge	In-Swing and Out-Swing	7/8" & 1"	1-1/4"
	JN2820	-	Mortise Top Insert	In-Swing and Out-Swing	1"	1-1/4"
	JN1540	-	Mortise Top Insert	In-Swing and Out-Swing	7/8"	1-1/4"
	JN99109	JN99119*	3/8"Dia. x 3-1/2"L Hinge Pin	In-Swing and Out-Swing	7/8" & 1"	1-1/4"
D	JN3290	JN3293*	110° Mortise Bottom Hinge	In-Swing and Out-Swing	7/8" & 1"	1-1/4"
	JN2810	-	Mortise Bottom Insert	In-Swing and Out-Swing	1"	1-1/4"
	JN1530	-	Mortise Bottom Insert	In-Swing and Out-Swing	7/8"	1-1/4"
E	JN5110	JN5113*	Strike/Keeper	In-Swing	7/8" & 1"	1-1/4"
F	JN5210	JN5213*	Strike/Keeper	Out-Swing	7/8" & 1"	1-1/4"
G	JN5020	JN5023*	Latch	In-Swing and Out-Swing	7/8" & 1"	1-1/4"
H	JN4000	JN4003*	Single Prong Hook	In-Swing	7/8" & 1"	1-1/4"
I	JN4020	JN4023*	Double Prong Hook	Out-Swing	7/8" & 1"	1-1/4"
J	JN6200	JN6203*	Door Pull	Out-Swing	7/8" & 1"	1-1/4"

TOILET DOOR HARDWARE KIT

Surface Mount Hinge Kits and Components

- Jacknob's toilet door hardware kit with surface mount hinges
- All hardware kits will complete one door
- All items are made of Zamak with a chrome plated finish, except for the surface mount hinges, they are made of Brass with a chrome plated finish
- The door hardware kit is designed for 1" thick doors and 1-1/4" thick pilasters
- The hand of the door is determined from the outside of the stall. Example: Facing the stall from the outside if the door swings into the stall and the hinges are on the right and this is an example of a right hand in-swing
- All items are available in hardware kits and individual components
- All hardware kits are supplied with mounting screws

Packing & Sold In: Each

Jacknob



Kit Includes

	Zamak w/ Chrome Finish Item#	Door Swing Direction	
IN-SWING HARDWARE KIT FOR 1" DOOR & 1-1/4" PILASTER – MOUNTING SCREWS INCLUDED			
A	JN20100	Left Hand, In-Swing	(2)Surface Mount Hinges(JN7021), (1)Strike/Keeper (JN5110), (1) Latch(JN5020) & (1)Hook(JN4000)
	JN20110	Right Hand, In-Swing	(2)Surface Mount Hinges(JN7011), (1)Strike/Keeper (JN5110), (1) Latch(JN5020) & (1)Hook(JN4000)
OUT-SWING HARDWARE KIT FOR 1" DOOR & 1-1/4" PILASTER - MOUNTING SCREWS INCLUDED			
B	JN20200	Left Hand, Out-Swing	(2)Surface Mount Hinges(JN7011), Strike/Keeper (JN5210), (1)Latch(JN5020), (1)Hook(JN4020) & (1) Door Pull(JN6200*)
	JN20210	Right Hand, Out-Swing	(2)Surface Mount Hinges(JN7021), Strike/Keeper (JN5210), (1)Latch(JN5020), (1)Hook(JN4020) & (1) Door Pull (JN6200*)



TOILET DOOR HARDWARE COMPONENTS

	Item#	Description	Door Type	Material	Finish
C	JN7011	Surface Mount Hinges	Right Hand In-Swing / Left Hand Out-Swing	Brass	Chrome Plated
	JN7021	Surface Mount Hinges	Left Hand In-Swing / Right Hand Out-Swing	Brass	Chrome Plated
D	JN5110	Strike/Keeper	In-Swing	Zamak	Chrome Plated
E	JN5210	Strike/Keeper	Out-Swing	Zamak	Chrome Plated
F	JN5020	Latch	In-Swing and Out-Swing	Zamak	Chrome Plated
G	JN4000	Single Prong Hook	In-Swing	Zamak	Chrome Plated
H	JN4020	Double Prong Hook	Out-Swing	Zamak	Chrome Plated
I	JN6200*	Door Pull	Out-Swing	Zamak	Chrome Plated

TOILET DOOR HARDWARE





Door Latches, Strike/Keepers, Hooks & Door Stops

Jacknob

- Jacknob's premium toilet partition hardware
- Stocked items are available in Zamak with a Chrome Plated finish
- Special Order items are available in Cast Stainless Steel with a Stainless Steel finish
- All items are not supplied with screws, the appropriate screw pack is sold separately, see below

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: Each



	Zamak w/ Chrome Finish Item#	Cast Stainless Steel w/ Stainless Steel Finish Item#	Description	Item Includes
A	JN5020	JN5023*	Latch, For In & Out-Swing Door	(1) Latch, No Screws
B	JN50	JN59*	Screws for Latch	(2) 1" Screws, (2) 1-1/8" Screws & (2) 5/8" Barrel Nuts
C	JN5110	JN5113*	Strike/Keeper, For In-Swing Door	(1) Strike/Keeper, No Screws
D	JN5210	JN5213*	Strike/Keeper, For Out-Swing Door	(1) Strike/Keeper, No Screws
E	JN10	JN19*	Screw Pack for Strike/Keepers	(2) 5/8" Barrel Nuts & (2) 1- 3/16" Shoulder Screws
F	JN4000	JN4003*	Hook w/Bumper, For In-Swing Doors	(1) Hook, No Screws
G	JN4020	JN4023*	Hook Double Prong, For Out-Swing Doors	(1) Hook, No Screws
H	JN100	JN109*	Screw Pack for Hooks	(3) 1" Tapping Screws
I	JN4151	-	Doors Stop, Pilaster Mounted	(1) Door Stop, No Screws
J	JN601*	JN609*	Screw Pack for Pilaster Mounted Door Stop	(2) 5/8" Barrel Nuts & (2) 1-5/16" Shoulder Screws

TOILET DOOR HARDWARE


Surface Mounted Hinge Kits



- Two hinge sets recommended for up to 50 lbs doors
- Three hinge sets recommended for up to 70 lbs doors
- Available in two hinge styles: round and square barrel
- JN7100 & JN7400 Series are recommended by DuPont for use on Corian doors
- The hand of the door is determined from the outside of the stall. Example: Facing the stall from the outside if the door swings into the stall the hinges are on the right and this is an example of a right hand in-swing
- All hinge kits have all necessary hardware and screws to install one door
- Kit includes: top hinge, bottom hinge and all necessary hardware and screws to install one door

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: Two and three hinge sets as outlined in table below.



	Item#	Description	Door Type	Material	Finish	2 or 3 Hing Packs
A	JN7011	3"H, Round Barrel	RH In-Swing / LH Out-Swing	Brass	Chrome Plated	2 Hinge Set
	JN7021	3"H, Round Barrel	LH In-Swing / RH Out-Swing	Brass	Chrome Plated	2 Hinge Set
B	JN7113	3"H, Round Barrel	RH In-Swing / LH Out-Swing	Cast Stainless Steel	Satin Stainless Steel	2 Hinge Set
	JN7123*	3"H, Round Barrel	LH In-Swing / RH Out-Swing	Cast Stainless Steel	Satin Stainless Steel	2 Hinge Set
C	JN7413	3"H, Square Barrel	RH In-Swing / LH Out-Swing	Cast Stainless Steel	Satin Stainless Steel	2 Hinge Set
	JN7423	3"H, Square Barrel	LH In-Swing / RH Out-Swing	Cast Stainless Steel	Satin Stainless Steel	2 Hinge Set
D	JN7553*	3"H, Round Barrel	RH In-Swing / LH Out-Swing	Cast Stainless Steel	Satin Stainless Steel	3 Hinge Set
	JN7563*	3"H, Round Barrel	LH In-Swing / RH Out-Swing	Cast Stainless Steel	Satin Stainless Steel	3 Hinge Set

TOILET DOOR HARDWARE

Piano Hinges



- Available in three styles: no spring and with spring right hand swing in and with spring, left hand swing in
- The hand of the door is determined from the outside of the stall. Example: Facing the stall from the outside if the door swings into the stall the hinges are on the right and this is an example of a right hand in-swing
- Piano hinges are 57-1/2" long and are not supplied with screws, screw kit sold separately below
- Screw pack is designed for 1" partitions

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: Each



Item#	Description	Door Type	Material	Finish
PIANO HINGES				
JN7649	16 Gauge x 3"W x 57-1/2"L	No Spring Close, Free Swinging	Stamped Stainless Steel	Stainless Steel
JN7659	16 Gauge x 3"W x 57-1/2"L	Spring Close, Right Hand In-Swing / Left Hand Out-Swing	Stamped Stainless Steel	Stainless Steel
JN7669*	16 Gauge x 3"W x 57-1/2"L	Spring Close, Left Hand In-Swing/Right Hand Out-Swing	Stamped Stainless Steel	Stainless Steel
PIANO HINGE SCREW PACK				
JN749	Piano Hinge Screw Pack	For 1" Partitions, Includes: (12) 5/8" Barrel Nuts & (12) 15/16" Shoulder Screws	Stainless Steel	Stainless Steel

TOILET PARTITION HARDWARE KITS

Partition Bracket Kits

- Available in five types of brackets: Panel (one and two ear), Pilaster (one and two ear), Urinal, Alcove and Angle
- Available in Zamak with a chrome plated finish and Cast Stainless Steel with a stainless steel finish
- Brackets are designed to hold material 3/4", 7/8", 1" or 1-1/4" thick (as noted in the table below)
- All hardware kits have all necessary hardware and screws to install one panel, except for the headrail bracket where screws are sold separately, see below

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: Each




Panel, One Ear



Panel, Two Ear



Pilaster,
One Ear




Pilaster,
Two Ear



Urinal Screen



Alcove



Angle



Headrail

Jacknob

	Zamak w/ Chrome Finish Item#	Cast Stainless Steel w/ Stainless Steel Finish Item#	Designed for Panel Thickness/No. of Ears	Kit Includes
PANEL BRACKET KITS – USED TO ATTACH PANEL TO WALL AND PILASTER				
A	JN15100	JN15103*	For 3/4" Panel/One Ear Brackets	(2)Wall Brackets, (2)"U" Brackets & Mounting Screws
	JN15090	JN15093*	For 7/8" Panel/One Ear Brackets	(2)Wall Brackets, (2)"U" Brackets & Mounting Screws
	JN15050	JN15053*	For 1" Panel/One Ear Brackets	(2)Wall Brackets, (2)"U" Brackets & Mounting Screws
B	JN15010	JN15013*	For 3/4" Panel/Two Ear Brackets	(2)Wall Brackets, (2)"U" Brackets & Mounting Screws
	JN15020	JN15023*	For 7/8" Panel/Two Ear Brackets	(2)Wall Brackets, (2)"U" Brackets & Mounting Screws
	JN15030	JN15033*	For 1" Panel/Two Ear Brackets	(2)Wall Brackets, (2)"U" Brackets & Mounting Screws
PILASTER BRACKET KITS – USED TO ATTACH PILASTER TO WALL				
C	JN15250	JN15253*	For 1" Pilaster/One Ear Brackets	(2)Wall Brackets & Mounting Screws
	JN15230	JN15233*	For 1-1/4" Pilaster/One Ear Brackets	(2)Wall Brackets & Mounting Screws
D	JN15280	JN15283*	For 1" Pilaster/Two Ear Brackets	(2)Wall Brackets & Mounting Screws
	JN15220	JN15223*	For 1-1/4" Pilaster/Two Ear Brackets	(2)Wall Brackets & Mounting Screws
URINAL SCREEN BRACKET KITS – USED FOR WALL HUNG SCREENS				
E	JN15410	JN15413*	For 3/4" Screen/Two Ear Brackets	(3)Wall Brackets & Mounting Screws
	JN15420	JN15423*	For 7/8" Screen/Two Ear Brackets	(3)Wall Brackets & Mounting Screws
	JN15430	JN15433*	For 1" Screen/Two Ear Brackets	(3)Wall Brackets & Mounting Screws
ALCOVE BRACKET KITS – USED TO ATTACH PANEL TO WALL AND PILASTER				
F	JN15320	JN15323*	For 7/8" Panel/Two Ear Brackets	(2)Wall Brackets, (4)Alcove Clips (for laminate partition) & Mounting Screws
	JN15330	JN15333*	For 1" Panel/Two Ear Brackets	(2)Wall Brackets, (4)Alcove Clips (for laminate partition) & Mounting Screws
ANGLE BRACKET KITS – USED TO ATTACH PANEL TO WALL				
G	JN15530	JN15533*	For Any Size Panel	(1)Wall Bracket & Mounting Screws
	JN15490	JN15493*	For Any Size Panel, Extra Long	(1)Wall Bracket & Mounting Screws
HEADRAIL WALL BRACKET – SCREWS NOT INCLUDED				
H	JN2170	-	1-1/4" Thick Panel	(1)Headrail Wall Bracket without Screws
	JN20	-	Screw Pack for Headrail Wall Brackets	(2)Plastic Anchors, (2)5/8" Barrel Nuts, (2)15/16" Shoulder Screws, (2)5/8" Screws, (2)1-1/2" Screws


TOILET PARTITION HARDWARE

Screw Packs, Barrel Nuts, Shoulder Screws, One-Way Screw Removers, Pilaster Post Shoe Kit & Tissue Holders

Jacknob

- Jacknob's standard screw packs
- Jacknob's premium pilaster post shoe and tissue holders
- One-Way slotted screws can only be removed with one-way screw removers
- All screws and barrel nuts are made of steel and have a chrome plated finish

Packing & Sold In: As stated below



	Item#	Description	Includes
SCREW PACKS – SOLD IN EACH PACK			
A	JN10	1-1/4" Hinge or Strike and Keeper	(2)JN9713 5/8" one-way barrel nuts and (2)JN9813 1-3/16" one-way shoulder screws
B	JN20	For 1" Wall Brackets	(2)JN9015 plastic anchors, (2)JN9713 5/8" one-way barrel nuts, (2)JN9793 15/16" one-way shoulder screws, (2) JN91353 #12 x 5/8" pan head screws, & (2)JN91533 #12 x 1-1/2" pan head screws
C	JN50	For JN5020 Surface Mount Latch	(2)JN9423 8-32 x 1" one-way machine screws, (2)JN9443 8-32 x 1-1/8" one-way machine screws, & (2)JN9763 5/8" un-slotted barrel nuts
D	JN100	Hooks and Door Stops	(3)JN9203 #10 x 1" one-way tapping screws
BARREL NUTS – ONE-WAY SLOTTED TRUSS HEAD, 10-24 THREAD – SOLD IN BAG QTY ONLY, (100 PER BAG)			
E	JN9703	One-Way Slotted Barrel Nuts	1/2"L x 3/8" Thread Depth
	JN9713	One-Way Slotted Barrel Nuts	5/8"L x 1/2" Thread Depth
SHOULDER SCREWS – ONE-WAY SLOTTED TRUSS HEAD, 10-24 THREAD – SOLD IN BAG QTY ONLY, (100 PER BAG)			
F	JN9783	One-Way Slotted Shoulder Screws	3/4" Length
	JN9813	One-Way Slotted Shoulder Screws	1-3/16" Length
	JN9823	One-Way Slotted Shoulder Screws	1-5/16" Length
SHEET METAL SCREWS – ONE-WAY SLOTTED ROUND HEAD, TYPE A – SOLD IN BAG QTY ONLY, (100 PER BAG)			
G	JN9173	One-Way Slotted Sheet Metal Screw	#10 x 5/8"
ONE-WAY SCREW REMOVERS – SOLD IN PER EACH			
H	JN8925	One-Way Screw Remover	Can remove sizes 8-10
	JN8935	One-Way Screw Remover	Can remove sizes 12-14
	JN8905	One-Way Screw Remover – 3 Pack	(1)JN8915*(Sizes 6-8), (1)JN8925(Sizes 8-10) & (1)JN8935(Sizes 12-14)
PILASTER POST SHOE KIT			
I	JN30810	Pilaster Post Shoe Kit For 1-1/4" Pilaster - (2) Post Shoes and all necessary hardware and screws to install one panel	
	JN30999	(2) 3"H x 10"L Spacer Plates - Made of Stainless Steel with a Stainless Steel finish	
TISSUE HOLDERS			
J	JN7359	3-1/2" c/c Screw Hole, Single Tissue Holder (2-11/16"H x 5-7/8"L x 4" Projection, Made of Steel, Chrome Finish	
K	JN7369	3-1/2" c/c Screw Hole, Double Tissue Holder (2-11/16"H x 11"L x 4" Projection, Made of Steel, Chrome Finish	

PASSAGE DOOR HARDWARE

Double Acting Gate Spring Hinges



- Bommer's double acting spring hinges enable doors to open in either direction and automatically return to a closed position
- Hinges have adjustable spring tension which allows the speed of door movement to be calibrated to size and weight of door
- Door flange of hinge is mortised into edge of door, hinge's should not be used on doors with beveled edges
- Jamb flange of hinge is surface mounted on door jamb
- Hinges have all steel construction and are non-handed
- Hinge's include screws
- Table below illustrates maximum door weights, door widths and door thicknesses in two and three hinge per door configurations
- Hinges available in three sizes: 3", 4" and 6" tall and two designs: standard and decorative ball tips (6" hinge only)
- Hinges are available in six finishes

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: 1 pair with screws per box.

Item#	Finish	2 Hinge Set Up Max. Door Weight/ Max. Door Width	3 Hinge Set Up Max. Door Weight/ Max. Door Width	Door Thickness Range	Max. Door Height
3" SPRING HINGES - INCLUDES #7 X 3/4" SCREWS					
BR3029-3-600*	Prime	35 lbs. / 2'-0"	39 lbs. / 2'-8"	3/4" to 1"	5'-0"
BR3029-3-601	Black	35 lbs. / 2'-0"	39 lbs. / 2'-8"	3/4" to 1"	5'-0"
BR3029-3-603	Zinc	35 lbs. / 2'-0"	39 lbs. / 2'-8"	3/4" to 1"	5'-0"
BR3029-3-632	Bright Brass	35 lbs. / 2'-0"	39 lbs. / 2'-8"	3/4" to 1"	5'-0"
BR3029-3-633	Brass	35 lbs. / 2'-0"	39 lbs. / 2'-8"	3/4" to 1"	5'-0"
BR3029-3-652	Dull Chrome	35 lbs. / 2'-0"	39 lbs. / 2'-8"	3/4" to 1"	5'-0"
4" SPRING HINGES - INCLUDES #8 X 3/4" SCREWS					
BR3029-4-600*	Prime	60 lbs. / 2'-4"	75 lbs. / 3'-0"	7/8" to 1-1/4"	6'-8"
BR3029-4-601	Black	60 lbs. / 2'-4"	75 lbs. / 3'-0"	7/8" to 1-1/4"	6'-8"
BR3029-4-603	Zinc	60 lbs. / 2'-4"	75 lbs. / 3'-0"	7/8" to 1-1/4"	6'-8"
BR3029-4-632	Bright Brass	60 lbs. / 2'-4"	75 lbs. / 3'-0"	7/8" to 1-1/4"	6'-8"
BR3029-4-633	Brass	60 lbs. / 2'-4"	75 lbs. / 3'-0"	7/8" to 1-1/4"	6'-8"
BR3029-4-652	Dull Chrome	60 lbs. / 2'-4"	75 lbs. / 3'-0"	7/8" to 1-1/4"	6'-8"
6" SPRING HINGES - INCLUDES #12 X 1-1/4" SCREWS					
BR3029-6-600	Prime	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-601	Black	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-603	Zinc	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-632	Bright Brass	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-633	Brass	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-652	Dull Chrome	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
6" SPRING HINGES WITH DECORATIVE BALL TIP - INCLUDES #12 X 1-1/4" SCREWS					
BR3029-6-601BT	Black	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-603BT	Zinc	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-632BT	Bright Brass	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-633BT	Brass	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"
BR3029-6-652BT	Dull Chrome	75 lbs. / 2'-8"	107 lbs. / 3'-0"	1-1/4" to 1-3/4"	7'-0"



PASSAGE DOOR HARDWARE

Double Acting, Light Duty, Gate Spring Hinge



- Bommer's light duty gate spring hinges designed for gate doors
- Made in the USA
- Conforms to ANSI K84243
- Steel material
- Non-handed
- Non-adjustable tension
- Surface mounted to the gate and the jamb
- Gate hinge is supplied with (12) #7 x 3/4" wood screws
- Max. Door Width: 36"
- Max. Door Weight: 30 lbs.
- Min. door Height: 36"



Packing & Sold In: 1 pair with screws; discount available for buying full boxes of 6 pairs.

Item#	Hinge Size	Designed For Doors	Finish
BR9700-601	2-3/4"	3/4" to 1-1/8" Thick	Black

PASSAGE DOOR HARDWARE

Double Acting, Light Duty, Louver Door Spring Hinge



- Bommer's light duty louver door spring hinges are available in two versions: 1) for doors 7/8" to 1" thick, 2) for doors 1-1/8" to 1-1/2" thick
- Designed for louver doors, does not hold door open
- Conforms to ANSI K81243
- Steel material Non-handed
- Min. Door Height: 38" (BR1514) and 42" (BR1515)
- Max. Door Weight and Door Width: 18 lbs./18"
- Door flange is either surface mounted or mortised
- Jamb flange is surface mounted
- All items are supplied with wood screws, (12) #7 x 3/4"



Packing & Sold In: 1 pair with screws per box.


Item#	Flat Door Bracket For 7/8"-1" Thick Doors Item #	Flat Door Bracket For 1-1/8"-1-1/2" Thick Doors Item #
Dull Zinc	BR1514-603	BR1515-603
Bright Brass	BR1514-632	BR1515-632
Dull Brass	BR1514-633	BR1515-633

PASSAGE DOOR HARDWARE

Single Acting Gate Spring Hinges



- Bommer's single acting spring hinge enables doors to open in one direction and automatically return to a closed position
- Hinges have adjustable spring tension which allows the speed of the door movement to be calibrated to the door's size and weight
- Conforms to ANSI Specification K81011
- Offered in two sizes: 3" & 6" tall
- Steel material Non-Handed
- Pivot Points do not align with standard full mortise hinges
- All items are supplied with screws



Packing & Sold In: 1 pair of hinges with screws per box.

Table below describes maximum door weights, sizes and thicknesses in two and three hinge door configurations.

Item#	Finish	2 Hinge Set Up Max. Door Weight/ Max. Door Width	3 Hinge Set Up Max. Door Weight/ Max. Door Width	Door Thickness
3" SPRING HINGES #7 X 3/4" SCREWS				
BR4010-3-601	Black	45Lbs. / 2'-4"	65Lbs. / 2'-8"	3/4"-1"
BR4010-3-603	Dull Zinc	45Lbs. / 2'-4"	65Lbs. / 2'-8"	3/4"-1"
BR4010-3-652	Dull Chrome	45Lbs. / 2'-4"	65Lbs. / 2'-8"	3/4"-1"
6" SPRING HINGES				
BR4010-6-601	Black	125Lbs. / 3'-0"	155Lbs. / 4'-0"	1-3/4"
BR4010-6-603	Dull Zinc	125Lbs. / 3'-0"	155Lbs. / 4'-0"	1-3/4"
BR4010-6-652	Dull Chrome	125Lbs. / 3'-0"	155Lbs. / 4'-0"	1-3/4"

PASSAGE DOOR SPRING HINGES


Self Closing Single Acting Spring Hinge

STANLEY


- Stanley's value line of spring hinges
- Hinges are made of steel with a dull brass finish
- For labeled fire doors, stairwell doors, motel and hotel guest room doors, apartment unit entrance doors
- Meets NFPA80 standard for 3 hour fire doors (NFPA-80 stipulates minimum of 2 spring hinges shall be used on labeled doors)
- 4" size – approved for doors up to 3' wide x 7' tall
- 3-1/2" (89mm) size – approved for doors up to 2' 8" x 7' tall
- LifeSpan Limited lifetime warranty for the life of the building
- Internal ratchet mechanism eliminates loose adjustment pins
- Closing power is adjustable up or down
- Excellent alternative to more expensive over head mounted closers
- All items are supplied with screws

Packing: Five pairs (10 hinges) in a box.

Sold In: Any quantity of pairs. Discount available for full box orders.




Adjusting Instructions



To Increase Torque (Fig 1)

- Close door
- Engage 5/32" hex wrench
- Rotate clockwise to increase torque
- Do not exceed 6 ratchet "clicks"



To Decrease Torque (Fig 2)

- Close door
- Engage 5/32" hex wrench
- Depress wrench to disengage ratchet
- Let wrench rotate counter-clockwise to new setting
- Allow wrench to rise



Install Locking Safety Screw (Fig 3)

- Install 6-32 5/8" recessed head machine screw packed with hinge

Item#	Overall Dimensions	Mounting Type	Material	Finish	Corner Type	Conforms to ANSI	Box Qty
SELF CLOSING – DESIGNED FOR STANDARD DOOR 2' 8"W X 7'H, UP TO 110 LBS. – SPRING HINGES							
SH2060R-4-3-1/2	3-1/2"W x 3-1/2"L	Full Mortise	Steel	Dull Brass	Square	K81071F	5 pairs
SHRD2060R-4-3-1/2	3-1/2"W x 3-1/2"L, 1/4" Radius	Full Mortise	Steel	Dull Brass	Round	K81071F	5 pairs
SELF CLOSING – DESIGNED FOR STANDARD DOOR 3'W X 7'H, UP TO 110 LBS. – SPRING HINGES							
SH2060R-4-4	4"W x 4"L	Full Mortise	Steel	Dull Brass	Square	K81071F	5 pairs
SHRD2060R-4-4	4"W x 4"L, 1/4" Radius	Full Mortise	Steel	Dull Brass	Round	K81071F	5 pairs

PASSAGE DOOR HINGES

Self Closing Screen Door Spring Hinge



- Stanley's screen door spring hinge is made of steel with a dull brass finish
- Used to provide a strong closing action on light to medium weight wood screen doors
- For use in surface mount applications
- Spring tension is fully adjustable
- Non-removable fast spun pin design
- Can be used in either right hand or left hand applications
- Hinge is supplied complete with adjustable rod and stop pins
- The hinge is supplied with screws
- Material/Finish: Steel/Dull Brass

Packing: Five pairs in a box.

Sold In: Any quantity of pairs. Discount available for full box orders.



Item#	Overall Dimensions (Width x Height)	Mounting Type	Corner Type
SHSP2154-4	2-5/16"W x 2-3/4"H	Surface	Round


PASSAGE DOOR HARDWARE

Double Acting Surface Mount, Pivot Spring Hinge Kits



- Bommer's surface mount pivot spring hinge allows doors to open in both directions and automatically returns to the closed position
- Designed for toilet partition doors and gate doors
- Made in the USA
- Conforms to ANSI K63201
- Easily adjustable spring tension allows the hinge to be calibrated to door's size and weight
- Steel material, ball bearing, non-handed
- Six finishes available: Prime Coat, Black, Zinc, Bright Brass, Dull Brass and Dull Chrome
- Hinge can be used for doors with a maximum: 1) weight of 75 lbs., 2) thickness of 2-1/2", 3) width of 36"
- Doors must be at least 1" thick and door jamb at least 1-1/4" wide for hinge to adjust
- Kit Includes: (1)Pivot hinge, (1)Pivot hinge jamb & door bracket, (1)Top pivot assembly with jamb bracket, (8)#12 x 1-1/4" flat head wood screws and (2)#10 x 1" flat head wood screws

Packing & Sold In: 1 set (for 1 door) with screws per box.



Item#	Finish
BR7112-600	Prime Coat
BR7112-601	Black
BR7112-603	Zinc
BR7112-632	Bright Brass
BR7112-633	Dull Brass
BR7112-652	Dull Chrome



PASSAGE DOOR HARDWARE

Double Acting, Gravity Pivot, Louver Hinge Kits



- Bommer's double acting gravity hinge is designed for louver doors
- Louver Door Hinges are offered in two types: non-hold open and holds open at 90°
- Hinge is designed with no spring, weight of door allows door to close after opening
- Non-handed
- Pivot edge of the door will have to be rounded to 7/8" radius from the pivot center line to clear jamb
- Hinge can be used with doors with: 1) maximum weight of 50 lbs., 2) maximum width of 30" and 3) thickness of 7/8" to 1-5/8"
- Door jamb must be a minimum of 1-1/4" wide for hinge to operate
- Kit Includes: (1)Pivot hinge and door bracket, (1)top pivot assembly with jamb bracket and (8)#10 x 1" flat head wood screws

Packing & Sold In: Each

Item#	Door Swing	Finish
GRAVITY PIVOT HINGE KITS – STANDARD NON-HOLD OPEN		
BR7512-632	Does not hold door open	Bright Brass
BR7512-633	Does not hold door open	Dull Brass
BR7512-652	Does not hold door open	Dull Chrome
GRAVITY PIVOT HINGE KITS – HOLDS OPEN AT 90°		
BR7512H-632	Holds Door Open at 90°	Bright Brass
BR7512H-633	Holds Door Open at 90°	Dull Brass
BR7512H-652	Holds Door Open at 90°	Dull Chrome



PASSAGE DOOR HARDWARE




Double Acting, Medium Duty, Spring Pivot Horizontal Type Hinge Kit



- Bommer double acting spring pivot hinge allows door to open in both directions and close automatically, hinge also holds door open in both directions at 75° to 90°
- Bommer spring pivot hinges are designed to mount to the floor and into the bottom of the door (see illustrations)
- Top of door pivot hinge assembly (included in kit) is designed to hold top of door in place
- Hinge has adjustable spring tensioning to accommodate varied door weights and sizes
- Hinge is unhandled and 100% constructed of steel
- Hinge side and back plates hide hinge spring mechanism and come in three finishes: Bright Brass, Dull Brass, and Dull Chrome
- Maximum door weight is 90 lbs. and maximum door width is 36"
- Hinge is designed to work with door from 1-3/8" to 1-3/4" thick
- Each hinge kit is supplied with: spring hinge pivot mechanism, door top pivot assembly, two side and on back cover plate and all necessary screws

Packing & Sold In: 1 set per box with wood screws.

Item#	Finish
BR7811-632	Bright Brass
BR7811-633	Dull Brass
BR7811-652	Dull Chrome



STANDARD 5-KNUCKLE HINGES

SECTION O BUILDERS HARDWARE

PASSAGE DOOR HINGES




Low, Average & High Frequency Five Knuckle Hinges

- Stanley's entry door line of five knuckle hinges are designed to be mounted in door and jamb mortise
- Hinges are made of brass or steel
- Three hinges type are available: low, average and high frequency
- Low Frequency is defined as: residential toilet door, residential corridor door or residential closet door with an estimated frequency of daily use at a maximum of 25 times per day
- Average Frequency is defined as: school or office corridor door, store toilet door or residential entrance door with and estimated frequency of daily use at a maximum of 80 times per day
- High frequency hinges are high traffic area door being opened/closed more than 80 times per day
- Low and Average Frequency hinges have non-rising removable flush pins
- Hinges have two corner types: square and rounded
- All items are supplied with screws

NOTE: (*) **SPECIAL ORDER**

Packing: Pairs, box quantities shown below.

Sold In: Both broken and full box quantities. Discount available for full box orders.



	Item#	Overall Dimensions (Width x Length)	Mounting Type	Material	Finish	Corner Type	Conforms to ANSI	Box Qty
LOW FREQUENCY (LIGHT DUTY), FREE SWINGING, DESIGNED FOR STANDARD DOOR 3"W X 7"H, UP TO 50 LBS. FIVE KNUCKLE HINGES								
A	SH741-4-3-1/2	3-1/2"W x 3-1/2"L	Full Mortise	Steel	Dull Brass	Square	-	100
	SH741-3-3-1/2	3-1/2"W x 3-1/2"L	Full Mortise	Steel	Bright Brass	Square	-	100
	SH741-14-3-1/2	3-1/2"W x 3-1/2"L	Full Mortise	Steel	Bright Nickel	Square	-	100
	SH741-26D-3-1/2	3-1/2"W x 3-1/2"L	Full Mortise	Steel	Dull Chrome	Square	-	100
	SH741-3-4	4"W x 4"L	Full Mortise	Steel	Bright Brass	Square	-	50
	SH741-26D-4	4"W x 4"L	Full Mortise	Steel	Dull Chrome	Square	-	50
	SHRD741-3-4	4"W x 4"L, 1/4" Radius Corner	Full Mortise	Steel	Bright Brass	Round	-	50
AVERAGE FREQUENCY (MEDIUM DUTY), FREE SWINGING, ANTI-FRICTION BEARINGS FIVE KNUCKLE HINGES								
B	SHFBB191-4-4-1/2	4-1/2"W x 9/64"Thick x 4-1/2"L	Full Mortise	Brass	Dull Brass	Square	A2112	48
	SHFBB179-4-4-1/2	4-1/2"W x 9/64"Thick x 4-1/2"L	Full Mortise	Steel	Dull Brass	Square	A8112	48
HIGH FREQUENCY (HEAVY DUTY), ANTI-FRICTION BEARINGS, FIVE KNUCKLE HINGES								
C	SHFBB199-4-4-1/2*	4-1/2"W x 3/16"Thick x 4-1/2"L	Full Mortise	Brass	Dull Brass	Square	A2111	30
	SHFBB168-4-4-1/2*	4-1/2"W x 3/16"Thick x 4-1/2"L	Full Mortise	Steel	Dull Brass	Square	A8111	30

INTERIOR DOOR INSTALLATION TOOL

Knuckle Bender™

**NEW
ITEM!**

- Used for installing full size residential doors
- Design allows you to get a hammer under the bottom hinge to easily tap out the pin without marring the hinge, door or trim
- Allows you to easily bend knuckles for simple door adjustment, remove the hinge pin or quickly align the door hinge for pin installation

Packing & Sold In: Each

Item#

FAKNUCKLEBENDER



PASSAGE DOOR HARDWARE

Surface Mounted Door Bolts

- Bolts are made of brass or aluminum
- Available in six finishes: oil rubbed bronze, satin nickel, satin chrome, polished aluminum, bright and antique brass
- Five door bolt types: Surface, Dutch, Spring Bolt, Barrel Bolt and Chain Bolt
- Chain Bolt type has a spring mechanism that returns the bolt into the locked position after opening
- Spring Bolt lock can be locked with a pad lock
- All items are poly-bagged and supplied with screws




Packing: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.

IVES

STANLEY



	Item#	Finish	Overall Dimensions	Bolt Throw Length	Mounting Type	Material	Box Qty
SURFACE BOLTS – CONCEALED SCREWS							
A	IV40B10B-3	Oil Rubbed Bronze	11/16"W x 3/4"H x 3"L	3/4"	Surface	Brass	10
	IV40B15-3	Satin Nickel	11/16"W x 3/4"H x 3"L	3/4"	Surface	Brass	10
	IV40B26D-3	Satin Chrome	11/16"W x 3/4"H x 3"L	3/4"	Surface	Brass	10
	IV40B10B-4	Oil Rubbed Bronze	11/16"W x 3/4"H x 4"L	7/8"	Surface	Brass	10
	IV40B15-4	Satin Nickel	11/16"W x 3/4"H x 4"L	7/8"	Surface	Brass	10
	IV40B26D-4	Satin Chrome	11/16"W x 3/4"H x 4"L	7/8"	Surface	Brass	10
	IV40PA28-3	Polished Aluminum	11/16"W x 3/4"H x 3"L	3/4"	Surface	Aluminum	10
	IV40PA28-4	Polished Aluminum	11/16"W x 3/4"H x 4"L	7/8"	Surface	Aluminum	10
	IV40PA28-6	Polished Aluminum	11/16"W x 3/4"H x 6"L	15/16"	Surface	Aluminum	10
DUTCH DOOR BOLT – DESIGNED FOR DOOR TO FLOOR CLEARANCES OF 2" OR LESS							
B	IV054MB3	Bright Brass	1-5/8"W x 1-1/8"H x 4-3/8"L	3/4"	Surface	Brass	5
SPRING BOLT – HEAVY DUTY & PAD-LOCKABLE							
C	SHSP1088-2C-6	Zinc Plated	2-1/8"W x 6-1/2"L	1-1/8"	Surface	Steel	10
BARREL BOLT – REVERSIBLE							
D	SHSP1078-2C-2-1/2	Zinc Plated	1-7/16"W x 1-25/32"L	3/4"	Surface	Steel	10
	SHSP1078-2C-3	Zinc Plated	1-7/16"W x 2-5/32"L	13/16"	Surface	Steel	10
	SHSP1078-2C-4	Zinc Plated	1-7/16"W x 3-1/32"L	15/16"	Surface	Steel	10
CHAIN BOLT – INCLUDES 24" CHAIN							
E	SH75-7029	Zinc Plated	1-1/2"W x 2-7/16"L	5/8"	Surface	Steel	5
	SHSP1055-2C-4	Zinc Plated	1-1/2"W x 3-3/8"L	5/8"	Surface	Steel	5

PASSAGE DOOR HARDWARE



Mortised Door Bolts

- Bolts are made of a Cast Brass
- Flush bolt has double action spring design that automatically holds bolt in open and closed position
- All items are poly-bagged and supplied with screws

Packing & Sold In: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.



	Item#	Finish	Overall Dimensions	Bolt Throw Length	Mounting Type	Material	Box Qty
MORTISE DOOR BOLT							
A	IVS48B3	Bright Brass	9/16"Dia. x 2-1/2"L	1/2"	Mortise	Brass	10
MANUAL FLUSH BOLTS – SMALL & LARGE							
B	IV261B3	Bright Brass	3/4"W x 1-1/8"D x 4"L	3/4"	Mortise	Brass	10
C	IV262B3	Bright Brass	3/4"W x 1-11/32"D x 6"L	1"	Mortise	Brass	10
	IV262B5	Antique Brass	3/4"W x 1-11/32"D x 6"L	1"	Mortise	Brass	10
	IV262B15	Satin Nickel	3/4"W x 1-11/32"D x 6"L	1"	Mortise	Brass	10
	IV262B26	Bright Chrome	3/4"W x 1-11/32"D x 6"L	1"	Mortise	Brass	10
	IV262B26D	Satin Chrome	3/4"W x 1-11/32"D x 6"L	1"	Mortise	Brass	10


PASSAGE DOOR HASP

Safety Hasp

- Locks are made of rust resistant zinc plated steel
- All screws are concealed when the hasp is closed
- Supplied with screws
- Material/Finish: Steel/Zinc Plated

Packing: Full box quantity of 12.

Sold In: Both broken and full box quantities. Discount available for full box orders.



Item#	Overall Dimensions	Box Qty
Fixed Safety Hasp		
FRPB246ZP-2-1/2	2-1/2"	12

PASSAGE DOOR HARDWARE

Aluminum Door Latches



KNAPE & VOGT

- KV's economy door latches
- For one way swinging gates
- Reversible for either right or left hand operation
- Operated by finger pressure to underside of latch, knob has no effect on operation
- Latches are made of Aluminum
- Available in Aluminum or Brass finishes

Packing & Sold In: As shown below.

Sold In: Both broken and full box quantities. Discount available on full box orders.



Item#	Size	Finish	Box Qty
KV989AL	2-3/8"W x 2"H	Aluminum	12
KV989BR	2-3/8"W x 2"H	Brass	12

PASSAGE DOOR HARDWARE

Door Stops

- Seven door stop types: Wall Bumper, Dome Stop, Floor, Kick, Flexible Wall, Screw-In and Hinge Mount
- All items are poly-bagged and supplied with screws

Packing: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.




A
Wall Bumper




B
Dome Stop



C
Elevated Dome Stop



D
Floor Stop



E
Kick Stop



F
Flexible Wall Stop



G
Screw-in Fixed Wall Stop



H
Hinge Stop

	Item#	Finish	Overall Dimensions	Projection	Mounting Type	Material	Conforms to ANSI/BHMA Specification	Box Qty
WALL BUMPER								
A	IV404B26D	Satin Chrome	1" Diameter	17/32"	Wall	Brass	-	20
	IV404B3	Bright Brass	1" Diameter	17/32"	Wakk	Brass	-	20
DOMESTOP - DESIGNED FOR PASSAGE DOORS WITHOUT A THRESHOLD								
B	IV436PA28	Aluminum	1-3/4" x 2" Oval	1"	Floor	Aluminum	156.6, L32141	10
ELEVATED DOMESTOP - DESIGNED FOR PASSAGE DOORS WITH A THRESHOLD OR UNDERCUT DOORS								
C	IV438PA28	Aluminum	1-3/4" x 2" Oval	1-3/8"	Floor	Aluminum	156.6, L32141	10
FLOOR STOPS - DESIGNED FOR DOORS WITH AN UNDERCUT UP TO 2-1/2"								
D	IV448B3	Bright Brass	2-1/2" Diameter	3"	Floor	Brass	156.16, L12121	2
	IV448PA28	Aluminum	2-1/2" Diameter	3"	Floor	Aluminum	156.16, L32121	2
KICK STOPS - DESIGNED FOR DOOR TO FLOOR CLEARANCES OF 2" OR LESS								
E	IV455A3	Bright Brass	1-3/4"W x 1-3/4"H	2"	Door	Aluminum	156.16, L31382	10
	IV455A92	Aluminum	1-3/4"W x 1-3/4"H	2"	Door	Aluminum	156.16, L31382	10
FLEXIBLE WALL STOPS								
F	IV060F3	Bright Brass	-	3"	Wall	Steel	A156.16	20
	IV060F14	Bright Nickel	-	3"	Wall	Steel	A156.16	20
SCREW-IN FIXED WALL STOPS								
G	IV61A3	Bright Brass	-	4"	Wall	Aluminum	-	20
	IV61A92	Aluminum	-	4"	Wall	Aluminum	-	20
	IV61MB3	Bright Brass	-	4"	Wall	Brass	-	10
	IV61MB10B	Oil Rubbed Bronze	-	4"	Wall	Brass	-	10
	IV61MB26	Bright Chrome	-	4"	Wall	Brass	-	10
	IV61MB26D	Satin Chrome	-	4"	Wall	Brass	-	10
HINGE TYPE - DOOR OPENING ADJUSTMENTS = 85° TO 125°								
H	IV70A3	Bright Brass	-	-	Hinge	Aluminum	-	20
	IV70A92	Aluminum	-	-	Hinge	Aluminum	-	20

PASSAGE DOOR HARDWARE


Magnetic Door Stops

- Strong magnet holds door in open position
- Magnetic door stop can be mounted on either floor or wall
- Packed with two pieces: magnetic door stop and catch
- All items are poly-bagged and supplied with screws
- Available in two finishes: ivory and brown

Packing & Sold In: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.




Item#	Finish	Wall Base Diameter	Projection	Mounting Type	Material	Box Qty
MAGNETIC STOP (MAGNETIC FORCE OF 26.4 LBS.)						
SLSMDH-IV	Ivory	2-5/32" Dia.	3"	Floor/Wall	Plastic	10
SLSMDH-BN	Brown	2-5/32" Dia.	3"	Floor/Wall	Plastic	10

PASSAGE DOOR HARDWARE

Pull, Push & Kick Plates

- Ives' premium line of door and kick plates
- Plates are made of brass with a bright brass finish
- Three types available: Pull, Push and Kick
- All plates packaged with screws

Packing & Sold In: Each




	Item#	Overall Dimensions (Width x Thickness x Length)	Required Size of Pull	Material	Finish	Conforms to ANSI/BHMA Specification
PULL PLATE W/BEVEL EDGES – DOES NOT INCLUDE THE PULL						
A	IV8311-5B3	3-1/2"W x 3/64"Thick x 15"L	5-1/4"c/c w/1"Dia. Base	Brass	Bright Brass	A156.6
PUSH PLATE						
B	IV8200B3	3-1/2"W x 3/64"Thick x 15"L	-	Brass	Bright Brass	A156.6
KICK PLATE						
C	IV8400B3-8X34	8"W x 3/64"Thick x 34"L	-	Brass	Bright Brass	A156.6
	IV8400B3-10X34	10"W x 3/64"Thick x 34"L	-	Brass	Bright Brass	A156.6

BI-FOLD DOOR HARDWARE, 25 LB. CAPACITY


3/4" Thick Door Hardware Kits



- Sold In:** Both broken and full box quantities. Discount available for full box orders.



Kit Item#	Description	Set Includes	Box Qty
KIT-BI-FOLD DOOR HARDWARE SOLD, W/OUT ALUMINUM TRACK OR HINGES, INCLUDES SCREWS			
HT1551	2-Door Hdw. Kit	(1)Track Bushing HT1535, (1)Top Pivot HT2523, (1)Bottom Pivot HT2664, (2)Bushings HT2669, (1)Jamb Bracket Assembly HT1516, & (1) Swivel Carriers w/Top Plate HT1532	10
HT1552	4-Door Hdw. Kit	(1)Track Bushing HT1535, (1)Top Pivot HT2523, (1)Bottom Pivot HT2664, (2)Bushings HT2669, (1)Jamb Bracket Assembly HT1516, & (2)Swivel Carriers w/Top Plates HT1532	10



Würth Baer Supply Company • Over 40,000 products in-stock EVERYDAY!

BI-FOLD DOOR HARDWARE, 25 LB. CAPACITY

SECTION O BUILDERS HARDWARE

BI-FOLD DOOR HARDWARE - 25 LB. CAPACITY

3/4" Thick Door Hardware Components



	Component Item#	Dimensions (Width x Height x Length)	Description	Finish	Box Qty
SINGLE BOX CHANNEL ALUM. TRACKS – SCREWS NOT INCLUDED, RECOMMEND #5 FLAT HEAD SCREWS					
A	HT1501-4	1-1/32"W x 19/32"H x 48"L	4' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1501-5	1-1/32"W x 19/32"H x 60"L	5' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1501-6	1-1/32"W x 19/32"H x 72"L	6' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1501-8	1-1/32"W x 19/32"H x 96"L	8' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1501-10*	1-1/32"W x 19/32"H x 120"L	10' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1501-12*	1-1/32"W x 19/32"H x 144"L	12' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1501-16*	1-1/32"W x 19/32"H x 192"L	16' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
MORTISED HINGE – INCLUDES SCREWS					
B	HT2646*	1-5/8"W x 2-9/16"H	Mortise Hinges used with HT1500 Series Components & HT1551/HT1552 Hardware Sets	Bright Brass	10
NYLON SWIVEL CARRIERS W/ TOP PLATE – (4) ROLLERS WITH BALL BEARINGS, INCLUDES TOP PLATE & SCREWS					
C	HT1532	3/4"W x 1-1/4"H x 1-1/8"L	Swivel Carrier with Top Plate, Nylon Body w/Ball Bearing Rollers	White	20
JAMB PIVOT HARDWARE COMPONENTS – LISTED FROM TOP TO BOTTOM OF THE DOOR					
D	HT1535	-	Track Bushing, Inserted into Track & Receives Top Pivot (HT2523)	Zinc Plated	20
E	HT2523	-	Top Pivot is screwed into Bushing (HT2669) at top of door	Zinc Plated	10
F	HT2669	-	Bushing, Inserted into top & bottom edges of door and receives threaded shank of (HT2523) top pivot & (HT2664) bottom pivot, Screws Included	Zinc Plated	1
G	HT2664	-	Bottom Pivot is screwed into (HT2669) Bushing at bottom of door	Zinc Plated	1
H	HT1516	1-1/4"W x 1-1/2"H x 3"L	Jamb Bracket Assembly, Floor Mounts on the jamb side & accepts head of bottom pivot (HT2664), Screws Included	Zinc Plated	1

Optional Floor Mount Guide Channels & Rollers for Extra Stability *(not included in hardware sets)*

FLOOR MOUNT EXTRUDED ALUM. GUIDE CHANNELS – SCREWS NOT INCLUDED, RECOMMEND #6 FLAT HEAD					
	Item#	Dimensions	Description	Finish	Box Qty
I	HT1222-4	3/4"W x 5/8"H x 48"L	Mortised or Surface Mounted for Guide Rollers (HT1211)or(HT1221)	Aluminum	5
	HT1222-6	3/4"W x 5/8"H x 72"L	Mortised or Surface Mounted for Guide Rollers (HT1211)or(HT1221)	Aluminum	5
	HT1222-8	3/4"W x 5/8"H x 96"L	Mortised or Surface Mounted for Guide Rollers (HT1211)or(HT1221)	Aluminum	5
STEEL GUIDE ROLLERS USED W/GUIDE CHANNELS – INCLUDES SCREWS					
J	HT1211	Plate-3/4"W x 3/32"H x 2"L Roller-1/2"Dia. x 17/32"H	(Non-Adjustable) Fixed Guide Roller used with HT1222 Series Channels	Zinc Plated	20
K	HT1221	Plate-3/4"W x 3/32"H x 3-1/2"L Roller-1/2"Dia. x 13/32"H Post-5/16"Dia. x 2-1/2"H	Adjustable Guide Roller used with HT1222 Series Channels	Zinc Plated	20

SECTION O BUILDERS HARDWARE

BI-FOLD DOOR HARDWARE, 50 LB. CAPACITY

BI-FOLD DOOR HARDWARE - 50 LB. CAPACITY

1" Thick Door Hardware Kits



- Hettich's 1600 Series is an economy line of bi-fold door sliding hardware designed for medium weight doors
- A medium duty folding door system for bi-fold and multi-fold installations of 1" thick doors
- This hardware is adaptable to residential, institutional and industrial applications
- This hardware will work with two types of installations; 1) where doors open from one side and fold to the opposite side and 2) where doors open from the center and fold to both sides
- Top mounting hardware has 3/4" vertical adjustment and 1-5/8" min. to 2-3/8" max. headroom
- Available in hardware sets or individual components
- Made in the USA


Packing & Sold In: As shown below and page O-31. NOTE: (*) **SPECIAL ORDER**

Sold In: Both broken and full box quantities. Discount available for full box orders.



● -jamb pivot ○ -carrier

No. of doors	Layout	Hardware sets less track
2		1 set HT1551
4		2 sets HT1551
4		1 set HT1552
8		2 sets HT1552
8		2 sets HT1552



Kit Item#	Description	Set Includes	Box Qty
KIT-BI-FOLD DOOR HARDWARE SOLD, W/OUT ALUM. TRACK & HINGES - INCLUDES SCREWS			
HT1661	2-Door Hdw. Kit	(1)Track Bushing HT1655, (1)Top Pivot HT2523, (1)Bottom Pivot HT1626, (2)Bushings HT2669, (1)Jamb Bracket Assembly HT1516, & (1)Swivel Carriers w/Top Plate HT1656	10
HT1662*	4-Door Hdw. Kit	(1)Track Bushing HT1655, (1)Top Pivot HT2523, (1)Bottom Pivot HT1626, (2)Bushings HT2669, (1)Jamb Bracket Assembly HT1516, & (2)Swivel Carriers w/Top Plates HT1656	10



**3/4" Thick Door Hardware Component
Information on next page O-31.**

BI-FOLD DOOR HARDWARE - 50 LB. CAPACITY

1" Thick Door Hardware Components



	Component Item#	Dimensions	Description	Finish	Box Qty
SINGLE BOX CHANNEL ALUM. TRACKS, SCREWS NOT INCLUDED, USE #5 FLAT HEAD SCREWS					
A	HT1605-4	1-9/16"W x 15/16"H x 48"L	4' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1605-5	1-9/16"W x 15/16"H x 60"L	5' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1605-6	1-9/16"W x 15/16"H x 72"L	6' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1605-8	1-9/16"W x 15/16"H x 96"L	8' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1605-10*	1-9/16"W x 15/16"H x 120"L	10' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1605-12*	1-9/16"W x 15/16"H x 144"L	12' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
	HT1605-16*	1-9/16"W x 15/16"H x 192"L	16' Long Extruded Aluminum Track, For Bi-Fold Doors	Aluminum	5
MORTISED HINGE – INCLUDES SCREWS					
B	HT2646*	1-5/8"W x 2-9/16"H	Mortised Hinges used with HT1600 Series Components & HT1661/HT1662 Hardware Sets	Bright Brass	10
NYLON SWIVEL CARRIERS W/TOP PLATE – FOUR NYLON ROLLERS AND INCLUDES TOP PLATE & SCREWS					
C	HT1656	3/4"W x 2-3/8"H x 1-3/4"L	Swivel Carrier with Top Plate, Nylon Body w/Nylon Rollers	White	10
JAMB PIVOT HARDWARE COMPONENTS – LISTED FROM TOP TO BOTTOM OF THE DOOR					
D	HT1655	-	Track Bushing, Inserted into Track & Receives Top Pivot (HT2523)	Zinc Plated	1
E	HT2523	-	Top Pivot is screwed into Busting (HT2669) at top of door	Zinc Plated	10
F	HT2669	-	Bushing, Inserted into top & bottom edges of door and receives threaded shank of (HT2523) top pivot & (HT1626) bottom pivot, Screws Included	Zinc Plated	1
G	HT1626	-	Bottom Pivot is screwed into (HT2669) Bushing at bottom of door	Zinc Plated	1
H	HT1516	1-1/4"W x 1-1/2"H x 3"L	Jamb Bracket Assembly, Floor Mounts on the jamb side & accepts head of bottom pivot (HT1626), Screws Included	Zinc Plated	1

Optional Floor Mount Guide Channels & Rollers for Extra Stability *(not included in hardware sets)*

FLOOR MOUNT EXTRUDED ALUM. GUIDE CHANNELS, SCREWS NOT INCLUDED, USE #6 FLAT HEAD					
	Item#	Dimensions	Component Description	Finish	Box Qty
I	HT1222-4	3/4"W x 5/8"H x 48"L	Mortised or Surface Mounted for Guide Rollers (HT1211) or (HT1221)	Aluminum	5
	HT1222-6	3/4"W x 5/8"H x 72"L	Mortised or Surface Mounted for Guide Rollers (HT1211) or (HT1221)	Aluminum	5
	HT1222-8	3/4"W x 5/8"H x 96"L	Mortised or Surface Mounted for Guide Rollers (HT1211) or (HT1221)	Aluminum	5
STEEL GUIDE ROLLERS USED W/GUIDE CHANNELS – INCLUDES SCREWS					
J	HT1211	Plate-3/4"W x 3/32"H x 2"L Roller-1/2"Dia. x 17/32"H	(Non-Adjustable) Fixed Guide Roller used with HT1222 Series Channels	Zinc Plated	20
K	HT1221	Plate-3/4"W x 3/32"H x 3-1/2"L Roller-1/2"Dia. x 13/32"H Post-5/16"Dia. x 2-1/2"H	Adjustable Guide Roller used with HT1222 Series Channels	Zinc Plated	20

SECTION O BUILDERS HARDWARE

SLIDING DOOR HARDWARE, 50 LB. CAPACITY

SLIDING BY-PASS DOOR HARDWARE - 50 LB. CAPACITY

3/4" or 1-3/8" Thick By-Pass Door Hardware Kits & Components




- Hettich's 6034 Series is an economy line of medium duty by-pass door sliding hardware
- Applications include doors between rooms, closet doors, cabinets, storage walls, and partitions
- For 3/4" and 1-3/8" thick doors weighing up to 50 lbs with +/-1/8" vertical adjustment and headroom 1-1/8" min. to 1-3/8" max.
- Side mount single ball-bearing wheel carrier guarantees a smooth, quiet and long lasting performance
- Carriers have a set of mounting holes; ideal for hollow core doors
- Easy-turn cam vertical adjustment without having to remove carrier screws
- Dust free track design
- Quick door hanging by tilting pre-mounted hardware onto track profile
- Available in a complete hardware kits (with three track lengths: 48", 72" and 96") or individual components
- Made in the USA

Packing & Sold In: As shown on page O-33.

Sold In: Both broken and full box quantities.

Discount available for full box orders.



SLIDING DOOR HARDWARE, 50 LB. CAPACITY

SECTION O BUILDERS HARDWARE

SLIDING BY-PASS DOOR HARDWARE - 50 LB. CAPACITY


3/4" or 1-3/8" Thick By-Pass Door Hardware Kits & Components



SLIDING DOOR COMPLETE KITS - 5 COMPONENTS BELOW



Kit Item#	Track Lengths	48", 72", and 96" Long Track Kits Include	Box Qty
KIT SLIDING DOOR - INCLUDES ALUMINUM TRACK AND HARDWARE FOR 2 DOORS			
HT6034-4	48" Long Track HT6004	(2)Carrier HT6320, (2)Carrier HT6330, (1)Floor Guide HT114	10
HT6034-6	72" Long Track HT6004	(2)Carrier HT6320, (2)Carrier HT6330, (1)Floor Guide HT114	10
HT6034-8	96" Long Track HT6004	(2)Carrier HT6320, (2)Carrier HT6330, (1)Floor Guide HT114	10
DOOR HARDWARE KIT ONLY (FOR 2 DOORS), W/OUT ALUM. TRACK, INCLUDES SCREWS & INSTRUCTIONS			
HT6030	-	(2)Carrier HT6320, (2)Carrier HT6330, (1)Floor Guide HT114	10



	Component Item#	Dimensions (Width x Height x Length)	Component Description	Finish	Box Qty
DOUBLE CARRIER TRACKS, SCREWS NOT INCLUDED, RECOMMEND #8 X 1-1/4" PANHEAD SCREWS					
A	HT6004-4	1-3/4"W x 15/16"H x 48"L	4' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-6	1-3/4"W x 15/16"H x 72"L	6' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-8	1-3/4"W x 15/16"H x 96"L	8' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-10	1-3/4"W x 15/16"H x 120"L	10' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-12	1-3/4"W x 15/16"H x 144"L	12' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-16	1-3/4"W x 15/16"H x 192"L	16' Long Extruded Aluminum Double Carrier Track	Aluminum	5
STEEL CARRIERS - SINGLE WHEEL, SIDE MOUNTING - INCLUDES SCREWS					
B	HT6320	1-13/16"W x 2-13/16"H x 2-1/4"L	3/16" Offset, Adjustable, Ball Bearing Nylon Wheel, w/ Dual Mounting Holes	Zinc Plated	50
C	HT6330	1-13/16"W x 2-13/16"H x 2-1/4"L	1/2" Offset, Adjustable, Ball Bearing Nylon Wheel, w/ Dual Mounting Holes	Zinc Plated	50
NYLON FLOOR GUIDE - SCREWS INCLUDED					
D	HT114	3-5/32" or 4-13/32"W x 1-1/8"H	Floor Guide is Adjustable to fit both 3/4" and 1-3/8" Thick Doors	White	50

SECTION O BUILDERS HARDWARE

SLIDING DOOR HARDWARE, 75 LB. CAPACITY

SLIDING BY-PASS DOOR HARDWARE - 75 LB. CAPACITY


3/4" or 1-3/8" Thick By-Pass Door Hardware Kits & Components



- Hettich's 6064 Series is an economy line of medium duty by-pass door sliding hardware
- Applications include doors between rooms, closet doors, cabinets, storage walls, and partitions
- For 3/4" and 1-3/8" thick doors weighing up to 75 lbs with +/- 1/8" vertical adjustment and headroom 1-1/8" min. to 1-3/8" max.
- Side mount double ball-bearing wheel carrier guarantees a smooth, quiet and long lasting performance
- Pivoting rocker arms ensure track-carrier contact
- Carriers have dual set of mounting holes; ideal for hollow core doors
- Easy-turn cam vertical adjustment without having to remove carrier screws
- Dust free track design
- Quick door hanging by tilting pre-mounted hardware onto track profile
- Available in a complete hardware kits (with 48", 72" or 96" track lengths) or individual components
- Made in the USA

Packing & Sold In: As shown on page O-35.

Sold In: Both broken and full box quantities. Discount available for full box orders.



SLIDING DOOR HARDWARE, 75 LB. CAPACITY

SECTION O BUILDERS HARDWARE

SLIDING BY-PASS DOOR HARDWARE - 75 LB. CAPACITY

3/4" or 1-3/8" Thick By-Pass Door Hardware Kits & Components



SLIDING DOOR COMPLETE KITS - 4 COMPONENTS BELOW



HT6350, 3/16" Offset
Double Wheel Carrier



HT6360, 1/2" Offset
Double Wheel Carrier




HT114,
Nylon Floor Guide



HT6004 Series,
Aluminum Double Carrier Track

Kit Item#	Track Dimensions	48", 72" and 96" Long Track Kits Include	Box Qty
KIT SLIDING DOOR - INCLUDES ALUMINUM TRACK AND HARDWARE FOR 2 DOORS			
HT6064-4	48" Long Track HT6004	(2)Carrier HT6350, (2)Carrier HT6360, & (1)Floor Guide HT114	10
HT6064-6	72" Long Track HT6004	(2)Carrier HT6350, (2)Carrier HT6360, & (1)Floor Guide HT114	10
HT6064-8	96" Long Track HT6004	(2)Carrier HT6350, (2)Carrier HT6360, & (1)Floor Guide HT114	10
DOOR HARDWARE KIT ONLY (FOR 2 DOORS), W/OUT ALUM. TRACK, INCLUDES SCREWS & INSTRUCTIONS			
HT6060	-	(2)Carrier HT6350, (2)Carrier HT6360, & (1)Floor Guide HT114	10



	Component Item#	Dimensions (Width x Height x Length)	Component Description	Finish	Box Qty
DOUBLE CARRIER TRACKS - SCREWS NOT INCLUDED, RECOMMEND #8 X 1-1/4" PANHEAD SCREWS					
A	HT6004-4	1-3/4"W x 15/16"H x 48"L	4' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6064-5	1-3/4"W x 15/16"H x 60"L	5' Long Extruded Aluminum Double Carrier Track	Aluminum	10
	HT6004-6	1-3/4"W x 15/16"H x 72"L	6' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-8	1-3/4"W x 15/16"H x 96"L	8' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-10	1-3/4"W x 15/16"H x 120"L	10' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-12	1-3/4"W x 15/16"H x 144"L	12' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT6004-16	1-3/4"W x 15/16"H x 192"L	16' Long Extruded Aluminum Double Carrier Track	Aluminum	5
STEEL CARRIERS - DOUBLE WHEEL, SIDE MOUNTING, ROCKER ARMS - INCLUDES SCREWS					
B	HT6350	3/16"W x 2-13/16"H x 2-3/4"L	3/16" Offset , Adjustable, Ball Bearing Wheel, w/Dual Mounting Holes	Zinc Plated	50
C	HT6360	1/2"W x 2-13/16"H x 2-3/4"L	1/2" Offset , Adjustable, Ball Bearing Wheel, w/Dual Mounting Holes	Zinc Plated	50
NYLON FLOOR GUIDE - SCREWS INCLUDED					
D	HT114	3-5/32" or 4-13/32"W x 1-1/8"H	Floor Guide is Adjustable to fit both 3/4" and 1-3/8" Thick Doors	White	50

SECTION O BUILDERS HARDWARE

SLIDING DOOR HARDWARE, 150 LB. CAPACITY

SLIDING BY-PASS DOOR HARDWARE - 150 LB. CAPACITY

3/4" Thick By-Pass Door Hardware Kits & Components, Steel Apron Mounting




- Hettich's 72-034 Series is a premium line of heavy duty by-pass door sliding hardware
- Applications include doors between rooms, closet doors, cabinets, storage walls, and partitions
- For 3/4" thick doors weighing up to 150 lbs with +/- 1/8" vertical adjustment and headroom 1-7/8" minimum to 2-1/8" maximum
- Heavy duty aluminum double I-beam track with jump proof design
- Pivoting rocker arms ensure track-carrier contact
- Ball and socket suspension compensates for minor header misalignment
- Lock nut guarantees permanent positioning
- Serrations in apron permit vertical adjustment
- Side mount double ball-bearing wheel carrier guarantees a smooth, quiet and long lasting performance
- Conforms to ANSI/BHMA standards, Grade 1
- Available in a complete hardware kits (with 48", 72" or 96" long tracks) or individual components
- Made in the USA

NOTE: (*) **SPECIAL ORDER**

Packing & Sold In: As shown on page O-37.

Sold In: Both broken and full box quantities. Discount available for full box orders.



SLIDING DOOR HARDWARE, 150 LB. CAPACITY

SECTION O BUILDERS HARDWARE

SLIDING BY-PASS DOOR HARDWARE - 150 LB. CAPACITY

3/4" Thick By-Pass Door Hardware Kits & Components



SLIDING DOOR COMPLETE KITS - 4 COMPONENTS BELOW



HT7000-BB, Ball Bearing,
4-Wheel Carrier



HT7034, 3/4" Offset
Steel Apron



HT116,
Steel Floor Guide



HT7002 Series,
Aluminum Double Carrier Track

48" L Track Kit Item#	72" L Track Kit Item#	96" L Track Kit Item#	Hardware Only Kit Item#	98", 72" and 96" Long Track Kits Include	Box Qty
KIT SLIDING DOOR - INCLUDES ALUMINUM TRACK AND HARDWARE FOR 2 DOORS					
HT72-034-4	HT72-034-6	HT72-034-8	-	(4) Carriers HT7000-BB, (4) Aprons HT7034, & (1) Floor Guide HT116	10
DOOR HARDWARE KIT ONLY (FOR 2 DOORS), W/OUT ALUM. TRACK, INCLUDES SCREWS & INSTRUCTIONS					
-	-	-	HT72-034	(4) Carriers HT7000-BB, (4) Aprons HT7034, & (1) Floor Guide HT116	10

A  HT7002 Series, Aluminum Double Carrier Track	B  HT7000-BB, Ball Bearing, 4-Wheel Carrier	C  HT7000, Nylon 4-Wheel Carrier	D  HT7034, 3/4" Offset Steel Apron	E  HT116, Steel Floor Guide	F  HT7014, Bumper Stop
---	---	--	--	---	--

	Component Item#	Dimensions (Width x Height x Length)	Component Description	Finish	Box Qty
DOUBLE CARRIER TRACKS, HOLES EVERY 11" - SCREWS NOT INCLUDED, USE #8 X 1-1/4" PANHEAD SCREWS					
A	HT7002-4	1-3/32"W x 15/16"H x 48"L	4' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7002-5	1-3/32"W x 15/16"H x 60"L	5' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7002-6	1-3/32"W x 15/16"H x 72"L	6' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7002-8	1-3/32"W x 15/16"H x 96"L	8' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7002-10*	1-3/32"W x 15/16"H x 120"L	10' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7002-12*	1-3/32"W x 15/16"H x 144"L	12' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7002-16*	1-3/32"W x 15/16"H x 192"L	16' Long Extruded Aluminum Double Carrier Track	Aluminum	5
STEEL CARRIERS – FOUR WHEEL					
B	HT7000-BB	1-3/16"W x 27/32"H x 2-3/4"L	(Included in sets) Steel, Ball Bearing Wheels, Up to 150 lbs/door	Zinc Plated	100
C	HT7000	1-3/16"W x 27/32"H x 2-3/4"L	(Optional) Steel, Nylon wheels, Up to 100 lbs/door	Zinc Plated	100
STEEL APRON – USED TO ATTACH DOOR TO CARRIER					
D	HT7034	1-1/2"W x 2-57/64H x 3/4" Offset	Hole Diameter: 25/32" Diameter x 3/8" Depth	Zinc Plated	100
STEEL FLOOR GUIDE – SCREWS INCLUDED					
E	HT116	2-5/8"W x 3/4"H x 2-1/8"L	Non-Adjustable for 3/4" Doors w/Nylon covered steel uprights	Zinc Plated	50
BUMPER STOP					
F	HT7014	7/8"W x 1-3/16"H x 1-19/32"L	Steel, track mounted with a rubber stop	Zinc Plated	20

SECTION O BUILDERS HARDWARE

SLIDING DOOR HARDWARE, 150 LB. CAPACITY

SLIDING BY-PASS DOOR HARDWARE - 150 LB. CAPACITY

1-3/8" By-Pass Thick Door Hardware Kits & Components




- Hettich's 72-138 Series is a premium line of medium duty by-pass door sliding hardware
- Applications include doors between rooms, closet doors, cabinets, storage walls, and partitions
- For 1-3/8" thick doors weighing up to 150 lbs with +/- 1/8" vertical adjustment and headroom 1-7/8" minimum to 2-1/8" maximum
- Heavy duty aluminum double I-beam track has jump proof design
- Pivoting rocker arms ensure track-carrier contact
- Ball and socket suspension compensates for minor header misalignment
- Lock nut guarantees permanent positioning
- Serrations in apron permit vertical adjustment
- Side mount double ball-bearing wheel carrier guarantees a smooth, quiet and long lasting performance
- Conforms to ANSI/BHMA standards, Grade 1
- Available in a complete hardware kits (with 48", 72" and 96" long tracks) or individual components
- Made in the USA



Packing & Sold In: As shown on page O-39. NOTE: (*) **SPECIAL ORDER**

Sold In: Both broken and full box quantities.

Discount available for full box orders.



SLIDING DOOR HARDWARE, 150 LB. CAPACITY

SECTION O BUILDERS HARDWARE

SLIDING BY-PASS DOOR HARDWARE - 150 LB. CAPACITY

1-3/8" By-Pass Thick Door Hardware Kits & Components



SLIDING DOOR COMPLETE KITS - 4 COMPONENTS BELOW

			
HT7000-BB, Ball Bearing, 4-Wheel Carrier	HT7138, 1-1/8" Offset Steel Apron	HT116, Steel Floor Guide	HT7003 Series, Aluminum Double Carrier Track

48" L Track Kit Item#	60" Track Kit Item #	72" L Track Kit Item#	96" L Track Kit Item#	Hardware Only Kit Item#	48", 72" and 96" Long Track Kits Include (Box Qty of 10):
-----------------------------	----------------------------	-----------------------------	-----------------------------	-------------------------------	--

KIT SLIDING DOOR - INCLUDES ALUMINUM TRACK AND HARDWARE FOR 2 DOORS

HT72-138-4	HT72-138-5	HT72-138-6	HT72-138-8	-	(4)Carriers HT7000-BB, (4)Aprons HT7138, & (1)Floor Guide HT116
------------	------------	------------	------------	---	---

DOOR HARDWARE KIT ONLY (FOR 2 DOORS), W/OUT ALUM. TRACK, INCLUDES SCREWS & INSTRUCTIONS

-		-	-	HT72-138	(4)Carriers HT7000-BB, (4)Aprons HT7034, & (1)Floor Guide HT116
---	--	---	---	----------	---

A 	B 	C 	D 	E 	F 
HT7003 Series, Aluminum Double Carrier Track	HT7000-BB, Ball Bearing, 4-Wheel Carrier	HT7000, Nylon 4-Wheel Carrier	HT7138*, 1-1/8" Offset Steel Apron	HT116, Steel Floor Guide	HT7014, Bumper Stop

	Component Item#	Dimensions (Width x Height x Length)	Component Description	Finish	Box Qty
DOUBLE CARRIER TRACKS, HOLES EVERY 11" - SCREWS NOT INCLUDED, USE #8 X 1-1/4" PANHEAD SCREWS					
A	HT7003-4	1-23/32"W x 15/16"H x 48"L	4' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7003-5	1-23/32"W x 15/16"H x 60"L	5' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7003-6	1-23/32"W x 15/16"H x 72"L	6' Long Extruded Aluminum DoubleCarrier Track	Aluminum	5
	HT7003-8	1-23/32"W x 15/16"H x 96"L	8' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7003-10	1-23/32"W x 15/16"H x 120"L	10' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7003-12	1-23/32"W x 15/16"H x 144"L	12' Long Extruded Aluminum Double Carrier Track	Aluminum	5
	HT7003-16	1-23/32"W x 15/16"H x 192"L	16' Long Extruded Aluminum Double Carrier Track	Aluminum	5
STEEL CARRIERS - FOUR WHEEL					
B	HT7000-BB	1-3/16"W x 27/32"H x 2-3/4"L	(Included in Sets), Ball Bearing Wheels, Up to 150 lbs/door	Zinc Plated	100
C	HT7000	1-3/16"W x 27/32"H x 2-3/4"L	(Optional), Nylon wheels, Up to 100 lbs/door	Zinc Plated	100
STEEL APRON - USED TO ATTACH DOOR TO CARRIER					
D	HT7138*	1-1/2"W x 2-57/64H x 1-1/8" Offset	Hole Diameter: 25/32" Diameter x 3/8" Depth	Zinc Plated	100
STEEL FLOOR GUIDE - SCREWS INCLUDED					
E	HT116	2-5/8"W x 3/4"H x 2-1/8"L	For 3/4" Doors w/Nylon covered steel uprights	Zinc Plated	50
BUMPER STOP					
F	HT7014	7/8"W x 1-3/16"H x 1-19/32"L	Steel, track mounted with a rubber stop	Zinc Plated	20

SECTION O BUILDERS HARDWARE

SLIDING DOOR HARDWARE, 150 LB. CAPACITY

SLIDING JOINING DOOR HARDWARE - 150 LB. CAPACITY


3/4" Thick Single Door Hardware Kits & Components, Top Plate Mounting



- Hettich's 71-222 Series is a premium line of heavy duty joining door sliding hardware
- Applications include doors between rooms, closet doors, cabinets, storage walls, and partitions
- For 3/4" thick doors weighing up to 150 lbs with +/- 3/8" vertical adjustment and headroom 2-1/8" minimum to 2-7/8" maximum
- Heavy duty aluminum single I-beam track has jump proof design
- Pivoting rocker arms ensure track-carrier contact
- Ball and socket suspension compensates for minor header misalignment
- Lock nut guarantees permanent positioning
- Vertical adjustment + 3/8" (9.5 mm)
- Conforms to ANSI/BHMA standards, Grade 1
- Available in a complete hardware kits (with 48", 60", 72" and 96" long tracks)
- or individual components
- Made in the USA

Packing & Sold In: As shown on page O-41.

Sold In: Both broken and full box quantities. Discount available for full box orders.



SLIDING DOOR HARDWARE, 50 LB. CAPACITY

SECTION O BUILDERS HARDWARE

SLIDING JOINING DOOR HARDWARE - 150 LB. CAPACITY

3/4" Thick Joining Door Hardware Kits & Components



SLIDING JOINING DOOR COMPLETE KITS - 4 COMPONENTS BELOW




48" L Track Kit Item#	60" L Track Kit Item#	72" L Track Kit Item#	96" L Track Kit Item#	Hardware Only Kit Item#	48", 60", 72" and 96" Long Track Kits Include	Box Qty
--------------------------	--------------------------	--------------------------	--------------------------	----------------------------	---	---------

KIT SLIDING DOOR COMPLETE - INCLUDES ALUMINUM TRACK AND HARDWARE FOR 1 DOORS

HT71-222-4	HT71-222-5	HT71-222-6	HT71-222-8	-	(2) Carriers HT7000-BB, (2) Pendant Bolt HT7222, & (1) Floor Guide HT116	5
------------	------------	------------	------------	---	--	---

DOOR HARDWARE KITS ONLY (FOR 2 DOORS), W/OUT ALUM. TRACK, INCLUDES SCREWS & INSTRUCTIONS

-	-	-	-	HT71-222	(4) Carriers HT7000-BB, (4) Top Plates HT7222, & (1) Floor Guide HT116	10
---	---	---	---	----------	--	----



Item#	Dimensions (Width x Height x Length)	Description	Finish	Box Qty
-------	---	-------------	--------	---------

DOUBLE CARRIER TRACKS, HOLES AT EVERY 11" - SCREWS NOT INCLUDED, USE #8 X 1-1/4" PANHEAD SCREWS

A	HT7001-4	1-3/32"W x 15/16"H x 48"L	4' Long Extruded Aluminum Double "I" Beam Track	Aluminum	5
	HT7001-5	1-3/32"W x 15/16"H x 60"L	5' Long Extruded Aluminum Double "I" Beam Track	Aluminum	5
	HT7001-6	1-3/32"W x 15/16"H x 72"L	6' Long Extruded Aluminum Double "I" Beam Track	Aluminum	5
	HT7001-8	1-3/32"W x 15/16"H x 96"L	8' Long Extruded Aluminum Double "I" Beam Track	Aluminum	5
	HT7001-10	1-3/32"W x 15/16"H x 120"L	10' Long Extruded Aluminum Double "I" Beam Track	Aluminum	5
	HT7001-12	1-3/32"W x 15/16"H x 144"L	12' Long Extruded Aluminum Double "I" Beam Track	Aluminum	5
	HT7001-16	1-3/32"W x 15/16"H x 192"L	16' Long Extruded Aluminum Double "I" Beam Track	Aluminum	5

STEEL CARRIERS - FOUR WHEEL

B	HT7000-BB	1-3/16"W x 27/32"H x 2-3/4"L	(Included in sets), Ball Bearing Wheels, Up to 150 lbs/door	Zinc Plated	100
C	HT7000	1-3/16"W x 27/32"H x 2-3/4"L	(Optional), Nylon wheels, Up to 100 lbs/door	Zinc Plated	100

STEEL PENDANT BOLT WITH TOP PLATE - USED TO ATTACH DOOR TO CARRIER - SCREWS INCLUDED

D	HT7222	3/4"W x 1-3/4"H x 3-9/16" L	Top Plate, adjustable +/- 3/8", installed on top of the door	Zinc Plated	50
---	--------	-----------------------------	--	-------------	----

STEEL FLOOR GUIDE - SCREWS INCLUDED

E	HT116	2-5/8"W x 3/4"H x 2-1/8"L	For 3/4" Doors w/Nylon covered steel uprights	Zinc Plated	50
---	-------	---------------------------	---	-------------	----

BUMPER STOP

F	HT7014	7/8"W x 1-3/16"H x 1-19/32"L	Steel, track mounted with a rubber stop	Zinc Plated	20
---	--------	------------------------------	---	-------------	----

SECTION O BUILDERS HARDWARE

SLIDING DOOR PULLS

SLIDING DOOR PULLS

- Ives, EPCO, KV, Wood Technology and Ultra's lines of economy sliding door pulls for glass and wood doors
- All items are designed for sliding door applications


Packing & Sold In: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.



A



B



C



E



D




F



G



H



I

	Item#	Overall Dimensions	Drill Hole	Material	Finish	Conforms to ANSI/BHMA	Box Qty
GLASS DOOR THREADED FINGER PULL, TWO-PIECE SCREW TOGETHER PULL FOR GLASS 3/16" TO 5/16" THICK							
A	KV836A	1-1/16" Dia x 9/16" Deep	13/16" Dia	Zinc	Anachrome	-	50
GLASS DOOR PULL, DESIGNED FOR 1/4" THICK GLASS							
B	EPGP15A	3/4" W x 1" D, 2-3/4" H	-	Aluminum	Satin Aluminum	-	25
GLASS DOOR PULL, DESIGNED FOR 3/16" - 1/4" THICK GLASS INCLUDES ADHESIVE CUSHION & NYLON SCREW							
C	WY7020	3/4" W x 3/4" H	-	Zinc	Black	-	50
	WY7021	3/4" W x 3/4" H	-	Zinc	Bright Chrome	-	50
	WY7022	3/4" W x 3/4" H	-	Zinc	Bright Brass	-	50
GLASS DOOR STICK-ON PULL BACKED WITH PRESSURE SENSITIVE ADHESIVE							
D	EPGP17A	3/4" W x 2-3/4" H	-	Plastic	Aluminum	-	25
SLIDING DOOR EDGE PULLS WITH SPRING LOADED LEVER FOR A FLUSH LOOK							
E	IV230B3	3/4" W x 1-5/8" D x 3-7/8" L	-	Brass	Bright Brass	A156.14/D2801	10
	IV230B5	3/4" W x 1-5/8" D x 3-7/8" L	-	Brass	Antique Brass	A156.14/D2801	10
	IV230B10B	3/4" W x 1-5/8" D x 3-7/8" L	-	Brass	Oil Rub Bronze	A156.14/D2801	10
	IV230B15	3/4" W x 1-5/8" D x 3-7/8" L	-	Brass	Satin Nickel	A156.14/D2801	10
	IV230B26	3/4" W x 1-5/8" D x 3-7/8" L	-	Brass	Bright Chrome	A156.14/D2801	10
FLUSH FINGER PULLS							
F	FR365BP	1" Dia x 3/8" Deep	3/4" Dia	Zinc	Bright Brass	-	200
G	EPWP37DC	1-13/16" Dia x 7/32" Deep	1-5/8" Dia	Brass	Dull Chrome	-	25
H	IV221B15	2-7/16" Dia x 7/16" Deep	2-1/8"	Brass	Satin Nickel	A156.9/B22201 A156.14/D2781	20
	IV221B26	2-7/16" Dia x 7/16" Deep	2-1/8"	Brass	Bright Chrome	A156.9/B22201 A156.14/D2781	20
	IV221B26D	2-7/16" Dia x 7/16" Deep	2-1/8"	Brass	Satin Chrome	A156.9/B22201 A156.14/D2781	20
	IV221B3	2-7/16" Dia x 7/16" Deep	2-1/8"	Brass	Bright Brass	A156.9/B22201 A156.14/D2781	20
	IV221B4	2-7/16" Dia x 7/16" Deep	2-1/8"	Brass	Satin Brass	A156.9/B22201 A156.14/D2781	20
	IV221B5	2-7/16" Dia x 7/16" Deep	2-1/8"	Brass	Antique Brass	A156.9/B22201 A156.14/D2781	20
	IV221B5	2-7/16" Dia x 7/16" Deep	2-1/8"	Brass	Antique Brass	A156.9/B22201 A156.14/D2781	20
FLUSH OBLONG PULLS							
I	IV22B10B	3-1/8" W x 7/16" D x 1-5/16" H	-	Brass	Oil Rub Bronze	A156.9/B22201 A156.14/D2781	20
	IV22B15	3-1/8" W x 7/16" D x 1-5/16" H	-	Brass	Satin Nickel	A156.9/B22201 A156.14/D2781	20
	IV22B26	3-1/8" W x 7/16" D x 1-5/16" H	-	Brass	Bright Chrome	A156.9/B22201 A156.14/D2781	20
	IV22B26D	3-1/8" W x 7/16" D x 1-5/16" H	-	Brass	Satin Chrome	A156.9/B22201 A156.14/D2781	20
	IV22B3	3-1/8" W x 7/16" D x 1-5/16" H	-	Brass	Bright Brass	A156.9/B22201 A156.14/D2781	20
	IV22B5	3-1/8" W x 7/16" D x 1-5/16" H	-	Brass	Antique Brass	A156.9/B22201 A156.14/D2781	20

SHEAVES & TRACKS


Steel Enclosed & Open Wheel Sheaves

- KV's value line of sheaves and track
- Two types of sheaves: enclosed and open wheel
- Sheaves do not include screws
- Steel finish

Packing & Sold In: As shown below.

Sold In: Both broken and full box quantities.


Discount available for full box orders.




A




B




C



D



E




F



G

	Item#	Overall Dimensions (Width x Height x Length)	Description	Used with KV Steel Track#	Fasteners To Use	Box Qty
ENCLOSED STEEL SHEAVES (SCREWS NOT INCLUDED)						
A	KV400A	5/16"W x 1-1/4"H x 2"L	Heavy Doors, Ball Bearing Wheel	KV455 or KV469	-	100
	KV580	5/16"W x 1-1/4"H x 2"L	Light Doors, Nylon Wheel	KV455 or KV469	-	100
B	KV402	5/16"W x 1-1/4"H x 2-1/4"L	Heavy Doors, Ball Bearing Wheel	KV455 or KV469	#3 Flathead Wood Screws	100
	KV582	5/16"W x 1-1/4"H x 2-1/4"L	Light Doors, Nylon Wheel	KV455 or KV469		100
OPEN WHEEL STEEL SHEAVES (SCREWS NOT INCLUDED)						
C	KV427	1/2"W x 2-15/16"H, 1-3/16"Dia. Wheel	Standard Doors, Ball Bearing Round Groove Wheel	KV455 or KV469	#6 Flathead Wood Screw	50
D	KV429	3/8"W x 2-1/4"H, 1"Dia. Wheel	Standard Doors, Round Groove Wheel	KV455 or KV469	#4 Flathead Wood Screw	100
E	KV430	1/2"W x 2-3/4"H, 1-3/8"Dia. Wheel	Standard Doors, Ball Bearing, Round Groove Wheel	KV455 or KV469	#6 Flathead Wood Screw	50
F	KV592	2-1/4"W x 9/32"H, 1-3/16"Dia. Wheel	Thin Doors, Nylon Convex Wheel	KV455	#3 Flathead Wood Screw	100
STEEL ROLLER (SCREWS NOT INCLUDED)						
G	KV423	5/8"W x 1-13/16"L	Steel Roller 5/8"Dia x 1/2"W	KV455 or KV469	#5 Flathead Wood Screw	100

	Item#	Overall Dimensions (Width x Height x Length)	Description	Fasteners Included	Finish/ Material	Box Qty
STEEL TRACK						
H	KV455-72	21/32"W x 5/16"H x 72"L	6' Sheave Single Steel Track	1/2" Nails	Steel	10
	KV455-144	21/32"W x 5/16"H x 144"L	12' Sheave Single Steel Track	1/2" Nails	Steel	10
I	KV469-72	1"W x 1/4"H x 72"L	6' Sheave Double Steel Track	1/2" x #5 Screws	Zinc	10
	KV469-144	1"W x 1/4"H x 144"L	12' Sheave Double Steel Track	1/2" x #5 Screws	Zinc	10



SINGLE CHANNEL TRACKS




Track & Glides For Lightweight Doors

- EPCO's value line of sliding door components
- Track and glide sold separately
- Simple installation by press-fitting the plastic track into 1/8" wide saw kerf and glides are mortised into bottom of door
- Hardened fibre tracks and glides are self-lubricating and glide smoothly

Packing: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.



	Item#	Overall Dimensions (Width x Height x Length)	Description	Material	Color	Box Qty
A	EP810	1/8"W x 1/2"H x 100' Long Rolls	Plastic Kerf Track, sold in 100' rolls	Plastic	Brown	1
B	EP7511+	1/4"W x 1/4"H x 1"L	Non-Locking Glide	Nylon	White	100
C	EP801-6	1/8"W x 1/2"H x 72"L	Fibre Track	Fibre	Gray	12
D	EP1801	3/8"W x 3/8"H x 1-3/8"L	Non-Locking Fibre Glide	Fibre	Gray	100





SLIDING DOOR TRACK - DUAL TRACKS

Sliding Door Hardware Components For 3/4" Thick Doors

- Four components: Upper Guide, Lower Track, and Fibre Glides
- Upper Guide and Lower Track items are made of Aluminum and have an anodized aluminum finish
- Fiber Glides are hardened fibre with graphite composition to provide smooth operation and superb wearing qualities. No moving parts. Rust and corrosion proof.

Packing: As shown below.

Sold In: Both broken and full box quantities. Discount available on full box orders.



	Item#	Overall Dimensions (Width x Height x Length)	Channel Dimensions	Description	Finish	Box Qty
UPPER GUIDE FOR 3/4" THICK DOORS - ALUMINUM MATERIAL						
A	EP48A34-4	1-15/16"W x 9/16"H x 48"L	27/32"W x 1/2"D	Upper Guide, Holes at 6" Intervals	Anodized Alum.	3
	EP48A34-6	1-15/16"W x 9/16"H x 72"L	27/32"W x 1/2"D	Upper Guide, Holes at 6" Intervals	Anodized Alum.	2
LOWER TRACK FOR 3/4" THICK DOORS - ALUMINUM MATERIAL WITH FIBRE INSERTS						
B	EP821A-4	1-3/16"W x 15/32"H x 48"L	7/8"	Lower Track, Holes at 6" Intervals	Anodized Alum.	3
	EP821A-6	1-3/16"W x 15/32"H x 72"L	7/8"	Lower Track, Holes at 6" Intervals	Anodized Alum.	2
FIBRE GLIDES						
C	EP1801	3/8"W x 3/8"H X 1-3/8"L	-	Fibre Glides = Graphite Composition	Dark Gray	100

SLIDING DOOR TRACK - DUAL TRACKS


Aluminum Sliding Door Hardware Components for 1/4" Thick Doors



- Two components: 1) upper guide track, 2) lower guide track with built in fibre inserts
- Upper guide and lower track are made of aluminum and have an anodized aluminum finish
- Lower track with fibre insert is hardened fibre with graphite composition to provide smooth operation and superb wearing qualities. No moving parts. Rust and corrosion proof
- Sliding action is always sure, easy and quiet
- Upper guide and lower track is available in two lengths: 48" and 72"

Packing: As shown below.

Sold In: Both broken and full box quantities. Discount available on full box orders.



	Item#	Overall Dimensions (Width x Height x Length)	Channel Dimensions	Description	Finish	Box Qty
UPPER GUIDE FOR 1/4" THICK DOORS - ALUMINUM MATERIAL						
A	EP48A14-4	7/8"W x 9/16"H x 48"L	5/16"W x 1/2"D	4' Upper Guide, Holes at 6" Intervals	Anodized Aluminum	3
	EP48A14-6	7/8"W x 9/16"H x 72"L	5/16"W x 1/2"D	6' Upper Guide, Holes at 6" Intervals	Anodized Aluminum	2
LOWER TRACK FOR 1/4" THICK DOORS - ALUMINUM MATERIAL WITH FIBRE INSERTS						
B	EP38AS14-4	1-1/16"W x 21/64"H x 48"L	9/32"W x 11/64"D	4' Lower Track, Holes at 6" Intervals	Anodized Aluminum	3
	EP38AS14-6	1-1/16"W x 21/64"H x 72"L	9/32"W x 11/64"D	6' Lower Track, Holes at 6" Intervals	Anodized Aluminum	2



SLIDING DOOR TRACK - DUAL TRACKS

Plastic Tracks For By-Passing Doors

- Available in complete installation kits for 1/8", 1/4", 1/2" or 3/4" thick doors
- All tracks made of plastic with a tan color
- Hardware set includes: matching (1) piece of upper guide and (1) piece of lower track
- Available in three lengths; 48", 60" and 72"

Packing: Sets (top and bottom tracks) are individually packaged, 10 sets per box.

Sold In: Both broken and full box set (top and bottom) quantities. Discount available for full box orders.



	Item#	Upper Guide Dimensions (Width x Height x Length)	Lower Track Dimensions (Width x Height x Length)	Description	Color	Box Qty
DESIGNED FOR DOORS WITH A THICKNESS OF 1/8"						
A	KVP2413T-48	5/8"W x 9/16"H x 48"L	5/8"W x 5/16"H x 48"L	(1)Upper Guide & (1)Lower Track	Tan	10
	KVP2413T-72	5/8"W x 9/16"H x 72"L	5/8"W x 5/16"H x 72"L	(1)Upper Guide & (1)Lower Track	Tan	10
DESIGNED FOR DOORS WITH A THICKNESS OF 1/4"						
B	KVP2417T-48	13/16"W x 9/16"H x 48"L	13/16"W x 1/4"H x 48"L	(1)Upper Guide & (1)Lower Track	Tan	10
	KVP2417T-60	13/16"W x 9/16"H x 60"L	13/16"W x 1/4"H x 60"L	(1)Upper Guide & (1)Lower Track	Tan	10
	KVP2417T-72	13/16"W x 9/16"H x 72"L	13/16"W x 1/4"H x 72"L	(1)Upper Guide & (1)Lower Track	Tan	10
DESIGNED FOR DOORS WITH A THICKNESS OF 1/2"						
C	KVP2421T-48	1-3/8"W x 1/2"H x 48"L	1-3/8"W x 5/16"H x 48"L	(1)Upper Guide & (1)Lower Track	Tan	10
	KVP2421T-60	1-3/8"W x 1/2"H x 60"L	1-3/8"W x 5/16"H x 60"L	(1)Upper Guide & (1)Lower Track	Tan	10
	KVP2421T-72	1-3/8"W x 1/2"H x 72"L	1-3/8"W x 5/16"H x 72"L	(1)Upper Guide & (1)Lower Track	Tan	10
DESIGNED FOR DOORS WITH A THICKNESS OF 3/4"						
D	KVP2419T-48	1-15/16"W x 13/16"H x 48"L	1-15/16"W x 3/8"H x 48"L	(1)Upper Guide & (1)Lower Track	Tan	10
	KVP2419T-60	1-15/16"W x 13/16"H x 60"L	1-15/16"W x 3/8"H x 60"L	(1)Upper Guide & (1)Lower Track	Tan	10
	KVP2419T-72	1-15/16"W x 13/16"H x 72"L	1-15/16"W x 3/8"H x 72"L	(1)Upper Guide & (1)Lower Track	Tan	10



SLIDING GLASS DOOR DUAL TRACK SETS

Aluminum Sliding Glass Door Dual Track Sets

- Sets are designed for two glass door applications
- Hardware sets are designed with all set components in four lengths: 36", 48", 60" and 72"
- Hardware is made of aluminum with a satin clear anodized aluminum finish
- Hardware sets include: (1) Upper Guide, (4) Top of glass plastic guides, (2) Shoes, (4) Rollers & (1) Lower Track
- Corrosion free anodized aluminum members are ideal for lightweight 1/4" thick two glass door installations, plastic guides are designed to fit into the top of 1/4" glass
- Glass should be cut 1-7/32" shorter than height of opening
- Easily cut to fit any width opening
- If glass is undersized, it can be caulked for rigidity

Packing & Sold In: Each

Item#	Overall Dimensions	Finish
EP14A-3	36" Length	Aluminum
EP14A-4	48" Length	Aluminum
EP14A-5	60" Length	Aluminum
EP14A-6	72" Length	Aluminum



SLIDING GLASS DOOR DUAL TRACK - DOUBLE TRACKS


Large Sliding Glass Door Ball Bearing Hardware Sets & Components For By-Passing Doors



- High quality ball bearing movement
- Available in hardware sets or individual components
- Hardware Set (for two glass doors) includes: (1) upper channel, (2) shoes, (2) ball bearing carriers and (1) lower track
- All hardware is made of steel with a zinc finish
- Zinc plated steel with full ball bearing carriers make this unit ideal for larger 1/4" two glass door installations
- Glass should be cut 1-1/4" shorter than height of opening, easily cut to fit any width opening
- KV does not recommend butt-joints and/or openings longer than 12 feet
- KV recommends that the height to length ratio for glass doors should not exceed 2:1

Packing & Sold In: Each

Item#	Overall Dimensions	Description	Finish
SLIDING GLASS DOOR STEEL HARDWARE SETS			
KVP992-36	36" Length	(1)KV993 Upper Channel, (2)KV995 Shoe, (2)KV997 Carrier & (1)KV999 Lower Track	Zinc
KVP992-48	48" Length	(1)KV993 Upper Channel, (2)KV995 Shoe, (2)KV997 Carrier & (1)KV999 Lower Track	Zinc
KVP992-60	60" Length	(1)KV993 Upper Channel, (2)KV995 Shoe, (2)KV997 Carrier & (1)KV999 Lower Track	Zinc
KVP992-72	72" Length	(1)KV993 Upper Channel, (2)KV995 Shoe, (2)KV997 Carrier & (1)KV999 Lower Track	Zinc
SLIDING GLASS DOOR STEEL HARDWARE COMPONENTS			
KV993ZC-144	144" Length	15/16"W x 5/8"H, Upper Channel	Zinc
KV995ZC-144	144" Length	7/16"H, Shoe for 1/4" glass, bottom curved for free rolling position on ball bearings	Zinc
KV997ZC-144	144" Length	Ball Bearing Carrier has free rolling balls on 3" centers	Zinc
KV999ZC-144	144" Length	1"W x 1"H, Lower Track, Balls ride freely on curved anvil with no contact against sides	Zinc



SLIDING DOOR HARDWARE KIT

Pocket Door Frame Hardware Set

- Stanley's value line pocket frame hardware set for sliding doors
- Fully adjustable telescopic zinc plated header track with a heavy gauge steel (U-Channel design) for maximum strength and rigidity
- Fully adjustable hangers
- Extra rigid, non-warp split jamb and stud
- Flange on jamb provides natural stop for wet or dry wall construction
- Available in hardware sets
- All hardware is made of steel with a zinc finish
- Hardware Set includes (1) complete track for one door
- Designed for doors 3/4" – 1-3/4" thick and up to 150 lbs. each
- Designed for doors 6'6" to 6'8" high and fully adjustable for any width between 2' and 3'

Packing & Sold In: One complete set for 1 door.



Item#	Length of Opening	Description	Finish
POCKET FRAME HARDWARE SET			
SH40-3925R	24"-36" L	(1) Complete Pocket Frame Hardware Set for Sliding Doors	Zinc
POCKET FRAME ADAPTER COUPLINGS			
SH40-5960	Coupling to adapt a basic 1-door unit to a 2-door installation where the opening is up to 6' wide		Zinc

WINDOW HARDWARE


Handles & Locks

- Ives' premium line of window handles and locks
- Window hardware is made of brass and aluminum
- Window locks and casement fasteners are designed to provide weather-tight fastening and security
- All items are supplied with screws

Packing: As shown below.

Sold In: Both broken and full box quantities.

Discount available for full box orders.



	Item#	Finish	Overall Dimensions (Width x Height)	Projection	Material	Conforms to ANSI/BHMA	Box Qty
HANDLES							
A	IV026A3	Bright Brass	4"W x 1-1/8"H	1-1/16"	Aluminum	A156.16	20
	IV026A92	Aluminum	4"W x 1-1/8"H	1-1/16"	Aluminum	A156.16	20
	IV086MB3	Bright Brass	4"W x 1-1/8"H	1-1/16"	Brass	A156.16	20
WINDOW LOCK – CRESCENT TYPE							
B	IV07A3	Bright Brass	2-9/16"W x 15/16"H	-	Aluminum	156.16	20
	IV07MB3	Bright Brass	2-9/16"W x 15/16"H	-	Brass	156.16	10
CASEMENT FASTENER – INCLUDES SURFACE STRIKES							
C	IV066A3SS	Bright Brass	7/8"W x 1-5/8"H	1-3/8"	Aluminum	A156.16	10
	IV066B26DSS	Satin Chrome	7/8"W x 1-5/8"H	1-3/8"	Brass	A156.16	10