

MOVER






Sliding system with vertical gliding for wall cabinets.
The mechanism is concealed inside an aluminium profile always hidden from the door.
The door moves on two lateral telescopic guides and can be stopped in any position.

Product overview

- Vertical sliding system for single door;
- Door dimensions:
 900 W x 600 H mm (35-7/16" x 23-5/8")
 weight from 6 (13lbs) to 8 kg (18 lbs)
- 1200 W x 600 H mm (47-7/32" x 23-5/8")
 weight from 10 (22lbs) to 12 kg (27 lbs)
- 1800 W x 600 H mm (71-1/16" x 23-5/8")
 weight from 15 (33 lbs) to 17 kg (38 lbs)
- 2400 W x 600 H mm (94-1/2" x 23-5/8")
 weight from 19 (42 lbs) to 21 kg (46 lbs)

- Telescopic guides thickness 20 mm;
- Height adjustment ± 3 mm ($\pm 1/8"$);
- Door weight adjustment ± 1 kg (± 2 lbs);
- 480 mm height door available as special order.



THE KIT ASSEMBLY CONSISTS OF

A



Horizontal aluminium profile

B




Pair of full-extension telescopic guides

C



Sliding profile for central panel (only for versions with door from 1800 to 2400 mm)

D



E



Packaging with accessories

A


Fix on the lateral panels the support (D) for the aluminium profile




Insert the aluminium profile (A) on the on the inserts (D) already fixed on the lateral panels

B**D****C****B**

Apply on the front edge of the lateral panels the two telescopic guides with the mounting brackets




Fix the 4 hooks (E) on the internal side of the door



| Item | Telescopic guide thickness mm | Door width mm | Door weight Kg | Packaging | |
|--------------|-------------------------------|---------------|----------------|-----------|---------------|
| | | | | Weight Kg | Dimensions cm |
| YE2809006020 | 20 | 900 | 6.8 | 5.7 | 125x10x10 |
| YE2812006020 | 20 | 1200 | 10-12 | 6.9 | 125x10x10 |
| YE2818006020 | 20 | 1800 | 15-17 | 9.9 | 185x10x10 |
| YE2824006020 | 20 | 2400 | 19-21 | 10.9 | 245x10x10 |
| YE2809004820 | 20 | 900 | 5.7 | 5.4 | 96x10x10 |
| YE2812004820 | 20 | 1200 | 7-9 | 6.7 | 125x10x10 |
| YE2818004820 | 20 | 1800 | 11-13 | 9.6 | 185x10x10 |
| YE2824004820 | 20 | 2400 | 16-18 | 10.6 | 245x10x10 |


! As you are in the design phase it will be important to determine the weight of your doors and provide for it with adequate panels thickness.



Product codes and assembly specifications DOOR

| Item | Description | HT | LI | A | B | C | HA | LA | D | E | F | Weight Kg |
|--------------|----------------|-----|------|----|-----|-----|-----|------|-------|--------|--------|-----------|
| YE2809006020 | 900x600 20 mm | 600 | 863 | 76 | 224 | | 597 | 900 | 224.5 | | | 6/8 |
| YE2812006020 | 1200x600 20 mm | 600 | 1163 | 76 | 224 | | 597 | 1200 | 224.5 | | | 10/12 |
| YE2818006020 | 1800x600 20 mm | 600 | 1763 | 76 | 224 | 558 | 597 | 1800 | 224.5 | 733.5 | 817.5 | 15/17 |
| YE2824006020 | 2400x600 20 mm | 600 | 2363 | 76 | 224 | 558 | 597 | 2400 | 224.5 | 1033.5 | 1117.5 | 19/21 |
| YE2809004820 | 900x480 20 mm | 480 | 863 | 80 | 160 | | 477 | 900 | 104.5 | | | 5/7 |
| YE2812004820 | 1200x480 20 mm | 480 | 1163 | 80 | 160 | | 477 | 1200 | 104.5 | | | 7/9 |
| YE2818004820 | 1800x480 20 mm | 480 | 1763 | 80 | 160 | 438 | 477 | 1800 | 104.5 | 733.5 | 817.5 | 11/13 |
| YE2824004820 | 2400x480 20 mm | 480 | 363 | 80 | 160 | 438 | 477 | 2400 | 104.5 | 1033.5 | 1117.5 | 16/18 |

! As you are in the design phase it will be important to determine the weight of your doors and provide for it with adequate panels thickness.



CODE REFERENCES

LI Internal cabinet width (mm)

LA Door width (mm)

HA Door height (mm)

HT Total cabinet height (mm)

A/B/C/D/E/F See chart

