


# 6" ROUND CUSTOM PUSHPLATE FORM

10PBR10



10PBRLL



P/N(s) DESIRED?


SAMPLE REQUIRED?:

QUANTITY (RELEASE INFO):


COLOR (LOGO/ BACKGROUND):

TYPE OF ARTWORK (PLEASE ATTACH):

DUE DATE:



10PBR1



10PBR






B.E.A., Inc.

300 South Main Street Pittsburgh, PA 15215

PH: (412)782-5150 FAX: (412)782-5154

**TITLE: B.E.A. STAINLESS STEEL  
CUSTOM PUSHPLATE FORM**

| SIZE  | CAGE CODE | DWG NO | FILE OF:         | DRAWN BY: | REV          |
|-------|-----------|--------|------------------|-----------|--------------|
| A     |           |        | KJG              | KJG       | A            |
| SCALE | NONE      |        | DATE: 8 NOV 1999 |           | SHEET 1 OF 1 |



Ø5.875"  
Ø149.23 mm




10PBR1

| REV | DESCRIPTION | DATE |
|-----|-------------|------|
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |

|                                                                                                                   |                                         |                  |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------|------------------|
| <b>BEA</b> 300 SOUTH MAIN STREET<br>PITTSBURGH, PA 15215<br><small>We open up New Horizons</small> (800) 523-2462 |                                         |                  |
| <b>TITLE:</b> 6" Round Pushplate Series                                                                           |                                         |                  |
| <b>PART NUMBER:</b> 10PBR1                                                                                        |                                         |                  |
| <b>DRAWING NUMBER:</b>                                                                                            | <b>DRAWN BY:</b><br>kjgierl<br>2/7/2002 | <b>RELEASED:</b> |
|                                                                                                                   | <b>CHECKED BY:</b>                      |                  |

| Dimensional Tolerances |           |            |            |              |              |              |                |                |                |
|------------------------|-----------|------------|------------|--------------|--------------|--------------|----------------|----------------|----------------|
| Dimension in mm        | >0.5 to 3 | > 3 to 6   | > 6 to 30  | > 30 to 120  | > 120 to 400 | >400 to 1000 | > 1000 to 2000 | > 2000 to 4000 | > 4000 to 8000 |
| Tolerance              | ±0.1      | ±0.1       | ±0.2       | ±0.3         | ±0.5         | ±0.8         | ±1.2           | ±2             | ±3             |
|                        |           |            |            |              |              |              |                |                |                |
| Angular Tolerance      |           |            |            |              |              |              |                |                |                |
| Angle                  | ... 10    | > 10 to 50 | >50 to 120 | > 120 to 400 |              |              |                |                |                |
| Tolerance              | ±1°       | ±30°       | ±20°       | ±10°         |              |              |                |                |                |



| Dimensional Tolerances |           |            |            |              |              |              |                |                |                |
|------------------------|-----------|------------|------------|--------------|--------------|--------------|----------------|----------------|----------------|
| Dimension in mm        | >0.5 to 3 | > 3 to 6   | > 6 to 30  | > 30 to 120  | > 120 to 400 | >400 to 1000 | > 1000 to 2000 | > 2000 to 4000 | > 4000 to 8000 |
| Tolerance              | ±0.1      | ±0.1       | ±0.2       | ±0.3         | ±0.5         | ±0.8         | ±1.2           | ±2             | ±3             |
| Angular Tolerance      |           |            |            |              |              |              |                |                |                |
| Angle                  | ... 10    | > 10 to 50 | >50 to 120 | > 120 to 400 |              |              |                |                |                |
| Tolerance              | ±1°       | ±30°       | ±20°       | ±10°         |              |              |                |                |                |

| REV | DESCRIPTION | DATE |
|-----|-------------|------|
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |

**BEA**  
We open up New Horizons




300 SOUTH MAIN STREET  
PITTSBURGH, PA 15215  
(800) 523-2462

**TITLE: 6" Round Pushplate Series**


PART NUMBER: 10PBRx

|                 |                                  |           |
|-----------------|----------------------------------|-----------|
| DRAWING NUMBER: | DRAWN BY:<br>kjgierl<br>2/7/2002 | RELEASED: |
|                 | CHECKED BY:                      |           |

10PBRx



Ø5.875"  
Ø149.23 mm



10PBR

| Dimensional Tolerances |           |            |            |              |              |              |                |                |                |
|------------------------|-----------|------------|------------|--------------|--------------|--------------|----------------|----------------|----------------|
| Dimension in mm        | >0.5 to 3 | > 3 to 6   | > 6 to 30  | > 30 to 120  | > 120 to 400 | >400 to 1000 | > 1000 to 2000 | > 2000 to 4000 | > 4000 to 8000 |
| Tolerance              | ±0.1      | ±0.1       | ±0.2       | ±0.3         | ±0.5         | ±0.8         | ±1.2           | ±2             | ±3             |
| Angular Tolerance      |           |            |            |              |              |              |                |                |                |
| Angle                  | ... 10    | > 10 to 50 | >50 to 120 | > 120 to 400 |              |              |                |                |                |
| Tolerance              | ±1°       | ±30'       | ±20'       | ±10'         |              |              |                |                |                |

| REV | DESCRIPTION | DATE |
|-----|-------------|------|
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |
|     |             |      |

|                                                                                                                   |                                  |           |
|-------------------------------------------------------------------------------------------------------------------|----------------------------------|-----------|
| <b>BEA</b> 300 SOUTH MAIN STREET<br>PITTSBURGH, PA 15215<br><small>We open up New Horizons</small> (800) 523-2462 |                                  |           |
| <b>TITLE: 6" Round Pushplate Series</b>                                                                           |                                  |           |
| PART NUMBER: 10PBR                                                                                                |                                  |           |
| DRAWING NUMBER:                                                                                                   | DRAWN BY:<br>kjgierl<br>2/7/2002 | RELEASED: |
|                                                                                                                   | CHECKED BY:                      |           |