

PBS45 SERIES PUSH PLATES



4½" SQUARE
STAINLESS STEEL
EASY INSTALLATION



Innovation
Quality
Service

WWW.BEASENSORS.COM

This square push plate is the perfect solution for fast and easy installation. Screws on the front plate allow for quick removal while still remaining functional, aesthetically appealing and weather resistant.

- Faceplate screws allow for easy installation
- Highly visible, unobtrusive and aesthetically pleasing design
- Beveled edges provide resistance to tampering and vandalism
- Graphics are etched onto the faceplate for maximum durability
- Stainless steel components will not deteriorate or rust
- Available in multiple styles to meet specifications or customer requests

A HALMA COMPANY

BEA
OPEN UP NEW HORIZONS

TECHNICAL SPECS

- A. 16 gauge, 304 2B Stainless Steel Faceplate
- B. 1/8 in thick, Stainless Steel Backplate
- C. Stainless Steel 6 – 32 x 1 in and 8 – 32 x 1 in Allen head mounting screws
- D. Cherry Switch: Single-pole, 15A, COM / NO / NC contacts

PRODUCT FAMILY



10PBS451
Text & Logo



10PBS45LL
Logo Only



10PBS45
Text Only



10PBS4510
Plain Face



10PBS451B
Text & Logo – Blue



10PBS45B
Text Only – Blue



10PBS4510PTS
Push To Slow



10PBS45POD
Press To Operate

MOUNTING ACCESSORIES




10BOX45SQSM
Surface Mount



10BOXDGS
Standard Double Gang




10BOXDG45C
Carlon Surface Mount




10BRINGC
Electrical Box Backplate

COMPONENTS



- 1 Faceplate
- 2 Backplate
- 3 Spring Assembly
- 4 Cherry Switch

DETAILS



RELATED PRODUCTS



Bollards
Mounting post for
recessed push plate



Br3
Programmable 3 Relay
logic module with 12
selectable functions



RF-433
433 MHz digital
receivers and
transmitters with
sequencing function



Low Profile Plates
36" x 6" x 1" High-Low
and 4½" x 4½" x ¼"



Push Plates
Weather resistant,
stainless steel push plates
are perfect for any
knowing-act application

BEA Inc.
RIDC Park West
100 Enterprise Drive
Pittsburgh, PA 15275-1213

PHONE: 1 800.523.2462
FAX: 1 888.523.2462



Member
American Association of
Automatic Door Manufacturers



OPEN UP NEW HORIZONS

PUSH PLATES


STAINLESS STEEL PUSH PLATES



PRIMARY APPLICATIONS



Low Energy



Vestibules



Request To Exit

DESCRIPTION

BEA offers a comprehensive line of stainless steel push plates available in 4.5, 4.75 and 6 inch round and square sizes with a variety of popular design options available. Also available, jamb style push plates are a flexible alternative to standard size plates, offering the same performance but in a more compact size.

These ADA-compliant push plates improve access for those with disabilities and seamlessly integrate with an automatic door's activation and security features.

These push-plates are designed to fit into standard electrical gang boxes, and/or BEA's line of plastic enclosures.

The faceplate has concealed fasteners to minimize vandalism. The push-plates may be hard wired to the door operator or connected to BEA's line of radio controlled transmitters.

FEATURES & BENEFITS

- 1/16 inch thick stainless steel for maximum durability
- Concealed fasteners to minimize vandalism
- User-friendly kits containing push plates and accessories available upon request
- Wireless packages available for installer convenience
- Available through geographically convenient distribution centers
- Various text, graphic and logo options available
- Compatible with both surface and flush mount boxes

TECHNICAL SPECIFICATIONS







Faceplate Material	16 gauge, 304 2B Stainless Steel
Backplate Material	1/8 inch thick, Aluminum
Mounting Screws	Stainless Steel, 6-32 x 1 in & 8-32 x 1 in Allen Head Size: 5/64
Cherry Switch	Single-pole, 15A, COM/NO/NC, UL Recognized
Compatible Wireless Frequencies	900, 433 or 300 MHz




BEA, Inc.
RIDC Park West
100 Enterprise Drive
Pittsburgh, PA 15275-1213

Customer Service: 800.523.2462
Technical Support: 800.407.4545
www.BEAinc.com

DIMENSIONAL DRAWINGS

4.5" ROUND	6" ROUND	4.5" SQUARE	4.75" SQUARE	6" SQUARE	JAMB	SINGLE GANG	VESTIBULE
4.5 in X 0.62 in	6 in X 0.62 in	4.5 in X 0.62 in	4.75 in X 0.62 in	6 in X 0.62 in	1.5 in X 4.75 in	2.75 in X 4.50 in	4.75 in X 4.75 in
							
4.5 in	6 in	4.5 in	4.75 in	6 in	1.5 in	2.75 in	4.75 in

SERIES BREAKDOWN

DESCRIPTION	4.5" ROUND	6" ROUND	4.5" SQUARE	4.75" SQUARE	6" SQUARE	JAMB	SINGLE GANG	VESTIBULE
PUSH TO OPEN	 10PBR45	 10PBR	 10PBS2GBLK	 10PBS	 10PBS6	 10PBJ		
TEXT AND LOGO	 10PBR451	 10PBR1	 10PBS451	 10PBS1	 10PBS61	 10PBJ1	 10PBO241	 10PBDGP1
LOGO ONLY	 10PBR45LL	 10PBRLL	 10PBS45LL	 10PBSLL	 10PBS6L	 10PBJL	 10PBO24L	
PLAIN FACE	 10PBR4510	 10PBR10	 10PBS4510	 10PBS10	 10PBS610	 10PBJ10	 10PBO2410	
PUSH TO SLOW, PRESS TO OPERATE OR PUSH TO EXIT	 10PBR4510PTS		 10PBS45POD	 10PBSE		 10PBJE	 10PBO24E	
WHITE ON BLUE PUSH TO OPEN			 10PBS45B					
WHITE ON BLUE TEXT AND LOGO			 10PBS451B	 10PBS1B		 10PBJ1B		
WHITE ON BLUE LOGO ONLY						 10PBJLB		
BLUE ON BRASS* TEXT AND LOGO				 10PBS1SB				

*satin or bright brass

www.BEAinc.com

© 2015 BEA, Inc. All rights reserved.

PUSH PLATES

STAINLESS STEEL PUSH PLATES

BEA, Inc.
RIDC Park West
100 Enterprise Drive
Pittsburgh, PA 15275-1213

Customer Service: 800.523.2462
Technical Support: 800.407.4545

