

Besam Revolving Door UniTurn

Spare Parts Manual



FAA072-EI-18.0 – Issue 2014-12-29

© All rights in and to this material are the sole property of ASSA ABLOY Entrance Systems AB. Copying, scanning, alterations or modifications are expressly forbidden without the prior written consent of the applicable company within ASSA ABLOY Entrance Systems AB. Rights reserved for changes without prior notice.

Table of content:

1	Revision	7
2	Important information	8
3	Glass	9
3.1	Rubber glazing strips	9
3.2	Outer walls without midrail	9
3.3	Outer walls with midrail	10
3.4	Rotating part without midrails	11
3.5	Rotating part with midrails	12
4	Profiles	13
4.1	Canopy ring	13
4.2	Fascia sheets	14
4.3	Wall ring	15
4.4	Outer walls without midrails	16
4.5	Outer walls with midrails	17
4.6	Curved display wall without midrail	18
4.7	Curved display wall with midrail	19
4.8	Display wall	20
4.9	Display door without midrail	21
4.10	Display door with midrail	22
4.11	Escape door without midrail	23
4.12	Escape door with midrail	24
4.13	Ceiling profiles UniTurn 36/42	25
4.14	Ceiling profiles UniTurn 48/54	26

Table of content:

5	Brush Sealings	27
6	Electrical Components	28
6.1	Sliprings, encoder	28
6.2	Activator PIR	28
6.3	Activator DSR Direct sensing radar	29
6.4	PDR	29
6.5	PDR in rotating ceiling	30
6.6	PCD	31
6.7	Control box	31
6.8	Electro-mechanical lock	32
6.9	Escape door lock	33
6.10	4SAFE upgrade kit	34
6.11	Safety switches	35
6.12	Safety switches clockwise rotation	36
6.13	Spotlight	37
6.14	Distribution box and transformer	38
6.15	Push button inside door	38
6.16	Emergency stop push button	39
6.17	Emergency stop push-button	39
6.18	Push-button for disabled	40
7	Signs	41
8	Mechanical Components	42

Table of content:

8.1	Screw kit	42
8.2	Escape door positioning	42
8.3	Reinforcement Kit drive frame	42
8.4	Mechanical lock	43
8.5	Display door lock	44
8.6	Drive unit	45
8.7	Brake unit	46
8.8	Support wheel	46
8.9	Hinge one door	47
8.10	Water resistant cover	48
9	Inner Ceiling	49
9.1	Ceiling locks	49
9.2	Ceiling panels UniTurn 36/42	50
9.3	Ceiling panels UniTurn 48/54	51
10	Motorized Swing Door	52
11	Motorized service doors	53
12	Sliding Escape Door	54
12.1	Door leaf	54
12.2	Door carrier centre	55
12.3	Catcher	56
12.4	Electrical components	57
12.5	Sliding door lock	58

Table of content:

12.6 Inner ceiling pos 2 59

13 Air Curtain 60

13.1 Heater/fan 60

13.2 Control box 61

13.3 Sensors 61

Following pages have been revised:


Page	Pos. No.	Revision
31	C	Removed 33260038 MPU-board CDC 4.0
35	B	Updated 33265599 to 33265599S
42	A	Updated 33709590 to 331702605
47	1	Updated the description for Hinge

When ordering spare parts state the following:

- For profiles etc. state the surface treatment.
- For vertical profiles, glass, safety switches vertical brushes etc. state the internal height (IH).
Standard internal height is 2200mm.
- For fascia sheets state the canopy height (CH).
Standard canopy height is 340mm.
- If the door is equipped with midrails state the midrail height (MH) when ordering glass etc.
Standard midrail height is 862mm.
- If the door is cladded with stainless steel state the finish.

If the above information is missing state the Besam Production order number.

All measures given in this manual are based on standard heights.




3.1 Rubber glazing strips

	Article No.	Note
A	33716268	Standard
B	33258414	Stainless steel clad door

3.2 Outer walls without midrail

UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	Note
3326505836	3326505842	3326505848	3326505854	4+4mm lam. glass
3326518536	3326518542	3326518548	3326518554	Infill panel

Note! If not Standard state IH



3.3 Outer walls with midrail

Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	
A	3326520336	3326520342	3326520348	3326520354	4+4mm lam. glass
B	3326519936	3326519942	3326519948	3326519954	4+4mm lam. glass

State the internal height and the midrail height.



3.4 Rotating part without midrails

	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	
A	3326527336	3326527342	3326527348	3326507354	4+4mm lam. glass
A	3326518636	3326518642	3326518648	3326518654	Infill panel
B	3326527436	3326527442	3326527448	3326507354	4+4mm lam. glass
B	3326518736	3326518742	3326518748	3326518754	Infill panel
C	3326527336	3326527342	3326527348	3326507354	4+4mm lam. glass
C	3326518636	3326518642	3326518648	3326518654	Infill panel
D	530x1264mm	685x1264mm	840x1264mm	995x1264mm	3+3mm lam. glass
E	530x708mm	685x708mm	840x708mm	995x708mm	3+3mm lam. glass
F	875x2002mm	1055x2002mm	1231x2002mm	1408x2002mm	3+3mm lam. glass
G	923x2002mm	1073x2002mm	1223x2002mm	1373x2002mm	3+3mm lam. glass
D/E = Full glass	530x2006mm	685x2006mm	840x2006mm	995x2006mm	3+3mm lam. glass


Item A, B and C

State the internal height.

Glass measure when

HI=2200

HI-194




3.5 Rotating part with midrails

	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	
A1	3326522836	3326522842	3326522848	3326522754	4+4mm lam. glass
A2	3326522436	3326522442	3326522448	3326522354	4+4mm lam. glass
B1	3326522936	3326522942	3326522948	3326522754	4+4mm lam. glass
B2	3326522536	3326522542	3326522548	3326522354	4+4mm lam. glass
C1	3326522836	3326522842	3326522848	3326522754	4+4mm lam. glass
C2	3326522436	3326522442	3326522448	3326522354	4+4mm lam. glass
D	530x862mm	685x862mm	840x862mm	995x862mm	3+3mm lam. glass
E	530x708mm	685x708mm	840x708mm	995x708mm	3+3mm lam. glass
F1	875x862mm	1055x862mm	1231x862mm	1408x862mm	3+3mm lam. glass
F2	875x708mm	1055x708mm	1231x708mm	1408x708mm	3+3mm lam. glass
G1	923x1260mm	1073x1260mm	1223x1260mm	1373x1260mm	3+3mm lam. glass
G2	923x708mm	1073x708mm	1223x708mm	1373x708mm	3+3mm lam. glass


Item A1, B1 and C1

State the internal height and the midrail height.



4.1 Canopy ring

Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326511036	3326511042	3326511048	3326511054




4.2 Fascia sheets

Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326511736	3326511742	3326511748	3326511754
B	3326511636	3326511642	3326511648	3326511654

State the canopy height.


Sizes

Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A Length	963	1120	1277	1434
B Length	1926	2241	2555	2869
Height	307 if CH is std 340 (H=CH-33)			



4.3 Wall ring


Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326503136	3326503142	3326503148	3326503154
B	3326503236	3326503242	3326503248	3326503254



4.4 Outer walls without midrails

Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326505436	3326505442	3326505448	3326505454
B	3326505536	3326505542	3326505548	3326505554
C	33247998	33247998	33247998	33247998
D	33247997	33247997	33247997	33247997
E	33265056	33265056	33265056	33265056
F	33265057	33265057	33265057	33265057

Item C, D, E and F
State the internal height.




4.5 Outer walls with midrails

Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326505436	3326505442	3326505448	3326505454
B	3326505536	3326505542	3326505548	3326505554
C	33265197	33265197	33265197	33265197
D	33265195	33265195	33265195	33265195
E	33265198	33265198	33265198	33265198
F	33265057	33265057	33265057	33265057
G	3326520736	3326520742	3326520748	3326520754

Item C, D, E and F

State the internal height and the midrail height.




4.6 Curved display wall without midrail



Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326506736	3326506742	3326506748	3326506754
B	3326506836	3326506842	3326506848	3326506854
C	33265254	33265254	33265254	33265254
D	33265253	33265253	33265253	33265253
E	33265070	33265070	33265070	33265070
F	33265069	33265069	33265069	33265069
G	33265071	33265071	33265071	33265071
H	3326507236	3326507242	3326507248	3326507254
L	33265074	33265074	33265074	33265074

Item C, D, E, F, G and L
State the internal height.




4.7 Curved display wall with midrail



Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326506736	3326506742	3326506748	3326506754
B	3326506836	3326506842	3326506848	3326506854
C	33265220	33265220	33265220	33265220
D	33265219	33265219	33265219	33265219
E	33265222	33265222	33265222	33265222
F	33265221	33265221	33265221	33265221
G	33265071	33265071	33265071	33265071
J	3326523236	3326523242	3326523248	3326523254
K	3326523136	3326523142	3326523148	3326523154
L	33265074	33265074	33265074	33265074

Item C, D, E, F, G and L

State the internal height and the midrail height.




4.8 Display wall




Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326509436	3326509442	3326509448	3326509454
B	3326509736	3326509742	3326509748	3326509754
C	33265098	33265098	33265098	33265098
D	33265099	33265099	33265099	33265099
E	33265123	33265123	33265123	33265123
F	3326509536	3326509542	3326509548	3326509554
G	3326509636	3326509642	3326509648	3326509654
H	3326514136	3326514142	3326514148	3326514154
J	33265292	33265292	33265292	33265292
K	33265293	33265293	33265293	33265293
L	33265296	33265296	33265296	33265296
M	33265297	33265297	33265297	33265297

Item C, D, E, J and K

State the internal height and the midrail height.



4.9 Display door without midrail



Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326508836	3326508842	3326508848	3326508854
B	3326509136	3326509142	3326509148	3326509154
C	33265092	33265092	33265092	33265092
D	33265238	33265238	33265238	33265238
E	3326516536	3326516542	3326516548	3326516554
F	3326514036	3326514042	3326514048	3326514054
G	33265143	33265143	33265143	33265143

Item C, D and G

State the internal height.




4.10 Display door with midrail



Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326508836	3326508842	3326508848	3326508854
B	3326509136	3326509142	3326509148	3326509154
C	33265092	33265092	33265092	33265092
D	33265082	33265082	33265082	33265082
E	3326516536	3326516542	3326516548	3326516554
F	3326514036	3326514042	3326514048	3326514054
G	3326508936	3326508942	3326508948	3326508954
H	3326509036	3326509042	3326509048	3326509054
J	33265294	33265294	33265294	33265294
K	33265295	33265295	33265295	33265295
L	33265296	33265296	33265296	33265296
M	33265297	33265297	33265297	33265297

Item C, D, K and J

State the internal height and the midrail height.




4.11 Escape door without midrail



Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326507836	3326507842	3326507848	3326507854
B	3326508136	3326508142	3326508148	3326508154
C	33265082	33265082	33265082	33265082
D	33265083	33265083	33265083	33265083
E	33265156	33265156	33265156	33265156
F	3326513936	3326513942	3326513948	3326513954
G	33265143	33265143	33265143	33265143

Item C, D, E and G

State the internal height.




4.12 Escape door with midrail



Pos	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
A	3326507836	3326507842	3326507848	3326507854
B	3326508136	3326508142	3326508148	3326508154
C	33265082	33265082	33265082	33265082
D	33265083	33265083	33265083	33265083
E	33265156	33265156	33265156	33265156
F	3326513936	3326513942	3326513948	3326513954
G	3326507936	3326507942	3326507948	3326507954
H	3326508036	3326508042	3326508048	3326508054
J	33265295	33265295	33265295	33265295
K	33265294	33265294	33265294	33265294
L	33265297	33265297	33265297	33265297
M	33265296	33265296	33265296	33265296



Item C, D, E, J and K

State the internal height and the midrail height.





4.13 Ceiling profiles UniTurn 36/42

	UniTurn-36	UniTurn-42
A	3326503436	3326503442
B	3326503336	3326503342
C	33244637	33244637
D	3326503036	3326503042
E	3326503636	3326503642
F	3326503536	3326503542
G	33245589	33247348
H	33244949	33247349



4.14 Ceiling profiles UniTurn 48/54


	UniTurn-48	UniTurn-54
A	3326503448	3326503454
B	3326503348	3326503354
C	33244637	33244637
D	3326503048	3326503054
E	3326503648	3326503654
F	3326503548	3326503554
G	33245590	33265052
H	33244948	33265051




	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	Length	Height
A	33716277	33716277	33716277	33716277	To be stated	8
B	33244907	33244907	33244907	33244907	2172	55
C	33244908	33244908	33244908	33244908	2064	55
D	33244632	33244632	33244632	33244632	Brush holder pos. C	
E	33244904				1890	42
E		33247304			2205	42
E			33244900		2520	42
E				33265075	2835	42
F	33244905				1073	45
F		33247305			1223	45
F			33244901		1373	45
F				33265076	1523	45
G	33244906				988	45
G		33247306			1169	45
G			33244902		1345	45
G				33265077		45
H	33245846	33245846	33245846	33245846	Corner	Corner
J	3326516536	3326516542	3326516548	3326516554	Brush holder pos. G	
K ^a	33246230	33246230	33246230	33246230	To be stated	50
L ^a	33246229	33246229	33246229	33246229	To be stated	55
M	33246087	33246087	33246087	33246087	Corner	Corner

a. Brushes pos F and G with extended height.

Item B, C and D State the internal height.



EAA657




6.1 Sliprings, encoder

Pos	Part no.	Description
A	331011681	Slipring, encoder




6.2 Activator PIR

Pos	Part no.	Description
A	33254227	Activator PIR
B	33262159	Activator PIR incl. bracket




6.3 Activator DSR Direct sensing radar

Pos	Part no.	Description
A	33264300	Activator DSR
	33264299	Activator DSR incl. bracket
B	33264305	Glass cover
	33738707	RRC remote control for SA51/ SC51/SC52/R3 sensors




6.4 PDR

Pos	Part no.	Description
	33248518	PDR incl. bracket




6.5 PDR in rotating ceiling

Pos	Part no.	Description
	33247532	Complete kit for one door incl. cables.
A	33714135	Photocell MR3
B	33247567	Frame




6.6 PCD

Pos	Part no.	Description
A	33262136	PCD
B	33709554	Key switch
C	33264612	Key
D	33655245	PCD cable
E	33260051	Interface box



6.7 Control box


Pos	Part no.	Description
A	33264898	CDC control unit 4.1
B	33260040	IOA-board
C	331000182	MPU-board CDC 4.1
D	33265712	Battery
E	33714003	Fuse 16 AT
F	33713983	Fuse 10 AT
G	33655565	DPC-board
	33265764	Fan CDC 4.1



Pos	Part no.	Description
	33265550	Cable kit, Fixed part
	33265501	Cable kit, Rotating part


6.8 Electro-mechanical lock

Pos	Part no.	Description
	33265154	Electro-mechanical lock complete
A	33260656	Electro-mechanical lock unit
B	33263409	Motor
C	33263408	Gear box
D	33709398	Micro switch



6.9 Escape door lock

Pos	Part no.	Description
A	33265216	Lock
B	33244872	Striking plate
C	33246655	Striking plate
D	33244869	Striking plate




6.10 4SAFE upgrade kit

Including cabling and ceiling panels. Sensors preset from factory

4SAFE kit -36	330000194
4SAFE kit -42	330000195
4SAFE kit -48	330000196
4SAFE kit -54	330000197
CW 4SAFE kit -36	330000198
CW 4SAFE kit -42	330000199
CW 4SAFE kit -48	330000200
CW 4SAFE kit -54	330000201

Spare parts 4SAFE

Pos	Part no.	Description
A	330000187	Sensor
B	331700958	Hub
C	331005804	Interface cable
D	331004182	Cover



ILL-02290

6.11 Safety switches

	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	Length
A	33244961	33244961	33244961	33244961	2200 (Internal height = 2200)
	33244961S	33244961S	33244961S	33244961S	Internal height non-std. State internal height
A (Active)	33244960	33244960	33244960	33244960	2200 (Internal height = 2200)
	33244960S	33244960S	33244960S	33244960S	Internal height non-std. State internal height
B	33265599	33265599	33265599	33265599	2172 (Internal height = 2200)
	33265599S	33265599S	33265599S	33265599S	Internal height non-std. State internal height
B (140mm)	331002062	331002062	331002062	331002062	2172 (Internal height = 2200)
	331002062S	331002062S	331002062S	331002062S	Internal height non-std. State internal height
C	3326516336				640
C		3326516342			795
C			3326516348		950
C				3326516354	1105
D	3326516236				1073
D		3326516242			1223
D			3326516248		1373
D				3326516254	1523



6.12 Safety switches clockwise rotation

	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	Length
A	33244961	33244961	33244961	33244961	2200
A (Active)	33244960	33244960	33244960	33244960	2200
B	33263389	33263389	33263389	33263389	2172
C	3326557836				640
C		3326557842			795
C			3326557848		950
C				3326557854	1105
D	3326556036				1073
D		3326556042			1223
D			3326556048		1373
D				3326556054	1523




Item A and B

State the internal height.




6.13 Spotlight

Pos	Part No.	Description
A	33707608	Lamp-holder white
	33707608B	Lamp-holder black
	33707608S	Lamp-holder silver
	33707608G	Lamp-holder gold
B	33707665	Bulb 35W
	33707633	Bulb 20W
C	33738647	Downlight
E	331010688-V1	White
	331010688-V2	Chrome Lamp holder complete with LED lamp




6.14 Distribution box and transformer

Pos	Part no.	Description
A	33715442	Transformer, 115/230V
B	33715443	Distribution box



6.15 Push button inside door

Pos	Part no.	Description
A	33261970	Push button complete
B	33709378A	Push button



6.16 Emergency stop push button

Pos	Part no.	Description
A	33653727	Stop push button



EAA663

6.17 Emergency stop push-button

Pos	Part no.	Description
A	331002439	Surface mounted
C	331700069	Plastic cover



6.18 Push-button for disabled

Pos	Part no.	Description
	33708030	Flush



ILL-00050

Pos	Part no.
A	1001695
B	1001785
C	1001786



ILL-02428




8.1 Screw kit

Part no.	Description
33265400	Complete screw kit


8.2 Escape door positioning

Pos	Part no.	Description
A	331702605	Limit switch
B	33244923	Shock absorber




8.3 Reinforcement Kit drive frame

Part no.	Description
331006099	Reinforcement Kit drive frame Includes bracket nuts and bolt for 1 corner





8.4 Mechanical lock

Pos	Part no.	Description
	33265298	Complete lock EURO
	33265299	Complete lock ASSA
A	33738552	Cover plate
B	33738674	Cylinder EURO
B	33738744	Cylinder ASSA





8.5 Display door lock

Pos	Part no.	Description
A	33244880	Display door lock
B	33263300	Display door lock EURO
C	33264060	Display door lock ASSA
D	1007233	New lock design 2011



8.6 Drive unit

Pos	Part no.	Description
A	33265022	Drive unit complete
B	33265821	Gear box incl. wheel, pulley and belt
C	33245988	Motor unit (Lenze)
C	331700217	Motor unit with filter (Lenze) CDC 4.1
D	33735271	V-belt
E	33245745	Pulley wheel 68mm
F	33248427	Carbon brush 2 pcs.
G	33245743	Pulley wheel motor 27mm
H	33735130	Key
J	33723180	Stop screw



EAA629

8.7 Brake unit

Pos	Part no.	Description
A	33265021	Brake unit



8.8 Support wheel

Pos	Part no.	Description
A	33265265	Support wheel



8.9 Hinge one door


PCS	Part no.	Description
2	33729017	Washer BRB 8.4X16x1.5 FZB
2	33244898	Hinge
1	33244866	Hinge upper
1	33244865	Hinge lower
4	723144	Screw MC6S 6x30



8.10 Water resistant cover


Ring 90°	Rubber 180°	Rubber 360°
1001102-18	1001100-18	1003914-18
1001102-21	1001100-21	1003914-21
1001102-24	1001100-24	1003914-24
1001102-27	1001100-27	1003914-27
1001102-30	1001100-30	1003914-30
1001102-36	1001100-36	1003914-36
1001102-42	1001100-42	1003914-42
1001102-48	1001100-48	1003914-48
1001102-54	1001100-54	1003914-54
1001102-62	1001100-62	1003914-62

1001104	Outlet water
724241	RXB 4,8x13 (12 pcs)
724191	RXB 4,8x32 (180° 30 pcs, 360° 60 pcs)



9.1 Ceiling locks

Pos	Part no.	Description
A	33246624	Ceiling lock centre
B	330000012	Ceiling lock panels (10 pcs)



EAA660

9.2 Ceiling panels UniTurn 36/42

	UniTurn-36	UniTurn-42
1	33245579	33247479
2	33245580	33247480
3	33245581	33247481
4	33245582	33247482
5	33245595	33247495
6	33244796	33247496
7	33244645	33244645
Floor in display area	3326505336	3326505342


Panel 3 cut out for 4SAFE 1004181-XX

Panel 7 cut out for Crystal 1002149



Note!

Always state if the ceiling panels shall be prepared for lightning, and if so the type of lightning (spotlights or downlights). If the surface is other than standard (white laminate) then state the surface.

State cut out for down light or spotlight



State surface if not standard



9.3 Ceiling panels UniTurn 48/54

	UniTurn-48	UniTurn-54
1	33245787	33265043
2	33245585	33265041
3	33245586	33265046
4	33245584	33265044
5	33245786	33265042
6	33245587	33265045
7	33244696	33265050
8	33244645	33244645
Floor in display area	3326505348	3326505354


Panel 3 cut out for 4SAFE 1004181-XX

Panel 8 cut out for Crystal 1002149


Note!

Always state if the ceiling panels shall be prepared for lightning, and if so the type of lightning (spotlights or downlights).




If the surface is other than standard (white laminate) then state the surface.



Pos	Part no.	Description
A	33263216	Cog wheel
B	33263217	Cog wheel
C	33263218	Bushing
D	265649	Bracket
E	33263221	Spacer
F	33724039	Screw
G	33724456	Screw
H	33719194	Bearing




Pos	Part no.	Description
A	33100092	Drive unit
B	33655456	Control unit 230V
C	33600126	Battery back up EUS




12.1 Door leaf

	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	Description
A	947x2002	1097x2002	1247x2002	1397x2002	Glass
B	331002109	331002109	331002109	331002109	Al-profile
C	331003769	331003769	331003769	331003769	Rubber profile
D	331002132-36	331002132-42	331002132-48	331002132-54	Safety switch
E	33716307	33716307	33716307	33716307	Brush sealing



12.2 Door carrier centre

	UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54	Description
A	331002131-36	331002131-42	331002131-48	331002131-54	Drive belt
B	331002155	331002155	331002155	331002155	Connection block
C	331003714	331003714	331003714	331003714	Connection block door leaf
D	331002121	331002121	331002121	331002121	Door carriage top mid
E	331002102	331002102	331002102	331002102	Door carriage top back
F	331002123	331002123	331002123	331002123	Door carriage bottom back
G	1002084-36	1002084-42	1002084-48	1002084-54	Guide track bottom
H	33738772	33738772	33738772	33738772	Crystal sensor
I	331700416	331700416	331700416	331700416	Crystal ceiling mounting kit




12.3 Catcher

Pos	Part no.	Description
A	331003710	Catcher centre
B	331003466	Catcher bottom back
C	1700634	Transformer lock



12.4 Electrical components

Pos	Part no.	Description
A	331006253	Motor unit
B	331004262	Control unit
C	331002142	Position switch
D	331006705	EXU-4 Kit




12.5 Sliding door lock

Pos	Part no.	Description
A	331003762	Lock
B	331003763	Striking plate
C	331002111	Stop lug





12.6 Inner ceiling pos 2

UniTurn-36	UniTurn-42	UniTurn-48	UniTurn-54
33100211536	33100211542	33100211548	33100211554




13.1 Heater/fan

Pos	Part no.	Description
A	33260791	Fan
B	33260794	Heater
C	33263302	Air inlet grill



13.2 Control box


Pos	Part no.	Description
A	33709547	Contactor
B	33709548	Thermostat stage 1
C	33709549	Thermostat stage 2
D	33715298	Transformer
E	33714142	Fuse holder
F	33705114	Relay



EAA667

13.3 Sensors

Pos	Part no.	Description
A	33709550	Indoor thermal sensor
B	33709551	Outdoor thermal sensor



EAA668

