T-Shank Jig Saw Blades

| All Purpose T-Shank | | | | | | | | |
|---------------------|------|---|--|--------|-------------------|-------------------|-------------------|--------------------|
| Item # | Qty. | Cut Type | Application | TPI | Blade Material | Overall Length | Working Length | Blade Thickness |
| T345XF3 | 3 | Progressor For Wood With Nails Progressive tooth design for fast cuts and longer life | Thick and thin materials like wood with nails, plywood, particle board 3/16"-3-5/8", metal 3/16"-3/8", non-ferrous metal and aluminum 5/64"-1-1/4" | 5-10 P | Bi-metal | 5-1/4" | 4-1/4" | 0.05" |
| T345XF | 5 | | | | | | | |
| T345XF25 | 25 | | | | | | | |
| T345XF100 | 100 | | | | | | | |
| T111CF | 5 | Accurate For Wood With Nails Straight cuts | Wood with nails, OSB, plastic 3/16"-1-1/4" | 8 | Bi-metal | 4" | 3" | 0.04" |
| T211HF | 5 | Accurate For Wood With Nails Scroll blade for curve cuts | Wood with nails, plastic 1/8"-1-1/4", non-ferrous metal and aluminum 1/8"-1/2" | 10 | Bi-metal | 3" | 2" | 0.04" |

P = Progressive tooth