

CLEANER BLEND 300

This product appears in the following stock number(s):

15160 15165 19510 DE120 DE510

Last revised: 06/10/04

Printed: 6/25/2004

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Tradename: CLEANER BLEND 300

General use: Cleaner Blend 300 is a non-halogenated organic solvent blend.

Chemical family: Principally solvents of the ester, terpene, and ether families.

MANUFACTURER

ITW Devcon
30 Endicott St.
Danvers, MA 01923

EMERGENCY INFORMATION

Emergency telephone number
(CHEMTRIC): (800) 424-9300
Other Calls: (978) 777-1100

2. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS CONSTITUENTS

Exposure limits

Constituent	Abbr.	CAS No.	Weight percent	ACGIH TLV	OSHA PEL	Other Limits
1-methoxy-2-propanol		107982	40-70	100 ppm	100 ppm	100 ppm (Canada)
1-methoxy-2-propanol acetate	PGMEA	108656	20-40	n/e	n/e	100 ppm (AIHA-WHEEL)
2-methoxy-1-propanol		1589475	1-5	n/e	n/e	n/e
d-Limonene		5989275	1-10	n/e	n/e	n/e

"TLV" means the Threshold Limit Value exposure (eight-hour, time-weighted average, unless otherwise noted) established by the American Conference of Governmental Industrial Hygienists. "STEL" indicates a short-term exposure limit. "PEL" indicates the OSHA Permissible Exposure Limit. "n/e" indicates that no exposure limit has been established. An asterisk (*) indicates a substance whose identity is a trade secret of our supplier and unknown to us.

3. HAZARDS IDENTIFICATION

Emergency Overview

Appearance, form, odor: Pale amber liquid with ethereal odor.

WARNING! Flammable. Eye, skin and respiratory irritant. May cause central nervous system effects.

Potential health effects

Primary routes of exposure: Skin contact Skin absorption Eye contact Inhalation Ingestion

Symptoms of acute overexposure:

Skin: Like most solvents, this product can extract the natural fats and oils of skin tissue; prolonged contact can lead to skin irritation.

Eyes: May cause moderate irritation (burning sensation, tearing, redness, swelling).

Inhalation:

Irritation of respiratory tract, headaches, dizziness and nausea.

Ingestion:

Gastrointestinal disturbance and effects similar to those of inhalation; liquid drawn into lungs during vomiting can cause severe damage.

Effects of chronic overexposure:

Skin contact may cause dermatitis. Chronic exposure to solvents above their TLV's may cause liver/kidney disorders.

May cause nasal irritation, affect mucous tissue/ membrane dysfunction. TARGET ORGANS: Eye, skin, respiratory system, GI, mucous membrane, CNS, liver and kidney.

Carcinogenicity -- OSHA regulated: No

ACGIH: No

National Toxicology Program: No

International Agency for Research on Cancer: No

Cancer-suspect constituent(s) : None

Medical conditions which may be aggravated by exposure:

May aggravate skin, eye and respiratory disorders.

Other effects:

Reports have associated repeated and prolonged occupational exposure to solvents with permanent brain and Central Nervous System damage.

4. FIRST AID MEASURES

First aid for eyes:

Immediately flush with large amounts of water for at least 15 minutes while holding eyelids open. Consult a physician.

First aid for skin:

Remove contaminated clothing and wash with mild soap and plenty of water. Consult a physician if irritation persists.

First aid for inhalation:

Remove to fresh air. Restore respiration if necessary.

First aid for ingestion:

Do NOT induce vomiting. Drink plenty of milk or water to dilute. Keep head below hips to prevent aspiration into lungs. Call a doctor.

5. FIRE FIGHTING MEASURES

Extinguishing media:

Water

Carbon dioxide

Dry chemical

Foam

Alcohol foam

Flash Point (°F): 104

Method: TCC

Explosive limits in air (percent) --

Lower: 3.0

Upper: 12

Special firefighting procedures:

Firefighters should wear self-contained breathing apparatus to avoid inhalation of smoke or vapors. Water may be used to cool exposed containers.

Unusual fire and explosion hazards:

Contains combustible solvent. Do not use in area where sparks or open flames are present.

Hazardous products of combustion:

May form carbon and nitrogen oxides. Other unknown toxic smoke and vapors may form.

6. ACCIDENTAL RELEASE MEASURES

Spill control:

Avoid personal contact. Eliminate ignition sources. Ventilate area.

Containment:

Dike, contain and absorb with clay, sand or other suitable non-combustible material.

Cleanup:

For large spills, pump to storage/salvage vessels. Soak up residue with an absorbent such as clay, sand, or other suitable material and dispose of properly (RCRA hazardous waste).

Special procedures:

Prevent spill from entering drainage/sewer systems, waterways, and surface waters. Use non-sparking tools

7. HANDLING AND STORAGE

Handling precautions:

Do not breathe vapor or mist. Do not get in eyes, on skin or clothing. Wash thoroughly after handling. Close container after each use. Ground container when pouring. Keep away from heat, flame or sparks. Use non-sparking tools.

Storage:

Keep in a cool place, without direct exposure to sunlight. Keep container tightly closed and otherwise in accordance with NFPA regulations. Maintain air space in storage containers.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls**Ventilation :**

Good general ventilation is usually adequate for most industrial applications. Local exhaust should be used in confined areas.

Other engineering controls :

Keep container tightly closed. Observe label precautions. Have emergency eye wash and safety shower present.

Personal protective equipment**Eye and face protection:**

Safety glasses or goggles.

Skin protection:

Chemical resistant rubber gloves and long sleeve clothing.

Respiratory protection:

In confined areas, use NIOSH approved respirator.

9. PHYSICAL AND CHEMICAL PROPERTIES

Specific gravity:	0.95	Boiling point (°F):	(initial) 212
Melting point (°F):	n/d	Vapor density (air = 1):	>1
Vapor pressure (mmHg):	12 at 68 °F	Evaporation rate (butyl acetate = 1):	<1
VOC (grams/liter):	840	Solubility in water:	Appreciable
Percent volatile by volume:	100	pH (5% solution or slurry in water):	n/d
Percent solids by weight:	0		

10. STABILITY AND REACTIVITY

This material is chemically stable. Hazardous polymerization will not occur.

Conditions to avoid :

Extreme heat, sparks and open flames.

Incompatible materials:

Oxidizing agents, strong acids, bases, iodine pentafluoride and tetrafluoroethylene, acid chlorides, acid anhydrides, aluminium and copper

Hazardous products of decomposition:

May form carbon and nitrogen oxides. Other unknown toxic smoke and vapors may form.

Conditions under which hazardous polymerization may occur:

None reported

11. TOXICOLOGICAL INFORMATION

Acute oral effects: LD50 (rat): No data available.

Acute dermal effects: LD50 (rabbit): No data available.

Acute inhalation effects: LC50 (rat): No data available. Exposure: 4 hours.

Eye irritation:

No data.

Subchronic effects:

No data.

Carcinogenicity, teratogenicity, and mutagenicity:

No data

Other chronic effects:

No data.

Toxicological information on hazardous chemical constituents of this product:

Constituent	Oral LD50 (rat)	Dermal LD50 (rabbit)	Inhalation LC50 4hr, (rat)
1-methoxy-2-propanol	5660 mg/kg	13000 mg/kg	n/d
1-methoxy-2-propanol acetate	n/d	n/d	n/d
2-methoxy-1-propanol	n/d	n/d	n/d
d-Limonene	4400 mg/kg	>5gm/kg	n/d

'n/d' = 'not determined'

12 ECOLOGICAL INFORMATION

Ecotoxicity:

No data available.

Mobility and persistence:

No data available.

Environmental fate:

No data available.

13. DISPOSAL CONSIDERATIONS

Please see also Section 15, Regulatory Information.

Waste management recommendations:

Do not dispose of in a landfill. Incineration is the preferred method of disposal.

14. TRANSPORT INFORMATION

Proper shipping name: Flammable liquids, n.o.s. ***Technical name :** Propylene Glycol Monomethyl Ether**Hazard class :** 3**UN number:** 1993**Packing group:** III**Emergency Response Guide no.:** 128**IMDG page number:** N/A**Other:** Non-regulated for DOT ground

*Depending upon the size and type of container, this material may be reclassified as "Limited Quantity" for shipments outside the United States. Refer to the appropriate regulation.

15. REGULATORY INFORMATION

U.S. Federal Regulations

TSCA

All ingredients of this product are listed, or are exempt from listing, on the TSCA inventory.

The following RCRA code(s) applies to this material if it becomes waste:

D001

Regulatory status of hazardous chemical constituents of this product:

Constituent	Extremely Hazardous*	Toxic Chemical**	CERCLA RQ (lbs)	TSCA 12B Export Notification
1-methoxy-2-propanol	No	No	100.0	Not required
1-methoxy-2-propanol acetate	No	No	100.0	Not required
2-methoxy-1-propanol	No	No	0.0	Not required
d-Limonene	No	No	0.0	Not required

*Consult the appropriate regulations for emergency planning and release reporting requirements for substances on the SARA Section 301 Extremely Hazardous Substance list.

**Substances for which the "Toxic Chemical" column is marked "Yes" are on the SARA Section 313 list of Toxic Chemicals, for which release reporting may be required. For specific requirements, consult the appropriate regulations.

For purposes of SARA Section 312 hazardous materials inventory reporting, the following hazard classes apply to this material: - Immediate health hazard -- Delayed health hazard -- Fire hazard -

Canadian regulations

WHMIS hazard class(es) : B3; D2B

All components of this product are on the Domestic Substances List.

16. OTHER INFORMATION

Hazardous Materials Identification System (HMIS) ratings:

Health
2*

Flammability
2

Reactivity
1

Revisions for this issue:

MSDS section	Revisions
10	Updated reactivity data

The information and recommendations in this document are based on the best information available to us at the time of preparation, but we make no other warranty, express or implied, as to its correctness or completeness, or as to the results of reliance on this document.