# A.E. DEITZ 1892 Catalog Reprint locks & keys PADLOCKS



#### KEY COLLECTORS INTERNATIONAL

Don Stewart, Editor

Post Office Box 9397

Phoenix, Arizona 85068

All Trade Marks, Designs and Illustrations of Locks and Kcys are the property of the Manufacturer - They are reproduced solely for identification and study by key collectors. All other use is prohibited. Reprint © 1979 Don Stewart

Established 1867.

Catalogue, 1892.

# Illustrated Catalogue

OF

# LOCKS AND LATCHES

JUBULAR RIM NIGHT LATCHES,

MORTISE NIGHT LATCHES,

JUBULAR STORE DOOR LOCKS,

MORTISE STORE DOOR LOCKS,

BRONZE METAL PAD LOCKS,

ee Download Fr Cast Brass Drawer Locks - dlocks.com

this docume

SELF-LOCKING DRAWER LOCKS.

Locks for Vaults, Safety Deposit, and
Inside Safe Boxes.

WITH FLAT AND ROUND KEYS.

MANUFACTURED BY

# ALONZO E. DEITZ,


73 & 75 CLYMER ST.

J. C. McCARTY & CO.,

BROOKLYN, N.Y.

97 CHAMBERS ST., NEW YORK.

Improved Heavy Cast Brass Drawer Locks,



ree Download From www.Antique-Padlocks.com

## this document is not to be sold

| No. | 31. | $2\frac{3}{4} \times 2$ | inches, | three | Tumblers, | one Keyper l | Doz. | \$12 | 00 |
|-----|-----|-------------------------|---------|-------|-----------|--------------|------|------|----|
| "   | 32. | $2\frac{a}{4}\times 2$  | "       |       | "         | two Keys "   | •    | 13   | 50 |
| "   | 33. | $2\tfrac{3}{4}\times 2$ | ."      | four  | Tumblers. | ·            |      | 15   | 50 |
| "   | 34. | $2\frac{3}{4} \times 2$ | "       | five  | "         | "            | •    | 17   | 50 |

#### DOUBLE KEY-HOLE.

#### For Drawers or Cupboards.

| No. | 36. | $2\frac{3}{4} \times 2$ | inches, | three | Tumblers, | one Key  | <br>per | Doz. \$12 | 00 |
|-----|-----|-------------------------|---------|-------|-----------|----------|---------|-----------|----|
| "   | 37. | $2\tfrac{3}{4}\times 2$ | ••      | 46    | ٠.        | two Keys |         | • 13      | 50 |
| "   | 38. | $2\frac{3}{4} \times 2$ | "       | four  | Tumblers, | "        |         | 15        | 50 |
|     | 39. | 27 × 2                  | "       | five  | **        | "        |         | . 17      | 50 |

The above are same as locks on opposite page, excepting they are not self-locking.

Improved Heavy Cast Brass Self-Locking Drawer Locks.



SINGLE KEY-HOLE.

| No. | 22. | $27 \times 2$           | inches, | three | Tumblers, | two | Keys | per                                     | Doz. | \$16 | 00 |
|-----|-----|-------------------------|---------|-------|-----------|-----|------|---|------|------|----|
| "   | 23. | $2\frac{3}{4} \times 2$ | ٠,      | four  | "         | "   |      | *************************************** |      |      | 00 |
| "   | 24. | $2\frac{3}{4} \times 2$ | **      | five  | "         | "   | "    |   |      |      | 00 |


#### DOUBLE KEY-HOLE.

#### For Drawers or Cupboards.

| No. | 27. | $2\frac{3}{4} \times 2$ | inches, | three | Tumblers, | two | Keys | per | r Doz. | \$16 00 |  |
|-----|-----|-------------------------|---------|-------|-----------|-----|------|-----|--------|---------|--|
|     | 28. | $27 \times 2$           | "       | four  | ٠.        | "   |      |     |        |         |  |
|     | 29. | $27 \times 2$           | "       | five  | "         | 66  | 1.   |     |        |         |  |

These are thoroughly well made Self-Locking Tumbler Locks, with Composition Keys, which are required only to unlock, then being withdrawn leaves the Bolt down; upon closing the Drawer (or Door) the Bolt is released and the Drawer securely locked, with the Bolt held in place by the Tumblers, as in a Dead Lock, which is a decided advantage over a Latch, where a spring only holds the Bolt.

## Flat Steel Key Brass Cylinder Drawer or Cupboard Locks.






| No. 51. | 2 × 15 | inches. | for | 7 7 | inch | Wood, | three  | Tumblers, | two | Кеун | per | Doz. | \$7 | 50   |
|---------|--------|---------|-----|-----|------|-------|--------|-----------|-----|------|-----|------|-----|------|
| " *53.  |        |         | "   | 1   | . "  | "     |        | "         | "   |      |     | "    | 7   | 80   |
| " *54.  | 3      |         | "   | 14  | "    |       | "      | "         | "   | "    |     | • 6  | 8   | 40   |
| " *55.  |        |         | "   | 11  | "    | "     |        | **        | "   | "    |     | "    | 9   | (10) |
| 100     | CHAIR  | 000     | ~   | F   | ron  | ~ 141 | CALLAS | Antia     | 110 | - D- | 000 | 00   | 10  | -    |

#### Download From www.Antique=Padlocks.com

#### this document is not to be sold






| N  | 0 61   | 21 - 15 | inches | for | 7 inch | Wood. | three | Tumblers, | two | Keys. | per | Doz. \$7 | 80 |
|----|--------|---------|--------|-----|--------|-------|-------|-----------|-----|-------|-----|----------|----|
| 74 | *69    | 24 × 15 | "      | "1  | "      | "     | "     | "         | "   | "     |     | " 8      | 40 |
|    | * *63. | 24 × 15 | "      | " 1 | 1 "    | "     | "     | "         | "   |       |     | " 9      | 60 |

Finely Finished, all Brass, 100 changes.

\* Not kept in stock, but furnished to order.


#### Flat Steel Key Cast Brass Rim Drawer or Cupboard Lock.





These Locks are heavy, safe and durable, and adapted for use on Lockers in Armories, Lodge and Club Rooms.

#### Brass Cylinder Desk or Box Lock.






Can be used for Desk, Chest or Sliding Case.

| No. 41. | 2 × 18 | inches, | for 7 | inch | Wood, | three | Tumblers, | two | Keys | each. | per Doz. | \$9 | 00 |
|---------|--------|---------|-------|------|-------|-------|-----------|-----|------|-------|----------|-----|----|
| . *42.  | 2×19   | "       | "1    | **   | "     | "     |           | 6.  | "    | 44    | • "      | 9   | 60 |
| " *43.  | 2 x 18 | 66      | " 1+  | 66   | **    | .4    | "         | 66  | "    |       | 4.       | 10  | 80 |
| " 45.   |        |         | 16 7  | "    | • 6   | "     |           | "   | "    | 66    | **       | -   | 60 |
| . *46.  |        |         | "1    |      | "     | 46    | - "       | "   |      | "     |          | 10  | 20 |
| ·· *17. |        |         | " 11  | "    | **    | "     | "         | "   | "    | **    |          | 11  | 40 |

Finely Finished all Brass, Steel Hooks, 100 changes.

"Not kept in stock, but furnished to order.

# Flat Steel Key Cast Brass Self-Locking Drawer Locks.




| NO. 94.            | 24 × 14                            | inches, | ior | 1 inch | wood, | three Tumblers, | two he | ys pe | r Doz. | \$13 | 50 |
|--------------------|------------------------------------|---------|-----|--------|-------|-----------------|--------|-------|--------|------|----|
| " <del>*</del> 95. | $2\frac{1}{2} \times 1\frac{3}{4}$ | "       | "   | 11 '   |       |                 | "      |       | "      | 14   | 70 |
| " *96.             | $2\tfrac{1}{2}\times1\tfrac{3}{4}$ | "       | "   | 11/2 ' | •     | "               |        |       |        | 15   | 90 |

These Locks are extra heavy, finely finished, very safe, and are self-locking, the Key being required only to unlock, then being withdrawn, leaving Bolt down; upon closing Drawer (or Door) the Bolt is released and the Drawer securely locked, with Bolt held in place by the Tumblers, as in a Dead Lock, which is a decided advantage over a Latch, where a spring only holds the Bolt.

\* Not kept in stock, but furnished to order.

## Flat Steel Key Cast Brass Cylinder Drawer or Cupboard Locks.



| No. 87. | 21×14   | inches, | for | inch  | Wood, | three | Tumblers, | two | Keysp   | er Doz. | \$9 | 60  |
|---------|---------|---------|-----|-------|-------|-------|-----------|-----|---------|---------|-----|-----|
|         | 21 × 15 |         | "   | 1     | "     |       | "         |     |         | "       |     | 20  |
| " *89.  | 21 × 15 | - 44    | "   | 11    | "     | "     | "         |     |         | "       | 11  | 40  |
| F" *90. | 21×15   | vnlo    | ac  | 11 ro | m v   | vw.   | w.Anti    | au  | e-Padlo | očks    | 12  | 60n |



| No. 91. | 21 × 12 | inches, | for | 1 inch | Wood, | three | Tumblers, | two | Keys. | per | Doz. | \$11 | 40 |
|---------|---------|---------|-----|--------|-------|-------|-----------|-----|-------|-----|------|------|----|
| " *92.  | 21×14   | "       | "   | 11     | "     | "     | "         |     | ".    |     |      | 12   | 60 |
| " *93.  | -       |         |     |        |       | "     | "         |     | "     |     | ".   | 13   | 80 |


These Locks are heavy, safe, durable, finely finished, and in every respect the best Drawer Lock made, specially adapted for use on Post Office Boxes, Lockers in Armories, Lodge and Club Rooms.

\* Not kept in stock, but furnished to order.


Tubular Rim Night Latch, Swivel Escutcheon.

FOR DOORS 1 to 28 INCHES THICK.

EXTRA HEAVY AND POSITIVELY SAFE.



Back View of Nos. 109 and 113.





" 109. Same, with Plated Escutcheon ...... " 18 (19)


Latches Nos. 108, 109 and 113 differ only in size.

Packed & Dozen in Box, complete with Screws.


Tubular Rim Night Latch, Swivel Escutcheon.

For Doors 1 to 28 Inches Thick.

EXTRA HEAVY AND POSITIVELY SAFE.



Front View of No. 108.



" 108. Same, with Plated Escutcheon..... " 16 50


Latches Nos. 108, 109 and 113 differ only in size.


Packed 1 Dozen in Box, complete with Screws.

## EMPIRE

Tubular Rim Night Latch.

FOR DOORS 1 TO 2 INCHES THICK.







Back View of Nos. 1103 and 1104.

No. 1103.  $3\frac{1}{2} \times 2\frac{3}{8}$  inches, Heavy Japanned Iron Case, Iron Bolt, Bronze Slide and Stop Knobs, Ornamental Bronze Escutcheon, two Tumblers, two Flat Steel Keys......per Doz. \$9 00


No. 1104. Same as No. 1103, with Heavy Bronze Bolt..... " 10 00

Packed 1 Doz. in Box, complete with Screws.


Tubular Rim Night Latch, Swivel Escutcheon.

FOR DOORS 1 TO 28 INCHES THICK.

EXTRA HEAVY AND POSITIVELY SAFE.




Front View of Nos. 109 and 113.



Latches Nos. 108, 109 and 113 differ only in size.


Packed 1 Dozen in Box, complete with Screws.

#### Tubular Store Door Dead Lock.






Any intermediate thickness of Dear thest litted by a Lock with True heat size shorter than such thickness. By slightly withdrawing and turning the Brass Know II will throw the Bolt in dependent of the key, thus dispensing with its use on the loside.



Tubular Store Door Dead Lock, Swivel Escutcheon.

FOR DOORS 1½ TO 2½ INCHES THICK.

EXTRA HEAVY AND POSITIVELY SAFE.




Mortise Store Door Dead Lock.



Packed singly in Box, complete with Screws.

0

Mortise Store Door Dead Lock, Rabbeted Front.



## Mortise Night Latch.






w.Antique-Padlocks.com

Keys will answer for 314 inch Door, by placing front 34 inch from outside of Door.

Right or Left Hand. Plain or Reverse Bevel.





| No. | HOG.  | 214 x 8 in | ., Br | onze   | Front,  | Striker, | Bolt, | Knob and | Escutch   | eon, four | Tumble    | ers, three | Flat 8   | tee Key | PK:      | R (M)Z.<br>\$34 (M) |
|-----|-------|------------|-------|--------|---------|----------|-------|----------|-----------|-----------|-----------|------------|----------|---------|----------|---------------------|
|     | :017. | 216 x 8 "  |       | 61     |         | ••       |       | Plated K | nob and 1 | Escutcheo | n, four   | Tumbler    | s, three | Flat St | eel Keys | igs chi             |
|     | ANN.  | 216 x 3 "  | PL    | ated   | Front.  | ••       | 64    |          | **        | 44        | **        | 44         | **       | 44 1    |          | 11 (h)              |
| ••  | Bin.  | Same as    | No.   | 806, T | with Ra | bbeted 1 | Front |          |           |           |           |            |          |         |          | to on               |
| ••  | 310.  | **         |       | 307,   | **      |          |       |          |           |           |           |            |          |         |          | 15 190              |
|     | 311.  | **         |       | 308,   | 44      |          |       |          |           | <b>.</b>  | <b></b> . |            |          |         |          | 30 00               |


These Lutches have four closely racked Tumblers, are finely finished, safe and durable.



Bronze Metal Spring Padlocks.

Bronze Metal or Steel Shackles.

EXTRA HEAVY, STRONG, SAFE AND DURABLE.



21 inches, four Tumblers, two Keys each.

#### BRONZE METAL SHACKLES.

No. 206. Plain Case, Polished ... \$12 00 " 207. Plain Case, Polished, with

Tinned Iron Chain.... 14 50

#### STEEL SHACKLES.

Per Doz.

No. 0206. Plain Case, Polished . . . \$12 00 " 0207. Plain Case, Polished, with Tinned Iron Chain, 14 50

Plain Locks, ½ Dozen in Box; Chain Locks, ¼ Dozen in Box.

18

Flat Steel Key Bronze Metal Spring Padlocks.
Bronze Metal or Steel Shackles.



No. 211. Plain Case, Polished.....\$12 00

" 212. Plain Case, Polished, with

Tinned Iron Chain.... 14 50

" 213. Ornamental Case, Pol'd.. 12 00

" 214. Ornamental Case, Pol'd, with Tinned Iron Chain, 14 50 No. 0211. Plain Case, Polished....\$12 00

" 0212. Plain Case, Polished,
with Tinned Iron Chain, 14 50

" 0213. Ornamental Case, Pol'd, 12 00

" 0214. Ornamental Case, Pol'd,


with Tinned Iron Chain, 14 50

Plain Locks, & Dozen in Box; Chain Locks, & Dozen in Box.

Flat Steel Key Bronze Metal Spring Padlocks.

ALL OUR PADLOCKS HAVE PHOSPHOR BRONZE SPRINGS.






| No. | 231. | 11 | inch, | two   | Tumblers, | one | Flat | Steel | Keyper                | Doz. | \$9 | 00 |
|-----|------|----|-------|-------|-----------|-----|------|-------|-----------------------|------|-----|----|
| 44  | 232. | 14 | 66    | three | B "       | two | - 66 | 66    | Kevs                  | 46   | 10  | 50 |
| 66  | 233. | 11 | 66    | "     | "         | "   | . 46 | "     | " Brass Safety Chain, | 16   | 12  | 75 |
|     | 241. | 14 | 46    | two   | "         | one | 66   | "     |                       | 44   |     |    |
| •6  | 242. | 14 | "     | three | • "       | two | 44   | 44    | Keys                  | 44   | 12  | 00 |

Padlocks of this make are the original Padlocks made with Flat Steel Keys to turn in unlocking the lock. They are acknowledged by the trade to be the best finished and safest Padlocks made; the quality has been and will be maintained, without regard to the many inferior imitations that have been put upon the market. At the present prices they are, quality and durability considered, the cheapest Padlocks made.

Flat Steel Key Bronze Metal Spring Padlocks.

ALL OUR PADLOCKS HAVE PHOSPHOR BRONZE SPRINGS.






| No | . 252. | 21             | inch, | three | Tumblers, | two | Flat Steel | Keys\$13 50            |  |
|----|--------|----------------|-------|-------|-----------|-----|------------|------------------------|--|
|    | 253.   |                |       | · C   | 46        |     |            | " Tinned Chain 15 90   |  |
| "  | *257.  | 21             |       | "     | " .       | "   | , "        | <b>"</b> 14 00         |  |
| "  | *258.  | 21             | "     | "     | "         |     | • 66       | " Tinned Chain 16 50   |  |
| 66 | 262.   | $2\frac{1}{4}$ | "     | "     | "         | "   | "          | " 15 00                |  |
| "  | 263.   | 21             | "     | "     | "         | "   | "          | " Tinned Chain 17 40   |  |
| "  | 265.   | 21             | "     | four  | "         | 46  | Flat Germ  | an Silver Keys         |  |
| ** | 266.   | 21             | 66    | "     | "         | 66  | " "        | " " Tinned Chain 19 20 |  |
|    | *267.  | 21             | 44    | three | · · ·     | "   | " Steel    | Keys 16 80             |  |
| "  | *268.  | 21             | "     | . "   | "         | "   |            | " Tinned Chain 19 20   |  |

<sup>\*</sup> Have extra large Shackles. Not kept in stock, but furnished to order.

Packed, Plain Locks ½ Dozen in Box, Chain Locks ‡ Dozen in Box.

#### Tubular Rim Latch and Lock.

FOR SCREEN DOORS, DRAWERS, OR CUPBOARDS.



this document is rio 1411, as used for Drawer Latch.



| N  | o. 411. | 21 × 25 inches, Reverse Bevel, 1 inch Tube, Bronze Bolt, Slide and St | lop - |      |      |
|----|---------|---|-------|------|------|
|    |         | Knob, three Tumblers, two Flat Steel Keysper                          | Doz.  | \$1) | 60   |
| •  | 412.    | Same as above, but Plain Bevel  | •6    |      | (11) |
| 66 | 413.    | Dead Lock, Case, Keys and Tumblers, same as No. 411                   | 44    | . 1) | (i0) |
|    |         | Same as above, all Bronze   | ••    | 16   | 00   |
|    |         | Packed ½ Dozen in Box.  |       |      |      |

#### Locks and Latches for Safety Deposit and Inside Safe Boxes.


|   | :       | $31 \times 21$ inches, Japanned Case, four Tumblers, two Flat Steel Key | s emili. | ,    |      |
|---|---------|---|----------|------|------|
| N | o. 400. | With Dead Boltpe  | P Doz.   | \$12 | 00   |
|   | 401.    |   | 14       |      | (10) |
|   | 402.    |   |          | 12   | (H)  |
|   | 404.    |   | .6       | 14   | UU   |
|   | 406.    | " Tube for Safety Deposit Boxes   | 66       | 20   | (11) |
| ٠ | 408.    | 21 x 25 inches, three Tumblers, with Latch Bolt                         | 44       | 9    | 60   |
|   |         | 21 × 24 " " Dead "  | **       |      | 60   |
|   |         | Nos. 400 to 409 are for Iron work, having Tubes 3 of an inch le         | ng.      |      |      |


Nos. 400 to 409 are for Iron work, having Tubes 3 of an inch long Packed 1 Dozen in Box.


#### A. E. DEITZ.

Steel and German Silver Key Blanks.











Nos. 1103, 1104.





Best Key Metal Drill-Pin Blanks.



Cuts of Key Blanks are exact as to size and shape.

No. 037 Key Blanks are what we make up regularly with Drawer Locks Nos 22 to 39.

Nos. 036, 038, 039, Key Blanks differ from 037 only in length of pipe, any of which will be made up with the Drawer Locks Nos. 22 to 39, when so ordered.

No. 206 Key Blanks for Padlocks Nos. 206, 0206, 207, 0207.

Our Drill-Pin Composition Key Blanks are made from pure Copper and Tin (the best kind of Key metal), are accurately turned, drilled, drifted, and nicely finished up by machinery and tools we have adapted especially to it; Locksmiths and others who it Keys, or require Blanks for new work, will find them a most superior article for such purposes, as well as very reasonable in price.

# Prices of Key Blanks.

|  | 1 to 96, 411, 412,  | Flat Steel   | l                                    |                   | • · · · · · · p                         | er Doz.                               | \$1   | 00   |
|--|---|--|--------------------------------------|-------------------|---|---------------------------------------|---|--|
| " 1                                    | 75, 184, Flat Steel   | 1  |                                      |                   |   | ٠.                                    | 1   | 20   |
| " 1                                    | 103, 1104, Flat St  | teel   |                                      |                   | • | "                                     | 1   | 00   |
|  |   |  |                                      |                   | •••                                     | ••                                    | 1   | 00   |
|  |   |  |                                      |                   | •••••                                   |                                       | 1   | 50   |
|  |   |  |                                      |                   |   | "                                     |   | 00   |
|  |   |  |                                      |                   |   |                                       |   | 00   |
|  |   |  |                                      |                   |   |                                       | -   | 20   |
|  |   |  |                                      |                   |   | "                                     |   | ()()   |
|  |   |  |                                      |                   |   |                                       |   | 00   |
|  |   |  |                                      |                   | • |                                       |   | 10   |
|  | 39, 045, "  | "  |                                      |                   |   |                                       |   | 20   |
|  |   | 16   |                                      |                   |   |                                       |   |  |
| rree                                   | 05, 107, 109, 113,  | 10 Fro   | (No. 9) no                           | V W ./\r          | rtique-Padl                             | ocks                                  |   | :Um  |
|  |   | The state of the s |                                      |                   | to be sold                              | 7                                     | U   | 50   |
|  | 11110   | aucui  | nem                                  | 18 1101           | To be soil                              | ,                                     |   |  |
|  |   | Prices   | of F                                 | itted             | Keve                                    |                                       |   |  |
|  |   | 1 11000  | OI I                                 | Ittea             | ILCys.                                  |                                       |   |  |
|  |   |  |                                      |                   |   |                                       |   |  |
| To Loc                                 | ks Nos. 22 to 39,   | with Loc   | ck, or to S                          | Sample K          | <b>ev</b> р                             | er Doz.                               | \$2   | 16   |
| To Loc                                 | eks Nos. 22 to 39, " 41 to 63,  |  | ck, or to                            | Sample K          | ey                                      | er Doz.                               |   | 16<br>16   |
|  |   |  |                                      |                   |   |                                       | 2   |  |
| "                                      | " 41 to 63,   |  | "                                    | "                 |   | ".                                    | 2 2   | 16   |
| "                                      | " 41 to 63, " 70 to 78, " 87 to 96, " 172,  |  | "                                    | "                 |   | "                                     | 2 2 2   | 16<br>16   |
| "                                      | " 41 to 63,<br>" 70 to 78,<br>" 87 to 96,   |  | "<br>"                               | "                 |   | "                                     | 2<br>2<br>2<br>2  | 16<br>16<br>16                                     |
| 66<br>66<br>66<br>66                   | " 41 to 63, " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020  | . "<br>. "<br>. "<br>7, "  | <br><br>                             | <br><br>          |   | "<br>"<br>"<br>"                      | 2<br>2<br>2<br>2<br>3<br>2  | 16<br>16<br>16<br>75<br>00<br>16                   |
| 11 11 11 11 11 11 11 11 11 11 11 11 11 | " 41 to 63. " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021   | , " 7, " 4, 231 to   | "<br>"<br>"<br>"<br>263, with ]      | " " " Lock; or to | o Sample Key                            | "  "  "  "  "  "  "  "  "             | 2<br>2<br>2<br>2<br>3<br>2<br>2   | 16<br>16<br>16<br>75<br>00<br>16<br>16             |
| 66<br>66<br>66<br>66<br>66             | " 41 to 63, " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021 " 267, 268, w   | , " 7, " 4, 231 to   | "<br>"<br>"<br>"<br>263, with ]      | " " " Lock; or to | o Sample Key                            | " " " " " " "                         | 2<br>2<br>2<br>2<br>3<br>2<br>2<br>2<br>2   | 16<br>16<br>16<br>75<br>00<br>16<br>16<br>16       |
| 66<br>66<br>66<br>66<br>66<br>66<br>66 | " 41 to 63. " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021 " 267, 268, w " 265, 266,   | " , " 7, " 4, 231 to ;   | "<br>"<br>"<br>"<br>263, with ]      | " " " Lock; or to | o Sample Key                            | "  "  "  "  "  "  "  "  "             | 2<br>2<br>2<br>2<br>3<br>2<br>2<br>2<br>2<br>2<br>2   | 16<br>16<br>16<br>75<br>00<br>16<br>16<br>16<br>50 |
| 66<br>66<br>66<br>66<br>66<br>66<br>66 | " 41 to 63. " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021 " 267, 268, w " 265, 266, " 352 to 371,   | " , " 4, 231 to : vith Lock, "   | " " 263, with 1 , or to Sa           | " Lock; or to     | o Sample Key                            | "  "  "  "  "  "  "  "  "  "  "  "  " | 2<br>2<br>2<br>2<br>3<br>2<br>2<br>2<br>2<br>2<br>2   | 16<br>16<br>16<br>75<br>00<br>16<br>16<br>16       |
| 66<br>66<br>66<br>66<br>66<br>66<br>66 | " 41 to 63. " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021 " 267, 268, w " 265, 266, " 352 to 371, ches Nos. 105, 1  | " , " 4, 231 to ; with Lock, " , "   | " 263, with 1 , or to Sa " 412, 1103 | Lock; or to       | o Sample Keyy                           | "  "  "  "  "  "  "  "  "  "  "  "  " | 2<br>2<br>2<br>2<br>3<br>2<br>2<br>2<br>2<br>2<br>3   | 16<br>16<br>75<br>00<br>16<br>16<br>16<br>50       |
| " " " " " To Lat                       | " 41 to 63. " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021 " 267, 268, w " 265, 266, " 352 to 371, ches Nos. 105, 1 Sample Key   | " , " 4, 231 to vith Lock, " 107, 411,   | " 263, with 1 , or to Sa " 412, 1103 | Lock; or to       | o Sample Key y                          |                                       | 2<br>2<br>2<br>2<br>3<br>2<br>2<br>2<br>2<br>2<br>3   | 16<br>16<br>75<br>00<br>16<br>16<br>16<br>50       |
| " " " " " To Lat                       | " 41 to 63. " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021 " 267, 268, w " 265, 266, " 352 to 371, ches Nos. 105, 1 Sample Key   | " , " 4, 231 to vith Lock, " 107, 411,   | " 263, with I , or to Sa " 412, 1103 | Lock; or to       | o Sample Keyy                           |                                       | 2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2 | 16<br>16<br>75<br>00<br>16<br>16<br>16<br>50<br>50 |
| " " " " " " To Late                    | " 41 to 63. " 70 to 78, " 87 to 96, " 172, " 175 to 184 " 206 to 020 " 211 to 021 " 267, 268, w " 265, 266, " 352 to 371, ches Nos. 105, 1 Sample Key ches Nos. 108, 108, 108, 108, 108, 108, 108, 108, | "  7, "  4, 231 to 1  vith Lock,  "  107, 411,  9, 113, with   | " 263, with 1 , or to Sa " 412, 1103 | Lock; or to       | o Sample Key y                          | " " " " " " " " " " " " " " " " " " " | 2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2<br>2 | 16<br>16<br>75<br>00<br>16<br>16<br>16<br>50<br>50 |