


24 Series

- 18 (F)24 rim exit device
- 20 (F)24-V surface vertical rod exit device
- 22 (F)24-C concealed vertical rod exit device
- 24 (F)24-V surface vertical rods and latches
- 26 (F)24-C and F-24-C-WDC-90 concealed vertical rods and latches
- 28 24-C-WDC and F-24-C-WDC-20 concealed vertical rods latches
- 30 24 Series: knob (711) and lever (712) trim—rim and vertical device
- 32 24 Series: knob (711) and lever (712) trim—concealed device
- 34 24 Series: knob (711) and lever (712) dummy trim for rim, vertical and concealed device
- 36 24 Series: Athena (715) pull and Delta pull (717, 718) trim for rim and vertical device
- 37 24 Series: Delta pull (717, 718) trim for concealed devices
- 38 24 Series: Delta (718) trim for rim and vertical device
- 39 24 Series: Delta (718) trim for concealed device
- 40 24 Series: control pull trim (710) for rim and vertical device
- 41 24 Series: control thumbpiece (710) trim for rim and vertical device
- 42 24 Series: Delta thumbpiece (718) trim for rim and vertical device
- 43 24 Series: Delta thumbpiece (718) trim for concealed device
- 44 24 Series: turn lever (719) trim for surface vertical device
- 45 24 Series: turn lever (719) trim for concealed vertical device

(F)24 rim exit device

Panic and fire



24 Series

No.	Qty.	Part no.	Description	Package contents	Notes
1	1	650294	24 Channel Endcap Kit 1¾" Door	1— Channel Endcap	A
				2— #10-24 x ⅜" PPHMS	
				1— Channel Endcap Bracket	
				2— #10-24 x 1" PPHMS	
				2— #10 x 1¼" PPHSMS	
		650348	24 Channel Endcap Kit 2¼" Door	1— Channel Endcap	A
				2— #10-24 x ⅜" PPHMS	
				1— Channel Endcap Bracket	
				2— #10-24 x 1" PPHMS	
				2— #10 x 1¼" PPHSMS	
3	1	661408	24 Channel 3'		A
		661409	24 Channel 4'		
4	1	600305	24 Channel Screw Pkg	10— #10-16 x ½" Hex Washer Head Taptite	
5	1	650121	F-24 Channel Cover 3'		A, B
		650122	F-24 Channel Cover 4'		
6	1	600319	24 Pushbar Guide Pkg	2— Pushbar Guide	
7	1	600310	24 Pushbar Endcap Kit	2— Pushbar Endcap	A
				4— #8-18 x ¾" FPHSMS	
8	1	600307	Center Case Cover Screw Pkg	4— #8-18 x ⅜" UFPHMS	A
9	1	299	299 Strike		C
13	1	650187	24 Hex Dogging Kit 3'	1— Panic Channel Cover 1— Dogging Subassembly	A, B
		650188	24 Hex Dogging Kit 4'	1— #8-32 x ⅜" UFPHMS	
17	1	060109	24 Panic Hex Dogging Key 7/32" package of 10		
25	1	650233	24-R Center Case Kit	1— Center Case	
		650234	F-24-R Center Case Kit	2— #10-16 x ½" Hex Washer Head Taptite	
36	1	650324	(F)24-R Mounting Pkg 1¾" Door	2— #10 x 1¼" PPHSMS	*
				2— #14 x 1" PPHSMS	*
				2— 1/4 - 20 x ¾" PPHMS	
				2— 10-24 x 1½" PPHMS	
				1— Dogging Key	
	1	650302	(F)24-R Mounting Pkg 2¼" Door	2— #10 x 1¼" PPHSMS	*
				2— #14 x 1" PPHSMS	*
				2— 1/4 - 20 x 1¼" PPHMS	*
				2— #10-24 x 2" PPHMS	*
73	1	650247	24-R Center Case Cover Kit	1— Center Case Cover	A
		650249	F-24-R Center Case Cover Kit	4— #8-18 x ⅜" UFPHMS	

* Item(s) not shown


A Specify by finish: US3, US4, US10, 313AN, US26, US32, US26D, US32D, US28

B Channel Covers for CD, EA, HWEA, KOR, see **page 74**

C Specify by finish: US3, US4, US10, US19, US26, US26D, SP313

(F)24-V surface vertical rod exit device

Panic and fire



24 Series

No.	Qty.	Part no.	Description	Package contents	Notes
1	1	650294	24 Channel Endcap Kit 1¾" Door	1– Channel Endcap	A
				2– #10-24 x ⅜" PPHMS	
				1– Channel Endcap Bracket	
				2– #10-24 x 1" PPHMS	
				2– #10 x 1¼" PPHSMS	
	1	650348	24 Channel Endcap Kit 2¼" Door	1– Channel Endcap	A
				2– #10-24 x ⅜" PPHMS	
				1– Channel Endcap Bracket	
				2– #10-24 x 1" PPHMS	
				2– #10 x 1¼" PPHSMS	
3	1	661408	24 Channel 3'		A
		661409	24 Channel 4'		
4	1	600305	24 Channel Screw Pkg	10– #10-16 x ½" Hex Washer Head Taptite	
5	1	650121	F-24 Channel Cover 3'		A, B
		650122	F-24 Channel Cover 4'		
6	1	600319	24 Pushbar Guide Pkg	2– Pushbar Guide	
7	1	600310	24 Pushbar Endcap Kit	2– Pushbar Endcap	A
				4– #8-18 x ¾" FPHSMS	
8	1	600307	Center Case Cover Screw Pkg	4– #8-18 x ⅜" UFPHSMS	A
13	1	650187	24 Hex Dogging Kit 3'	1– Panic Channel Cover 1– Dogging Subassembly	A, B
		650188	24 Hex Dogging Kit 4'	1– #8-32 x ⅜" UFPHMS	
17	1	060109	24 Panic Hex Dogging Key 7/32" package of 10		
37	1	650304	24-V Mounting Pkg 1¾" - 2¼" Door	4– #10 x 1¼" PPHSMS	*
				2– #10 x 1¼" FPHSMS	*
				2– #14 x 1" PPHSMS	*
				1– ⅛ x 1" Cotter Key	*
				1– Dogging Key	
		650325	F-24-V Mounting Pkg 1¾" Door	2– #10-24 x ¾" PPHMS	*
				4– #10-24 x ¾" FPHMS	*
				2– 1/4-20 x ¾" PPHMS	
				1– ⅛ x 1" Cotter Key	*
		650201	F-24-V Mounting Pkg 2¼" Door	2– #10-24 x 1¼" PPHMS	*
				4– #10-24 x 1¼" FPHMS	*
				2– 1/4-20 x 1¼" PPHMS	*
				1– ⅛" x 1" Cotter Key	*
57	1	650236	(F)24-V Center Case Kit	1– Center Case	A
				2– #10-16 x ½" Hex Washer Head Taptite	
74	1	650251	(F)24-V Center Case Cover Kit	1– Center Case Cover	A
				4– #8-18 x ⅜" UFPHSMS	


* Item(s) not shown

A Specify by finish: US3, US4, US10, 313AN, US26, US32, US26D, US32D, US28

B Channel Covers for CD, EA, HWEA, KOR, shown on **page 74**

(F)24-C concealed vertical rod exit device

Panic and fire



Note: (F)24-C Mounting Package(s) shown on **page 26**.

24 Series


No.	Qty.	Part no.	Description	Package contents	Notes
1	1	650294	24 Channel Endcap Kit 1¾" Door	1– Channel Endcap	A
				2– #10-24 x ⅜" PPHMS	
				1– Channel Endcap Bracket	
				2– #10-24 x 1" PPHMS	
				2– #10 x 1¼" PPHSMS	
	1	650348	24 Channel Endcap Kit 2¼" Door	1– Channel Endcap	A
				2– #10-24 x ⅜" PPHMS	
				1– Channel Endcap Bracket	
				2– #10-24 x 1" PPHMS	
				2– #10 x 1¼" PPHSMS	
3	1	661408	24 Channel 3'		A
		661409	24 Channel 4'		
4	1	600305	24 Channel Screw Pkg	10– #10-16 x ½" Hex Washer Head Taptite	
5	1	650121	F-24 Channel Cover 3'		A, B
		650122	F-24 Channel Cover 4'		
6	1	600319	24 Pushbar Guide Pkg	2– Pushbar Guide	
7	1	600310	24 Pushbar Endcap Kit	2– Pushbar Endcap	A
				4– #8-18 x ¼" FPHSMS	
8	1	600307	24 Center Case Cover Screw Pkg	4– #8-18 x ⅜" UFPHSMS	A
13	1	650187	24 Hex Dogging Kit 3'	1– Panic Channel Cover	A, B
		650188	24 Hex Dogging Kit 4'	1– Dogging Subassembly 1– #8-32 x ⅜" UFPHMS	
17	1	060109	24 Panic Hex Dogging Key 7/32" package of 10		
34		Included with C, F-24-C, F-24-CWDC Mounting Packages. For package details, refer to page 26 and page 28			
35					
58	1	650238	(F)24-C Center Case Kit	1– Center Case	
				2– #10-16 x ½" Hex Washer Head Taptite	
75	1	650253	(F)24-C Center Case Cover Kit	1– Center Case	A
				4– #8-18 x ⅜" UFPHSMS	

A Specify by finish: US3, US4, US10, 313AN, US26, US32, US26D, US32D, US28

B Channel Covers for CD, EA, HWEA, KOR, shown on **page 74**

(F)24-V surface vertical rods and latches

Panic and fire



24 Series

No.	Qty.	Part no.	Description	Package contents	Notes
32	1	3788	Vertical Rod Top Strike		**
33	2	660002	#10 x 1¼" FPHSMS		
37	1	650304	24-V Mounting Pkg 1¾" - 2¼" Door	2- #10 x 1¼" PPHSMS	*
				4- #10 x 1¼" FPHSMS	*
				2- #14 x 1" PPHSMS	*
				1- ⅝ x 1" Cotter Key	
				1- Dogging Key	*
		650325	F-24-V Mounting Pkg 1¾" Door	2- #10-24 x ¾" PPHMS	*
				4- #10-24 x ¾" FPHMS	
				2-1/4-20 x ¾" PPHMS	*
				1- ⅝ x 1" Cotter Key	
		650201	F-24-V Mounting Pkg 2¼" Door	2- #10-24 x 1¼" PPHMS	*
				4- #10-24 x 1¼" FPHMS	*
				2-1/4-20 x 1¾" PPHMS	*
				1- ⅝ x 1" Cotter Key	
39	1	650336	24-V Latch Case Cover Screw Pkg	4- #8-32 x ¼" UFPHMS	
40	1	650389	24-V Top Latch Case - Panic		
		650375	24-V Top Latch Case - Fire		
41	1	060111	⅝" x 1" Cotter Key package of 10		
42	2	650202	24-V Latch Case Cover		B
43	1	4450	24-V Top Rod Kit		B
44	2	650311	24-V Rod Guide Kit		C
45	1	610056	24-V Bottom Bolt Kit		B
46	1	650387	24-V Bottom Guide Assembly (screws not included)		
47	1	650006	Vertical Extension Rod 12"		A
		650007	Vertical Extension Rod 24"		
		650008	Vertical Extension Rod 36"		
50	1	5494	F-24-C Auxiliary Fire Pin Kit (Less Bottom Rod applications only)		

* Item(s) not shown

** For Flush Transom applications, specify part number 4215-019 angle bracket


A Specify by finish: US3, US4, US10, US10B, US32, US32D, SP28, SP313

B Specify by finish: US3, US4, US10, US26, US26D, US32, US32D, SP28, SP313

C Specify by finish: US3, US4, US10, US26, US32, US32D, SP28, SP313

(F)24-C and F-24-C-WDC-90 concealed vertical rods and latches

Metal door—panic and fire, wood door—90 minute fire device



No.	Qty.	Part no.	Description		Package contents	Notes
17	1	060109	24 Panic Hex Dogging Key 7/32" package of 10			
34	1	650317	F-24-C Mounting Pkg 1¾" Door	34a	8– #10-24 x ¾" PPHMS	
				34b	7– #10-24 x ¾" FPHMS	
				34c	2– #8-32 x ¾" UFPHMS	
				34d	1– 1/8 x 1" Cotter Key	
				—	2– 1/4-20 x ¾" PPHMS	*

24 Series


No.	Qty.	Part no.	Description		Package contents	Notes
34	1	650318	24-C Mounting Pkg 1¾" Door	34a	8– #10 x 1¼" PPHSMS	
				34b	6– #10-24 x ¾" FPHMS	
				34c	2– #8-32 x ⅜" UFPHMS	
				34d	1– ⅛ x 1" Cotter Key	
				34e	1– Dogging Key	
				—	2– #14 x 1" PPHSMS	*
		650327	F-24-CWDC 90 Minute Mounting Pkg 1¾" Door	34a	4– #10 x 1¼" PPHSMS	
				34b	3– #10 x 1¼" FPHSMS	
				34c	2– #8-32 x ⅜" UFPHMS	
				34d	1– ⅛ x 1" Cotter Key	
				34f	2– Latch Bracket	
				—	2– 1/4-20 x ¾" PPHMS	*
				34n	6– #10-24 x ¾" FPHMS	
		650300	24-C Mounting Pkg 2¼" Door	34a	8– #10 x 1¼" PPHSMS	
				34b	6– #10-24 x 1¼" FPHMS	
				34c	2– #8-32 x ⅜" UFPHMS	
				34d	1– ⅛ x 1" Cotter Key	
				34e	1– Dogging Key	
				—	2– #14 x 1" PPHSMS	*
		650346	F-24-C Mounting Pkg 2¼" Door	34a	8– #10-24 x 1¼" PPHMS	
				34b	7– #10-24 x 1¼" FPHMS	
				34c	2– #8-32 x ⅜" UFPHMS	
				34d	1– ⅛ x 1" Cotter Key	
				—	2– 1/4-20 x 1¼" PPHMS	*
41	1	060111	⅛ x 1" Cotter Key package of 10			
48	1	650017	Concealed Vertical Extension Rod 12"			
		650018	Concealed Vertical Extension Rod 24"			
		650019	Concealed Vertical Extension Rod 36"			
50	1	5494	F-24-C Auxiliary Fire Pin Kit (Less Bottom Rod application only)			
51	1	603L	24-C, C-WDC Top Latch Case - LHR			
	1	603R	24-C, C-WDC Top Latch Case - RHR			
52	1	F603	F-24-C, C-WDC Top Latch Case			
53	2	4694	F-24-CWDC Latch Bracket			
60	1	4188	Concealed Vertical Top Rod Strike			
61	1	650339	(F)24-C, CWDC Top Latch Release Kit			A
62	1	610061	(F)24-C, CWDC Top Rod Kit			
63	1	650351	(F)24-C, CWDC Center Slide Assembly			
64	1	610057	(F)24-C, CWDC Bottom Rod Kit			
65	1	4567	24-C Bottom Bolt Guide			
67	1	2130	Vertical Rod Bottom Strike			

* Item(s) not shown

A Specify by finish: US3, US4, US10, 313AN, US26, US32, US26D, US32D, SP28

24-C-WDC and F-24-C-WDC-20 concealed vertical rods latches

Wood door—panic devices, wood door—20 minute fire device



No.	Qty.	Part no.	Description	Package contents		Notes
17	1	060109	24 Panic Hex Dogging Key 7/32" package of 10			
35	1	650326	24-CWDC Mounting Pkg 1 3/4" Door	35a	2- 1/4-20 x 3/4" PPHMS	A
				—	4- #10-24 x 1" PPHMS *	
				35b	11- #10 x 1 1/4" FPHSMS	
				35c	2- #8-32 x 3/8" UFPHMS	
				—	2- 3/4" CS Plate Mtg Screw *	
				35d	1- 1/8 x 1" Cotter Key	
				35f	4- 1/4" CS Finish Washer	

24 Series


No.	Qty.	Part no.	Description	Package contents		Notes
35	1	650326	24-CWDC Mounting Pkg 1 $\frac{3}{4}$ " Door	35g	4– 1/4-20 x 3/4" FPHMS	A
				35h	6– 1/4-20 Sexbolt	
				35k	1– Dogging Key	
				35n	2– #10-24 x 3/4" FPHMS	
				—	2– #10-24 x 3/4" FPHMS *	
		650327	F-24-CWDC 20 Minute Mounting Pkg 1 $\frac{3}{4}$ " Door	35a	2– 1/4-20 x 3/4" PPHMS	A
				35b	11– #10 x 1 $\frac{1}{4}$ " FPHSMS	
				35c	2– #8-32 x 3/8" UFPHMS	
				35d	1– 1/8 x 1" Cotter Key	
				—	2– 3/4" CS Plate Mtg Screw *	
				35f	4– 1/4" CS Finish Washer	
				35g	4– 1/4-20 x 3/4" FPHMS	
				35h	6– 1/4-20 Sexbolt	
				—	4– #10-24 x 1" PPHMS *	
				35n	2– #10-24 x 3/4" FPHMS	
				—	2– #10-24 x 3/4" FPHMS *	
		650298	24-CWDC Mounting Pkg 2 $\frac{1}{4}$ " Door	35a	2– 1/4-20 x 1 $\frac{1}{4}$ " PPHMS	A
				—	4– #10-24 x 1" PPHMS *	
				35b	11– #10 x 1 $\frac{1}{4}$ " FPHSMS	
				35c	2– #8-32 x 3/8" UFPHMS	
				—	2– #8-32 x 3/8" UFPHMS *	
				35d	1– 1/8 x 1" Cotter Key	
				—	2– 3/4" CS Plate Mtg Screw *	
				35f	4– 1/4-20 x 1 $\frac{1}{4}$ " FPHMS	
				35g	4– 1/4" CS Finish Washer	
				35h	6– 1/4-20 Sexbolt	
				35n	2– #10-24 x 3/4" FPHMS	
41	1	060111	1/8 x 1" Cotter Key package of 10			
48	1	650017	Concealed Vertical Extension Rod 12"			
		650018	Concealed Vertical Extension Rod 24"			
		650019	Concealed Vertical Extension Rod 36"			
49	1	WF603	F-24-C-WDC Top Latch Case			*
50	1	5494	F-24-C Auxiliary Fire Pin Kit (Less Bottom Rod application only)			
54	1	4833	Top Reinforcement Plate			A
55	1	4834	Top Reinforcement Plate with Access Hole			A
56	1	4832	(F)24-CWDC Center Slide Reinforcement Plate			
61	1	650339	(F)24-C, CWDC Top Latch Release Kit			A
62	1	610061	(F)24-C, CWDC Top Rod Subassembly			
63	1	650376	(F)24-C, CWDC Center Slide Assembly			
64	1	610057	(F)24-C, CWDC Bottom Rod Kit			
66	1	4835	24-CWDC Bottom Bolt Guide			

* Item(s) not shown


A Specify by finish: US3, US4, US10, 313AN, US26, US32, US26D, US32D, SP28

24 Series: knob (711) and lever (712) trim—rim and vertical device


711K, 711K-BE, 711K-NL, 712L, 712L-BE and 712L-NL




711K
711K-NL





711K-BE



712L
712L-NL



712L-BE



24 Series

No.	Qty.	Part no.	Description	Notes
a	1	986	1¼ " Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
c	1	661560	700/900 Locking Plate	
d	2	4270	700 Series Trim Hex Stud	
e	1	661565	700 Series Lever Actuator Spring	
	1	661587	700 Series Knob Actuator Spring	
f	1	600298	711 Knob Assembly	A
g	1	600299	712 Dane Lever	A
h	1	600300	712 Sutro Lever	A
i	1	600301	712 Quantum Lever	A
j	1	600337	712 Avalon Lever	A
k	1	050990	Danish Lever	A
m	1	050991	Broadway Lever	A
n	1	050992	Boardwalk Lever	A
p	1	050988	Latitude Lever	A
q	1	050989	Longitude Lever	A
r	1	600283	Shear Pin, package of 5	
s	1	600339	700/900 NL Spring Package	

A Specify by finish: SP28, SP313, US3, US4, US10, US15, US19, US26, US26D, US32, US32D, 643E


B Specify by finish shown

Specifications:


Escutcheon:	1¾" x 7¼"	
Knob Projection:	4"	
Lever Projection:	Dane	2 ¹⁵ / ₁₆ "
	Quantum	3 ³ / ₁₆ "
	Sutro	2 ¹³ / ₁₆ "
	Avalon	3¼"
	Danish	2¾"
	Broadway	3⅛"
	Boardwalk	3⅛"
	Latitude	3"
	Longitude	3"

24 Series: knob (711) and lever (712) trim—concealed device


711K, 711K-BE, 711K-NL, 712L, 712L-BE and 712L-NL




711K
711K-NL




711K-BE



712L
712L-NL



712L-BE



24 Series

No.	Qty.	Part no.	Description	Notes
a	1	986	1¼ " Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
c	1	661560	700/900 Locking Plate	
f	1	600298	711 Knob Assembly	A
g	1	600299	712 Dane Lever	A
h	1	600300	712 Sutro Lever	A
i	1	600301	712 Quantum Lever	A
j	1	600337	712 Avalon Lever	A
k	1	050990	Danish Lever	A
m	1	050991	Broadway Lever	A
n	1	050992	Boardwalk Lever	A
p	1	050988	Latitude Lever	A
q	1	050989	Longitude Lever	A
t	2	4349	Control Hex Stud	A

A Specify by finish: SP28, SP313, US3, US4, US10, US15, US19, US26, US26D, US32, US32D, 643E


B Specify by finish shown

Specifications:


Escutcheon:	1¾" x 7¼"
Knob Projection:	4"
Lever Projection:	Dane 2 ¹⁵ / ₁₆ "
	Quantum 3 ³ / ₁₆ "
	Sutro 2 ¹³ / ₁₆ "
	Avalon 3¼"
	Danish 2¾"
	Broadway 3 ¹ / ₈ "
	Boardwalk 3 ¹ / ₈ "
	Latitude 3"
	Longitude 3"

24 Series: knob (711) and lever (712) dummy trim for rim, vertical and concealed device



711K-DT and 712L-DT



711K-DT



712L-DT



24 Series

No.	Qty.	Part no.	Description	Notes
d	2	4270	700 Series Trim Hex Stud	
f	1	600298	711 Knob Assembly	A
g	1	600299	712 Dane Lever	A
h	1	600300	712 Sutro Lever	A
i	1	600301	712 Quantum Lever	A
j	1	600337	712 Avalon Lever	A
k	1	050990	Danish Lever	A
m	1	050991	Broadway Lever	
n	1	050992	Boardwalk Lever	
p	1	050988	Latitude Lever	
q	1	050989	Longitude Lever	
r	1	600283	Shear Pin, package of 5	

A Specify by finish: SP28, SP313, US3, US4, US10, US15, US19, US26, US26D, 643E

Specifications:


Escutcheon:	1¾" x 7¼"	
Knob Projection:	4"	
Lever Projection:	Dane	2 ¹⁵ / ₁₆ "
	Quantum	3 ³ / ₁₆ "
	Sutro	2 ¹³ / ₁₆ "
	Avalon	3¼"
	Danish	2¾"
	Broadway	3⅛"
	Boardwalk	3⅛"
	Latitude	3"
	Longitude	3"

24 Series: Athena (715) pull and Delta pull (717, 718) trim for rim and vertical device


715DT, 717DT and 718DT



715DT




717DT




718DT



715DT



717DT



718DT

No.	Qty.	Part no.	Description	Notes
d	3	4270	700 Series Trim Hex Stud	
u	1	600288	717/718/719 Pull Grip Screw package (10- ¼ - 20 x ½" Hex Socket Head Cap Screw)	


Specifications:

715DT Grip Overall:	1⅝" x 9"
715DT Pull:	6¼" C - C
715DT Projection:	2¼"
Delta Pull Projection:	2"
718DT Escutcheon:	1¾" x 7¼"
718DT Overall Length:	13"


24 Series

24 Series: Delta pull (717, 718) trim for concealed devices



717DT and 718DT



717DT



718DT



No.	Qty.	Part no.	Description	Notes
t	3	4349	Control Hex Stud	
u	1	600288	717/718/719 Pull Grip Screw package (10- 1/4 - 20 x 1/2" Hex Socket Head Cap Screw)	

Specifications:


Delta Pull Projection: 2"

718DT Escutcheon: 1 3/4" x 7 1/4"

718DT Overall Length: 13"

24 Series: Delta (718) trim for rim and vertical device

718C and 718-NL



No.	Qty.	Part no.	Description	Notes
a	1	951	Rim Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
d	3	4270	700 Series Trim Hex Stud	
u	1	600288	717/718/719 Pull Grip Screw package (10- 1/4 - 20 x 1/2" Hex Socket Head Cap Screw)	
v	1	4120	718C/NL Cylinder Spacer Collar	
w	1	4121	718C/NL Cylinder Anchor Plate	

B Specify by finish shown

Specifications:



Delta Pull Projection: 2"
Escutcheon: 1¾" x 7¼"
Overall Length: 13"

24 Series: Delta (718) trim for concealed device


718C and 718-NL



718C



718NL



No.	Qty.	Part no.	Description	Notes
a	1	985	1½" Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
t	3	4349	Control Hex Stud	
u	1	600288	717/718/719 Pull Grip Screw package (10 - ¼ - 20 x ½" Hex Socket Head Cap Screw)	

B Specify by finish shown

Specifications:


Delta Pull Projection: 2"

Escutcheon: 1¾" x 7¼"

Overall Length: 13"

24 Series: control pull trim (710) for rim and vertical device

710-DT and 710-NL



No.	Qty.	Part no.	Description	Notes
a	1	951	Rim Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
d	2	4270	700 Series Trim Hex Stud	
v	1	4120	710NL Cylinder Spacer Collar	
w	1	4121	710NL Cylinder Anchor Plate	

B Specify by finish shown

Specifications:

Delta Pull Projection: 2"


Escutcheon: 1¾" x 7¼"

Overall Length: 11¾"

24 Series

24 Series: control thumbpiece (710) trim for rim and vertical device

710TP and 710TP-BE



No.	Qty.	Part no.	Description	Notes
a	1	986	1¼" Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
c	1	650314	Locking Plate	
d	2	4270	700 Series Trim Hex Stud	


B Specify by finish shown

Specifications:

Escutcheon: 1¾" x 7¼"
 Projection: 2¼"
 Overall Length: 11¾"

24 Series: Delta thumbpiece (718) trim for rim and vertical device

718TP and 718TP-BE



No.	Qty.	Part no.	Description	Notes
a	1	986	1½" Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
c	1	661560	700/900 Locking Plate	
d	3	4270	700 Series Trim Hex Stud	
u	1	600288	717/718/719 Pull Grip Screw package (10– ¼ - 20 x ½" Hex Socket Head Cap Screw)	


B Specify by finish shown

Specifications:

Escutcheon: 1¾" x 7¼"
Projection: 2"
Overall Length: 13"

24 Series: Delta thumbpiece (718) trim for concealed device

718TP and 718TP-BE



No.	Qty.	Part no.	Description	Notes
a	1	986	1 $\frac{1}{8}$ " Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
c	1	661560	700/900 Locking Plate	
t	3	4349	Control Hex Stud	
u	1	600288	717/718/719 Pull Grip Screw package (10- $\frac{1}{4}$ - 20 x $\frac{1}{2}$ " Hex Socket Head Cap Screw)	


B Specify by finish shown

Specifications:

Escutcheon: 1 $\frac{3}{4}$ " x 7 $\frac{1}{4}$ "
 Projection: 2"
 Overall Length: 13"

24 Series: turn lever (719) trim for surface vertical device

719TL and 719TL-BE



No.	Qty.	Part no.	Description	Notes
a	1	986	1¼" Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
c	1	661560	Locking Plate	
d	2	4270	700 Series Trim Hex Stud	

B Specify by finish shown


Specifications:

Escutcheon: 1¾" x 7¼"
Projection: 1¾"

24 Series

24 Series: turn lever (719) trim for concealed vertical device

719TL, 719TL-BE and 719TLP



No.	Qty.	Part no.	Description	Notes
a	1	986	1 $\frac{1}{4}$ " Mortise Cylinder (US3, US4, US10, US10B, US26D, US32, US32D)	B
c	1	661560	Locking Plate	
t	3	4349	Control Hex Stud	
u	1	600288	717/718/719 Pull Grip Screw package of 10 (1/4 - 20 x 1/2" Hex Socket Head Cap Screw)	

B Specify by finish shown.

Specifications:

Escutcheon: 1 $\frac{3}{4}$ " x 7 $\frac{1}{4}$ "
 Projection: 1 $\frac{3}{4}$ "
 Overall Length: 13"