



Security & Replacement Hardware Catalog 2011

**FIRST
WATCH®**
SECURITY



ABOUT FIRST WATCH® SECURITY

First Watch® Security, a division of Belwith® Products, LLC (Belwith®), has been designing, manufacturing, and delivering home security products since 1959. Today, First Watch® Security is one of the most recognized brands in the market. Its products include home, office, and door security offerings; electronic locks; controlled access door products; and home safes.

First Watch® Security is the preferred program for today's dynamic retailer. Alongside its trusted brand name, it brings a broad and differentiated product offering, innovative packaging and merchandising displays, national and global distribution support with short delivery lead times, and outstanding on-time and fill-rate performance.

This catalog presents a retail-focused offering of window and home office security products complemented by door replacement knobs and roses specifically tailored to everyday consumer needs. Coupled with customized Belwith® merchandising displays,* First Watch® Security can add profitable growth to your business.

* Refer to the Belwith® Retail Merchandising Solutions catalog.



Table of Contents

New Packaging Highlights.....	4	Door Reinforcers	39
Finishes	5	Strike Plates & Latch Guards	46
Drawer, Cabinet & Mailbox Locks.....	6	Adapter Plates & Covers.....	55
Bolts, Latches & Guards.....	14	Index.....	60-61
Replacement Knobs & Roses	24	General Policies & Warranty	62
Patio & Window Locks	28		

New Packaging Highlights



Finishes




Satin Nickel - SN



Solid Stainless Steel - SSS



Stainless Steel - SS



Aluminum



Chrome - CH




Polished Brass - PB




Antique Brass - AB



Oil Rubbed Bronze - IOB




Vintage Bronze - VB



White - W




Almond




Gray - GY



Black - BL



Prime Coat Gray

Finish name describes the finish over the base material, with the exception of Solid Stainless Steel (SSS)  where the base metal and finish are the same.

Note: The photos in this catalog are only approximations of the true color and character of our finishes.



Drawer, Cabinet & Mailbox Locks

Throughout the home and office there are drawers, cabinets, doors, and mailboxes that require privacy and protection. First Watch® Security has a complete selection of security products, making it easy for your consumers to find the product that is just right for their application.










	ITEM #	FINISH	DESCRIPTION
	1258	Polished Brass	Cabinet & Drawer 5/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/4"
	1258-601	Polished Brass	Keyed Alike Cabinet & Drawer 5/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/4"
	1278	Polished Brass	Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"
	1278-601	Polished Brass	Keyed Alike Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"

ITEM #	FINISH	DESCRIPTION
	1278-604	<p>Polished Brass</p> <p>Keyed Alike Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"</p>
	1281	<p>Polished Brass</p> <p>Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"</p>
	1281-601	<p>Polished Brass</p> <p>Keyed Alike Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"</p>
	1358	<p>Chrome</p> <p>Cabinet & Drawer 5/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/4"</p>
	1358-601	<p>Chrome</p> <p>Keyed Alike Cabinet & Drawer 5/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/4"</p>
	1378	<p>Chrome</p> <p>Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"</p>

	ITEM #	FINISH	DESCRIPTION
	1378-604	Chrome	Keyed Alike Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"
	1381	Chrome	Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"
	1381-601	Chrome	Keyed Alike Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"
	1381-604	Chrome	Keyed Alike Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"
	1381-645	Chrome	Keyed Alike Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"
	1383	Stainless Steel	Cabinet & Drawer 5/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/4"

ITEM #	FINISH	DESCRIPTION
	1383-601 Stainless Steel	Keyed Alike Cabinet & Drawer 5/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/4"
	1383-VB <div data-bbox="760 562 922 646"> New Finish </div> Vintage Bronze	Keyed Alike Cabinet & Drawer 5/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/4"
	1384 Stainless Steel	Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"
	1384-601 Stainless Steel	Keyed Alike Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"
	1384-VB <div data-bbox="760 1486 922 1570"> New Finish </div> Vintage Bronze	Keyed Alike Cabinet & Drawer 7/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 1/2"
	1385 Stainless Steel	Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"

	ITEM #	FINISH	DESCRIPTION
	1385-601	Stainless Steel	Keyed Alike Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"
	1385-VB	Vintage Bronze 	Keyed Alike Cabinet & Drawer 1-1/8" Utility Cam Lock Keyed locking for maximum security Requires 3/4" mounting hole For wood or metal door or drawer 2 washers for 90 or 180 degree rotation Max drawer thickness 3/4"
	1353	Polished Brass	Mortise Drawer Lock Requires 7/8" mounting hole Includes strike plate Max drawer thickness 7/8"
	1355	Polished Brass	Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 3/4"
	1355-645	Polished Brass	Keyed Alike Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 3/4"
	1355-VB	Vintage Bronze 	Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 3/4"

	ITEM #	FINISH	DESCRIPTION
	1355-VB-604	Vintage Bronze 	Keyed Alike Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 3/4"
	1356	Polished Brass	Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 1-1/8"
	1356-601	Polished Brass	Keyed Alike Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 1-1/8"
	1356-VB	Vintage Bronze 	Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 1-1/8"
	1356-VB-645	Vintage Bronze 	Keyed Alike Cabinet & Drawer Lock Requires 7/8" mounting hole Max cabinet or drawer thickness 1-1/8"
	1306	Chrome	Showcase Lock Chrome-plated steel Ideal for cabinets & cases with sliding glass doors Adjustable length for many alignments

	ITEM #	FINISH	DESCRIPTION
	1306-601	Chrome	Keyed Alike Showcase Lock Chrome-plated steel Ideal for cabinets & cases with sliding glass doors Adjustable length for many alignments
	1319	Polished Brass	Mailbox Lock Easy to install New or for replacement application Versatile - Can be installed with screws or by turning wing clips 1/4" Bolt
	1321	Polished Brass	Mailbox Lock Easy to install replacement Key cylinder is offset from center 5/16" Bolt
	1327	Polished Brass	Mailbox Cam Lock Easy to install New or for replacement application Hex nut threaded cylinder 3 cams included to fit most applications 5-pin tumbler
	1328	Polished Brass	Mailbox Cam Lock Clip Style 3 cams included to fit most applications 5-pin tumbler
	3707	Chrome	2-1/2" Keyed Hasp Lock Locks without key Concealed screws Rust resistant

	ITEM #	FINISH	DESCRIPTION
	3708	Chrome	4-1/2" Keyed Hasp Lock Locks without key Concealed screws Rust resistant
	3708-601	Chrome	4-1/2" Keyed Alike Hasp Lock Locks without key Concealed screws Rust resistant



**HOME SECURITY
FOR PEACE OF MIND.**

**FIRST
WATCH®**
SECURITY



Bolts, Latches & Guards

Of all burglary offenses, 81 percent of residential intrusions occur through the first floor. Today's consumers understand the importance of supplementing primary entrance door locks.

First Watch® Security's total offering of products will maximize your sales of auxiliary door security products.

	ITEM #	FINISH	DESCRIPTION
	1105	Polished Brass	Night Latch & Locking Cylinder Latch hold-back (prevents locking yourself out) 5-pin tumbler with hardened steel pins 1-1/4" bore required Spring latch for automatic locking
	1105-SN	Satin Nickel	Night Latch & Locking Cylinder Latch hold-back (prevents locking yourself out) 5-pin tumbler with hardened steel pins 1-1/4" bore required Spring latch for automatic locking
	1106	White	Night Latch & Locking Cylinder Latch hold-back (prevents locking yourself out) 5-pin tumbler with hardened steel pins 1-1/4" bore required Spring latch for automatic locking
	1110	Brass Tone	Night Bolt & Locking Cylinder 5-pin tumbler with hardened steel pins 1-1/4" bore required

	ITEM #	FINISH	DESCRIPTION
	1110-SN	Satin Nickel	Night Bolt & Locking Cylinder 5-pin tumbler with hardened steel pins 1-1/4" bore required
	1120	Brass Tone	Single Cylinder Interlocking Deadbolt 5-pin tumbler with hardened steel pins Single cylinder locking unit & strike Locks door to jamb to prevent forced entry 1-1/4" hole requirement Includes tamper-resistant shutter guard
	1125	Brass Tone	Double Cylinder Interlocking Deadbolt 5-pin tumbler with hardened steel pins Dual single or double cylinder locking unit & strike Locks door to jamb to prevent forced entry 1-1/4" hole required Includes tamper-resistant shutter guard
	1150	Polished Brass	5-Pin Rim Cylinder Zinc housing 5-pin tumbler lock 1-1/4" hole required
	1800	Polished Brass	Keyed Chain Door Guard Can be unlocked with key from inside or outside Bolt slides into keyed mechanism to lock Secures door while allowing 2" opening for viewing or ventilation
	1800-645	Polished Brass	Keyed Alike Chain Door Guard Can be unlocked with key from inside or outside Bolt slides into keyed mechanism to lock Secures door while allowing 2" opening for viewing or ventilation

	ITEM #	FINISH	DESCRIPTION
	1802	White	Keyed Chain Door Guard Can be unlocked with key from inside or outside Bolt slides into keyed mechanism to lock Secures door while allowing 2" opening for viewing or ventilation
	1860	Polished Brass	Chain Door Guard Secures door while allowing opening for viewing or ventilation Solid Brass material with steel chain Easy to install
	1860-SN	Satin Nickel	Chain Door Guard Secures door while allowing opening for viewing or ventilation Solid Brass material with steel chain Easy to install
	1860-W	White 	Chain Door Guard Secures door while allowing opening for viewing or ventilation Solid Brass material with steel chain Easy to install
	1861	Antique Brass	Chain Door Guard Secures door while allowing opening for viewing or ventilation Solid Brass material with steel chain Easy to install
	1862	Vintage Bronze	Chain Door Guard Secures door while allowing opening for viewing or ventilation Solid Brass material with steel chain Easy to install

	ITEM #	FINISH	DESCRIPTION
	1870	Polished Brass	Chain Door Guard Secures door while allowing opening for viewing or ventilation Steel chain Easy to install
	1870-SN	Satin Nickel	Chain Door Guard Secures door while allowing opening for viewing or ventilation Steel chain Easy to install
	1878	Polished Brass	Chain Door Guard Additional chain mount point to reduce opening distance Secures door while allowing opening for viewing or ventilation
	1878-VB	Vintage Bronze 	Chain Door Guard Additional chain mount point to reduce opening distance Secures door while allowing opening for viewing or ventilation
	1879	Polished Brass	Chain & Bolt Door Guard Additional security of sliding dead bolt Secures door while allowing opening for viewing or ventilation
	1575	Polished Brass 	Swing Guard Secures door while allowing 2" opening for viewing or ventilation Easy to install


	ITEM #	FINISH	DESCRIPTION
	1576	Vintage Bronze	Swing Guard Secures door while allowing 2" opening for viewing or ventilation Easy to install
	1875	Polished Brass	Swing Guard Secures door while allowing 2" opening for viewing or ventilation Easy to install
	1875-SN	Satin Nickel	Swing Guard Secures door while allowing 2" opening for viewing or ventilation Easy to install
	1873	Polished Brass	Security Pin Swing Guard Secures door while allowing 2" opening for viewing or ventilation Pin provides added security
	1873-SN	Satin Nickel	Security Pin Swing Guard Secures door while allowing 2" opening for viewing or ventilation Pin provides added security
	1873-VB	Vintage Bronze 	Security Pin Swing Guard Secures door while allowing 2" opening for viewing or ventilation Pin provides added security

	ITEM #	FINISH	DESCRIPTION
	1853	Polished Brass	3" Barrel Bolt Includes keeper for surface mount Easy to install
	1853-SN	Satin Nickel	3" Barrel Bolt Includes keeper for surface mount Easy to install
	1840	Polished Brass	Flip Lock Locks or unlocks with flip action No mortising required Easy to install privacy lock
	1840-SN	Satin Nickel	Flip Lock Locks or unlocks with flip action No mortising required Easy to install privacy lock
	1841	Antique Brass	Flip Lock Locks or unlocks with flip action No mortising required Easy to install privacy lock
	1843	White	Flip Lock Locks or unlocks with flip action No mortising required Easy to install privacy lock

	ITEM #	FINISH	DESCRIPTION
	1845	Polished Brass	Portable Swing Lock Temporarily attaches to almost any door Locks or unlocks with flip actions Uses door strike opening for mount point
	1846	Chrome	Travel Lock Ideal for hotel/motel doors & drawers Provides extra security to almost any door Locks & unlocks from inside with key Uses door strike opening for mount point
	1100	Polished Brass	Keyed Cabinet Bolt 3 bolt retainers offer flexible mounting For both in-swing & out-swing doors
	1100-604	Polished Brass	Keyed Alike Cabinet Bolt 3 bolt retainers offer flexible mounting For both in-swing & out-swing doors
	1181	Polished Brass	Mortise Bolt Adds security to almost any door 9/16" hole in door edge required
	1181-SN	Satin Nickel	Mortise Bolt Adds security to almost any door 9/16" hole in door edge required

	ITEM #	FINISH	DESCRIPTION
	1181-VB	Vintage Bronze 	Mortise Bolt Adds security to almost any door 9/16" hole in door edge required
	1848	Polished Brass	3" Surface Bolt For flush or recessed doors Bolt surface mounts to face of door 2 keepers allow for surface or mortise frame installation Guide brackets adjust to fit unique installation conditions
	1850	Polished Brass	4" Surface Bolt For flush or recessed doors Bolt surface mounts to face of door 2 keepers allow for surface or mortise frame installation Guide brackets adjust to fit unique installation conditions
	1852	White	4" Surface Bolt For flush or recessed doors Bolt surface mounts to face of door 2 keepers allow for surface or mortise frame installation Guide brackets adjust to fit unique installation conditions
	1847	Polished Brass 	2" Slide Bolt For flush or recessed doors Bolts surface mounts to face of door 2 keepers allow for surface or mortise frame installation
	1847-SN	Satin Nickel 	2" Slide Bolt For flush or recessed doors Bolts surface mounts to face of door 2 keepers allow for surface or mortise frame installation

	ITEM #	FINISH	DESCRIPTION
	1849	Polished Brass 	3" Slide Bolt For flush or recessed doors Bolt surface mounts to face of door 2 keepers allow for surface or mortise frame installation
	1849-SN	Satin Nickel 	3" Slide Bolt For flush or recessed doors Bolt surface mounts to face of door 2 keepers allow for surface or mortise frame installation
	1851	Polished Brass 	4" Slide Bolt For flush or recessed doors Bolt surface mounts to face of door 2 keepers allow for surface or mortise frame installation
	1851-SN	Satin Nickel 	4" Slide Bolt For flush or recessed doors Bolt surface mounts to face of door 2 keepers allow for surface or mortise frame installation
	1855	Polished Brass 	Flush Bolt For use on French style doors Requires cutout in door for installation Easy slide lock action Dimensions: 6"
	1855-SN	Satin Nickel 	Flush Bolt For use on French style doors Requires cutout in door for installation Easy slide lock action Dimensions: 6"

	ITEM #	FINISH	DESCRIPTION
	1856	Vintage Bronze 	Flush Bolt For use on French style doors Requires cutout in door for installation Easy slide lock action Dimensions: 6"
	2311	Polished Brass 	Door Viewer 160 degree viewing area Easy to install in 1/2" hole Door Thickness: 1-3/8" to 2"
	2320	Polished Brass 	Wide Angle Door Viewer 190 degree viewing area Easy to install in 1/2" hole Door Thickness: 1-3/8" to 2"
	2321	Chrome 	Wide Angle Door Viewer 190 degree viewing area Easy to install in 1/2" hole Door Thickness: 1-3/8" to 2"
	2322	Vintage Bronze 	Wide Angle Door Viewer 190 degree viewing area Easy to install in 1/2" hole Door Thickness: 1-3/8" to 2"
	2330	Polished Brass 	Jumbo Door Viewer 180 degree viewing area Easy to install in 1-1/8" hole Door Thickness: 1-3/8" to 2"



Replacement Knobs & Roses

Whether you are remodeling or renovating the look of your home, First Watch® Security replacement items offer a traditional or modern approach. Our knobs and rosettes are designed to replace or upgrade most applications. Choose from a variety of traditional or contemporary styles and finishes that meet your passage and privacy applications.

	ITEM #	FINISH	DESCRIPTION
	1139	Polished Brass	Keyed Mortise Lockset Glass knobs and trim plates Case-hardened steel case Bolt reversible to left and right handed door Lock bolt is key activated both inside & outside Requires mortise cutout
	1129	Polished Brass	Keyed Mortise Lockset Knobs and trim plates Case-hardened steel case Lock bolt is key activated both inside & outside Bolt reversible to left and right handed door Requires mortise cutout
	1142	Polished Brass	Mortise Trim Plates Pair with screws Use on various bit key mortise locksets
	1155	Polished Brass	Bit Key Mortise Lock Mortise lock with faceplate Case-hardened steel case Replaces most bit key mortise locks with 2-3/8" backset Bolt reversible to left and right handed door Requires mortise cutout

	ITEM #	FINISH	DESCRIPTION
	1148-PB	Polished Brass New Item	Passage Door Latch Set Glass Knobs Latch is reversible to left or right handed door Decorative passage latch for 2-3/8" backset applications
	1148-SN	Satin Nickel New Item	Passage Door Latch Set Glass Knobs Latch is reversible to left or right handed door Decorative passage latch for 2-3/8" backset applications
	1148-VB	Vintage Bronze New Item	Passage Door Latch Set Glass Knobs Latch is reversible to left or right handed door Decorative passage latch for 2-3/8" backset applications
	1143	Polished Brass	Glass Door Knob Set For old style passage locks Dimensions: 2-1/2" diameter roses Spindle size: 7mm
	1137	Polished Brass	Knob Set with Rosettes & Spindle For old style passage locks Dimensions: 2-1/2" diameter roses Spindle size: 7mm
	1140	Polished Brass	Glass Knob Set Knob pair with spindle Use on various interior mortise type locksets or latch sets Spindle size: 7mm

	ITEM #	FINISH	DESCRIPTION
	1140-SN	Satin Nickel	Glass Knob Set Knob pair with spindle Use on various interior mortise type locksets or latch sets Spindle size: 7mm
	1130	Polished Brass 	Knob Set Knob pair with spindle Use on various interior mortise locksets or latch sets Spindle size: 7mm
	1135	Polished Brass	Knob Set Knob pair with spindle Use on various interior mortise locksets or latch sets Spindle size: 7mm
	1145	White	Door Knob Set Pair with spindle & roses For old style passage locks Spindle size: 7mm
	1136	Polished Brass	Rosettes Set For old style passage locks Screw mounted on door Dimensions: 2-1/2" diameter
	1141	Polished Brass 	Rosettes Set For old style passage locks Screw mounted on door Dimensions: 2-1/2" diameter


	ITEM #	FINISH	DESCRIPTION
	1141-SN	Satin Nickel 	Rosettes Set For old style passage locks Screw mounted on door Dimensions: 2-1/2" diameter
	1146	White	Rosettes Set For old style passage locks Screw mounted on door Dimensions: 2-1/2" diameter
	1132	Chrome	Replacement Spindles 2 per package Threaded steel replacement spindles for interior mortise type locks or latch sets Spindle size: 7mm

27

Good partners offer good solutions...







...High GMROI Merchandising Solutions.



Patio & Window Locks

Our range of patio and window locks is suitable to provide your home with additional security and give you peace of mind when you are not there. Some patio doors can be lifted off their track, our anti-lift devices aid to prevent this.


	ITEM #	FINISH	DESCRIPTION
	1980-CH	Chrome New Item	Loop Lock Hardened steel locking rod with bracket & keeper Secures door to jamb
	1980-W	White New Item	Loop Lock Hardened steel locking rod with bracket & keeper Secures door to jamb
	5143-SN	Satin Nickel New Item	Auxiliary Foot Lock Provides extra security when door is locked Locks in closed or vented position Locks and unlocks with foot motion
	5143-W	White New Item	Auxiliary Foot Lock Provides extra security when door is locked Locks in closed or vented position Locks and unlocks with foot motion

	ITEM #	FINISH	DESCRIPTION
	5140	Chrome	Keyed Patio Door Lock For interior or exterior use Rotating bolt to prevent sawing Locks in closed or vented position Non-removable screws
	5140-604	Chrome	Keyed Alike Patio Door Lock For interior or exterior use Rotating bolt to prevent sawing Locks in closed or vented position Non-removable screws
	5141	White	Keyed Patio Door Lock For interior or exterior use Rotating bolt to prevent sawing Locks in closed or vented position Non-removable screws
	5141-601	White	Keyed Alike Patio Door Lock For interior or exterior use Rotating bolt to prevent sawing Locks in closed or vented position Non-removable screws
	5141-604	White	Keyed Alike Patio Door Lock For interior or exterior use Rotating bolt to prevent sawing Locks in closed or vented position Non-removable screws
	5141-645	White	Keyed Alike Patio Door Lock For interior or exterior use Rotating bolt to prevent sawing Locks in closed or vented position Non-removable screws

	ITEM #	FINISH	DESCRIPTION
	5142	Chrome	Keyed Patio Door Lock For interior or exterior use Locks in closed or vented position Non-removable screws
	5142-604	Chrome	Keyed Alike Patio Door Lock For interior or exterior use Locks in closed or vented position Non-removable screws
	1251	Aluminum Tone	Patio Door Lock Securely locks in closed or vented position Assembled with hardened steel bolt Easily activated with foot
	1253	Aluminum Tone	Keyed Patio Door Lock Securely locks in closed or vented position Assembled with hardened steel bolt Easily activated with foot Locks and unlocks with key
	1253-604	Aluminum Tone	Keyed Alike Patio Door Lock Securely locks in closed or vented position Assembled with hardened steel bolt Easily activated with foot Locks and unlocks with key
	1253-W	White 	Keyed Alike Patio Door Lock Securely locks in closed or vented position Assembled with hardened steel bolt Easily activated with foot Locks and unlocks with key

	ITEM #	FINISH	DESCRIPTION
	1421	Polished Brass	Keyed Patio Lock Locks in closed or vented position Non-removable screws included Locks & unlocks with key
	1421-645	Polished Brass	Keyed Alike Patio Lock Locks in closed or vented position Non-removable screws included Locks & unlocks with key
	1425	Gray	Keyed Patio Lock Locks in closed or vented position Non-removable screws included Locks & unlocks with key
	1425-601	Gray	Keyed Alike Patio Lock Locks in closed or vented position Non-removable screws included Locks & unlocks with key
	1447-W	White 	Push/Pull Lock Painted die cast housing with steel bolt Reversible handing Securely locks door in closed or vented position
	1974	Chrome	Patio & Window Screw Lock Twist action securely locks door in closed or vented position Prevents lifting or sliding of door Easy to install

	ITEM #	FINISH	DESCRIPTION
	1974-W	White 	Patio Door & Window Screw Lock Twist action securely locks door in closed or vented position Prevents lifting or sliding of door Easy to install
	1976	Black	Patio Door & Window Screw Lock Twist action securely locks door in closed or vented position Prevents lifting or sliding of door Easy to install
	1978	Aluminum	Patio Door & Window Slide Lock Slide in action spring loaded securely locks door in closed or vented position Prevents lifting or sliding of door Easy to install
	1979	White	Patio Door & Window Slide Lock Slide in action spring loaded securely locks door in closed or vented position Prevents lifting or sliding of door Easy to install
	1970	Aluminum	Patio Door Pin For sliding doors & windows Locks in closed or vented position Hardened steel pin locks into retaining ring Easy to install
	1275	Aluminum	Patio Door Security Bar For sliding door opening 28" - 52" Telescoping aluminum locking bar No cutting needed Easy installation

	ITEM #	FINISH	DESCRIPTION
	1276	White	Patio Door Security Bar For sliding door opening 28" - 52" Telescoping aluminum locking bar No cutting needed Easy installation
	1277	White	Heavy Duty Security Brace For home & travel Easy to use Installs in seconds Secures your door from an unwanted entry Heavy gauge steel construction
	1414	Clear 	Glass Surface Lock Clear Material Two-piece hinged assembly with spring loaded plunger lock Clear adhesive backing Securely blocks door in closed or vented position No tools needed to install Inconspicuous when installed
	1185	Aluminum	Window & Door Slide Stop Locks window or door in closed or vented position For use on sliding windows or sliding doors Extruded aluminum with two steel thumbscrews
	1409	Aluminum	Window Slide Stop Locks window in closed or vented position For use on sliding windows Extruded aluminum with steel thumbscrew
	1411	White	Window Slide Stop Locks window in closed or vented position For use on sliding windows Extruded aluminum with steel thumbscrew

	ITEM #	FINISH	DESCRIPTION
	1413	Aluminum	Window Slide Stop - 4 pack Locks window in closed or vented position For use on sliding windows Extruded aluminum with steel thumbscrew
	1415	White	Window Slide Stop - 4 pack Locks window in closed or vented position For use on sliding windows Extruded aluminum with steel thumbscrew
	1408	Aluminum	Window Slide Stop Extruded aluminum with no-mar vinyl inserts to protect track Locks window in closed or vented position Fits wide & narrow type tracks For use on sliding windows
	1410	White	Window Slide Stop Extruded aluminum with no-mar vinyl inserts to protect track Locks window in closed or vented position Fits wide & narrow type tracks For use on sliding windows
	1412	Aluminum	Window Slide Stop - 4 pack Extruded aluminum with no-mar vinyl inserts to protect track Locks window in closed or vented position Fits wide & narrow type tracks For use on sliding windows
	1448-W	White <div>New Item</div>	Tamper-Resistant Lock Heavy-duty extruded aluminum with tamper-resistant single hex security screw & wrench Securely locks window in closed or vented position Prevents accidental opening by children Easy to install

	ITEM #	FINISH	DESCRIPTION
	1940	White	Window Slide Stop Cam action lock Locks windows in closed or vented position
	1941	Aluminum	Window Slide Stop Cam action lock Locks windows in closed or vented position
	1407	Chrome	Window Vent Lock Mounts on vertical track Locks in closed or vented position Flips away to allow window to open
	1418	Polished Brass	Window Vent Lock Mounts on vertical track Locks in closed or vented position Flips away to allow window to open
	1430	Polished Brass	Window Vent Lock Mounts onto the edge of the upper window Sliding stud stops opening at desired location Flips away to allow window to open Allows ventilation but prevents entry Easy to install
	1419	Polished Brass	Wood Window Lock Recommended for wood windows only Uses special key for lock removal Removal key is needed to unlock Resists tampering if glass is broken

	ITEM #	FINISH	DESCRIPTION
	1403	Polished Brass	Clamp-Tight Sash Lock For double-hung windows Cam action draws windows together to prevent drafts Provides strong security barrier against intruders
	1503	Polished Brass 	Clamp-Tight Sash Lock For double-hung windows Cam action draws windows together to prevent drafts Provides strong security barrier against intruders
	1443	White	Clamp-Tight Sash Lock For double-hung windows Cam action draws windows together to prevent drafts Provides strong security barrier against intruders
	1427	Polished Brass	Safety Sash Lock Cam action provides tight closure For aluminum, vinyl, or wood double hung windows Secondary lever must be activated to allow opening
	1427-10B	Oil Rubbed Bronze 	Safety Sash Lock Cam action provides tight closure For aluminum, vinyl, or wood double hung windows Secondary lever must be activated to allow opening
	1428	White	Safety Sash Lock Cam action provides tight closure For aluminum, vinyl, or wood double hung windows Secondary lever must be activated to allow opening

	ITEM #	FINISH	DESCRIPTION
	1400	Polished Brass	Keyed Sash Lock Non-removable screws For wood, aluminum, & vinyl double hung windows Locks & unlocks with key Cam action draws windows together to prevent drafts
	1400-601	Polished Brass	Keyed Alike Sash Lock Non-removable screws For wood, aluminum, & vinyl double hung windows Locks & unlocks with key Cam action draws windows together to prevent drafts
	1404	White	Keyed Sash Lock Non-removable screws For wood, aluminum, & vinyl double hung windows Locks & unlocks with key Cam action draws windows together to prevent drafts
	1404-601	White	Keyed Alike Sash Lock Non-removable screws For wood, aluminum, & vinyl double hung windows Locks & unlocks with key Cam action draws windows together to prevent drafts
	1432	Polished Brass	Casement Window Fastener Rim mortise & surface strikes included 3 different keepers for special mounting applications For use on old style casement windows
	1433	White	Casement Window Fastener Rim mortise & surface strikes included 3 different keepers for special mounting applications For use on old style casement windows

	ITEM #	FINISH	DESCRIPTION
	1532	Polished Brass 	Casement Window Fastener Rim mortise & surface strikes included 3 different keepers for special mounting applications For use on old style casement windows

Delivery Performance: Second to None

What you want. Where you want it.
When you want it.








- Drop-Ship to anywhere in the United States
- Ship to store directly
- 24-hour order fulfillment guarantee





Door Reinforcers

With crime at an all-time high, First Watch® Security provides an entire spectrum of quality door reinforcers that strengthen your current door, repair damaged doors, and assist in preventing forced entry. Door Reinforcers accommodate key-in knob lock sets or dead bolts and can be used on wood or metal doors.

	ITEM #	FINISH	DESCRIPTION
	2000-PB	Polished Brass 	Door Edge Guard Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 1" x 4-1/2" Door Thickness: 1-3/8"
	2020-PB	Polished Brass 	Door Edge Guard Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 1" x 4-1/2" Door Thickness: 1-3/4"
	2020-VB	Vintage Bronze  	Door Edge Guard Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 1" x 4-1/2" Door Thickness: 1-3/4"
	2035-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4" Backset: 2-3/8" Door Thickness: 1-3/8"

	ITEM #	FINISH	DESCRIPTION
	2035-SSS	Solid Stainless Steel Solid Stainless Steel New Material	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4" Backset: 2-3/8" Door Thickness: 1-3/8"
	2035-VB	Vintage Bronze Solid Brass New Finish	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4" Backset: 2-3/8" Door Thickness: 1-3/8"
	2036-PB	Polished Brass Solid Brass	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4" Backset: 2-3/8" Door Thickness: 1-3/4"
	2036-SSS	Solid Stainless Steel Solid Stainless Steel New Material	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4" Backset: 2-3/8" Door Thickness: 1-3/4"
	2036-VB	Vintage Bronze Solid Brass New Finish	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4" Backset: 2-3/8" Door Thickness: 1-3/4"
	2038-AB	Antique Brass Solid Brass	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4-1/4" Backset: 2-3/4" Door Thickness: 1-3/4"

	ITEM #	FINISH	DESCRIPTION
	2038-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4-1/4" Backset: 2-3/4" Door Thickness: 1-3/4"
	2038-SSS	Solid Stainless Steel  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4-1/4" Backset: 2-3/4" Door Thickness: 1-3/4"
	2038-VB	Vintage Bronze  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 3" x 4-1/4" Backset: 2-3/4" Door Thickness: 1-3/4"
	2051-AB	Antique Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/8"
	2051-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/8"
	2051-SSS	Solid Stainless Steel  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/8"

	ITEM #	FINISH	DESCRIPTION
	2051-VB	Vintage Bronze 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/8"
	2061-AB	Antique Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/4"
	2061-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/4"
	2061-SSS	Solid Stainless Steel 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/4"
	2061-VB	Vintage Bronze 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 4-1/2" Backset: 2-3/8" Door Thickness: 1-3/4"
	2081-AB	Antique Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 4-1/2" Backset: 2-3/4" Door Thickness: 1-3/4"

	ITEM #	FINISH	DESCRIPTION
	2081-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 4-1/2" Backset: 2-3/4" Door Thickness: 1-3/4"
	2081-SSS	Solid Stainless Steel  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 4-1/2" Backset: 2-3/4" Door Thickness: 1-3/4"
	2081-VB	Vintage Bronze  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 4-1/2" Backset: 2-3/4" Door Thickness: 1-3/4"
	2001-AB	Antique Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 9" Backset: 2-3/8" Door Thickness: 1-3/8"
	2001-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 9" Backset: 2-3/8" Door Thickness: 1-3/8"
	2001-SSS	Solid Stainless Steel  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 9" Backset: 2-3/8" Door Thickness: 1-3/8"

	ITEM #	FINISH	DESCRIPTION
	2001-VB	Vintage Bronze 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 9" Backset: 2-3/8" Door Thickness: 1-3/8"
	2002-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 9" Backset: 2-3/8" Door Thickness: 1-3/4"
	2002-SSS	Solid Stainless Steel 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 9" Backset: 2-3/8" Door Thickness: 1-3/4"
	2002-VB	Vintage Bronze 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4" x 9" Backset: 2-3/8" Door Thickness: 1-3/4"
	2004-AB	Antique Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 9" Backset: 2-3/4" Door Thickness: 1-3/4"
	2004-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 9" Backset: 2-3/4" Door Thickness: 1-3/4"

	ITEM #	FINISH	DESCRIPTION
	2004-SSS	Solid Stainless Steel  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 9" Backset: 2-3/4" Door Thickness: 1-3/4"
	2004-VB	Vintage Bronze  	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 9" Backset: 2-3/4" Door Thickness: 1-3/4"
	2258-PB	Polished Brass 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 9" Backset: 2-3/4" Door Thickness: 1-3/4" Center to center: 5-1/2"
	2258-SS	Stainless Steel 	Door Reinforcer Strengthens and repairs damaged doors Assists in preventing forced entry Dimensions: 4-1/4" x 9" Backset: 2-3/4" Door Thickness: 1-3/4" Center to center: 5-1/2"

45

**Customer Service
with Product Expertise**



**FIRST
WATCH®**
SECURITY









Strike Plates & Latch Guards

Our Security Strike Plates and Latch Guards are your first line of defense against forced entry. For use on both wood and metal door jambs, work with most Grade 1, 2 and 3 lock sets. Whether you have single or double locks, you can count on First Watch® Security to be part of your home security.

	ITEM #	FINISH	DESCRIPTION
	1065	Polished Brass	Full Lip Strikes - 2 pack Fits Standard size doors Twin Pack Steel strike plate with adjustable tab Replaces most residential exterior & interior strikes Dimensions: 1-1/8" x 2-1/4" Door Thickness: All
	1064	Antique Brass	Full Lip Strikes - 2 pack Fits Standard size doors Twin Pack Steel strike plate with adjustable tab Replaces most residential exterior & interior strikes Dimensions: 1-1/8" x 2-1/4" Door Thickness: All
	1066	Chrome	Full Lip Strikes - 2 pack Fits Standard size doors Twin Pack Steel strike plate with adjustable tab Replaces most residential exterior & interior strikes Dimensions: 1-1/8" x 2-1/4" Door Thickness: All
	1065-SN	Satin Nickel	Full Lip Strikes - 2 pack Fits Standard size doors Twin Pack Steel strike plate with adjustable tab Replaces most residential exterior & interior strikes Dimensions: 1-1/8" x 2-1/4" Door Thickness: All

	ITEM #	FINISH	DESCRIPTION
	1063	Vintage Bronze	Full Lip Strikes - 2 pack Fits Standard size doors Twin Pack Steel strike plate with adjustable tab Replaces most residential exterior & interior strikes Dimensions: 1-1/8" x 2-1/4" Door Thickness: All
	1040	Polished Brass	T-Strike Fits standard size doors Use on wood or metal jambs Common replacement for most Grade 2 & 3 locksets Dimensions: 1-1/8" x 2-3/4" Door Thickness: All
	1040-SSS	Solid Stainless Steel  	T-Strike Fits standard size doors Use on wood or metal jambs Common replacement for most Grade 2 & 3 locksets Dimensions: 1-1/8" x 2-3/4" Door Thickness: All
	1040-VB	Vintage Bronze 	T-Strike Fits standard size doors Use on wood or metal jambs Common replacement for most Grade 2 & 3 locksets Dimensions: 1-1/8" x 2-3/4" Door Thickness: All
	1041	Chrome	T-Strike Fits standard size doors Use on wood or metal jambs Common replacement for most Grade 2 & 3 locksets Dimensions: 1-1/8" x 2-3/4" Door Thickness: All
	1041-SN	Satin Nickel	T-Strike Fits standard size doors Use on wood or metal jambs Common replacement for most Grade 2 & 3 locksets Dimensions: 1-1/8" x 2-3/4" Door Thickness: All

	ITEM #	FINISH	DESCRIPTION
	1035	Polished Brass	Large Lip Strike Fits standard size doors Use on wood or metal jambs Dimensions: 4-7/8" long, 3-3/8" lip Door Thickness: All
	1036	Chrome	Large Lip Strike Fits standard size doors Use on wood or metal jambs Dimensions: 4-7/8" long, 3-3/8" lip Door Thickness: All
	1038	Stainless Steel	Standard A.S.A. Commercial Strike Use on wood or metal jambs Works with most commercial Grade 1 locksets Dimensions: 1-1/4" x 4-7/8" Door Thickness: All
	1051-SN	Satin Nickel New Item	Standard A.S.A. Commercial Strike Use on wood or metal jambs with most Grade 1 or 2 locksets Fits ANSI cut-out Dimensions: 1-1/4" x 4-7/8"
	1051-VB	Vintage Bronze New Item	Standard A.S.A. Commercial Strike Use on wood or metal jambs with most Grade 1 or 2 locksets Fits ANSI cut-out Dimensions: 1-1/4" x 4-7/8"
	1045	Polished Brass	Adjustable Strike 1/4" adjustment for tight fit of door to frame Stops door rattle Assures engagement of dead latch function Residential or commercial frames Dimensions: 1-1/4" x 2-3/4" Door Thickness: All





	ITEM #	FINISH	DESCRIPTION
	1047	Polished Brass	Adjustable Strike 2-1/2" extended lip 1/4" adjustment for tight fit of door to frame Stops door rattle Assures engagement of dead latch function Use on wood frames Dimensions: 2-3/4" width x 3" length Door Thickness: All
	1050	Polished Brass	Adjustable Strike 1/4" adjustment for tight fit of door to frame Stops door rattle Assures engagement of dead latch function Residential or commercial frames Dimensions: 1-1/4" x 4-7/8" Door Thickness: All
	1011-PB	Polished Brass <div>New Item</div>	Deadbolt Strike 1/8" thick heavy gauge steel base Allows 3" screws to anchor to wall stud Finished cover matches common exterior trim
	1011-SN	Satin Nickel <div>New Item</div>	Deadbolt Strike 1/8" thick heavy gauge steel base Allows 3" screws to anchor to wall stud Finished cover matches common exterior trim
	1005	Polished Brass	Security Strike and Box Fits standard size doors Mortising required Screws at base of box strike secure to 2" x 4" framing for added security Dimensions: 1-1/4" x 4-7/8" Door Thickness: All
	1010	Polished Brass	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security 3" screws to attach to wall stud Dimensions: 1-1/4" x 3-5/8" Door Thickness: All

	ITEM #	FINISH	DESCRIPTION
	1010-SN	Satin Nickel 	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security 3" screws to attach to wall stud Dimensions: 1-1/4" x 3-5/8" Door Thickness: All
	1010-VB	Vintage Bronze 	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security 3" screws to attach to wall stud Dimensions: 1-1/4" x 3-5/8" Door Thickness: All
	1012	Polished Brass 	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 4-7/8" Door Thickness: All
	1012-SN	Satin Nickel 	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 4-7/8" Door Thickness: All
	1012-VB	Vintage Bronze 	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 4-7/8" Door Thickness: All
	1015	Polished Brass	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 6" Door Thickness: All

	ITEM #	FINISH	DESCRIPTION
	1015-SN	Satin Nickel New Finish	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 6" Door Thickness: All
	1015-VB	Vintage Bronze New Finish	Security Strike Fits standard size doors Replaces most deadbolt strikes for increased security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 6" Door Thickness: All
	1016-PB	Polished Brass	Security Strike Replaces most deadbolt strikes for increased security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-5/8" x 11" Door Thickness: 1-3/4" or thicker doors
	1025	Polished Brass	Security Latch Strike Fits standard size doors Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 8" Door Thickness: All
	1025-SSS	Solid Stainless Steel Solid Stainless Steel New Material	Security Latch Strike Fits standard size doors Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 8" Door Thickness: All
	1025-VB	Vintage Bronze New Finish	Security Latch Strike Fits standard size doors Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-1/4" x 8" Door Thickness: All

	ITEM #	FINISH	DESCRIPTION
	1027	Polished Brass	Dual Security Strike For locks with 5-1/2" to 6" centers Replaces standard latch & deadbolt strikes with one piece security Strengthens or repairs wood jambs 3" screws attach to wall stud for extra security Dimensions: 1-5/8" x 11" Door Thickness: 1-3/4" or thicker doors
	1088	Aluminum	Door Protector Secures against forced entry Use on in-swinging or out-swinging doors Requires some mortising, noted in illustration Mounts to door for out-swinging application or to door frame for in-swinging application
	1086-PB	Polished Brass	12" Latch Shield Use on in-swinging doors Interlocking brackets protect against forced entry May be applied to wood or metal doors Special fasteners include one-way screws Requires no mortising
	1086-SN	Satin Nickel	12" Latch Shield Use on in-swinging doors Interlocking brackets protect against forced entry May be applied to wood or metal doors Special fasteners include one-way screws Requires no mortising
	1086-VB	Vintage Bronze	12" Latch Shield Use on in-swinging doors Interlocking brackets protect against forced entry May be applied to wood or metal doors Special fasteners include one-way screws Requires no mortising
	1087-PB	Polished Brass	6" Latch Shield Use on in-swinging doors Interlocking brackets protect against forced entry May be applied to wood or metal doors Special fasteners include one-way screws Requires no mortising

	ITEM #	FINISH	DESCRIPTION
	1087-SN	Satin Nickel New Item	6" Latch Shield Use on in-swinging doors Interlocking brackets protect against forced entry May be applied to wood or metal doors Special fasteners include one-way screws Requires no mortising
	1087-SSS	Solid Stainless Steel New Item Solid Stainless Steel	6" Latch Shield Use on in-swinging doors Interlocking brackets protect against forced entry May be applied to wood or metal doors Special fasteners include one-way screws Requires no mortising
	1087-VB	Vintage Bronze New Item	6" Latch Shield Use on in-swinging doors Interlocking brackets protect against forced entry May be applied to wood or metal doors Special fasteners include one-way screws Requires no mortising
	1085	Polished Brass New Material	Latch Guard Out-swinging doors only Secures against forced entry Protects latch or bolt Dimensions: 2-1/2" x 6" Backset: Locksets with 2-3/8" backset
	1085-SSS	Solid Stainless Steel Solid Stainless Steel New Material	Latch Guard Out-swinging doors only Secures against forced entry Protects latch or bolt Dimensions: 2-1/2" x 6" Backset: Locksets with 2-3/8" backset
	1089	Polished Brass	Heavy Duty Latch Guard Out-swinging doors only Secures against forced entry Protects latch or bolt Residential or commercial use Dimensions: 3" x 7" Backset: Locksets with 2-3/4" backset

	ITEM #	FINISH	DESCRIPTION
	1089-SSS	Solid Stainless Steel  	Heavy Duty Latch Guard Out-swinging doors only Secures against forced entry Protects latch or bolt Residential or commercial use Dimensions: 3" x 7" Backset: Locksets with 2-3/4" backset
	1090	Chrome	Heavy Duty Latch Guard Out-swinging doors only Secures against forced entry Protects latch or bolt Residential or commercial use Dimensions: 3" x 7" Backset: Locksets with 2-3/4" backset



What you want. Where you want it.
When you want it.





Adapter Plates & Covers

Whether you are getting rid of unsightly unused latch face cutouts or covering lockset holes and strike cutouts, look to First Watch® Security for your Adapter Plates & Covers.

	ITEM #	FINISH	DESCRIPTION
	1165	Polished Brass	Bore Adapter Plate Reduces bore from 2-1/8" to 1-1/2" Use with some deadbolts & rim cylinders
	1165-SN	Satin Nickel 	Bore Adapter Plate Reduces bore from 2-1/8" to 1-1/2" Use with some deadbolts & rim cylinders
	1165-VB	Vintage Bronze 	Bore Adapter Plate Reduces bore from 2-1/8" to 1-1/2" Use with some deadbolts & rim cylinders
	1165-W	White 	Bore Adapter Plate Reduces bore from 2-1/8" to 1-1/2" Use with some deadbolts & rim cylinders

	ITEM #	FINISH	DESCRIPTION
	1170	Polished Brass	Adapter or Trim Plate Use with 2-1/8" bore locks Covers marred area around knob Allows conversion of 2-3/8" to 2-3/4" backset Dimensions: 3-1/2" diameter
	1170-SN	Satin Nickel 	Adapter or Trim Plate Use with 2-1/8" bore locks Covers marred area around knob Allows conversion of 2-3/8" to 2-3/4" backset Dimensions: 3-1/2" diameter
	1170-SSS	Solid Stainless Steel  	Adapter or Trim Plate Use with 2-1/8" bore locks Covers marred area around knob Allows conversion of 2-3/8" to 2-3/4" backset Dimensions: 3-1/2" diameter
	1170-W	White 	Adapter or Trim Plate Use with 2-1/8" bore locks Covers marred area around knob Allows conversion of 2-3/8" to 2-3/4" backset Dimensions: 3-1/2" diameter
	1171	Antique Brass	Adapter or Trim Plate Use with 2-1/8" bore locks Covers marred area around knob Allows conversion of 2-3/8" to 2-3/4" backset Dimensions: 3-1/2" diameter
	1172	Polished Brass	Hole Cover Helps maintain entry security Covers lockset holes from 1/2" to 2-1/8" Fits doors to 1-3/4" thick Dimensions: 2-5/8" diameter

	ITEM #	FINISH	DESCRIPTION
	1172-SN	Satin Nickel 	Hole Cover Helps maintain entry security Covers lockset holes from 1/2" to 2-1/8" Fits doors to 1-3/4" thick Dimensions: 2-5/8" diameter
	1172-VB	Vintage Bronze 	Hole Cover Helps maintain entry security Covers lockset holes from 1/2" to 2-1/8" Fits doors to 1-3/4" thick Dimensions: 2-5/8" diameter
	1172-W	White 	Hole Cover Helps maintain entry security Covers lockset holes from 1/2" to 2-1/8" Fits doors to 1-3/4" thick Dimensions: 2-5/8" diameter
	1173	Prime Coat Gray	Hole Cover Helps maintain entry security Covers lockset holes from 1/2" to 2-1/8" Fits doors to 1-3/4" thick Dimensions: 2-5/8" diameter
	1190	Polished Brass	Filler Plate Covers unused latch face cutouts
	1191	Prime Coat Gray	Filler Plate Covers unused latch face cutouts

	ITEM #	FINISH	DESCRIPTION
	6000	White	Wall Fix and Shield Self adhesive & paintable Repairs or prevents wall damage
	6001	Almond	Wall Fix and Shield Self adhesive & paintable Repairs or prevents wall damage

Products for a secure home.



**FIRST
WATCH®**
SECURITY

Merchandising

Planograms are very important in developing winning merchandising solutions for our customers. Belwith® will partner with you to create the right planogram for your store format and your specific demographic requirements. In addition to selecting the basic set of core items, our merchandising experts will work with you to customize your overall product offering, planogram, and signage options.

Belwith® is a trusted name in custom merchandising solutions.

4 Foot Planogram


**FIRST
WATCH®**
SECURITY


2 Foot Planogram


**FIRST
WATCH®**
SECURITY


Product Index

PRODUCT #	PAGE	PRODUCT #	PAGE	PRODUCT #	PAGE
1005	49	1100-604	20	1253	30
1010	49	1105	14	1253-604	30
1010-SN	50	1105-SN	14	1253-W	30
1010-VB	50	1106	14	1258	6
1011-PB	49	1110	14	1258-601	6
1011-SN	49	1110-SN	15	1275	32
1012	50	1120	15	1276	33
1012-SN	50	1125	15	1277	33
1012-VB	50	1129	24	1278	6
1015	50	1130	26	1278-601	6
1015-SN	51	1132	27	1278-604	7
1015-VB	51	1135	26	1281	7
1016-PB	51	1136	26	1281-601	7
1025	51	1137	25	1306	11
1025-SSS	51	1139	24	1306-601	12
1025-VB	51	1140	25	1319	12
1027	52	1140-SN	26	1321	12
1035	48	1141	26	1327	12
1036	48	1141-SN	27	1328	12
1038	48	1142	24	1353	10
1040	47	1143	25	1355	10
1040-SSS	47	1145	26	1355-645	10
1040-VB	47	1146	27	1355-VB	10
1041	47	1148-PB	25	1355-VB-604	11
1041-SN	47	1148-SN	25	1356	11
1045	48	1148-VB	25	1356-601	11
1047	49	1150	15	1356-VB	11
1050	49	1155	24	1356-VB-645	11
1051-SN	48	1165	55	1358	7
1051-VB	48	1165-SN	55	1358-601	7
1063	47	1165-VB	55	1378	7
1064	46	1165-W	55	1378-604	8
1065	46	1170	56	1381	8
1065-SN	46	1170-SN	56	1381-601	8
1066	46	1170-SSS	56	1381-604	8
1085	53	1170-W	56	1381-645	8
1085-SSS	53	1171	56	1383	8
1086-PB	52	1172	56	1383-601	9
1086-SN	52	1172-SN	57	1383-VB	9
1086-VB	52	1172-VB	57	1384	9
1087-PB	52	1172-W	57	1384-601	9
1087-SN	53	1173	57	1384-VB	9
1087-SSS	53	1181	20	1385	9
1087-VB	53	1181-SN	20	1385-601	10
1088	52	1181-VB	21	1385-VB	10
1089	53	1185	33	1400	37
1089-SSS	54	1190	57	1400-601	37
1090	54	1191	57	1403	36
1100	20	1251	30	1404	37

Product Index

PRODUCT #	PAGE	PRODUCT #	PAGE	PRODUCT #	PAGE
1404-601	37	1855	22	2038-PB	41
1407	35	1855-SN	22	2038-SSS	41
1408	34	1856	23	2038-VB	41
1409	33	1860	16	2051-AB	41
1410	34	1860-SN	16	2051-PB	41
1411	33	1860-W	16	2051-SSS	41
1412	34	1861	16	2051-VB	42
1413	34	1862	16	2061-AB	42
1414	33	1870	17	2061-PB	42
1415	34	1870-SN	17	2061-SSS	42
1418	35	1873	18	2061-VB	42
1419	35	1873-SN	18	2081-AB	42
1421	31	1873-VB	18	2081-PB	43
1421-645	31	1875	18	2081-SSS	43
1425	31	1875-SN	18	2081-VB	43
1425-601	31	1878	17	2258-PB	45
1427	36	1878-VB	17	2258-SS	45
1427-10B	36	1879	17	2311	23
1428	36	1940	35	2320	23
1430	35	1941	35	2321	23
1432	37	1970	32	2322	23
1433	37	1974	31	2330	23
1443	36	1974-W	32	3707	12
1447-W	31	1976	32	3708	13
1448-W	34	1978	32	3708-601	13
1503	36	1979	32	5140	29
1532	38	1980-CH	28	5140-604	29
1575	17	1980-W	28	5141	29
1576	18	2000-PB	39	5141-601	29
1800	15	2001-AB	43	5141-604	29
1800-645	15	2001-PB	43	5141-645	29
1802	16	2001-SSS	43	5142	30
1840	19	2001-VB	44	5142-604	30
1840-SN	19	2002-PB	44	5143-SN	28
1841	19	2002-SSS	44	5143-W	28
1843	19	2002-VB	44	6000	58
1845	20	2004-AB	44	6001	58
1846	20	2004-PB	44		
1847	21	2004-SSS	45		
1847-SN	21	2004-VB	45		
1848	21	2020-PB	39		
1849	22	2020-VB	39		
1849-SN	22	2035-PB	39		
1850	21	2035-SSS	40		
1851	22	2035-VB	40		
1851-SN	22	2036-PB	40		
1852	21	2036-SSS	40		
1853	19	2036-VB	40		
1853-SN	19	2038-AB	40		

General Policies & Warranty

TERMS OF PAYMENT

1%, 10 days, net 30 days. Monthly statements are provided.

PRICES

All prices are subject to change without notice. Any firm price or special conditions must be approved in writing prior to shipment.

CANCELLATIONS

Orders for any item in this catalog may be cancelled or changed by the customer, subject to written approval and subject to a service charge.

SAMPLES

Samples are subject to charge and are not returnable without written approval.

SHORTAGES

We must be notified within ten (10) days of receipt of shipment if any shortage is experienced.

DAMAGED MERCHANDISE

Concealed damage can occur in handling by carriers. This damage is recoverable by you from the carrier upon presentation of a proper claim. If you find damage upon opening the shipment, call the delivering carrier and ask for an inspection of concealed damage. An inspector will be sent and will furnish proper forms for your claim. Do not return damaged merchandise to Belwith® Products, LLC (Belwith®). The carrier is responsible for the shipment when it is picked up from our facilities. If merchandise is returned to us, you may be unable to file a claim.

RETURNED GOODS

Belwith® will promptly rectify any defects or errors for which it is responsible. With regards to buyer's remorse, approval for return of these goods must be requested and a RETURN GOODS AUTHORIZATION (RGA) number affixed to the return PRIOR to credit being issued. Any merchandise sent to Belwith® without the proper RGA number will not be accepted and will be promptly returned to the sender. Any returns requested for reasons other than defects or errors will be credited, less a handling charge of 25% of the invoiced price or a minimum of \$10.00. Merchandise held over 30 days from date of shipment without an RGA request will NOT be accepted. Any merchandise returned to Belwith® must be in resalable condition. All returns are subject to Belwith® inspection for this purpose. Displays and display items are not returnable for credit. No merchandise will be accepted without an authorization number, as issued by Belwith®. All freight costs for returned merchandise must be paid by the sender.

INTELLECTUAL PROPERTY

First Watch® Security brand products, under Belwith®, are original art, as well as logos, catalogs, displays, web sites, and photography, and as such they are protected by trademark and copyright law. Belwith® protects intellectual property through both Design and Patents and Copyrights. It is Belwith® corporate policy to prosecute violators of its intellectual property rights in the most aggressive manner under the full extent of United States and international laws.

SATISFACTION GUARANTEED

First Watch® Security branded products are manufactured to provide quality which you can count on with normal use and wear. If you are not completely satisfied with this product, please return it for replacement to the place of purchase or to Belwith®. Belwith® is NOT LIABLE FOR INCIDENTAL OR CONSEQUENTIAL DAMAGES. This guarantee is in lieu of any other warranties expressed or implied, including any implied warranty of merchantability or fitness.

Belwith® Products, LLC
3100 Broadway SW
Grandville, MI 49418

Home Garage Security - New Products Preview

These products significantly enhance home security and bring the family peace of mind and convenience.

PEACE OF MIND

- Overhead door cannot be tampered with*
- New unique high-security encryption
- Real-time monitoring and audit tracking directly from your smartphone
- Alerts if the garage door is left open

*Search "breaking into a garage" on youtube.com

CONVENIENCE

- Your smartphone replaces all your garage remotes
- Grant controlled access (by date/day-of-week/time) to any smartphone user
- Add/revoke/modify user access in real-time. Great for emergencies (police/ambulance)
- No need to carry wireless garage remotes that can be lost or stolen

SecuRemote™ Controller (patents pending)

Easy installation
Works with most smartphones*



Turns any smartphone into a high-security remote. Any home with an overhead garage opener and/or electric gate can be retrofitted with **SecuRemote™**.

Unlike other devices that require a home internet connection, **SecuRemote™** uses your smartphone's Bluetooth® wireless communication (just like all cell phone Bluetooth® accessories).

No expensive infrastructure needed.

Connects to the manual push-button control.

Key Features:

- Easy, real-time security administration and usage tracking directly from your smartphone or the web.
- Event notification alerts via text messaging or email.



Operation Range: 60'-100'


* Smartphones supported:

- Android™
- BlackBerry®
- iPhone®




* A smartphone is defined as a Bluetooth®-enabled cell phone with texting capability.

Anti-Break-In SecureShield™ (patent pending)



Easy installation
Fits most garage
door openers



Prevents overhead garage door break-ins.
Every home garage should have it!

FIRST WATCH
SECURITY



FIRST WATCH®

SECURITY

A Division of Belwith® Products, LLC.

3100 Broadway SW, Grandville, MI 49418
Phone 1.800.235.9484 | Fax 1.800.858.2119 | Online www.firstwatchsecurity.com

Room 21H, Baofa Building Shatoujiao Free Trade Zone, 2015 Shenyang Road, Shenzhen City, CHINA 518081

Flat FG 16/F Seabright Plaza, No. 9-23 Shell Street, North Point, HONG KONG

The information in this catalog is based on the latest product information available at the time of printing. The right to discontinue items without advance notice and to make changes as to color, materials and other specifications at any time is reserved.