



The Value Line

- The Value Line $-\!\!\!-$



Gamco fulfills a specific niche in the commercial restroom accessories market when budget pricing is the primary consideration. Architects, distributors and developers have counted on Gamco for a comprehensive line of products designed and engineered for long-lasting durability and functionality. There is no better value.

Large Project Focus -

ON TIME, ON BUDGET

Gamco's manufacturing capabilities are designed for school, government, retail and other industrial projects. Customers can count on Gamco to meet their delivery requirements for even the largest projects.




InStock -

3-DAY SHIPMENTS

Choose from an extensive assortment of the most popular accessory models, and benefit with 3-day shipments within the U.S. from date of order. InStock models can be found at gamcousa.com and are identified with the "IS" symbol throughout this catalog.

Gamco Customer Service — **BOBRICK**







Best-in-class Bobrick customer service is another reason the construction market relies on Gamco. Customers benefit with the iBob state-of-the-art order entry and tracking system that provides real time information throughout the production, manufacturing and fulfillment process.

Customization -

Height, width and depth dimensions can be customized for non-standard installations and special short-run quantities can be accommodated. In addition to satin-finish stainless steel, finishes include solid brass and bronze, and powder-coated colors.



Table of Contents —

Catalog symbols

AND WHAT THEY MEAN



The wheelchair designates accessories that meet ADA Accessibility Guidelines. For a free copy of Bobrick's most up-to-date Planning Guide for Accessible Restrooms, visit bobrick.com.



Many of Gamco's products assist customers in fulfilling their sustainability and LEED objectives. For example, accessories are fabricated of 50%-70% recycled stainless steel. See Gamco's GTB-88 LEED information bulletin.



Products with the InStock symbol ship within three days of receipt of order.

Combination Towel & Waste Units 4-5
Towel Dispensers & Waste Receptacles 6-7
Hand Dryers
Mirrors
Toilet Tissue Dispensers 10-11
Grab Bars
Soap Dispensers
Seat Cover Dispensers
Partition-Mounted Units
Feminine Hygiene Accessories
Shower Accessories
Healthcare & Security Accessories
Restroom Accessories
Custodial Accessories

Numerical Product Index —

		Marrichean	1 oddet II Idex
22	BP-1 18 BP-2 18 C-Series 9 CG-2 18 CG-4 18 DR-510 8 DR-5128 8 DR-570 8 DR-5708 8 DR-5750 8 DR-578 8 FT-Series 9 G-16AP 14 G-29 L 14 G-58AP 14 G-63SD 14 G-64LB 14 G-64LB-6 14 G-64LB-6 14 G-950FA 14 G-950FA 14 G-950SA 14 GB-10 Series 13 GB-5 Series 13 GB-60 Series 13 GB-60 Series 13 GB-75 Series 13 GB-7	ND-1 16 ND-3 16 ND-4 16 ND-5 16 ND-6 16 NV-2-4 16 NV-2-4FS 16 S-5 19 S-6 19 S-8 19 SPB-1 18 SPH-2 19 SR100C 17 SR100E 17 SR125C 17 SR125E 17 <td>TTD-2 .11 TTD-5 .10 TTD-6 .10 TTD-9 .10 TTD-11 .10 TTD-13 .10 TTD-14 .10 TW-1. .4 TW-3. .4 TW-4. .5 TW-8. .5 TW-9. .5 TW-9. .5 TW-9. .5 TW-9. .5</td>	TTD-2 .11 TTD-5 .10 TTD-6 .10 TTD-9 .10 TTD-11 .10 TTD-13 .10 TTD-14 .10 TW-1. .4 TW-3. .4 TW-4. .5 TW-8. .5 TW-9. .5 TW-9. .5 TW-9. .5 TW-9. .5

— Combination Towel & Waste Units

TW-1

RECESSED COMBINATION TOWEL **DISPENSER AND WASTE RECEPTACLE**





Satin-finish stainless steel, one-piece 22-gauge (0.88mm) flange and removable waste receptacle, 18-gauge (1.2mm) door. Receptacle projects 5" (127mm).

TOWEL CAPACITY: 600 C-fold or 800 multifold

WASTE CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 56" H (435 x 1422mm)

TW-1F Semi-recessed 2" (51mm) skirt TW-1FS Surface-mounted 4" (102mm) skirt TW-1-18 18-gal. (68-L) waste receptacle 🥏

TW-14RP-T

COMBINATION AUTOMATIC **ROLL TOWEL DISPENSER** AND WASTE **RECEPTACLE**





Satin-finish stainless steel, one-piece 22-gauge (0.88mm) flange and removable waste receptacle, 18-gauge (1.2mm) door. Receptacle projects 5" (127mm).

TOWEL CAPACITY: Accepts paper rolls 7 3/4" (197mm) wide up to 8" (203mm) dia. 1 1/2" to 2" (38 to 51mm) core

WASTE CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 56" H (435 x 1472mm) TW-14RPF-T Surface-mounted 2" (51mm) skirt TW-14RPFS-T Surface-mounted 4" (102mm) skirt

TW-3

RECESSED COMBINATION MINI-TOWEL DISPENSER AND WASTE **RECEPTACLE**





RECESSED COMBINATION DISPENSER AND WASTE **RECEPTACLE**







Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable waste receptacle.

TOWEL CAPACITY: 350 C-fold or 475 multifold

WASTE CAPACITY: 2-gal. (7.6-L)

OVERALL SIZE: 14" W, 28" H, 4" D (356 x 711 x 102mm) TW-3FS Surface-mounted 4" (102mm) skirt **IS**



Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable 24-gauge (0.6mm) waste receptacle, 18-gauge (1.2mm) door.

TOWEL CAPACITY: 700 C-fold, 900 multifold or 1200 single-fold

WASTE CAPACITY: 7 1/2 -gal. (28.4-L)

OVERALL SIZE: 14" W, 58" H, 6" D (356 x 1473 x 152mm)

Combination Towel & Waste Units —

TW-8

RECESSED COMBINATION COVERALL **MINI-TOWEL DISPENSER AND WASTE RECEPTACLE**



→ &

Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock. Removable molded plastic waste receptacle.

TOWEL CAPACITY: 300 C-fold or 400 multifold

WASTE CAPACITY: 2-gal. (7.6-L)

OVERALL SIZE: 14" W, 28" H, 4 1/4" D (356 x 711 x 108mm)

TW-8F Semi-recessed 2" (51mm) skirt &

TW-8FS Surface-mounted 4" (102mm) skirt &

TW-9

RECESSED COMBINATION COVERALL TOWEL **DISPENSER** AND WASTE **RECEPTACLE**





Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with two tumbler locks. Push door covers disposal opening. Removable molded plastic waste receptacle. Recessed 5 3/8" (135mm).

TOWEL CAPACITY: 600 C-fold, 800 multifold or 1100 single-fold

WASTE CAPACITY: 5 1/2-gal. (19-L)

OVERALL SIZE: 13" W, 55 1/8" H, 6" D (330 x 1400 x 152mm)

TW-9F Semi-recessed 2" (51mm) skirt TW-9FS Surface-mounted 6" (152mm) skirt

TW-9-4 Fully recessed 4" (102mm) walls with no-push door. 3 1/2-gal. (13.3-L) waste 👃

TW-12RP

RECESSED COMBINATION **COVERALL ROLL TOWEL PUSH BAR DISPENSER AND WASTE** RECEPTACLE



→ &

Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with two tumbler locks and removable waste receptacle. Towels are dispensed when lower bar is pushed.

TOWEL CAPACITY: Rolls 7 3/4" (197mm) wide up to 8" (203mm) dia.

WASTE CAPACITY: 8 1/2-gal. (32-L)

OVERALL SIZE: 16 1/16" W, 43 7/8" H, 9 5/8" D

(408 x 1114 x 244mm)

TW-12RPF Semi-recessed 6" (150mm) skirt

TW-14RP

RECESSED COMBINATION **ROLL TOWEL** DISPENSER **AND WASTE RECEPTACLE**





Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable waste receptacle, 18-gauge (1.2mm) door. Receptacle projects 5" (127mm). Towels are dispensed when lower bar is pushed.

TOWEL CAPACITY: Roll 7 3/4" (197mm) wide up to 8" (203mm) dia.

WASTE CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 56" H (435 x 1422mm) TW-14RPFS Surface-mounted 4" (102mm) skirt

— Towel Dispensers & Waste Receptacles

TD-2 SURFACE-**MOUNTED TOWEL DISPENSER**



TD-3 **RECESSED TOWEL DISPENSER**



TD-4 **RECESSED** TOWEL **DISPENSER**





Satin-finish stainless steel, 22-gauge (0.8mm). Cabinet slots on sides indicate paper towel supply.

TOWEL CAPACITY: 400 C-fold or 525 multifold

OVERALL SIZE: 10 13/16" W, 14 1/16" H, 3 15/16" D (275 x 355 x 100mm)

TD-2-8 10 13/16" W, 7 1/8" H, 3 15/16" D (275 x 180 x 100mm)



Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange, 18-gauge (1.2mm) door.

TOWEL CAPACITY: 600 C-fold or 800 multifold

OVERALL SIZE: 14" W, 28" H, 4 1/4" D (356 x 711 x 108mm)



Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange, 18-gauge (1.2mm) door.

TOWEL CAPACITY: 350 C-fold or 475 multifold

OVERALL SIZE: 12 3/4" W, 17 1/8" H, 4 1/4" D (324 x 435 x 108mm)

TD-4F Semi-recessed 2" (51mm) Skirt TD-4FS Surface-mounted 4" (102mm) Skirt

SURFACE-MOUNTED SINGLE **FOLD TOWEL** DISPENSER



RECESSED **COVERALL TOWEL** DISPENSER



TD-11RP

SURFACE-**MOUNTED PUSH BAR ROLL TOWEL DISPENSER**





Satin-finish stainless steel, 22-gauge (0.8mm). Cabinet slots on sides indicate paper towel supply.

TOWEL CAPACITY: 400 singlefold OVERALL SIZE: 11 1/2" W, 7 1/2" H, 6" D (292 x 191 x 152mm)



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock.

TOWEL CAPACITY: 300 C-fold or 400 multifold

OVERALL SIZE: 12 11/16" W, 17 1/4" H, 4 1/4" D (322 x 438 x 108mm)

TD-6F Semi-recessed with 2" (51mm)

TD-6FS Surface-mounted with 4" (102mm) skirt





Satin-finish stainless steel, 22-gauge (0.8mm) cabinet, 18-gauge (1.2mm) door. Towels are dispensed when lower bar is

TOWEL CAPACITY: 7 3/4" - 8" W (197 -203mm), 8" (203mm) in dia.

OVERALL SIZE: 12 1/16" W. 16" H. 9 3/8" D (320 x 406 x 238mm)

TD-11RPT Surface-mounted automatic touchless roll paper towel dispenser



Towel Dispensers & Waste Receptacles —

TD-12RP

SEMI-**RECESSED ROLL TOWEL DISPENSER**



TD-12RPT

SEMI-**RECESSED AUTOMATIC ROLL TOWEL DISPENSER**



WR-2

SURFACE-**MOUNTED** WASTE **RECEPTACLE**





Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock. Towels are dispensed when lower bar is pushed.

TOWEL CAPACITY: 7 3/4" to 8" W (197 to 203mm), up to 8" (203mm) in dia.

OVERALL SIZE: 4" W, 27 1/2" H, 9 3/8" D (101 x 698 x 238mm) without frame



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock.

TOWEL CAPACITY: 7 3/4" to 8" W (197 to 203mm), up to 8" (203mm) in dia. 1 1/2" to 2" (38 to 51mm) core

OVERALL SIZE: 15 1/2" W, 27 1/2" H, 9 3/4" D (393 x 698 x 248mm) without flange



Satin-finish stainless steel, 22-gauge (0.8mm) waste receptacle. Edges hemmed for safety.

CAPACITY: 7-gal. (26.5-L)

OVERALL SIZE: 16 1/2" W, 23" H, 12 1/2" D (435 x 778 x 102mm)

WR-1 CAPACITY: 21-gal. (79.5-L)

WR-3 CAPACITY: 2-gal. (7.6-L)

WR-14 CAPACITY: 12-gal. (45.4 L)

Note: WR-1/WR-2 with vinyl liner

WR-6 **RECESSED** WASTE RECEPTACLE



COVERALL WASTE RECEPTACLE



WR-11

STANDING SWING-TOP WASTE **RECEPTACLE**







Satin-finish stainless steel, one-piece 22-gauge (0.8mm) flange and removable waste receptacle. Receptacle projects 5" (127mm).

CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 1/8" W, 30 5/8" H

(435 x 778mm)

WR-6-18 18-gal. (68-L) waste

receptacle

WR-6-6 Requires 6" (152mm) wall

depth 🕹



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler locks. Removable, molded plastic waste receptacle.

CAPACITY: 12-gal. (45.4-L)

OVERALL SIZE: 17 3/16" W, 40" H, 7 1/2" D (436 x 101 x 190mm)



Satin-finish stainless steel 20-gauge (0.89mm) receptacle. Self-closing doors. Rubber feet provided.

CAPACITY: 13-gal.(49.2-L)

OVERALL SIZE: 12 1/2" W, 29 1/2" H, 12 1/2" D (318 x 749 x 318mm)

WR-12 CAPACITY: 21-gal. (79.5-L) OPTION: -NT for waste receptacle

without top

DR-5128

SURFACE-**MOUNTED** ADA **COMPLIANT** HAND DRYER





Brushed stainless steel cover with SteriTouch® antimicrobial additive. No-touch operation. cETLus approved.

UNIVERSAL VOLTAGE: 110-120/208/220-240 VAC input OVERALL SIZE: 11 7/16" W, 10 11/16" H, 3 15/16" D

(290 x 271 x 100mm)

DR-5120 White epoxy painted cover **IS**

SteriTouch is a registered trademark of SteriTouch Ltd.

DR-570

SURFACE-**MOUNTED HIGH-SPEED** HAND DRYER





White epoxy painted cover. No-touch operation. Motor delivers 105 cubic feet per air volume at 206 MPH. cULus, Greenspec

VOLTAGE: IS DR-570 115V AC, 9.6 Amp, 50/60 Hz,

or DR-570 230V AC, 4.8 Amp, 50/60 Hz

OVERALL SIZE: 8 9/10" W, 10 7/10" H, 6 1/2" D

(226 x 271 x 165mm)

DR-578 115V S or DR-578 230V Stainless brushed

cover

OPTION:

KIR-973K-1 Recess Kit

DR-510

SURFACE-**MOUNTED** ADA **COMPLIANT** HAND DRYER



DR-5708

SURFACE-**MOUNTED CAST IRON** HAND DRYER







One-piece, aluminum die-casting with white epoxy enamel finish. cULus listed. Motor delivers 105 cubic feet per air volume at 206 MPH.

UNIVERSAL VOLTAGE: 110-120/208/220-240 VAC input OVERALL SIZE: 9" W, 9 7/10" H, 4" D (229 x 247 x 102mm)



1/4" thick cast iron with porcelain enamel finish. Nozzle is constructed of die-cast alloy finished in bright chrome. cULus listed.

VOLTAGE: 115V AC, 9.6 Amp, 60 Hz

OVERALL SIZE: 9.25" W, 9 1/2" H, 8.33" D (235x 241 x 212mm)

DR-5750 115V Recessed &



A-SERIES WELDED-FRAME



Satin-finish stainless steel. Corners welded, ground and polished smooth.

STANDARD SIZES/MODEL NUMBERS: **IS** A-18 x 30, **IS** A-18 x 36, **IS** A-24 x 36, A-24 x 48, A-24 x 60, A-24 x 72

Max. one-piece mirror is 96" x 48" any direction, custom sizes available **OPTIONS:**

- -T For tempered glass
- For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors

C-SERIES

CHANNEL-FRAME



Bright-polished stainless steel finish. Mitered corners

STANDARD SIZES/MODEL NUMBERS: C-18 x 24, S C-18 x 30, C-18 x 36, **IS** C-24 x 36, C-24 x 48

Max. one-piece mirror is 96" x 48" any direction, custom sizes available

- -T For tempered glass
- For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors

MS-18







Satin-finish stainless steel. Mirror shelf is 18" L, 1 1/4" H (457 x 32mm), ADAcompliant, protrudes 4" (100mm) from

MS-24 **IS** 24" L, 1 1/4" H (610 x 32mm)

Special-order sizes: up to 60" (1525mm) are available on request

Shelves over 36" (914mm) long supplied with center support.

AT-18 x 30 ADJUSTABLE TILT



Satin-finish stainless steel. Corners welded, ground and polished smooth. Top of mirror extends 9" max. (229mm) from wall.

OPTIONS:

- -T For tempered glass
- L For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors

FT-SERIES

FIXED-TILT POSITION



Satin-finish stainless steel frame. Corners welded, ground and polished smooth.

STANDARD SIZES/MODEL NUMBERS: FT-18 x 30, FT-18 x 36, FT-24 x 36

- -T For tempered glass
- For laminated glass
- -SS For polished stainless steel; MS-18 & MS-24 Mirror Shelf available for A, C, FT-Series & AT-18 x 30 mirrors

M-SERIES

FRAMELESS



20-gauge (1mm) stainless steel with bright-annealed finish. Back panel 1/4" (6mm) return edge for rigidity, and backing material 1/4" (6mm) thick.

STANDARD SIZES/MODEL NUMBERS: M-16 x 20, M-16 x 24, M-18 x 24, M-18 x 30, M-18 x 36, M-24 x 30, M-24 x 36

— Toilet Tissue Dispensers -

TTD-5

SURFACE-**MOUNTED MULTI-ROLL TOILET TISSUE DISPENSER**



RECESSED COVERALL MULTI-ROLL TOILET TISSUE DISPENSER



SURFACE-**MOUNTED IUMBO** TOILET **TISSUE DISPENSER**





Satin-finish stainless steel. Extra toilet tissue roll automatically drops in place after bottom roll is depleted.

CAPACITY: Two rolls up to 5 1/4" (135mm) dia.

OVERALL SIZE: 5 3/4" W, 10 3/4" H, 6" D (146 x 273 x 152mm)

TTD-6 Recessed, 7 9/16" W, 12 1/2" H (190 x 320mm), projects 2 15/16" (75mm) 🔷 🗒



Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock. Spindle is continuous 1" (25mm) diameter 18-gauge (1.2mm) stainless steel tubing with plastic end

CAPACITY: Two rolls up to 5 1/4" (135mm) dia.

OVERALL SIZE: 3 3/4" W, 8 1/2" H, 4 1/2" D (349 x 216 x 114mm)



Satin-finish stainless steel. 22-gauge (0.8mm). Slot on front reveals tissue supply.

CAPACITY: One roll up to 9 3/8" (238mm) dia. 4" (102mm) wide

OVERALL SIZE: 10 1/2" W, 4 1/2" D (267 x 114mm)

TTD-14 Similar to TTD 13. 13" (330mm) dia. toilet tissue roll



TTD-11

SURFACE-MOUNTED **IUMBO-ROLL TOILET TISSUE** DISPENSER



TOILET TISSUE HOLDER



RECESSED TOILET TISSUE HOLDER







Bright-polished chrome-plated steel. Theft-resistant locking device.

CAPACITY: Two rolls up to 5" (127mm)

OVERALL SIZE: 2 3/4" H, 6" W, 4 1/4" D (314 x 70 x 108mm)

22 Single-roll toilet tissue



Bright-polished stainless steel chrome

CAPACITY: One roll up to 5-1/4" (133mm) dia.

OVERALL SIZE: 6 3/8" W, 6 3/8" H, 17/8" D (162 x 162 x 48mm)

212-DBL Bright-polished double-roll 212-SF Satin-finish single-roll

212-SF DBL Satin-finish double-roll



Satin-finish stainless steel, 20-gauge (0.89mm). Sliding panel exposes one roll at a time and allows for easy roll changeover.

CAPACITY: Two rolls up to 9" (289mm) OVERALL SIZE: 19 3/16" W, 10 3/8" H, 5 1/4" D (487 x 264 x 133mm)



761

SINGLE-ROLL **TOILET TISSUE HOLDER**

DOUBLE-ROLL **TOILET TISSUE HOLDER**

DOUBLE-ROLL **TOILET TISSUE**









Bright-polished, chrome-plated steel. Theft-resistant locking device.

CAPACITY: Two rolls up to 5 1/4" (1337mm) dia.

PROJECTS: 3 1/4" (83mm) from wall OVERALL SIZE: 7 7/8" W, 1 15/16" H (200 x 49mm)

Bright-polished, chrome-plated Zamak. Push button unlocks support arms to allow servicing of unit.

CAPACITY: One roll up to 5 1/4" (133mm) dia.

OVERALL SIZE: 10 1/2" W, 2 3/8" H, 4 1/4" D (266 x 60 x 108mm)

815 Surface-mounted single-roll toilet tissue holder



Satin-finish stainless steel, 12-gauge (3mm). Cast aluminum spindles with locking pin. Controlled delivery.

CAPACITY: Two rolls up to 5 1/2" (140mm) dia.

OVERALL SIZE: 13" W, 2" H, 3 1/2" D (330 x 89 x 100mm)

TTD-1 Surface-mounted single-roll toilet tissue holder

7685

SINGLE-ROLL **TOILET TISSUE HOLDER**



814NRC

DOUBLE-ROLL **TOILET TISSUE HOLDER** WITH NO ROLL CONTROL



SINGLE-ROLL **HEAVY DUTY TOILET TISSUE HOLDER**



IS 🥟 🕏

Bright-polished stainless steel. Chromeplated plastic spindle.

CAPACITY: One roll up to 5 1/2" (140mm) dia.

OVERALL SIZE: 7 1/4" W, 2" H (185 x 50mm) PROJECTS: 3 15/16" (100mm) from wall

76857 Satin-finish IS

7686 Double-roll, bright-finish

76867 Double-roll, satin-finish



Die cast aluminum. Theft-resistant locking device. Spindle fabricated of grey polystyrene.

CAPACITY: Two rolls up to 5 1/4" (135mm) dia.

OVERALL SIZE: 13 1/8" W, 1 3/4" H, 4 1/4" D (333 x 44 x 108mm)

813NRC Surface-mounted single-roll toilet tissue holder with no roll control

813 Surface-mounted single-roll toilet tissue holder

814 Surface-mounted double-roll toilet tissue holder

1/8" (3.2mm) thick aluminum.

CAPACITY: One roll up to 5 1/4" (135mm) dia.

OVERALL SIZE: 5 1/8" W, 2" H, 3 1/8" D (130 x 51 x 79mm)

EXPOSED FLANGE



- · 10-gauge (3mm), stainless steel, 3" (76mm) dia. with 3 countersunk mounting holes.
- Available for 1 1/4" and 1 1/2" diameter bars.
- To specify: Series, E (Exposed) x grab bar length, e.g., 125E x 36

CONCEALED FLANGE



- 1/2" (13mm) deep, 11-gauge (1.24mm) stainless steel, 3" (76mm) dia. furnished with 3 stainless steel set screws and one back plate.
- Available for 1 1/4" and 1 1/2" diameter bars.
- To specify: Series, C (Concealed) x grab bar length, e.g., 150C x 36

SNAP FLANGE



- · Mounting plate is 11 gauge (3mm), stainless steel, 3" (76mm) dia. Snap flange cover is 22-gauge (0.8mm) stainless steel.
- Available for 1", 1 1/4" and 1 1/2" diameter bars.
- To specify: Series, S (Snap) x grab bar length, e.g., 150S x 36

100 SERIES

STRAIGHT GRAB BAR





18-gauge (1.2mm), satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.: 1" (25mm)

STANDARD LENGTHS: 18", 24",

(455, 610mm)

FLANGE STYLES: Snap

OPTION:

-T For non-slip safety-textured grip

125 SERIES

STRAIGHT GRAB BAR





18-gauge (1.2mm), satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.: 1 1/4" (32mm)

STANDARD LENGTHS: 12", 18", 24", 30", 36", 42", 48" (305, 455, 610, 760, 915, 1060, 1220mm)

FLANGE STYLES: Exposed, Snap

OPTION:

- For non-slip safety-textured grip

150 SERIES

STRAIGHT GRAB BAR





18-gauge (1.2mm), satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.: 11/2" (38mm)

STANDARD LENGTHS: 12", IS 18", (305, 455, 610, 760, 915, 1060, 1220mm)

FLANGE STYLES: Concealed, Snap OPTION:

-T For non-slip safety-textured grip

125 SWING-UP



IS &

18-gauge (1.2mm), satin-finish stainless steel tubing.

OVERALL LENGTH: 29 15/16" D, 11 13/16" H (760 x 300mm)

BAR DIA.: 1 1/4" (32mm)

125 SWING-UP-TPH



E

18-gauge (1.2mm), satin-finish stainless steel tubing. With toilet tissue holder.

OVERALL LENGTH: 29 15/16" D, 11 13/16" H (760 x 300mm)

BAR DIA.: 11/4" (32mm)

-50 SERIES

TWO WAY WHEELCHAIR BAR

-40 SERIES

U SHAPED SHOWER BAR

-5 SERIES

90 DEGREE ANGLE

LEFT or **RIGHT**



6

Standard dimensions: 36" W x 54" D (91 x 137cm), 18-gauge (1.2mm), satinfinish stainless steel tubing. Custom sizes available.

BAR DIA.:

-125 SERIES 1 1/4" (32mm)

-150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 125S-50, 150S-50

5

Standard dimensions: 32" W x 36" D x 32" W (81 x 91 x 81cm), 18-gauge (1.2mm), satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.:

-125 SERIES 1 1/4" (32mm)

-150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 125S-40, 150S-40

E

Standard dimensions: 16" W x 32" D (41 x 81cm), left or right configuration. 18-gauge (1.2mm), satin-finish stainless steel tubing. Custom sizes available.

-125 SERIES 1 1/4" (32mm)

-150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 125S-5L, 125S-5R, 150S-5L, 150S-5R

-12 SERIES

HORIZONTAL TUB OR SHOWER



-60 & -60S SERIES

WALL TO FLOOR



-75 SERIES

WALL TO FLOOR



Standard dimensions: 15 7/8" W, 30 7/8" D (403 x 784mm). 18-gauge (1.2mm), satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.:

E

-125 SERIES 1 1/4" (32mm)

-150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 125S-12, 150S-12

Standard dimensions: 30" W x 33" D (76 x 84cm). 18-gauge (1.2mm), satinfinish stainless steel tubing. Custom sizes available.

BAR DIA.:

E

-125 SERIES 1 1/4" (32mm)

-150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 125S-60, 150S-60 125S-60S, 150S-60S

Standard dimensions: 30" W x 3" D (762 x 76mm), left or right configuration. 18-gauge (1.2mm), satin-finish stainless steel tubing. Custom sizes available.

BAR DIA.:

-125 SERIES 1 1/4" (32mm)

-150 SERIES 1 1/2" (38mm)

MODEL NUMBERS: 150S-75L, 150S-75R

— Soap Dispensers

G-16AP

SURFACE-**MOUNTED** SOAP **DISPENSER**



G-29L COUNTER-MOUNTED SOAP DISPENSER



G-58AP

SURFACE- MOUNTED HORIZONTAL SOAP DISPENSER





Satin-finish stainless steel. Tank-type soap dispenser with all-purpose valve. View level indicator. Hinged filler-top requires special key to open.

CAPACITY: 40-fl. oz. (1.2-L)

OVERALL SIZE: 4 3/4" W, 8 1/4" H, 3" D (120 x 210 x 76mm)



Chrome-plated brass. Polyethylene soap container with easy viewing of soap level.

CAPACITY: 21-fl. oz. (0.62-L)





Satin-finish stainless steel. Tank-type soap dispenser with all-purpose valve. View level indicator. Hinged filler-top requires special key to open.

CAPACITY: 40-fl. oz. (1.2-L)

OVERALL SIZE: 8 1/4" W, 4 3/4" H, 3" D (210 x 121 x 76mm)

G-63SD

COUNTER-**MOUNTED** AUTOMATIC **SOAP DISPENSER**



G-64LB

COUNTER- MOUNTED SOAP DISPENSER



G-950SA

SURFACE-**MOUNTED AUTOMATIC SOAP DISPENSER**



5

Chrome-plated stainless steel spout assembly with sensor housing. May be mounted on left or right side of the sink. Designed with a push button release for filling soap bottle.

CAPACITY: 54-fl. oz. (1600 ml)



Chrome-plated brass. Polyethylene soap container with easy viewing of soap level. Top fill for convenience.

CAPACITY: 32-fl. oz. (0.9-L)

G-64LB-6 6" (152mm) spout **IS** G-64LB-US-3 4" (102mm) spout, bright-polished brass finish G-64LB-6-US-3 6" (152mm) spout, bright-polished brass finish

Ė

Satin-finish stainless steel. Dispenses a variety of liquid soaps and disinfectants. 950FA dispenses a variety of foam soaps. Lockable housing is equipped with clear acrylic refill-indicator window and hinged for refilling and maintenance. CE certified.

CAPACITY: 30-fl. oz. (850 ml)

OVERALL SIZE: 43/16" W, 99/16" H, 4 7/32" D (435 x 780 x 102mm)

G-950FA Foam soap dispenser



TSC-1

SURFACE-MOUNTED TOILET SEAT-COVER DISPENSER







Satin-finish stainless steel, 22-gauge (0.8mm). Fills from the bottom through concealed opening.

CAPACITY: Dispenses 250 single- or half-fold covers

OVERALL SIZE: 15 3/4" W, 11" H, 2" D (400 x 279 x 51mm)

RECESSED TOILET SEAT-COVER DISPENSER



IS &

Satin-finish stainless steel, 22-gauge (0.8mm).

CAPACITY: 500 covers

OVERALL SIZE: 17 1/8" W, 12 3/4" H, 2 1/4" D (435 x 324 x 57mm)

TSC-8

RECESSED COVERALL TOILET SEAT-COVER DISPENSER



E

Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door fitted with tumbler lock.

CAPACITY: 500 covers

OVERALL SIZE: 16 3/4" W, 12 3/4" H, 2 3/8" D (425 x 324 x 60mm)

Partition-Mounted Units —

TSC-5

RECESSED TOILET SEAT-COVER. **TISSUE DISPENSER** & NAPKIN **DISPOSAL**



TSC-6

RECESSED TOILET SEAT-COVER & TISSUE **DISPENSER**



TSC-7

RECESSED TOILET TISSUE DISPENSER & SANITARY **NAPKIN DISPOSAL**



5

Satin-finish stainless steel. DISPOSAL CAPACITY: 0.8-gal. (3.0-L) SEAT-COVER CAPACITY: 500 covers TOILET TISSUE CAPACITY: Two rolls up to 5 1/4" (133mm) dia.

OVERALL SIZE: 17 3/16" W, 30 5/8" H, 4" min. D (435 x 780 x 102mm)

TSC-5FS Surface-mounted 4" (102mm) skirt

TSC-5P Serves two compartments TSC-5PH Serves two compartments, one side mounts flush to partition

5

Satin-finish stainless steel.

SEAT COVER CAPACITY: 500 covers

TOILET TISSUE CAPACITY: Two rolls up to 5 1/4" (133mm) dia.

OVERALL SIZE: 17 3/16" W, 30 5/8" H, 4" min. D (435 x 780 x 102mm)

TSC-6FS Surface-mounted 4" (102mm) skirt

TSC-6P Serves two compartments TSC 6PH Serves two compartments, one side mounts flush to partition

E

Satin-finish stainless steel, 22-gauge (0.8mm). Receptacle slides out for servicing.

TOILET TISSUE CAPACITY: Two rolls up to 5 1/4" (135mm) dia.

DISPOSAL CAPACITY: 3/4-gal. (2.8-L) OVERALL SIZE: 17 3/16" W, 12 3/4" H,

4 1/4" D (436 x 324 x 107mm)

— Feminine Hygiene Accessories

282 25

SURFACE-**MOUNTED** NAPKIN-**TAMPON VENDOR**



NV-2-4

RECESSED COVERALL NAPKIN-**TAMPON VENDOR**



ND-1

SURFACE-**MOUNTED SANITARY** NAPKIN **DISPOSAL**



IS 🗢

Satin-finish stainless steel. Single-coin mechanism for 25¢ operation. 18-gauge (1.2mm) door. Separate lock and key for coin box.

CAPACITY: 30 Napkins, 27 Tampons OVERALL SIZE: 11 7/8" W, 25 7/8" H, 6 1/2" D (300 x 655 x 165mm)

352 25 Recessed 13 7/8" W. 27 7/8" H. 4" to 6 1/2" D (350 x 710 x 100 to 165mm)



Satin-finish stainless steel, one-piece, 18-gauge (1.2mm) door with two tumbler locks. Single-coin mechanism for 25¢ operation.

CAPACITY: 15 Napkins, 27 Tampons OVERALL SIZE: 16 7/8" W, 27 9/16" H, 4 5/8" min. D (429 x 700 x 117mm) NV-2-4FS Surface-mounted with 4" (102mm) skirt.





Satin-finish stainless steel, 22-gauge

CAPACITY: 1.0-gal. (3.8 L) OVERALL SIZE: 7 1/2" W, 10" H, 3 3/16" D (190 x 255 x 81mm)

ND-3 **RECESSED** COVERALL **SANITARY NAPKIN** DISPOSAL



ND-4

RECESSED SANITARY NAPKIN DISPOSAL



ND-5

SURFACE-MOUNTED **COVERALL SANITARY NAPKIN DISPOSAL**





Satin-finish stainless steel, one-piece 18-gauge (1.2mm) door with stainless steel handle. Stainless steel waste receptacle mounts on front door and lifts out for servicing.

CAPACITY: 0.6-gal. (2.3 L)

OVERALL SIZE: 8" W. 14" H. 4 1/4" D (203 x 356 x 108mm)





Satin-finish stainless steel, 22-gauge (0.8mm) flange, and door. Self-closing panel covers disposal opening. Removable, molded polyethylene waste receptacle.

CAPACITY: 1.2-gal. (4.6-L)

OVERALL SIZE: 12 3/4" W. 17 3/32" H. 3 15/16" min. D (324 x 434 x 100mm)

ND-6 Partition-mounted sanitary napkin disposal





Satin-finish stainless steel. Door has tumbler lock. Door has tumbler lock. Self-closing panel covers disposal opening. Removable, leak-proof, plastic receptacle.

CAPACITY: 1.2-gal. (4.6-L)

OVERALL SIZE: 10 11/16" W. 15 1/8" H. 4 1/16" D (270 x 385 x 105mm).



5181 **FOLDING SOLID PHENOLIC** REVERSIBLE SHOWER SEAT





Seat is constructed of durable, waterresistant, ivory-colored 1/2" (13mm) thick solid phenolic. Reversible for leftor right-hand field installation.

OVERALL SIZE: Ht.: 17-19" (432-483mm) from top of seat to floor

SEAT: 33" W (840mm)

PROJECTS: 22 5/16" (565mm) from wall

FOLDING SOLID PHENOLIC SHOWER SEAT





Seat is constructed of durable, waterresistant, ivory-colored 5/16" (8mm) thick solid phenolic. Compact design.

OVERALL SIZE: Ht.: 17-19" (432-483mm) from top of seat to floor

SEAT: 18" W (455mm)

PROJECTS: 15 13/16" (400mm) from wall

100 SERIES **SHOWER CURTAINS**



Opaque, matte white vinyl; Contains Sure-Check[®] Linen Antimicrobial Fabric Protection. Meets federal specifications.

100SC-42 x 72 Curtain 42" W, 72" H (1065 x 1830mm), requires 8 hooks 100SC-72 X 72 Curtain 72" W, 72" H (1830 x 1830mm), requires 13 hooks

Sure-Check is a Registered Trademark of PAR Technology Corporation.

SR100E

EXPOSED MOUNTING SHOWER CURTAIN ROD



Curtain rod constructed of 18-gauge (1.2mm), satin-finish stainless steel. One-piece exposed flange constructed of 20-gauge (.90mm) stainless steel.

BAR DIA.: 1" (25mm), 1 1/4" (32mm) STANDARD LENGTHS: 36", 42", 48", 60", 72" (914, 1067, 1219, 1524, 1829mm)

SR100C

CONCEALED MOUNTING SHOWER CURTAIN ROD



Curtain rod constructed of 18-gauge (1.2mm), satin-finish stainless steel. One-piece concealed flange constructed of 20-gauge (.90mm) stainless steel.

BAR DIA.: 1" (25mm), 1 1/4" (32mm) STANDARD LENGTHS: 36", 42", 48", 60", 72" (914, 1067, 1219, 1524, 1829mm)

SQUARE MOUNTING SHOWER CURTAIN ROD



Curtain rod constructed of 18-gauge (1.2mm), satin-finish stainless steel. One-piece square flange constructed of 22-gauge (.74mm) stainless steel.

BAR DIA.: 1" (25mm), 1 1/4" (32mm) STANDARD LENGTHS: 36", 42", 48", 60", 72" (914, 1067, 1219, 1524, 1829mm)

100 SERIES

SHOWER CURTAIN HOOKS



For use on 1" and 1 1/4" (25 and 32mm) dia. shower curtain rods.

OVERALL SIZE: 2 5/8" H, 1 11/32" W (67 x 34mm)

100CH Chrome-plated steel. Hook is 2 5/8" H, 1 11/32" W (67 x 34mm)

100CHNR Chrome-plated steel with nylon rollers

100CHSS Stainless Steel **IS**

7673 **TOWEL BARS**



Bright-polished 22-gauge (0.8mm) stainless steel square tubing.

PROJECTS: 3 1/2" (89mm) from wall **OVERALL SIZES:**

7673 X 18 18" (457mm) bar length 7673×24 24" (610mm) bar length **IS** 76737 X 18 Satin finish, 18" (457mm) bar length

76737 X 24 Satin-finish, 24" (610mm) bar length

7680

SOAP DISH



IS

Bright-polished stainless steel. Surfacemounted soap dish has two drain holes and two soap-support ridges.

OVERALL SIZE: 4 1/2" W (115mm) PROJECTS: 3 3/4" (95mm) from wall OPTION:

76807 Satin-finish stainless steel **IS**



— Healthcare & Security Accessories

SPB-1 **SPECIMEN PASS-THRU CABINET**



BP-1 SURFACE-**MOUNTED BED PAN** RACK



→ &



Satin-finish stainless steel. Self-closing doors provided with a pull knob. Removable tray provided.

OVERALL SIZE: 13 1/2" W. 12 7/8" H. 6" W (343 x 327 x 152mm)

Wall Thickness: 1 3/4" to 5 1/2"

(10 to 140mm)

Satin-finish stainless steel, 18-gauge (1.2mm).

OVERALL SIZE: 11" W, 24" H

(279 x 610mm)

PROJECTS: 4 5/8" (117mm) from wall

Recessed cabinet. Door has magnetic door catch and stainless steel door stop. Cabinet inverted for right- or lefthand door swing.

OVERALL SIZE: 16 3/8" W. 26 3/8" H. 4 5/16" D (416 x 660 x 109mm)

MC-2 Surface-mounted 4" (102mm)

BP-2 RECESSED BED PAN **CABINET**



SERIES CORNER

GUARD



MSA-1

RECESSED MAXIMUM SECURITY TOILET PAPER HOLDER



Satin-finish stainless steel, 18-gauge (1.2mm) door. Stainless steel rod to hold one bed pan and one urinal in place furnished.

OVERALL SIZE: 15" W, 28" H, 5" D (381 x 711 x 127mm)

Satin-finish stainless steel, 18-gauge (1.2mm). Units have 90° angle with 1/8" (3mm) radius. Custom sizes and styles available.

OVERALL SIZE: 1 1/2" W, 48" H, 1 1/2" D (29 x 1219 x 38mm)

CG-4 3 1/2" W, 48" H, 3 1/2" D (89 x 1219 x 89mm)

Satin-finish stainless steel, 14-gauge

CAPACITY: One standard toilet tissue

OVERALL SIZE: 7 1/16" W, 7 1/16" H, 4 3/8" D (179 x 179 x 111mm)

MSA-11

MAXIMUM SECURITY FRAMED MIRROR



MSA-18

MAXIMUM SECURITY CLOTHES HOOK



MSA-14

MAXIMUM SECURITY **GRAB BAR**



Frame is 14-gauge (1.9mm) satin-finish stainless steel. Mirror is type 430 bright-polished stainless steel. Corners are welded and ground smooth.

OVERALL SIZE: 12" W, 16" H, 5/8" D (309 x 406 x 16mm) overall

OPTIONS: Other reflective surfaces available




Satin-finish stainless steel. Snaps down for safety when loaded with 8 lbs of

OVERALL SIZE: 1 1/2" W, 3 3/8" H (38 x 86mm)

PROJECTS: 1 3/8" (35mm) from wall

MSA-25 4" W, 4" H, 7/8" D (100 x 100 x 20mm); projects 1 1/4" (30mm) from back plate



steel. Closure plate welded to grab bar. BAR DIA.: 1 1/2" (38mm)

STANDARD LENGTH: 24" (610mm)

FLANGE STYLES: Exposed

Note: Other lengths are available 1 1/2" (38mm) dia. exposed flange only.



S-8 SERIES

STAINLESS STEEL



Satin-finish stainless steel, 18-gauge (1.2mm), 8" (203mm) depth.

SHELF LENGTHS: 18", 24", 36" (457, 610, 914mm)

S-5 SERIES 5" D (127mm). Lengths: 16", 18" (406, 457mm)

S-6 SERIES 6" D (152mm). Lengths: 16", 18", 24", 36" (406, 457, 610, 914mm)

BCS-1

SURFACE-MOUNTED **BABY CHANGING STATION**



IS

Cream-color polypropylene cabinet and bed. Reinforced full-length steel-on-steel hinge mechanism.

OVERALL SIZE: Closed - 35 1/4" W. 20" H. 4" D (895 x 508 x 100mm) Extension open - 19" (483mm)

BCS-2 Similar to BCS-1 in Grey **IS**

287 **FOLD-DOWN** SHFLF



Satin-finish stainless steel. Shelf holds 100 lbs (45.36 Kg) when properly installed, automatically returns to upright position when object is removed.

OVERALL SIZE: 5 13/16" W. 2 3/8" H. 14 9/16" D (150 x 60 x 370mm)

Custodial Accessories —

SPH-2

SHELF WITH **TOILET TISSUE DISPENSER**



S

Satin-finish stainless steel. 1/2" (13mm) return edges for maximum rigidity.

CAPACITY: Two rolls up to 5 1/2" (140mm) dia.

OVERALL SIZE: 16" W, 4" H, 5" min. D (406 x 110 x 127mm)

US-1

UTILITY SHELF WITH MOP/BROOM HOLDERS



Satin-finish stainless steel. Springloaded rubber cam holders. Hooks for storing rags. Rod for hanging wet rags.

OVERALL SIZE: 7 1/2" H. 8" D (190 x 203mm); 30" L (762mm), 3 Holders, 2 Hooks

US-2 36" L (914mm), 4 Holders, 3 Hooks S

MS-1

MOP STRIP



Mop holder with spring-loaded rubber cam holders. 24" (610mm) Mop Strip with 3 Holders

PROIECTS: 3-1/4" (83mm) from wall MS-2 36" L (914mm) Mop Strip with 4 Holders

US-5 **UTILITY SHELF**



Satin-finish stainless steel, 18-gauge (1.2mm). Spring-loaded rubber cam holders. Shelf above handle area provides clear access to stored materials.

OVERALL SIZE: 34" L, 8" D (864 x 203mm), 3 Holders, 4 Hooks

US-6 44" L (1118mm), 4 Holders,

US-7 54" L (1372mm), 5 Holders, 6 Hooks

HCS-1

HAT & COAT STRIP



Satin-finish stainless steel, 20-gauge (0.89mm). 24" W (610mm) Strip, 3 Holders.

HCS-2 36" (914mm) Strip, 4 Holders HCS-3 48" (1219mm) Strip, 5 Holders

7676 X 24

TOWEL BAR SHELF



Bright-polished stainless steel square tubes 3/8" (9.5mm) . 1/4" (6mm) square towel bar below shelf.

PROJECTS: 8 1/4" (210mm) from wall 76767 X 24 Similar to 7676 x 24 with satin-finish



One Gamco Place, Durant, OK 74701-1910 For additional information, please visit www.gamcousa.com or contact Customer Service:

Los Angeles 818.982.9600 818.503.9287 bobrickcustomerservice@bobrick.com

New York 518.877.7444 518.877.5029 bobrickcustomerservice@bobrick.com

International +1.818.764.1000 +1.818.503.9941 international@bobrick.com