

GENERAL PARTITIONS MISS SENERAL PARTITIONS AND SENERAL PARTITIONS. COM

The Ultimate in Privacy

FEATURED PRODUCT

OUR EASTERN MAX STYLE OFFERS UP TO 72" HIGH DOORS AND PANELS FOR MAXIMUM PRIVACY.



ADVANTAGES

- A leader in the industry with over 60 years of experience, offering the largest selection of partitions in the industry, with 4 different styles, and 9 different material options.
- USA Made—All of our products are proudly manufactured in Erie, PA U.S.A.
- Outstanding customer service since its inception—second to none!
- Shipping schedules you can depend on—98% of all orders shipped within one day of the schedule date – And most on time or sooner.

- Our shipments arrive to you safely with our cellular poly crate, which has proven to reduce freight damage. Statistically, 99% of the steel orders arrived to the job site damage-free.
- Express ship allows your orders to ship as quick as 2 working days.
- Use of TORX head fasteners with pin to prevent theft and vandalism.
- Barrier free design and operational handles to meet ADA requirements.
- Green Materials



Fort Benning

Series 40-3

Fort Knox

Series 40-7

PNC Ballpark

280 Compartments: of Series 40 floor mounted/ overhead braced. Material: Powder Coated Steel Pentagon Wedge 1

240 Compartments: of Series 40 floor mounted/overhead braced Material: Solid Phenolic Core Boston Convention Center

250 Compartments: Series 60 floor to ceiling. Material: Stainless Steel Estadio-Chavis: Chivas Soccer Stadium— Guadalajara

580

Compartments: Combination of 40 and 50 floor mounted/ overhead braced, and ceiling hung.

Material: Anti-Graffiti Powder Coated Steel, Stainless Steel and Solid Phenolic Core

PARTITION STYLES



30 SERIES

Where no overhead bracing is required, but ceiling hung partitions are impractical. General Partitions' 30 series (floor supported) is ideal. Modern spaciousness and rigidity are important features. The 30 Series is also featured in a 54" "Junior Size" which has proved to be a great help with younger children.





40 SERIES

Our most popular style of toilet compartment construction is 40 Series (floor supported with headrail.) It is recommended for new and old buildings where economy, ease of installation, and rigid overhead bracing are required.

50 SERIES

The ease of floor maintenance when General Partitions 50 Series (ceiling hung) style is used, has influenced architects and building owners to utilize this style particularly on construction where dropped ceiling or open span type construction is practical.






60 SERIES

General Partitions' floor to ceiling Series 60 is recommended for all areas subject to heavy usage. For problem areas we recommend the use of full length aluminum brackets and hinges.

Product Guide

EASTERN STYLE





EASTERN STYLE

When increased privacy is required "Eastern style" is an option that can be incorporated into any of our partition series and materials. Panels and doors are specified as 67" high and mounted 3-1/2" off of the floor.

EASTERN MAX STYLE

Eastern Max Style can be incorporated into any series and material of partitions when maximum privacy is required. Panels and doors are specified as 72" high and mounted 3-1/2" off of the floor. Continuous brackets and no-sight door options to minimize any sight gaps are available as add-ons to either Eastern Style.

FEATURES

- ▶ 67" or 72" high doors and panels
- Mounted 3-1/2" off the floor

OPTIONAL

- Continuous brackets / hinges
- No sightline gaps at doors
- Indicator latches

PARTITION STYLES






No upcharge

POWDER COATED & STAINLESS STEEL CONSTRUCTION & DETAILS





CONSTRUCTION

General's standard panel with Ribcore sound deadening reinforcement is offered as a standard at no extra charge. Sheet metal skins are bonded under pressure, to each cell of the core with an adhesive impervious to moisture. Lighter weight, greater strength and permanently flat panels are provided through this type of construction.

CORNER REINFORCEMENTS



Used on all steel partitions at exposed corners. Mechanically fused to the edges. Doubles the strength of the corner. Also allows

field repairs if and when required. Eliminates welding and grinding of the corners which removes the protective zinc coating.

MATERIAL OVERVIEW

General's Powder Coated Galvanized Bonderized Steel is available in all styles for toilet partitions, showers and dressing compartments. The economy and durability of Powder Coated Steel makes it the popular choice for new construction or remodeling.



GREEN ALERT

Environmentally safe—our Hybrid Polyester—Epoxy powder contains no harmful solvents or VOC's applied electrostatically and baked in an energy efficient infrared over to cure. Contains post consumer and post industrial recycled steel and may contribute to LEED Certification.

MIN. 50% RECYCLED





STAINLESS STEEL



Stainless Steel is not only a good selection for strength and durability, but is an architecturally pleasing addition to any decor. Available in Satin, or a variety of textures and patterns.

Fireproof steel partition will not support a flame or produce toxic gases.

TEXTURED STAINLESS STEEL

The partitions are fabricated with a deep textured finish, and offer the following advantages:

- Vandal Resistant
- Resists Fingerprints and Smudges
- ► Reduces Maintenance Costs
- Guaranteed 15 Years

MATERIAL OVERVIEW

General's stainless steel is available in all styles for toilet partitions, showers and dressing compartments. Stainless steel, the deluxe steel partition material will hold it's beauty for years. Dirt, grease and cosmetics are easily removed. Even scratches can be eliminated by buffing the finish and blending the surface.



- No VOC's
- Contains post consumer and post industrial recycled steel and may contribute to LEED Certification.
- Stainless Steel is 100% recyclable.

MIN. 80% RECYCLED










Diamond Pattern

Leather Pattern

Satin finish shown

POWDER COATED & STAINLESS STEEL CONSTRUCTION & DETAILS





HIGH DENSITY POLYMER





- Heavy duty 8" wraparound hinges and continuous aluminum brackets at all locations adds strength and durability
- Graffiti resistant
- 25 year guarantee

OPTIONS:

- Continuous plastic brackets and shoes
- Integral and continuous hinges
- No sight strike
- Also available to meet NFPA 286 Classification as well as ASTME 84 Class B

Express shipment for all 20 colors will ship in 2 working days-some restrictions apply. Our complete color chart is available upon request.







Cobalt







Sterling



Oyster



240

Colonial



242

Titanium



Onyx



Sandstone







Quartz

Designer White



Fem

Linen







Cranberry









605


MATERIAL OVERVIEW

General's H.D.P. toilet partitions. showers and dressing compartments are manufactured using high density polymer resin. Color is solid thru-out. Compartments will not rust, rot delaminate or absorb odors like marble. Water resistant, can be used under any moisture condition. Perfect for shower and dressing compartments as well as toilet partitions. Resists mold, mildew, bacteria & fungus.

GREEN ALERT

- We recycle all waste and scrap during our manufacturing process.
- We use reclaimed material in our production.
- Our HDP sheets are
- completely 100% recyclable. We also have 100% post consumer HDP partitions available.
- GreenGuard Gold Certified

25-100% PRECONSUMER MATERIAL









SOLID PHENOLIC CORE

General's S.P.C. toilet partitions, showers and dressing compartments are fabricated of solid phenolic core with matte finish high pressure melamine fusion welded to surface of core to form a one piece unit which will not delaminate, edges are black solid phenolic resin. Resists moisture, scratches and abrasian. SPC panels provide exceptional chemical and stain resistance combined with superior impact resistance.

Express shipment will ship in 2 working days—some restrictions apply.

Our complete color chart is available upon request.





4669-60 Natural Tigris



4924-60 White Carrara

4965-60 Basket Weaving 101

D439-60 Wallaby

2932-60 Almond Leather

4830-60 Stainless

4843-60 Misted Zephyr

4779-60 Pewter Brush

4886-60 Pearl Soapstone

Char







Pewter

4882-60

Oiled

Soapstone

4595-60 Bahia Granite

1595-60

Black

4811-60 Silicon EV

7939-60 Blond Echo

4909-60 Ginseng Tea

4994-60 Fired Steel

4883-38 Sable Soapstone









GreenGuard Gold Cerunea May contribute to LEED Certification



4674-60 Evening Tigris



Loden Zephyr



4993-60 Irish Linen.



Tailored Linen



Navy Brittany Blue Legacy



High Line

Field Elm



Color-Thru Solid Phenom ... the strength and durability of our black core phenolic, with the added advantage of consistent matching color throughout the core, forming a one piece panel, making it the perfect choice for block another press. The Color-Thru Phenolic carries all the same specs and

Silver Oak Pty Silver Alchemy Phantom ECRU











ns offering all of the dependability of Phenolic, but adds the advantage of peing color consistent throughout the thickness of the partition.

STANDARD PRODUCT HIGHLIGHTS

hardware as our standard

- GreenGuard Gold Certified
- Core color extends all the way through the product
- All 15 colors made in USA
- Resists moisture. scratches, and abrasions

15 NEW COLORS



8 General Partitions Mfg. Corp.

All colors and patterns are printed reproductions only. Please request actual sample for absolute color fidelity. Colors are subject to change.


PLASTIC LAMINATE






General's plastic laminates are available in all styles for toilet partitions and dressing compartments. Plastic laminate material is easily cleaned and can't rust. Dirt, grease and cosmetics do not penetrate the durable plastic surface which is highly resistant to scratches.

Express shipment will ship in 2 working days for D30-60 Natural Almond & D381-60 Fashion Grey. Other colors ship in 10-15 days-some restrictions apply. Our complete color chart is available upon request.











1530-60 Beige

D381-60* D30-60* Fashion Grey Natural Almond

D321-60 Brittany Blue

Fired Steel

4878-38

Pewter Mesh

4651-60 Navy Legacy

4142-60

4992-38 Tailored Linen

4669-60

4909-60

4823-60

Ginseng Tea Antique Brush

4794-60

Windswept Bronze

4994-60

7988-38 Hibiscus Cherry



ALERT

EPP.



Grey Glace

4779-60 Pewter Brush



Windswept Pewter



Natural Tigris

4746-60 Woolamai Brush













Boardwalk Oak

May contribute to LEED Certification.

Wood core min. 91% recycled material with third party certification-SCS,



7996-38 Natural Recon

7991-38

NeoWalnut Sterling Ash

7995-38

4623-60

D498-60

Island



1595-60

Maroochy Brush Orange Grove



D307-60 Hollyberry

FIBERGLASS REINFORCED PLASTIC

General's F.R.P. toilet partitions, showers and dressing compartments start with a highly durable, graffiti resistant FRP surface, and bond it to a wood core. The final product is a tough stain resistant partition system that will not dent, rust, corrode, or delaminate. Our complete color chart is available upon request.

- Full length brackets and hinges
- Stainless Steel Hardware

FRP COLORS:

- Graffiti resistant texture finish
- ► Hard Durable Surface



FR-437 Almond



FR-786 Pewter



FR-250 Black

GREEN ALERT

- Wood core min. 91% recycled material with third party certification — SCS, EPP.
- May contribute to LEED Certification.









All colors and patterns are printed reproductions only. Please request actual sample for absolute color fidelity. Colors are subject to change.

Product Guide

SOLID PLASTIC HDP LOCKERS



General Partitions solid plastic locker is constructed of a one-piece HDP body with no mechanical fasteners or hardware.

The locker frame is attached using full length dado joints secured by continuous plastic welds. The continuous spring-loaded latch mechanism provides a vertical lift that is designed to accept a padlock. The latch mechanism is attached to the length of the door, providing a continuous, secure latch.

Our Door Hinge is also continuous and contains no metallic knuckles or pins. Solid Plastic benches with pedestals available to match the lockers.

- Solidly Constructed of High Density Polymer
- Perfect for High Moisture Areas
- Will not Rust, Rot, Dent or Corrode
- 20 Year Limited Warranty

GREEN ALERT

- We recycle all waste and scrap during our manufacturing process.
- We use reclaimed material in our production.
- Our HDP sheets are completely 100% recyclable.



AVAILABLE SIZES

A = 12", 15", or 18" B = 12", 15", or 18"


B = 12", 15", or 18" C = 24", 36", 48", 60", or 72"

Single Tier Z Locker Double Tier 3 Tier 4 Tier 5 Tier 6 Tier

URINAL SCREENS/SHOWERS







Wall Hung (WHS)



Wall Hung (WHS) (Shown with optional flange)

Wall Hung (WHS)

Screen is hung from three chrome-plated "T" brackets.



Floor Braced Screen (FBS)

Floor Braced Screen (FBS) Screen panel supported by a floor supported pilaster (see Series 30 specification).

Floor Supported with Headrail (FSH)

Headrail (FSH) Headrail braced (see Series 40 specification). Panel supported by pilaster with headrail bracing.

Floor Supported With

SHOWER CABINETS

Shower Cabinets


General Partitions' shower is the finest in double-wall unit shower construction. It features a pre-cast terrazzo receptor. Available sizes-32" x 32" x 82", 36" x 36" x 82", 40" x 40" x 82" Neocorner, 40" x 40" x 82" or 40" x 48" x 82" Handicapped.



Physically Handicapped Accommodations

SHOWER/DRESSING COMPARTMENTS

Our shower / dressing compartments are available in powder coated, stainless steel, SPC (Solid Phenolic Core), HDPE (High Density Polymer). Perfect for dividing off shower rooms with a central drain. Can be configured with either curtains or doors. Eastern Height or Eastern Max can be incorporated when more privacy is desired.



HARDWARE



Sweets



H.D.P. (HIGH DENSITY POLYMER)

- 1500 AL-T Top Assembly Aluminum Wrap-Around Gravity Hinge 1500 AL-B Bottom Assembly Aluminum
- Wrap-Around Gravity Hinge 2060-IAL Inswing Stop and Keeper— Aluminum 2060-OAL Outswing (Not Shown) Stop and Keeper—Aluminum 6250 Door Bumper

- 6300 Door Pull 2000 AL Surface Mounted Slide Latch-Aluminum
- 6 6200D Combination Coat Hook and Bumper H 6000 EXT 1" (54") "T" Bracket I 6060 EXT 1" (54") "L" Bracket J 6030 EXT 1" (54") "U" Bracket



BAKED ENAMEL/STAINLESS STEEL

- 2060D Combination Stop and Keeper
- 1250D Top Hinge Bracket
- 1250D-B Bottom Hinge Bracket with Male Cam (sold separately) 6200D Combination Coat Hook and Bumper

- 1500D-T Top Hinge Pin 1000D-C Spring Activated Cam Mechanism
- H Miscellaneous Screws
 I 4000 1" Two Ear Chrome Wall Bracket
- 4030 1" "U" Chrome Bracket
- 2000D Concealed Latch Operating Handle 6250 Door Bumper
- 4120 1 1/4" One Ear Chrome Wall Bracket 4060 1" One Ear Chrome Wall Bracket
- 6300 Door Pull





PLASTIC LAMINATE

- AB 2060C-PL Combination Stop and Keeper
- 1250PL-T Top Hinge Bracket 1500PL Concealed Top Hinge
- DE 1500PL-T Top Hinge Pin 1000PL Concealed Bottom Hinge

- 1000PL Female Cam 1250PL-B Bottom Hinge Bracket with Male Cam (sold separately)
- Н 2000CPL Concealed Latch with Bar
- Miscellaneous Screws
- 4120 1 1/4" One Ear Chrome Wall Bracket
- 4060 1° One Ear Chrome Wall Bracket
- 6300 Door Pull
- 6250 Door Bumper
- 6200D Combination Coat Hook and Bumper 0
- 4000 1" Two Ear Chrome Wall Bracket 4030 1" "U" Chrome Bracket



OPTIONAL FULL LENGTH HINGES

- Stainless Steel Cam
- ▶ Stainless Steel Piano
- Spring Loaded Stainless Steel
- Spring Loaded Aluminum Hinge with Covers (Concealed Fasteners)

OPTIONAL HEAVY DUTY FULL LENGTH BRACKETS

Available in Aluminum or Stainless Steel



GENERAL PARTITIONS MFG. CORP. 1702 Peninsula Drive · Erie, PA 16505-4243 P.O. Box 8370 · Erie, PA 16505-0370 Phone 814.833.1154 • Fax 814.838.3473 GeneralPartitions.com info@GeneralPartitions.com





S.P.C. (SOLID PHENOLIC CORE)

- 1500 AL-T Top Assembly Aluminum Wrap-Around Gravity Hinge 1500 AL-B Bottom Assembly Aluminum
- Wrap-Around Gravity Hinge 2060-IAL Inswing Stop and Keeper— Aluminum 2060-OAL Outswing (Not Shown) Stop and Keeper—Aluminum
- 6250 Door Bumper
- 6300 Door Pull
- 2000 AL Surface Mounted Slide Latch—Aluminum
- Caccin—auminium 6200D Combination Coat Hook and Bumper 4000 (.5) 1/2* "T" Chrome Bracket 4060 (.5) 1/2" "L" Chrome Bracket 4060 (.5) 1/2" "L" Chrome Bracket



F.R.P. (FIBERGLASS REINFORCED PLASTIC)

- 1500 AL-T Top Assembly Aluminum Wrap-Around Gravity Hinge 1500 AL-B Bottom Assembly Aluminum Wrap-Around Gravity Hinge
- 2060-IAL Inswing Stop and Keeper—Aluminum 2060-OAL Outswing (Not Shown) Stop and Keeper Aluminum
- 6250 Door Bumper 6300 Door Pull
- 2000 AL Surface Mounted Slide Latch Aluminum
- 6200D Combination Coat Hook and Bumper
- 4000 1° Double Aluminum "T" Bracket
- 4060 1° Double Aluminum "L" Bracket 4030 1" Double Aluminum "U" Bracket (not shown)



Paper

Printed in the USA