




GMSTM
LOCK CYLINDERS

A PERFECT FIT

At GMS, we are committed to quality, value, and the needs of our customers. Since our inception, we have built a reputation as a manufacturer of reliable, high-quality lock cylinders in the industry. We maintain an unwavering attention to detail and adhere to OEM specifications to ensure that our products are always “A Perfect Fit” for applications where our cylinders are used.

Our goal is to become the preferred brand and market leader in lock cylinders and related products for aftermarket distributors and end users.



- 4 ▶ General Information
- 5 ▶ Keyways
- 6 ▶ Mortise Cylinders
- 8 ▶ IC Mortise Housings
- 10 ▶ Mortise T-Turn/Dummy Cylinders
- 12 ▶ Mortise Cylinder Cams
- 14 ▶ Mortise Cylinder Collars/Rings
- 16 ▶ Rim/Rim Dummy Cylinders
- 18 ▶ IC Rim Housings
- 20 ▶ Knob/Lever Cylinders
- 22 ▶ IC Cores
- 24 ▶ Construction Cores
- 25 ▶ Tools and Accessories
- 26 ▶ Profile Cylinders
- 28 ▶ Padlocks
- 30 ▶ Key Blanks
- 32 ▶ Parts and Accessories



GENERAL INFORMATION

SPECIFICATIONS

GMS cylinders are designed and manufactured to OEM specifications. They are the ideal alternative to OEM brands of cylinders due to the exact keying/pinning specifications. This ensures the integrity of the key system can be maintained at a fraction of the cost when compared to using OEM cylinders.

NUMBERING SYSTEM

The GMS numbering system is shown in each section of the catalog. In creating our numbering system, we have put in a great effort to make the numbering system as descriptive and intuitive as possible. All information such as product type, length, keyway, finish, cam and keying are built into the numbering system to be the most intuitive and easy to use in the industry.

KEYING


GMS offers a wide range of keying options. Cylinders are usually stocked keyed alike in pairs, zero-bitted or keyed different. Options like master/grand master keying, construction keying or any custom options can be supplied. Please contact us for details.

FINISHES




STANDARD KEYWAYS

GMS manufactures the keyways shown below as part of our standard offering. All of the keyways are designed to meet the OEM specification.



SMALL FORMAT INTERCHANGEABLE CORE KEYWAYS

GMS meets the precise tolerances required for SFIC Cores. Precision manufacturing means that there will not be any key interchange when using these products.





MORTISE CYLINDERS


- ▶ Solid brass construction
- ▶ Exact OEM pinning specifications
- ▶ Precision CNC machined
- ▶ Anti-slip cam screws

MODEL	DESCRIPTION
M156	15/16" mortise cylinder
M100	1" mortise cylinder
M118	1-1/8" mortise cylinder
M114	1-1/4" mortise cylinder
M138	1-3/8" mortise cylinder
M112	1-1/2" mortise cylinder


Extended lengths available, call for details.




M156




M100




M118



M114



M138



M112

HOW TO ORDER MORTISE CYLINDERS

MODEL	KEYWAY	FINISH	CAM	KEYING
M156	AW (Arrow 1179)	3 (Polished Brass)	AL (Almet)	A2 (Keyed alike in pairs)
M100	CB (Corbin 60)	4 (Satin Brass)	AR (Adams Rite)	KD (Keyed different)
M118	KW (Kwikset 1176)	10 (Satin Bronze)	AT (Adams Rite & Yale)	OB (Zero bitted)
M114	SC (Schlage C)	10B (Oil Rubbed Bronze)	BE (Best)	Except M156/M100, cylinders are drilled 6, pinned 5.
M138	SE (Segal 9)	15 (Satin Nickel)	CL (Corbin)	
M112	SX (Schlage C~K)	19* (Black)	SA (Sargent)	
	WR (Weiser E)	26 (Polished Chrome)	SL (Schlage)	
	YA (Yale 8)	26D (Satin Chrome)	ST (Yale)	
		32D (Stainless Steel)	TS (Falcon/Saflok)	
M118	CL4 (Corbin L4)			A2-6 (Keyed alike in pairs)
M114	RD1 (Russwin D1)			KD-6 (Keyed different)
M138	SA (Sargent LA)			OB-6 (Zero bitted)
M112	SAX (Sargent LA~LC)			Cylinders are drilled 6, pinned 6.
	SLB (Sargent LB)			
	RA (Sargent RA)			
	SCE (Schlage E)			
	SCF (Schlage F)			
	YGA (Yale GA)			
M118	A62 (Assa A62)			NK-6
M114	AST (Assa Twin 6000)			Cylinders are sub-assembled with followers, no keys.
	ASV (Assa V10)			
	G23 (Schlage C123)			
	G45 (Schlage C145)			

*Schlage keyways have matching US19 plugs

EXAMPLES M156KW10BARA2
 M118SC10BATA2
 M114G2319STNK-6

IC MORTISE HOUSINGS

- Solid brass construction
- Exact OEM dimensions
- Precision CNC machined
- Removable cams with anti-slip screws



MODEL	DESCRIPTION
ICM6	Best small format, straight mortise housing, 6 pin
ICM7	Best small format, straight mortise housing, 7 pin
ICT6	Best small format, tapered mortise housing, 6 pin
ICT7	Best small format, tapered mortise housing, 7 pin
ICS	Schlage large format, mortise housing
CCM	Corbin large format, mortise housing
MCM	Medeco large format, mortise housing
SCM	Sargent large format, mortise housing
YCM	Yale large format, mortise housing



HOW TO ORDER IC MORTISE HOUSINGS

MODEL	FINISH	CAM
ICM6	3 (Polished Brass)	AL (Almet)
ICM7	4 (Satin Brass)	AR (Adams Rite)
ICT6	10B (Oil Rubbed Bronze)	BE (Best)
ICT7	19 (Black)	CL (Corbin)
CCM	26 (Polished Chrome)	SA (Sargent)
MCM	26D (Satin Chrome)	SL (Schlage)
SCM		ST (Yale)
YCM		TS (Falcon/Saflok)
ICS		AR (Adams Rite) BE40 (Best 40H) CL (Corbin) SA (Sargent) SL (Schlage) ST (Yale) TS (Falcon/Saflok)

EXAMPLES ICM726DST
ICS19SL



MORTISE T-TURN/DUMMY CYLINDERS

- ▶ Solid brass housing
- ▶ ADA turn-piece available
- ▶ Exact OEM dimensions
- ▶ Precision CNC machined


MODEL	DESCRIPTION
M156T	15/16" mortise t-turn
M156TA	15/16" mortise ADA t-turn w. classroom function
M156TL	15/16" mortise t-turn, low profile
M100T	1" mortise t-turn
M100TA	1" mortise ADA t-turn w. classroom function
M100TL	1" mortise t-turn, low profile
M118T	1-1/8" mortise t-turn
M118TA	1-1/8" mortise ADA t-turn w. classroom function
M114T	1-1/4" mortise t-turn
M114TA	1-1/4" mortise ADA t-turn w. classroom function
M138T	1-3/8" mortise t-turn
M138TA	1-3/8" mortise ADA t-turn w. classroom function
M112T	1-1/2" mortise t-turn
M112TA	1-1/2" mortise ADA t-turn w. classroom function
M156D	15/16" mortise dummy
M100D	1" mortise dummy
M118D	1-1/8" mortise dummy
M114D	1-1/4" mortise dummy




HOW TO ORDER MORTISE T-TURN/DUMMY CYLINDERS

MODEL	FINISH	CAM
M156T	3 (Polished Brass)	AL (Almet)
M156TA	4 (Satin Brass)	AR (Adams Rite)
M156TL	10 (Satin Bronze)	AT (Adams Rite & Yale)
M100T	10B (Oil Rubbed Bronze)	BE (Best)
M100TA	15 (Satin Nickel)	CL (Corbin)
M100TL	19 (Black)	SA (Sargent)
M118T	26 (Polished Chrome)	SL (Schlage)
M118TA	26D (Satin Chrome)	ST (Yale)
M114T	32D (Stainless Steel)	TS (Falcon/Saflok)
M138T		
M138TA		
M112T		
M112TA		
M156D		N/A
M100D		
M118D		
M114D		


EXAMPLES M100T26DAR
M118D10B




M156TL




M100TL




M100T




M100TA




M100D



M118T




M118TA




M118D

MORTISE CYLINDER CAMS


PART NUMBER	DESCRIPTION	FITS
CAM1-AL-10	Almet cam, 10 pack	All mortise cylinders (except A32/AST/ASV/G23/G45)
CAM1-AR-10	Adams Rite cam, 10 pack	
CAM1-BE-10	Best cam, 10 pack	
CAM1-CL-10	Corbin cam, 10 pack	
CAM1-SA-10	Sargent cam, 10 pack	
CAM1-SL-10	Schlage cam, 10 pack	
CAM1-ST-10	Yale cam, 10 pack	
CAM1-TS-10	Falcon/Saflok cam, 10 pack	MCM housings
CAM1-AL-10	Almet cam, 10 pack	
CAM1-AR-10	Adams Rite cam, 10 pack	
CAM1-BE-10	Best cam, 10 pack	
CAM1-CL-10	Corbin cam, 10 pack	
CAM1-SA-10	Sargent cam, 10 pack	
CAM1-SL-10	Schlage cam, 10 pack	
CAM1-ST-10	Yale cam, 10 pack	YCM housings
CAM1-TS-10	Falcon/Saflok cam, 10 pack	
CAM2-AL-10	Almet cam, 10 pack	ICM6 housings
CAM2-AR-10	Adams Rite cam, 10 pack	
CAM2-BE-10	Best cam, 10 pack	
CAM2-CL-10	Corbin cam, 10 pack	
CAM2-SA-10	Sargent cam, 10 pack	
CAM2-SL-10	Schlage cam, 10 pack	
CAM2-ST-10	Yale cam, 10 pack	
CAM2-TS-10	Falcon/Saflok cam, 10 pack	ICM7 housings
CAM2-AL-10	Almet cam, 10 pack	
CAM2-AR-10	Adams Rite cam, 10 pack	
CAM2-BE-10	Best cam, 10 pack	
CAM2-CL-10	Corbin cam, 10 pack	
CAM2-SA-10	Sargent cam, 10 pack	
CAM2-SL-10	Schlage cam, 10 pack	
CAM2-ST-10	Yale cam, 10 pack	ICT6 housings
CAM2-TS-10	Falcon/Saflok cam, 10 pack	
CAM2-AL-10	Almet cam, 10 pack	
CAM2-AR-10	Adams Rite cam, 10 pack	
CAM2-BE-10	Best cam, 10 pack	
CAM2-CL-10	Corbin cam, 10 pack	
CAM2-SA-10	Sargent cam, 10 pack	
CAM2-SL-10	Schlage cam, 10 pack	ICT7 housings
CAM2-ST-10	Yale cam, 10 pack	
CAM2-TS-10	Falcon/Saflok cam, 10 pack	
CAM2-AL-10	Almet cam, 10 pack	
CAM2-AR-10	Adams Rite cam, 10 pack	
CAM2-BE-10	Best cam, 10 pack	
CAM2-CL-10	Corbin cam, 10 pack	
CAM2-SA-10	Sargent cam, 10 pack	CCM housings
CAM2-SL-10	Schlage cam, 10 pack	
CAM2-ST-10	Yale cam, 10 pack	
CAM2-TS-10	Falcon/Saflok cam, 10 pack	
CAM2-AL-10	Almet cam, 10 pack	
CAM2-AR-10	Adams Rite cam, 10 pack	
CAM2-BE-10	Best cam, 10 pack	
CAM2-CL-10	Corbin cam, 10 pack	SCM housings
CAM2-SA-10	Sargent cam, 10 pack	
CAM2-SL-10	Schlage cam, 10 pack	
CAM2-ST-10	Yale cam, 10 pack	
CAM2-TS-10	Falcon/Saflok cam, 10 pack	
CAM2-AL-10	Almet cam, 10 pack	
CAM2-AR-10	Adams Rite cam, 10 pack	
CAM3-AR-10	Adams Rite cam, 10 pack	ICS housings
CAM3-BE40-10	Best 40H cam, 10 pack	
CAM3-CL-10	Corbin cam, 10 pack	
CAM3-SA-10	Sargent cam, 10 pack	
CAM3-SL-10	Schlage cam, 10 pack	
CAM3-ST-10	Yale cam, 10 pack	
CAM3-TS-10	Falcon/Saflok cam, 10 pack	
CAM3-AR-10	Adams Rite cam, 10 pack	Mortise Cylinders with A32/AST/ASV/G23/G45 keyways
CAM3-BE40-10	Best 40H cam, 10 pack	
CAM3-CL-10	Corbin cam, 10 pack	
CAM3-SA-10	Sargent cam, 10 pack	
CAM3-SL-10	Schlage cam, 10 pack	
CAM3-ST-10	Yale cam, 10 pack	
CAM3-TS-10	Falcon/Saflok cam, 10 pack	
CAM4-AR-10	Adams Rite cam, 10 pack	
CAM4-CL-10	Corbin cam, 10 pack	
CAM4-SA-10	Sargent cam, 10 pack	
CAM4-SL-10	Schlage cam, 10 pack	
CAM4-ST-10	Yale cam, 10 pack	
CAM4-TS-10	Falcon/Saflok cam, 10 pack	
CAM4-AR-10	Adams Rite cam, 10 pack	




CAM1-AL




CAM1-AR




CAM1-BE




CAM1-CL




CAM1-SA




CAM1-SL




CAM1-ST




CAM1-TS



CAM2-AL




CAM2-AR




CAM2-BE




CAM2-CL




CAM2-SA




CAM2-SL




CAM2-ST




CAM2-TS




CAM3-AR




CAM3-BE40




CAM3-CL




CAM3-SA



CAM3-SL



CAM3-ST




CAM3-TS


MORTISE CYLINDER COLLARS/RINGS

PART NUMBER	DESCRIPTION	FINISH
COL10-xxx*-10	1/8" standard spacer collar, solid brass, 10 pack	3 (Polished Brass) 10B (Oil Rubbed Bronze) 19 (Black) 26D (Satin Chrome)
COL11-xxx*-10	1/4" standard spacer collar, solid brass, 10 pack	
COL12-xxx*-10	3/8" standard spacer collar, solid brass, 10 pack	
COL13-xxx*-10	1/2" standard spacer collar, solid brass, 10 pack	
COL14-xxx*-10	5/8" standard spacer collar, solid brass, 10 pack	3 (Polished Brass) 10B (Oil Rubbed Bronze) 19 (Black) 26D (Satin Chrome)
COL36-12-xxx*-10	1/8" Schlage style spacer collar, solid brass, 10 pack	
COL36-18-xxx*-10	3/16" Schlage style spacer collar, solid brass, 10 pack	
COL36-25-xxx*-10	1/4" Schlage style spacer collar, solid brass, 10 pack	
COL36-37-xxx*-10	3/8" Schlage style spacer collar, solid brass, 10 pack	3 (Polished Brass) 10B (Oil Rubbed Bronze) 19 (Black) 26D (Satin Chrome)
COL36-50-xxx*-10	1/2" Schlage style spacer collar, solid brass, 10 pack	
COL3-xxx*-10	Protective collar with spring washer, 10 pack	
COL6-xxx*	Hardened security collar with spring washer	
COL6L-xxx*	Extra length hardened security collar with spring washer	3 (Polished Brass) 10B (Oil Rubbed Bronze) 19 (Black) 26D (Satin Chrome)
COL5-10	1/8" threaded ring, solid brass, 10 pack	


*Specify finish




COL36-18




COL36-25




COL36-37




COL36-50




COL3




COL6




COL10




COL11




COL12




COL13




COL14



COL36-12



COL6L





COL5


RIM/RIM DUMMY CYLINDERS

- ▶ Solid brass construction
- ▶ Exact OEM pinning specifications
- ▶ Precision CNC machined
- ▶ Retaining cap design for easy pinning

MODEL	DESCRIPTION
R118	1-1/8" Rim cylinder
R118D	1-1/8" Rim dummy cylinder



R118



R118D

HOW TO ORDER RIM/RIM DUMMY CYLINDERS


MODEL	KEYWAY	FINISH	KEYING
R118	AW (Arrow 1179) CB (Corbin 60) KW (Kwikset 1176) SC (Schlage C) SE (Segal 9) SX (Schlage C~K) WR (Weiser E) YA (Yale 8)	3 (Polished Brass) 4 (Satin Brass) 10 (Satin Bronze) 10B (Oil Rubbed Bronze) 15 (Satin Nickel) 19 (Black) 26 (Polished Chrome) 26D (Satin Chrome)	A2 (Keyed alike in pairs) KD (Keyed different) OB (Zero bitted) <i>Cylinders are drilled 6, pinned 5.</i>
	CL4 (Corbin L4) RD1 (Russwin D1) SA (Sargent LA) SAX (Sargent LA~LC) SLB (Sargent LB) RA (Sargent RA) SCE (Schlage E) SCF (Schlage F) YGA (Yale GA)	32D (Stainless Steel)	A2-6 (Keyed alike in pairs) KD-6 (Keyed different) OB-6 (Zero bitted) <i>Cylinders are drilled 6, pinned 6.</i>
R118D	A62 (Assa A62) AST (Assa Twin 6000) ASV (Assa V10) G23 (Schlage C123) G45 (Schlage C145)		NK-6 <i>Cylinders are sub-assembled with follower, no keys.</i>
	N/A		N/A

EXAMPLES R118KW10BA2
R118G2326DNK-6
R118D26D

IC RIM HOUSINGS

- Solid brass construction
- Exact OEM dimensions
- Precision CNC machined


MODEL	DESCRIPTION
ICR6	Best small format, straight rim housing, 6 pin
ICR7	Best small format, straight rim housing, 7 pin
ICSR	Schlage large format, rim housing
CCR	Corbin large format, rim housing
MCR	Medeco large format, rim housing
SCR	Sargent large format, rim housing
YCR	Yale large format, rim housing



HOW TO ORDER IC RIM HOUSINGS

MODEL	FINISH
ICR6	3 (Polished Brass)
ICR7	4 (Satin Brass)
ICSR	10B (Oil Rubbed Bronze)
CCR	19 (Black)
MCR	26 (Polished Chrome)
SCR	26D (Satin Chrome)
YCR	



EXAMPLES ICR726D
MCR19




KNOB/LEVER CYLINDERS

- ▶ Solid brass construction
- ▶ Exact OEM pinning specifications
- ▶ Fits most knob and lever locksets
- ▶ Multiple tailpieces included


MODEL	DESCRIPTION	TAILPIECES
K001	Fits Schlage knobs, levers and deadbolts	5 pcs
K002	Fits Arrow knobs and levers	3 pcs
K003	Fits Sargent levers	3 pcs



K001



K003



K002

HOW TO ORDER KNOB/LEVER CYLINDERS

MODEL	KEYWAY	FINISH	KEYING
K001	AW (Arrow 1179)	4 (Satin Brass) 19* (Black) 26D (Satin Chrome)	A2 (Keyed alike in pairs) KD (Keyed different) OB (Zero bitted) <i>Cylinders are drilled 6, pinned 5.</i>
	CB (Corbin 60)		
	KW (Kwikset 1176)		
	SC (Schlage C)		
	SE (Segal 9)		
	SX (Schlage C~K)		
	WR (Weiser E)		
	YA (Yale 8)		
	CL4 (Corbin L4)		
	RD1 (Russwin D1)		
	SA (Sargent LA)		A2-6 (Keyed alike in pairs) KD-6 (Keyed different) OB-6 (Zero bitted) <i>Cylinders are drilled 6, pinned 6.</i>
	SAX (Sargent LA~LC)		
	SLB (Sargent LB)		
	RA (Sargent RA)		
	SCE (Schlage E)		
	SCF (Schlage F)		
	YGA (Yale GA)		
	A62 (Assa A62)		
	AST (Assa Twin 6000)		
	ASV (Assa V10)		
	G23 (Schlage C123)		NK-6 <i>Cylinders are sub-assembled with follower, no keys.</i>
	G45 (Schlage C145)		
K002	AW (Arrow 1179) SC (Schlage C)		A2 (Keyed alike in pairs) KD (Keyed different)
K003	SA (Sargent LA) SC (Schlage C)		OB (Zero bitted)

* Available in Schlage keyways

EXAMPLES K001SC 26DA2
 K001G2326DNK-6
 K002AW4A2

Yale Conversion Kit



PART NUMBER	DESCRIPTION
KIT-K001YA	Converts K001* to fit Yale levers

*K001 cylinder not included


- ▶ Solid brass construction
- ▶ Exact OEM pinning specifications
- ▶ Precision CNC machined
- ▶ 5 popular industry formats

MODEL	DESCRIPTION	KEYING
IC6	Best small format core, 6 pin	Uncombined, no keys
IC7	Best small format core, 7 pin	Uncombined, no keys
LFIC	Schlage large format core, 6 pin	1-bitted, incl 2 keys
SIC	Sargent large format core, 6 pin	Uncombined, incl 2 keys
CIC	Corbin large format core, 6 pin	0-bitted, incl 2 keys
MIC	Medeco large format core, Schlage keyway, 6 pin*	Uncombined, incl 2 keys


*Use with KIT-PIN03 pinning kit.




IC6




IC7




LFIC



SIC



CIC



MIC

HOW TO ORDER IC CORES

MODEL	KEYWAY		FINISH	KEYING
IC6	A (Best A)	J (Best J)	4 (Satin Brass)	N/A
IC7	B (Best B)	K (Best K)	19 (Black)	
	C (Best C)	L (Best L)	26D (Satin Chrome)	
	D (Best D)	M (Best M)		
	E (Best E)	Q (Best Q)		
	F (Best F)	R (Best R)		
	G (Best G)	1C (Arrow 1C)		
	H (Best H)	1D (Arrow 1C)		
	TA (Best TA)	WA (Best WA)		
	TB (Best TB)	WB (Best WB)		
LFIC	TC (Best TC)	WC (Best WC)		B1 (1-bitted)
	TD (Best TD)	WD (Best WD)		
	TE (Best TE)	WG (Best WG)		NB (1-bitted, no keys)
		WH (Best WH)		
	SC (Schlage C)			
	SCE (Schlage E)			
SIC	SCF (Schlage F)			N/A
	SX (Schlage C~K)			
	G23 (Schlage C123)			
	G45 (Schlage C145)			
	SA (Sargent LA)		4 (Satin Brass)	
	SAX (Sargent LA~LC)		26D (Satin Chrome)	
	SLB (Sargent LB)			
	RA (Sargent RA)			
CIC	CL4 (Corbin L4)			
MIC	SC (Schlage C)		26D (Satin Chrome)	


EXAMPLES IC7A26D
LFICSCF4B1
SICSA26D
CICCLR4
MICSC26D

MIC Pinning Kit

PART NUMBER	DESCRIPTION
KIT-PIN03	MIC pinning kit

- ▶ Color coded for easy identification
- ▶ Economic alternative to originals
- ▶ Matches original manufacturers' codes


PART NUMBER	DESCRIPTION	BITTING
IC6A4K5	Green paint	7****2
IC6A4K6	Red paint	1****6
IC7A4K7	Green paint	7*****2
IC7A4K8	Red paint	1*****4
LFICSC19-A	US19 finish	4****3
LFICSC19-B	US19 finish	5****8
LFICSC19-C	US19 finish	3*****4
SICSA26D-A	US26D finish	3****6
CICCL426D-RED	Red paint	1****4
MICSC19-C	US19 finish	3****4



Corematic

- ▶ Industry first pneumatic capping press
- ▶ Designed for Small Format IC cores
- ▶ Two-handed operation for safety


PART NUMBER	DESCRIPTION
CMT-01	Corematic, 0.140" spacing
CMT-02	Corematic, 0.150" spacing
CMT-A01	Capping assembly only, 0.140" spacing
CMT-A02	Capping assembly only, 0.150" spacing
CMT-S01	Capping strip only, 0.140" spacing
CMT-S02	Capping strip only, 0.150" spacing



Capping Blocks

- ▶ Precision CNC machined
- ▶ Hardened for durability
- ▶ Compatible with SFIC format

PART NUMBER	DESCRIPTION
CB-02	Capping block w/punch for Best IC core
CB-PUNCH-01	Punch only for CB-02



Pinning Mats

- ▶ Anti-slip provides ideal workspace for pinning
- ▶ Designed with cavities to hold pins, springs and cylinders
- ▶ High quality rubber construction


PART NUMBER	DESCRIPTION
KIT-PINMAT	GMS pinning mat, 21" x 11"



PROFILE CYLINDERS

- ▶ Solid brass construction
- ▶ Exact OEM pinning specifications
- ▶ Set-screw design for easy pinning
- ▶ 3 configurations


MODEL	DESCRIPTION
PR10	Singe profile cylinder, 5 pin
PR11	Double profile cylinder, 5 pin
PR12	Double profile cylinder with t-turn, 5pin




HOW TO ORDER PROFILE CYLINDERS

MODEL	KEYWAY	FINISH	KEYING
PR10	KW (Kwikset 1176)	3 (Polished Brass)	KD (Keyed different)
PR11	SC (Schlage C)	4 (Satin Brass)	
PR12	YA (Yale 8)	26D (Satin Chrome)	


EXAMPLES PR11SC3KD



PR10



PR11



PR12


PADLOCKS

- ▶ Solid brass body construction
- ▶ Hardened shackles
- ▶ Double ball locking
- ▶ 3 shackle lengths available

MODEL	DESCRIPTION	ACCEPTS
P175	1-3/4" body width, 5/16" shackle dia.	K001
P200	2" body width, 3/8" shackle dia.	
ICP175	1-3/4" body width, 5/16" shackle dia.	IC6/IC7
ICP200	2" body width, 3/8" shackle dia.	
LFICP175	1-3/4" body width, 5/16" shackle dia.	LFIC
LFICP200	2" body width, 3/8" shackle dia.	




Drawings are shown at 50% of original size.



HOW TO ORDER PADLOCKS

MODEL	SHACKLE CLEARANCE	KEYWAY	KEYING
P175 P200	1 (1") 2 (2") 4 (4")	SC (Schlage C) SX (Schlage C~K) KW (Kwikset 1176) WR (Weiser E)	OB (Zero bitted) <i>Cylinders are drilled 6, pinned 5.</i>
ICP175 ICP200 LFICP175 LFICP200		N/A	N/A


EXAMPLES P1751SC0B
ICP2002




KEY BLANKS

- ▶ High quality brass or nickel silver material
- ▶ Precision milled, matching OEM quality
- ▶ Available in most popular standard or SFIC keyways


PART NUMBER	DESCRIPTION
KB5AWPB-50	Brass keys, Arrow 1179, 5 pin, 50 pack
KB5CBPB-50	Brass keys, Corbin 60, 5 pin, 50 pack
KB6CL4PB-50	Brass keys, Corbin L4, 6 pin, 50 pack
KB6RD1PB-50	Brass keys, Russwin D1, 6 pin, 50 pack
KB5KWPB-50	Brass keys, Kwikset 1176, 5 pin, 50 pack
KB6SAPB-50	Brass keys, Sargent LA, 6 pin, 50 pack
KB6SLBPB-50	Brass keys, Sargent LB, 6 pin, 50 pack
KB6RAPB-50	Brass keys, Sargent RA, 6 pin, 50 pack
KB5SCPБ-50	Brass keys, Schlage C, 5 pin, 50 pack
KB6SCEPB-50	Brass keys, Schlage E, 6 pin, 50 pack
KB6SCFPB-50	Brass keys, Schlage F, 6 pin, 50 pack
KB5SEPB-50	Brass keys, Segal 9, 5 pin, 50 pack
KB5WRPB-50	Brass keys, Weiser E, 5 pin, 50 pack
KB5YAPB-50	Brass keys, Yale 8, 5 pin, 50 pack
KB6YGAPB-50	Brass keys, Yale GA, 6 pin, 50 pack




Arrow




Corbin




Kwikset




Russwin




Sargent




Schlage



Segal




Weiser




Yale

KEY BLANKS

PART NUMBER	DESCRIPTION
KBBA-50	Nickel silver keys, Best A, 50 pack
KBBB-50	Nickel silver keys, Best B, 50 pack
KBBC-50	Nickel silver keys, Best C, 50 pack
KBBD-50	Nickel silver keys, Best D, 50 pack
KBBDD-50	Nickel silver keys, Best DD, 50 pack
KBBE-50	Nickel silver keys, Best E, 50 pack
KBBF-50	Nickel silver keys, Best F, 50 pack
KBBG-50	Nickel silver keys, Best G, 50 pack
KBBH-50	Nickel silver keys, Best H, 50 pack
KBBJ-50	Nickel silver keys, Best J, 50 pack
KBBK-50	Nickel silver keys, Best K, 50 pack
KBBL-50	Nickel silver keys, Best L, 50 pack
KBBM-50	Nickel silver keys, Best M, 50 pack
KBBQ-50	Nickel silver keys, Best Q, 50 pack
KBBR-50	Nickel silver keys, Best R, 50 pack
KBBTA-50	Nickel silver keys, Best TA, 50 pack
KBBTB-50	Nickel silver keys, Best TB, 50 pack
KBBTC-50	Nickel silver keys, Best TC, 50 pack
KBBTD-50	Nickel silver keys, Best TD, 50 pack
KBBTE-50	Nickel silver keys, Best TE, 50 pack
KBBWA-50	Nickel silver keys, Best WA, 50 pack
KBBWB-50	Nickel silver keys, Best WB, 50 pack
KBBWC-50	Nickel silver keys, Best WC, 50 pack
KBBWD-50	Nickel silver keys, Best WD, 50 pack
KBBWG-50	Nickel silver keys, Best WG, 50 pack
KBBWH-50	Nickel silver keys, Best WH, 50 pack



Best




Best

Parts Kits

PART NUMBER	DESCRIPTION
KIT-PART01	Mortise cylinder cam kit
KIT-PART02	IC mortise housing cam kit
KIT-PART03	Rim cylinder parts kit
KIT-PART04	Collars kit



KIT-PART01

 CAM1-AR Quantity: 10 pcs	 CAM1-BE Quantity: 10 pcs	 CAM1-CL Quantity: 10 pcs	 CAM1-SA Quantity: 10 pcs	 CAM1-SL Quantity: 10 pcs	 CAM1-ST Quantity: 10 pcs
 CAM1-TS Quantity: 10 pcs	 CAM4-AR Quantity: 10 pcs	 CAM4-CL Quantity: 10 pcs	 CAM4-SA Quantity: 10 pcs	 CAM4-SL Quantity: 10 pcs	 CAM4-ST Quantity: 10 pcs
 CAM4-TS Quantity: 10 pcs	 SCR-01 Quantity: 100 pcs	Intentionally Empty			













KIT-PART02

 CAM2-AR Quantity: 10 pcs	 CAM2-BE Quantity: 10 pcs	 CAM2-CL Quantity: 10 pcs	 CAM2-SA Quantity: 10 pcs	 CAM2-SL Quantity: 10 pcs	 CAM2-ST Quantity: 10 pcs
 CAM2-TS Quantity: 10 pcs	 CAM3-AR Quantity: 10 pcs	 CAM3-CL Quantity: 10 pcs	 CAM4-SA Quantity: 10 pcs	 CAM3-SL Quantity: 10 pcs	 CAM3-ST Quantity: 10 pcs
 SCR-03 Quantity: 100 p	 SCR-04 Quantity: 100 pcs	 IC-SP1 Quantity: 100 pcs			

KIT-PART03

 MPT-01 Quantity: 10 pcs	 SCR-02 Quantity: 10 pcs	 CAP-60 Quantity: 10 pcs	 COL4-26D Quantity: 5 pcs	 RPIN-01 Quantity: 10 pcs	Intentionally Empty
 TLP-04 Quantity: 10 pcs	 COL4-3 Quantity: 5 pcs	 COL4-10B Quantity: 5 pcs	Intentionally Empty	 SPR-06 Quantity: 10 pcs	
				Intentionally Empty	

KIT-PART04

 COL10-10B Quantity: 5 pcs	 COL10-26D Quantity: 5 pcs	 COL11-10B Quantity: 5 pcs	 COL11-26D Quantity: 5 pcs	 COL12-26D Quantity: 5 pcs	 COL13-26D Quantity: 5 pcs
 COL2-26D Quantity: 5 pcs	 COL2-10B Quantity: 5 pcs	 COL4-26D Quantity: 5 pcs	 COL3-10B Quantity: 5 pcs	 COL3-26D Quantity: 5 pcs	
 COL5 Quantity: 5 pcs	Intentionally Empty				


PARTS & ACCESSORIES

Knob/Lever Cylinder Tailpieces

PART NUMBER	DESCRIPTION	FITS
TLP-01-10	Knob/Lever fixed tailpiece, 1.13" length, 10 pack	K001
TLP-02-10	Knob/Lever fixed tailpiece, 0.91" length, 10 pack	K003
TLP-03-10	Knob/Lever fixed tailpiece, 0.68" length, 10 pack	
TLP-08-10	Knob/Lever fixed tailpiece, 0.98" length, 10 pack	
TLP-05-10	Deadbolt single tailpiece, 10 pack	
TLP-06-10	Deadbolt double tailpiece, 10 pack	R118
TLP-04-10	Rim cylinder breakoff tailpiece, 10 pack	
TLP-07-10	IC Rim housing breakoff tailpiece, 10 pack	
TLP-09-10	IC Rim housing breakoff tailpiece, 10 pack	ICSR

Replacement Parts

PART NUMBER	DESCRIPTION	FITS
CAP-60-10	Retaining cap, 6mm, 10 pack	K001
CAP-70-10	Retaining cap, 7mm, 10 pack	K003
SPR-06-10	Retaining cap pin spring, 10 pack	LFIC
RPIN-01-10	Retaining cap pin, 10 pack	K001 K003
RPIN-02-10	Retaining cap pin, 10 pack	LFIC
IC-SP1-10	Spacer, allows 6pin core in 7pin housing, 10 pack	ICM7 ICT7
SCR-04-10	IC mortise housing security screws, 10 pack	CAM1 CAM4
DRV-RT-10	Padlock key retaining driver, 10 pack	P175
KIT-LUG26D	Padlock retainer lug and driver for knob/lever cylinders	P200
SPR-05-10	Cylinder spring washer, 10 pack	All mortise cylinders All mortise t-turn cylinders All mortise dummy cylinders All IC mortise housings
MPT-01-10	Rim cylinder mounting plate, 10 pack	All rim cylinders
SCR-02-10	Rim cylinder mounting screws, 10 pack	All rim dummy cylinders All IC rim housings
SCR-01-10	Mortise cam screws, #3-48, nylon patched, 10 pack	CAM1 CAM4
SCR-03-10	Mortise cam screws, #3-48, nylon patched, short, 10 pack	CAM2
SCR-05-10	Mort cam/padlock cyl screws, #6-32, nylon patched, 10 pack	CAM3 P175 P200



A PERFECT FIT



UNITED STATES
6805 S 220th Street
Kent, WA 98032

CANADA
170 - 12860 Clarke Place
Richmond, BC V6V 2H1

877 704-5625

GMSLOCK.COM