# **Drilling Hardware**

# HAFELE

#### Jigs

#### o Drilling Jig for Puck Light



Item No. 001.35.052

#### **Supplied With**

1 Jig

1 2 1/4" Forstner bit

1 2 1/8" Forstner bit

1 12" x 3/8" drill bit

#### → Drill Bit for Puck Light



- > With stop
- > High grade steel material for increased drill life
- > Allows for deeper wire holes
- > Ø X L: 10 x 457 mm (3/8" x 18")
- > Material: M2 HSS Steel

B	P

- > Superior Austrian quality
- > High grade steel material with patented wave cutting edge
- > Patented cutting edge drills 10x faster than standard bits
- > Modified low-profile brad point tip for flat bottom hole

→ Forstner Bit Assembly, for Puck Light

> Material: HSS Steel

Diameter	Item No.
54 (2 1/8")	001.35.054
57 (2 1/4")	001.35.055

# Item No. Supplied With

001.35.053

Adjustable depth stop Collar

Hex key

#### **Supplied With**


Hex key

Consumables and Tools

12

#### ightarrow HSS Twist Drill Bit Set, 3 piece





> With centering tip

> Lengths: Ø8–460 mm (5/16"–18 1/8") Ø10–460 mm (3/8"–18 1/8") Ø12–250 mm (1/2"–9 13/16")

> Material: HSS Steel

Item No.
001 20 354

#### **Supplied With**

1 Bit of each size

# → Häfele Drilling Jig



- > Precision drill holes in furniture side panels for leads and switches for Loox lights
- > Drill holes for soft closing mechanism for doors, dowels, shelf supports or cruciform mounting plates
- > Compact design for already assembled furniture
- > For table top thickness: 16, 19 and 25 mm (5/8", 3/4", 1")
- > 5 mm (3/16") sleeves for drill holes for mounting plates
- > Length: 75 mm (3")
- > Drilling sleeves: 8, 10 and 12 mm (5/16", 3/8", 1/2")

Item No. 001.25.080

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to atter specifications without notice.

FC **12.72** 

# Lid and Flap Stays

# HAFELE

#### Häfele Free Accessories







- > For front panels without handles; Free Flap 1.7 and 3.5 flap fittings, up to a max. width of 1.200 mm
- > Push distance: approx. 2 mm (1/16")

### ightarrow Push Catches









- > For mounting into drilled hole, Ø10 x 90 mm (3/8" x 3 9/16") or sliding onto housing below
- > Material: Plastic; Color: gray, RAL 7004

Model type	Color code	Force lbs.	Item No.
1	green	3.75-5 lbs.	372.91.470
2	yellow	4.85-7.5 lbs.	372.91.471
3	blue	5.75-10.5 lbs.	372.91.472


#### Note

Color code on bottom of housing indicates model type.





# ightarrow Housing - Surface Mount



> Screw mounted > Material: Plastic

9

Hinges and Stays

 Color
 Item No.

 gray RAL 7035
 372.91.479

### ightarrow Drilling Jig



Item No.
001.25.080

# ightarrow Drill Bit for Jig

> Ø10 x 400 mm (3/8" x 15 3/4")

Item No.
001.20.351

# Lid and Flap Stays



#### Häfele Free Accessories







- > For front panels without handles; Free Space 1.8 flap fitting, up to a max. width of 1.200 mm
- > Push distance: approx. 2 mm (1/16")

#### **Push Catches**









- > For mounting into drilled hole, Ø10 x 90 mm (3/8" x 3 9/16") or sliding onto housing below
- > Material: Plastic; Color: gray, RAL 7004

Model type	Color code	Force lbs.	Item No.
1	green	3.75-5 lbs.	372.91.470
2	yellow	4.85-7.5 lbs.	372.91.471
3	blue	5.75-10.5 lbs.	372.91.472


#### Note

Color code on bottom of housing indicates model type.





# → Housing - Surface Mount



> Screw mounted > Material: Plastic

9

Hinges and Stays

Color Item No. gray RAL 7035 372.91.479 → Drilling Jig



Item No.
001.25.080

# → Drill Bit for Jig

> Ø10 x 400 mm (3/8" x 15 3/4")

Item No.
001.20.351