




National Locks C Series







Lock

- > Cam Lock, for wood or metal
- > For right or left handed doors with lipped/overlay construction (straight cam) or flush construction (formed cam)
- > For overlay application, the combined thickness of front and frame cannot exceed the cylinder length


Note

Custom Master keying available upon request.

C8053 Cam Locks







→ Keyed Different

- > 90° cam turn on all locks; key is removable in both locked and unlocked positions
- > Cylinder length: 30 mm (1 3/16")
- > Material thickness: max. 22 mm (7/8")
- > Material: Zinc, Nickel-plated

Finish	National No.	Item No.
bright nickel	C8053-KD-14A	235.10.620

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

→ Master Keyed, Keyed Different

- > Random key numbers only
- > Material: Brass-plated

Finish	National No.	Item No.
bright nickel	C8053-MKKD-14A	235.10.628

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

2 Keys, Trim washer, 2 Cams, 2 Stop washers,

Spur washer for wood mounting nut

Order master key separately, below.

Master Key



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to after specifications without notice

- > For MKKD locks above
- Material: Brass

National No.	Item No.
D8799	210.02.219

→ Keyed Alike

Supplied With

> Material: Zinc/Nickel-plated

Finish	National No.	Item No.
	C346A	235.10.621
	C390A	235.10.622
bright piakal	C413A	235.10.623
bright nickel	C415A	235.10.624
	C420A	235.10.625
	C642A	235.10.626

→ Slam Cam




- Self-locking; Spring-loaded latch
- > Retrofit or upgrade
- Compatible with National cam locks C8051-C8075
- > Material: Zinc/Plastic

National No.	Item No.
C7017	235.10.980

Supplied With 1 Self-locking component, 4 Spacers, 1 Washer (for C8051 and C8052 only), 3 Mounting screws 10



National Locks C Series




- > Cam Lock, for wood or metal
- > For right or left handed doors with lipped/overlay construction (straight cam) or flush construction (formed cam)
- > For overlay application, the combined thickness of front and frame cannot exceed the cylinder length

Note

Custom Master keying available upon request.

→ C8055 Cam Locks



→ Keyed Different

- > 90° cam turn on all locks; key is removable in both locked and unlocked positions
- > Cylinder length: 36 mm (1 7/16")
- > Material thickness: max. 28 mm (1 1/8")
- > Material: Zinc/Nickel-plated

Finish	National No.	Item No.
bright nickel	C8055-KD-14A	235.10.810

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

ightarrow Master Keyed, Keyed Different

- > Random key numbers only
- > Material: Brass-plated

Finish	National No.	Item No.
bright nickel	C8055-MKKD-14A	235.10.898

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

Note

Order master key separately, below.

→ Master Key



10

- > For MKKD locks above
- > Material: Brass

National No.	Item No.
D8799	210.02.219

ightarrow Keyed Alike



> Material: Zinc/Nickel-plated

Finish	National No.	Item No.
	C346A	235.10.811
In the Int	C390A	235.10.812
bright nickel	C413A	235.10.813
TIIONOI	C415A	235.10.814
	C420A	235.10.815

Supplied With


- 2 Keys, Trim washer
- 2 Cams
- 2 Stop washers
- Spur washer for wood mounting nut


Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.


FC **10.44**



National Locks C Series







- > Cam Lock, for wood or metal
- > For right or left handed doors with lipped/overlay construction (straight cam) or flush construction (formed cam)
- > For overlay application, the combined thickness of front and frame cannot exceed the cylinder length


Note

Custom Master keying available upon request.

C8060 Cam Locks







Master Key

Straight cam



Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to after specifications without notice

> For MKKD locks above

Straight cam

Material: Brass

National No.	Item No.
D8799	210.02.219

→ Slam Cam



- Self-locking; Spring-loaded latch
- > Retrofit or upgrade
- Compatible with National cam locks C8051-C8075
- > Material: Zinc/Plastic

National No.	Item No.
C7017	235.10.980

Supplied With 1 Self-locking component, 4 Spacers, 1 Washer (for C8051 and C8052 only), 3 Mounting screws

→ Keyed Different

- > 180° cam turn on all locks; key is removable in both locked and unlocked positions
- > Cylinder length: 45 mm (1 3/4")
- > Material thickness: max. 36 mm (1 7/16")
- > Material: Zinc/Nickel-plated

Finish	National No.	Item No.
bright nickel	C8060-KD-14A	235.10.650

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

→ Master Keyed, Keyed Different

- > Random key numbers only
- > Material: Brass-plated

Finish	National No.	Item No.
bright nickel	C8060-MKKD-14A	235.10.658

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

Order master key separately, below.

→ Keyed Alike

> Material: Zinc/Nickel-plated

Finish	National No.	Item No.
bright nickel	C346A	235.10.651
	C390A	235.10.652
	C413A	235.10.653
	C415A	235.10.654
	C420A	235.10.655
	C642A	235.10.656


Supplied With


2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut


10



National Locks C Series








- > Cam Lock, for wood or metal
- > For right or left handed doors with lipped/overlay construction (straight cam) or flush construction (formed cam)
- > For overlay application, the combined thickness of front and frame cannot exceed the cylinder length

Note

Custom Master keying available upon request.

→ C8073 Cam Locks



→ Keyed Different

- > 180° cam turn on all locks; key is removable in both locked and unlocked positions
- > Cylinder length: 30 mm (1 3/16")
- > Material thickness: max. 22 mm (7/8")
- > Material: Zinc/Nickel-plated

Finish	National No.	Item No.
bright nickel	C8073-KD-14A	235.10.630

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

\rightarrow Master Keyed, Keyed Different

- > Random key numbers only
- > Material: Brass-plated

Finish	National No.	Item No.
bright nickel	C8073-MKKD-14A	235.10.698

Supplied With

2 Keys, Trim washer, 2 Cams, 2 Stop washers, Spur washer for wood mounting nut

2 Keys, Trim washer, 2 Cams, 2 Stop washers,

Spur washer for wood mounting nut

Note

Order master key separately, below.

→ Master Key



10

- > For MKKD locks above
- > Material: Brass

National No.	Item No.
D8799	210.02.219

→ Keyed Alike

> Material: Zinc/Nickel-plated

Finish	National No.	Item No.
bright nickel	C346A	235.10.631
	C390A	235.10.632
	C413A	235.10.633
	C415A	235.10.634
	C420A	235.10.635
	C642A	235.10.636
Supplied With		

→ Slam Cam



- > Self-locking; Spring-loaded latch
- > Retrofit or upgrade
- > Compatible with National cam locks C8051-C8075
- > Material: Zinc/Plastic

National No.	Item No.
C7017	235.10.980

Supplied With 1 Self-locking component, 4 Spacers, 1 Washer (for C8051 and C8052 only), 3 Mounting screws