

Detachable Connector



- The three top reasons to use Clamex P-14 as a standard connector:
1. Nearly invisible, secure connections
 2. Process advantages in production, transport and assembly
 3. One connector for all connection applications and angles

- > Quick and tool-less installation
- > Connector can be removed and retightened as necessary
- > The tensioning element makes high force transfer possible
- > Laterally adjustable
- > For corner, center panel and surface connections from 30°–180°


P-System



Note

Lengthwise and system grooves required.
The Lamello Zeta P-2 biscuit joiner and HM biscuit joiner are required for installation. The profile groove can be milled with the HM biscuit joiner with a CNC machine for series manufacturing.

→ Lamello Clamex P-14 Connector




- > SW 4 hexagon drive
- > Lengthwise adjustment + 1.5 mm
- > For wood thickness: from 16 mm
- > Material: Plastic; Bolt: Zinc Alloy

Item No.	Packing
267.91.186	80 pcs.
267.91.136	300 pcs.
267.91.166	1000 pcs.

Note

Join wood using Zeta P2 power tool: depth setting 14


→ Cover Caps



- > For Ø6 mm (1/4") drill hole
- > Material: Plastic

Color	Item No.
brown	045.00.110
dark brown	045.00.111
black	045.00.357
ivory	045.00.408
brown beige	045.00.409
blue gray	045.00.556
window gray	045.00.557
light gray	045.00.558
gray white	045.00.756
white	045.00.759

→ Lamello Clamex P-14/10 Medius Connector



- > For center panels
- > SW 4 hexagon drive
- > Lengthwise adjustment + 1 mm
- > For wood thickness: from 12 mm
- > Material: Plastic; Bolt: Zinc Alloy

Item No.	Packing
267.91.188	80 pcs.
267.91.138	300 pcs.

Note Join wood using Zeta P2 power tool: depth setting 14

→ Lamello Clamex P Flexible Fitting Tool



- > Material: Plastic, fiberglass reinforced

Item No.
001.26.607

→ Drilling Jig for Clamex P System



- > For drilling hole for tightening screw, for 22.5°–108° angles
- > Suitable for Clamex P-10, P-14, P-15 and Medius connectors
- > Material: Plastic; Bolt: Zinc Alloy

Item No.
001.26.603

Supplied With Twist drill bit