


Salice



Release Device

Material: Plastic

Color	Salice No.	Item No.
beige	DPMSNB	356.06.462

Note

Order catch below.


Magnetic Device

- For heavier doors
- Magnetic device to be used to increase the magnetic holding strength
- It must always be used together with the DPM (356.06.462)
- The suggested position of the DPM is the point of pressure on the door
- The DPA can be positioned at any point along the opening edge of the door

Material: Plastic

Color	Salice No.	Item No.
beige	DPASNB	356.06.472

9



Retaining Catch with Pin

- Nail-on
- Apply the retaining catch to the magnetic release device
- Close the door
- The point of the retaining catch will show where to insert it
- Reopen the door and press the retaining catch

Material: Steel

Finish	Salice No.	Item No.
nickel-plated	DP28SN9	356.06.464




Retaining Catch with Adhesive Strip

- Adhesive backed

Material: Steel

Finish	Salice No.	Item No.
nickel-plated	DP38XX91	356.06.465



Adjustable Magnetic Catch


- Inserts into the door
 - Increases holding power
 - Ideal for larger, heavier doors
 - Features depth adjustment
- Ø x D: 15 x 11 mm (9/16" x 7/16")

Material: Housing: Plastic; Plate: Steel

Finish	Salice No.	Item No.
gray	DP39XXG	356.06.466

Salice

→ Release Device




- > Material: Plastic

Color	Model	Item No.
beige	DPMSNB	356.06.462

Note
Order catch below.

→ Retaining Catch with Pin



- > Nail-on
- > Installation:
 - 1) Apply the retaining catch to the magnetic release device
 - 2) Close the door
 - 3) The point of the retaining catch will show where to insert it
 - 4) Reopen the door and press the retaining catch
- > Material: Steel

Finish	Model	Item No.
nickel-plated	DP28SN9	356.06.464

→ Adjustable Magnetic Catch



- > Inserts into the door
- > Increases holding power
- > Ideal for large heavy doors
- > Features depth adjustment
- > Ø x D: 15 x 11 mm (9/16" x 7/16")
- > Material: Housing: Plastic; Plate: Steel

Finish	Model	Item No.
gray	DP39XXG	356.06.466


→ Magnetic Device



- > For heavy doors
- > Magnetic device to be used to increase the magnetic holding strength
- > It must always be used together with the DPM (356.06.462)
- > The suggested position of the DPM is the point of pressure on the door
- > The DPA can be positioned at any point along the opening edge of the door
- > Material: Plastic

Color	Model	Item No.
beige	DPASNB	356.06.472

→ Magnetic PUSH Device Adapter



- > Surface mount with wood screws
- > Adjustable
- > Without lip
- > Material: Plastic

Color	Model	Item No.
white	DP84SNBR	356.06.420

→ Retaining Catch with Adhesive Strip



- > Adhesive backed
- > Material: Steel

Finish	Model	Item No.
nickel-plated	DP38XX91	356.06.465

Häfele Free Flap H 1.5 Accessories




- > Developed to meet the market trend of handle-less furniture
- > Self-opening hinges and release devices that can easily be mounted to your furniture
- > Door thickness: 16–23 mm (5/8"–7/8") for 110°
- > Side panel thickness: from 16 mm (5/8")
- > Tab: 3–6 mm (1/8"–1/4") for 110°
- > Allows for a very "clean" design appearance
- > Reverse-spring hinges help "PUSH" the door open

→ Salice PUSH System




110°



> Material: Steel; Finish: nickel-plated

Mounting	Overlay	Hinge arm	Model	Item No.
Screw	full		C2PPA99	329.17.800
Dowel	full		C2RPA99	329.17.810

→ Magnetic PUSH Latch



> Material: Plastic


Color	Item No.
gray	356.06.462

Note
Order catch below.

→ Retaining Catch



→ Retaining Catch



- > With pin
- > Nail-on
- > Material: Steel

Finish	Item No.
nickel-plated	356.06.464

- > With adhesive strip
- > Material: Steel

Finish	Item No.
nickel-plated	356.06.465

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Häfele Maxi Accessories



- > Developed to meet the market trend of handle-less furniture
- > Self-opening hinges and release devices that can easily be mounted to your furniture
- > Door thickness 16–23 mm (5/8"–7/8") for 110°
- > Side panel thickness from 16 mm (5/8")
- > Tab: 3–6 mm (1/8"–1/4") for 110°
- > Allows for a very "clean" design appearance
- > Reverse-spring hinges help "PUSH" the door open

→ Salice PUSH System




110°

- > Material: Steel; Finish: nickel-plated


Mounting	Overlay	Hinge arm	Model	Item No.
Screw	full		C2PPA99	329.17.800
Dowel	full		C2RPA99	329.17.810

Screw mount

Dowel, Rapido, Logica



→ Magnetic PUSH Latch



- > Material: Plastic

Color	Item No.
gray	356.06.462

Note Order catch below.

→ Retaining Catch



→ Retaining Catch



- > With pin
- > Nail-on
- > Material: Steel

Finish	Item No.
nickel-plated	356.06.464

Finish	Item No.
nickel-plated	356.06.465

Maxi – Accessories



- Developed to meet the market trend of handle-less furniture
- Self-opening hinges and release devices that can easily be mounted to your furniture
- Door thickness 16 to 23 mm (5/8" – 7/8") for 110°
- Side panel thickness from 16 mm (5/8")
- Tab: 3 - 6 mm for 110°
- Allows for a very "clean" design appearance
- Reverse-spring hinges help "PUSH" the door open



Salice - PUSH System

Material: Steel; Finish: nickel-plated

Opening Angle	Closing Method	Mounting	Overlay	Hinge Arm	Model	Item No.
110°	Self-opening	Screw	Full		C2PPA99	329.17.800
110°	Self-opening	Dowel	Full		C2RPA99	329.17.810




Magnetic PUSH Latch

Material: Plastic

Color	Item No.
gray	356.06.462

Note

Order catch below.



Retaining Catch with Pin

- Nail-on

Material: Steel

Finish	Item No.
nickel-plated	356.06.464



Retaining Catch with Adhesive Strip

- Adhesive backed

Material: Steel

Finish	Item No.
nickel-plated	356.06.465