


Salice Full Extension

→ A7555 Futura 16



soft&silent)))

Frameless




- > Dynamic weight capacity: 35 kg (75 lbs.)/pair
- > Integrated soft close with 52 mm (2 1/16") closing range
- > Meets or exceeds BHMA grade 1 testing requirements
- > Slotted hole for depth adjustment
- > Front clips disconnect for easy drawer insertion and removal
- > Material: Steel; Finish: zinc-plated

Slide length	Drawer box length	Item No.
266 (10 1/2")	229 (9")	433.17.723
313 (12 5/16")	305 (12")	433.17.730
390 (15 3/8")	381 (15")	433.17.738
466 (18 3/8")	457 (18")	433.17.745
542 (21 3/8")	533 (21")	433.17.753


Note

Face frame add rear bracket with minimum cabinet depth 6–45 mm (1/4"–1 3/4")



Drawer Side Thickness: Minimum: 12 mm (1/2")
Maximum: 16 mm (5/8")
Maximum Drawer Height = Opening minus 25 mm (1")

Drawer side thickness	16 (5/8")	15 (19/32")	14 (9/16")	13 (1/2")	12 (15/32")
Deduct from ICW	9 (3/8")	11 (7/16")	13 (1/2")	16 (5/8")	17 (21/32")



→ Clips, required



> Material: Plastic

Color/Version	Item No.
gray/height adjustable	421.23.000
orange/6 way adjustable	421.23.001

Supplied With
Right/left clips

→ Rear Face Frame Mounting Brackets, optional



> Material: Steel; Finish: zinc-plated

Version	Item No.
Standard	433.17.000
Narrow	433.17.001

Note 2 pcs. required (for 1 pair of slides).

Flat head screws



pages 12.7-12.8, 12.10, 12.13

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Salice Full Extension



→ A7955 Futura 19

soft&silent)))



Drawer Side Thickness: 19 mm (3/4")
Maximum Drawer Height = Opening minus 25 mm (1")

Drawer side thickness	19 (3/4")	18 (23/32")	17 (21/32")	16 (5/8")	15 (19/32")
Deduct from ICW	11 (7/16")	13 (1/2")	15 (19/32")	17 (21/32")	19 (3/4")



8

Drawer Slides

→ Rear Face Frame Mounting Brackets, optional



> Material: Steel; Finish: zinc-plated

Version	Item No.
Standard	433.17.000
Narrow	433.17.001

Note 2 pcs. required (for 1 pair of slides).

- > Dynamic weight capacity: 35 kg (75 lbs.)/pair
- > Designed for drawer boxes with 19 mm (3/4") material
- > Integrated concealed soft close with 52 mm (2 1/16") closing range
- > BHMA grade 1 tested
- > Slotted hole for depth adjustment
- > Front clips disconnect for easy drawer insertion and removal
- > Material: Steel; Finish: zinc-plated

Slide length	Drawer box length	Item No.
315 (12 3/8")	305 (12")	433.17.731
391 (15 3/8")	381 (15")	433.17.739
467 (18 3/8")	457 (18")	433.17.746
543 (21 3/8")	533 (21")	433.17.754

→ Clips, required



> Material: Plastic

Color/Version	Item No.
gray/height adjustable	421.23.000
orange/6 way adjustable	421.23.001


Supplied With
Right/left clips

Flat head screws


pages 12.7-12.8, 12.10, 12.13

Salice Full Extension


350 - 400 - 450 (14" - 16" - 18")



500 (22'')



550 - 600 (22" - 24")




Y = min. 15 (9/16'')

- > Bottom mounted
- > Easily mounts to fixed open shelves, shelves behind doors or to the cabinet floor
- > Provides convenient, simple access to stored items that do not require a drawer
- > Weight capacity: Dynamic: 35 kg (75 lbs.); Static: 45 kg (100 lbs.)
- > Material: Steel; Finish: zinc-plated



Note

Magnetic catch to keep drawer extended 421.23.030



Shelf adjustment with clip A710.610

Shelf height adjustment (+ 2.5 mm) using the lever indicated



→ A65559 Shelf Slide with Soft Close



→ A65579 Shelf Slide Push



8

Drawer Slides

Box or shelf length	Item No.
320 (12'')	433.22.100
350 (14'')	433.22.101
400 (16'')	433.22.102
450 (18'')	433.22.103
500 (20'')	433.22.104
550 (22'')	433.22.105
600 (24'')	433.22.106

→ Clips, required



> Material: Plastic

Color/Version	Item No.
gray/height adjustable	421.23.000
orange/6 way adjustable	421.23.001

Supplied With
Right/left clips

Box or shelf length	Item No.
320 (12'')	433.22.110
350 (14'')	433.22.111
400 (16'')	433.22.112
450 (18'')	433.22.113
500 (20'')	433.22.114
550 (22'')	433.22.115
600 (24'')	433.22.116

→ Rear Hook Bracket, required for shelf



- > Screw-on, reversible
- > Attaches to the back of the shelf to capture the hook on the undermount slide
- > Material: Plastic

Color	Item No.
white	433.22.000

Note For shelves that are less than 12 mm (1/2''), the runner can be used together with the rear hook bracket, thus eliminating the need to notch and drill the back of the shelf or shallow box.

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.

Salice Full Extension

- > Dynamic weight capacity: 35 kg (75 lbs.)/pair
- > Unique lengths for 300, 350, 400, 450 mm (12", 14", 16", 20") deep panels
- > Cushioned open
- > For drawer boxes 13–16 mm (1/2"–5/8")
- > Choose from soft close or push-to-open
- > Interior drawer box width: ICW-41
- > Material: Steel; Finish: zinc-plated

→ A6555 Closet Slide with Soft Close

→ A6557 Closet Slide Push



Length	Item No.
280 (11")	421.23.228
320 (12 5/8")	421.23.232
380 (14 15/16")	421.23.238
480 (18 7/8")	421.23.248


Supplied With 20 pcs. each L/R, packed separately

Note Front locking clips are required

Length	Item No.
280 (11")	421.23.428
320 (12 5/8")	421.23.432
380 (14 15/16")	421.23.438
480 (18 7/8")	421.23.448

Supplied With 6 pair

Note Front locking clips are required



Panel depth	LC	a	b
12"	280	128	160
14"	320	128	160
16"	380	128	160
20"	480	224	256
	mm	mm	mm

*Setback to front edge of CM is thickness of drawer box FRONT material. If using 5/8" material to 4th hole back $37 + 16 = 53$

LC = Length of drawer not including **box FRONT**
SP = Thickness of **box FRONT** material
 Note that total length of drawer box is LC + SP.

→ Clips, required



- > Material: Plastic


Color/Version	Item No.
gray/height adjustable	421.23.000
orange/6 way adjustable	421.23.001

Supplied With
Right/left clips

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.


Salice Full Extension

→ A7557 Futura Push - 16




- > Face frame mounted
- > Weight capacity: 35 kg (75 lbs.)/pair
- > Perfect for drawers without handles
- > Slight pressure on the drawer front opens the drawer
- > "Push" mechanism is fully integrated into the slide
- > Front clips disconnect for easy drawer insertion and removal
- > Slotted hole for depth adjustment
- > Material: Steel; Finish: zinc-plated

Slide length	Drawer box length	Item No.
315 (12 15/16")	305 (12")	433.17.830
391 (15 3/8")	381 (15")	433.17.838
467 (18 3/8")	457 (18")	433.17.845
543 (21 5/16")	533 (21")	433.17.853



Drawer Side Thickness: Minimum: 12 mm (1/2")
Maximum: 16 mm (5/8")
Maximum Drawer Height = Opening minus 25 mm (1")

Drawer side thickness	16 (5/8")	15 (19/32")	14 (9/16")	13 (1 1/2")	12 (15/32")
Deduct from ICW	9 (3/8")	11 (7/16")	13 (1 1/2")	16 (5/8")	17 (21/32")



→ Clips, required



> Material: Plastic

Color/Version	Item No.
gray/height adjustable	421.23.000
orange/6 way adjustable	421.23.001

Supplied With
Right/left clips

→ Face Frame Mounting Brackets, optional



> Material: Steel

Finish	Item No.
zinc-plated	433.17.000

Note
2 pcs. required (for 1 pair of slides).

Salice Full Extension

→ A6557 Futura Push - 16





- > Frameless mounted
- > Weight capacity: 22.68 kg (50 lbs.)/pair
- > Perfect for drawers without handles
- > Slight pressure on the drawer front opens the drawer
- > "Push" mechanism is fully integrated into the slide
- > 2.5 mm (1/8") height adjustment
- > Front clip disconnect for easy drawer insertion and removal
- > Material: Steel; Finish: zinc-plated


Length	Item No.
300 (12")	421.23.830
350 (14")	421.23.835
400 (16")	421.23.840
450 (18")	421.23.845
500 (20")	421.23.850
550 (22")	421.23.855
600 (24")	421.23.860

Note


For drawer with front application, the setback is 2 mm (1/16") plus the thickness of the drawer box material unless the drawer is notched. If it is notched, the setback is 2 mm (1/16").



Drawer with front
(view from above)



Drawer drilling
(view from below)



LN = Runner length
SP = Material thickness

→ Clips, required



> Material: Plastic

Color/Version	Item No.
gray/height adjustable	421.23.000
orange/6 way adjustable	421.23.001

Supplied With
Right/left clips



Flat head screws	pages 12.7-12.8, 12.10, 12.13
Varianta screws	page 12.16

Salice Full Extension

→ A6558 Futura Push - 16




For the function Push is required an A value = 2.5 mm (1/8"). This value is obtained by placing the runner at 37 mm (1 7/16") from the edge of the cabinet.




Minimum depth of cabinet slide length + 10 mm (3/8")

- > Perfect for light duty drawers without handles
- > With soft close
- > Frameless mounted
- > Weight capacity: 22.68 kg (50 lbs.)/pair
- > Slight pressure on the drawer front opens the drawer
- > "Push" mechanism is fully integrated into the slide
- > Front clips disconnect for easy drawer insertion and removal
- > Designed for frameless cabinet mounting
- > Material: Steel; Finish: zinc-plated

Slide length	Drawer box length	Item No.
300 (12")	290 (11 7/16")	421.23.630
350 (14")	340 (13 3/8")	421.23.635
400 (16")	390 (15 3/8")	421.23.640
450 (18")	440 (17 5/16")	421.23.645
500 (20")	490 (19 5/16")	421.23.650




Drawer with front
(view from above)



LN = Runner length
SP = Material thickness

Drawer drilling
(view from below)



→ Clips, required



- > Material: Plastic

Color/Version	Item No.
gray/height adjustable	421.23.000
orange/6 way adjustable	421.23.001

Supplied With
Right/left clips

Flat head screws	pages 12.7-12.8, 12.10, 12.13
Varianta screws	page 12.16

Dimensional data not binding. Dimensions in mm, inches are approximate. We reserve the right to alter specifications without notice.