
Profiles for surface mounting

Aluminum

Häfele Loox profile - for surface mounting








End cap







End cap





Retaining clip 40° Retaining clip

> Material: Aluminum

> Finish: Silver colored anodized > L x W x H: 2500 x 18.5 x 9.5 mm (98 7/16" x 3/4" x 3/8")

1 profile, 1 diffuser > Supplied with:

Cover	Item No.
Milk	833.72.860
Frosted	833.72.863



Note

LED points are always visible when this profile is used.

Order reference

Please order retaining clip (optional) separately



End cap

> Material/Finish: Plastic, silver colored

> Supplied with: 2 pcs.

Item No.
833.72.852



Switch for aluminum profiles 16 mm (5/8") see page 88. Diffusers see page 40

> Material: Aluminum

> Finish: Silver colored anodized $> L \times W \times H$: 2500 x 18.5 mm x 14 mm (98 7/16" x 3/4" x 9/16")

> Supplied with: 1 profile, 1 diffuser

Cover	Item No.
Milk	833.72.861
Frosted	833.72.862



Order reference

Please order retaining clip (optional) separately



End cap

> Material/Finish: Plastic, silver colored

> Supplied with: 2 pcs.

• •	•	
		Item No.
		833.72.853



Mounting clip, optional

> Material/Finish: Stainless Steel, silver colored

> Supplied with: 2 pcs.

Version	Item No.
Retaining clip	833.74.832
Retaining clip 40°	833.74.833



Switch for aluminum profiles 16 mm (5/8") see page 88. Diffusers see page 40

LED 3028

FLEXIBLE STRIP LIGHT, TWO ROWS





- > Dimmable
- > Can be shortened every 25 mm (1")
- > Installation only with aluminum profile
- > All aluminum profiles are suitable except 833.72.860, 833.72.863, 833.72.864, 833.72.865, 833.74.809 and 833.74.835
- > Max. strip light length per lead: 3.8 m (12' 5 5/8")
- > Max. watt per lead: 72 W





- > Driver see page 92
- > Aluminum profiles see pages 108 112

2700 K	3000 K	4000 K	5000 K 120°	
4180 lx	4307 lx	4436 lx	4533 lx	250 (9 13/16")
1045 lx	1077 lx	1109 lx	1133 lx	500 (19 11/16")
464 lx	478 lx	493 lx	503 lx	750 (29 1/2")
261 lx	269 lx	277 lx	283 lx	1000 (39 3/8")

Note

The chart values apply to a strip light length of 0.5 m (19 11/16").

Item No.	833.77.220	833.77.221	833.77.222	833.77.223
SRP	\$300.00	\$300.00	\$300.00	\$300.00
Light Color (K)	2700 (warm white)	3000 (warm white)	4000 (cool white)	5000 (cool white)
LxWxH	5000 x 12 x 1.3 mm (196 7/8	3" x 1/2" x 1/32")		
Wattage	96 (19.2 per meter) [5.9 per foot]			
LEDs	1200 (240 per meter) (72 per foot)			
Lumen	7700	8090	8110	8140
Lumen per watt	80	84	84	84
CRI	82			
Energy Efficiency class	A+			
Weighted energy consumption	21.12			
Material/Finish	Plastic, white			
Supplied with	2 m (78 3/4") lead			
Note Loox Lights and Drivers are "Suitable for use within Closet Storage Spaces"				

ALUMINUM PROFILES

SURFACE MOUNTED

Profile cover finishes – different light effects



Milk




Frosted

- > Milk cover: The material contains pigment.
 - It creates a "diffused glow" surface-directed light with uniform intensity
 - The light appears "soft"
- > Frosted cover: The surface is frosted
 - The light appears "velvet-white" and creates a sophisticated, high-quality impression

Profile for surface mounting





Item No.	833.72.860	833.72.863	
SRP	\$56.00	\$56.00	
Material/Finish	Aluminum, silver colored anodized		
Cover	milk	frosted	
$L \times W \times H$	2500 x 18.5 x 8.8 (98 3/8" x 3/4" x 3/8")		





End cap, Plastic, silver colored, 2 pcs.

> Item No. 833.72.852

SRP \$4.00





Mounting bracket 40°, Stainless Steel, silver colored, 2 pcs. Supplied with screws

> Item No. 833.74.833

SRP \$2.00

Mounting bracket, Stainless Steel, silver colored, 2 pcs.


Supplied with screws > Item No. 833.74.832

SRP \$2.00



Shallow profiles are not suitable for operation with LED 3028.





Item No.	833.72.861	833.72.862	
SRP	\$56.00	\$56.00	
Material/Finish	Aluminum, silver colored anodized		
Cover	milk	frosted	
LxWxH	2500 x 18.5 x 13 (98 3/8" x 3/4" x 1/2")		





End cap, Plastic, silver colored, 2 pcs.

> Item No. 833.72.853


SRP \$4.00





Mounting bracket 40°, Stainless Steel, silver colored, 2 pcs. Supplied with screws

> Item No. 833.74.833





Mounting bracket, Stainless Steel, silver colored, 2 pcs. Supplied with screws

> Item No. 833.74.832 SRP \$2.00