## **Extension leads**


## Häfele Loox5 extension leads

A

Maximum lead length from the Loox5 driver to the device is 10,000 mm (393 11/16").

Long cable lengths in combination with large loads (strip light lengths) can result in voltage losses in the cable. These lead to visible loss of brightness in the lights. The illuminance listed with the lights has been determined with the rated output voltage of the driver. (12 V or 24 V).

## Häfele Loox5 extension leads monochrome



> Area of application: For monochrome lights and other 2-wire

devices and distributors

Material: Plastic
Current carrying capacity: Max. 5 A
Type of cable: 2-wire 18 AWG

> Drill hole Ø: Plug 8 mm (5/16"), socket 13 mm (1/2")

> Supplied with: 1 extension lead 1 plug/1 socket


Voltage	500 mm (19 11/16")	1000 mm (39 3/8")	2000 mm (78 3/4")
<b>5</b> 12 V	833.95.712	833.95.713	833.95.714
5 24 V	833.95.719	833.95.718	833.95.717

Material: PlasticType of cable: 20 AWG

> Length 2000 mm (78 3/4")
> Supplied with: 1 extension lead 1 plug/1 socket

Voltage	Item No.
5 12 V	833.73.766

## Häfele Loox5 extension leads multi-white



> Area of application: For multi-white lights

Material: Plastic
 Current carrying capacity: Max. 3.5 A
 Type of cable: 3-wire 20 AWG

> Drill hole  $\varnothing$ : Plug 9 mm (3/8"), socket 13 mm (1/2")

> Supplied with: 1 extension lead

1 plug/1 socket

Voltage	Length	Item No.
5 12 V	2000 (78 3/4")	833.95.715
5 24 V	200 (7 7/8")	833.95.792
5 24 V	300 (11 13/16")	833.95.793
5 24 V	500 (19 11/16")	833.95.794
5 24 V	600 (23 5/8")	833.95.795
5 24 V	1000 (39 3/8")	833.95.796
5 24 V	2000 (78 3/4")	833.95.720