






**Häfele Slido D-Line11 50I-120I**

→ Clip-on Fascias

Description		Area of application	Material	Finish	Length	Width B	Item No.	
Clip-on fascia, for integration in suspended ceilings	⑥		For running track ①, ③ and ④	Aluminum	silver colored anodized	2 m (6' 6 3/4") 3 m (9' 10 1/8") 6 m (19' 8 1/4")	– – –	940.43.620 940.43.630 940.43.660
Clip-on fascia Height: 33 mm (1 5/16")	⑦		For running track ①, ③, ④ and ⑤	Aluminum	silver colored anodized	2 m (6' 6 3/4") 3 m (9' 10 1/8") 6 m (19' 8 1/4")	– – –	941.25.620 941.25.630 941.25.660
End cap set for clip-on fascia ⑦	–		For running track ① for running track ⑤, with mounting rail ⑯	Plastic	silver colored	–	50 (1 31/32")	941.25.040
End cap set for 2x clip-on fascia ⑦	–		For running track ①, mounting rail ⑯	Plastic	silver colored	–	61 (2 13/32")	941.25.041
End cap set	–		For running track ①	Plastic	silver colored	–	51 (2")	941.25.042
End cap set	–		For running track ⑤, with mounting rail ⑯	Plastic	silver colored	–	40 (1 3/8")	940.43.076
End cap set	–		For running track ⑤, mounting rail ⑯	Plastic	silver colored	–	51 (2")	940.43.480

→ Accessories

Description		Area of application	Material	Finish	Length	Item No.	
Rattle-free floor guide	⑩		With or without guide track ⑪	Plastic	black	–	940.42.203
Guide track, bottom, press-fit	⑪		For rattle-free floor guide ⑩	Plastic	black	1 m (39 3/8") 1.5 m (59 1/16") 2 m (6' 6 3/4")	940.42.050 940.42.051 940.42.052

Pull handles	pages 2.3–2.29
Mortise locks	pages 1.387, 1.398
Wall pocket solution	pages 1.22–1.23
Track stopper	page 1.30
Stacking Additional Set	page 1.31
Track cleaner	page 1.69
Flush pulls	pages 1.394–1.396




**Häfele Slido D-Line11 160C Set**

	Version	Supplied with	Item No.
For 1 door without running track	Without soft and self-closing mechanism	2 running gears 1 rattle-free floor guide 2 track stoppers with retaining spring	941.62.010

**Note**

Order 2 sets for bi-parting sliding doors. Please order running and guide tracks separately.

→ Tracks and Accessories

Description		Material	Finish	Wall distance track center	Length	Item No.
<b>Wall mounting and ceiling installation</b>						
Running track, pre-drilled W x H: 40.5 x 36.5 mm (1 19/32" x 1 7/16")		Aluminum	silver colored anodized	–	2 m (6' 6 3/4") 3 m (9' 10 1/8") 6 m (19' 8 1/4")	941.62.721 941.62.731 941.62.761
Clip-on fascia Height: 56 mm (2 7/32")		Aluminum	silver colored anodized	–	2 m (6' 6 3/4") 3 m (9' 10 1/8") 6 m (19' 8 1/4")	940.43.123 940.43.133 940.43.163
End cap set for clip-on fascia Height: 56 mm (2 7/32")		Steel	silver colored	–	–	940.43.037
<b>Wall mounting</b>						
Clip-on fascia Height: 50 mm (1 31/32")		Aluminum	silver colored anodized	–	2 m (6' 6 3/4") 3 m (9' 10 1/8") 6 m (19' 8 1/4")	941.62.404 941.62.405 941.62.406
End cap set for clip-on fascia Height: 50 mm (1 31/32")		Aluminum	silver colored anodized	–	–	941.62.412
Mounting bracket Height: 26 mm (1 1/32") (install every 400 mm (15 3/4"))		Steel	galvanized	16–25 mm (5/8"–31/32") 18–33 mm (23/32"–1 5/16") 33–55 mm (1 5/16"–2 5/32")	36 mm (1 13/32") 44 mm (1 23/32") 64 mm (2 17/32")	940.42.061 940.62.061 940.42.063
Mounting bracket Height: 44.5 mm (1 3/4") (install every 400 mm (15 3/4"))		Steel	galvanized	20–41 mm (25/32"–1 5/8")	51 mm (2")	941.62.416
<b>Ceiling installation</b>						
Clip-on fascia Height: 33 mm (1 5/16")		Aluminum	silver colored anodized	–	2 m (6' 6 3/4") 3 m (9' 10 1/8") 6 m (19' 8 1/4")	941.25.620 941.25.630 941.25.660
End cap set for clip-on fascia Height: 33 mm (1 5/16")		Aluminum	silver colored anodized	–	–	941.62.411
<b>Accessories</b>						
Guide channel, bottom, for press-fitting		Plastic	black	–	1 m (39 3/8") 1.5 m (59 1/16") 2 m (6' 6 3/4")	940.42.050 940.42.051 940.42.052
Rattle-free floor guide		Plastic	black	–	–	940.42.203
U-shaped guide channel 15 x 15 x 1.5 mm (9/16" x 9/16" x 1/16")		Aluminum	mill	–	6 m (19' 8 1/4")	940.42.602
Floor guide roller, Ø10 mm (3/8")		Steel	galvanized	–	–	940.42.032

**Häfele Slido D-Line11 240C Set**

	<b>Version</b>	<b>Supplied with</b>	<b>Item No.</b>
For 1 door without running track	Without soft and self closing mechanism	2 running gears with left and right fascia clip 1 rattle-free floor guide 2 track stoppers with retaining spring	942.35.003

**Note**

Order 2 sets for bi-parting sliding doors.

→ Tracks and Accessories

<b>Description</b>		<b>Material</b>	<b>Finish</b>	<b>Width B</b>	<b>Length</b>	<b>Item No.</b>
<b>Wall mounting and ceiling installation</b>						
Running track, pre-drilled W x H: 46 x 43 mm (1 13/16" x 1 11/16")		Aluminum	silver colored anodized	–	3 m (9' 10 1/8") 6 m (19' 8 1/4")	941.62.603 941.62.606
Clip-on fascia Height: 56 mm (2 7/32")		Aluminum	silver colored anodized	–	3 m (9' 10 1/8") 6 m (19' 8 1/4")	940.43.133 940.43.163
End cap set for clip-on fascia Height: 56 mm (2 7/32")		Steel	silver colored	64 mm (2 17/32")	–	940.43.037
<b>Wall mounting</b>						
Clip-on fascia Height: 50 mm (1 31/32")		Aluminum	silver colored anodized	–	3 m (9' 10 1/8") 6 m (19' 8 1/4")	941.62.405 941.62.406
End cap set for clip-on fascia Height: 50 mm (1 31/32")		Aluminum	silver colored anodized	65 mm (2 9/16")	–	941.62.412
Mounting bracket Height: 44.5 mm (1 3/4") (install every 400 mm (15 3/4"))		Steel	galvanized	–	51 (2")	941.62.416
<b>Ceiling installation</b>						
Clip-on fascia Height: 33 mm (1 5/16")		Aluminum	silver colored anodized	–	3 m (9' 10 1/8") 6 m (19' 8 1/4")	941.25.630 941.25.660
End cap set for clip-on fascia Height: 33 mm (1 5/16")		Plastic	silver colored	60 mm (2 3/8")	–	941.62.415
<b>Accessories</b>						
Guide channel, bottom, for press-fitting		Plastic	black	–	1 m (39 3/8") 1.5 m (59 1/16") 2 m (6' 6 3/4")	940.42.050 940.42.051 940.42.052
Rattle-free floor guide		Plastic	black	–	–	940.42.203
Floor guide		Plastic	black	–	–	942.35.400
U-shaped guide channel 15 x 15 x 1.5 mm (9/16" x 9/16" x 1/16")		Aluminum	mill	–	6 m (19' 8 1/4")	940.42.602
Floor guide roller, Ø10 mm (3/8")		Steel	galvanized	–	–	940.42.032