


## HAWA Silenta 150/B Set

- For 1 sliding door without upper track and lower guide channel

| Item No.   |
|------------|
| 942.30.001 |




## Set Components

|                                                                                    | Description                                                    | Material | Finish     | Qty.   | Item No.   |
|------------------------------------------------------------------------------------|----------------------------------------------------------------|----------|------------|--------|------------|
|   | Double roller running gear                                     | –        | –          | 2 pcs. | 942.30.015 |
|   | Carrier profile with suspension plates, M12 bolt and set screw | –        | –          | 2 pcs. | 941.20.024 |
|   | End caps for carrier profile                                   | Plastic  | anthracite | 2 pcs. | 942.56.029 |
|   | Floor mounted guide, rattle-free                               | Plastic  | black      | 1 pc.  | 941.60.031 |
|   | Track stopper with adjustable retention spring                 | –        | –          | 1 pc.  | 942.30.042 |
|   | Wall buffer                                                    | Rubber   | black      | 1 pc.  | 941.60.051 |
|  | Locking wrench for suspension plate                            | Steel    | galvanized | 1 pc.  | 941.20.091 |

### Note

Item numbers are valid only for one piece, when ordering individual components, please state the desired amount.  
For 2 bi-parting sliding doors, please order 2 sets.

## Individual Components

|                                                                                     | Description                                                               | Material | Finish         | Length               | Item No.   |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------|----------|----------------|----------------------|------------|
|  | Upper track, pre-drilled                                                  | Aluminum | clear anodized | 2.5 m (8' 2 7/16")   | 942.30.250 |
|                                                                                     |                                                                           |          |                | 3.5 m (11' 5 13/16") | 942.30.350 |
|                                                                                     |                                                                           |          |                | 6 m (19' 8 1/4")     | 942.30.600 |
|  | Guide rail, glue-in type                                                  | Plastic  | black          | 3 m (9' 10 1/8")     | 941.61.130 |
|  | Assembly wedge for doors running in the ceiling (2 pcs. per sliding door) | –        | –              | –                    | 940.80.050 |

### Installation Plan

(Included in fitting set), mounting instructions for planning and execution available upon request.

|                           |            |
|---------------------------|------------|
| Confort guides            | page 1.198 |
| Other lower guide options | page 1.199 |





Dimensional data not binding. We reserve the right to alter specifications without notice.

## HAWA Junior 160/A Set

- For 1 sliding door without upper track and lower guide channel

| Item No.   |
|------------|
| 941.60.001 |




## Set Components

|                                                                                   | Description                                            | Material | Finish | Qty.   | Item No.   |
|-----------------------------------------------------------------------------------|--------------------------------------------------------|----------|--------|--------|------------|
|  | Double roller running gear                             | –        | –      | 2 pcs. | 941.60.012 |
|  | One-way suspension plate, M14 bolt and mounting screws | –        | –      | 2 pcs. | 941.60.022 |
|  | Floor mounted guide, rattle-free                       | Plastic  | black  | 1 pc.  | 941.60.031 |
|  | Track stopper with adjustable retention spring         | –        | –      | 1 pc.  | 941.60.041 |
|  | Wall buffer                                            | Rubber   | black  | 1 pc.  | 941.60.051 |

### Note

Item numbers are valid only for 1 piece, when ordering individual components, please state the desired amount.  
Depending on application an additional track stopper has to be ordered with set. For 2 bi-parting sliding doors, please order 2 sets.

## Individual Components

|                                                                                     | Description                        | Material | Finish         | Length/Qty.      | Item No.   |
|-------------------------------------------------------------------------------------|------------------------------------|----------|----------------|------------------|------------|
|  | Upper track, pre-drilled           | Aluminum | clear anodized | 3 m (9' 10 1/8") | 941.60.301 |
|                                                                                     |                                    |          |                | 4 m (13' 1 1/2") | 941.60.401 |
|                                                                                     |                                    |          |                | 6 m (19' 8 1/4") | 941.60.601 |
|  | Guide rail, glue-in type           | Plastic  | black          | 3 m (9' 10 1/8") | 941.61.130 |
|  | Connecting pin set for upper track | –        | –              | 2 pcs.           | 942.56.091 |

### Installation Plan

(Included in fitting set), mounting instructions for planning and execution available upon request.


|                           |            |
|---------------------------|------------|
| Confort guides            | page 1.198 |
| Other lower guide options | page 1.199 |

## HAWA Junior 160/B Set

- For 1 sliding door without upper track and lower guide channel

| Item No.   |
|------------|
| 941.60.002 |


## Set Components

|                                                                                   | Description                                          | Material | Finish     | Qty.  | Item No.   |
|-----------------------------------------------------------------------------------|------------------------------------------------------|----------|------------|-------|------------|
|  | Double roller running gear with M14 bolt             | –        | –          | 2 pc. | 941.60.014 |
|  | Carrier profile with suspension plates and set screw | –        | –          | 2 pc. | 941.60.024 |
|  | End caps for corner profile                          | Plastic  | anthracite | 2 pc. | 942.56.029 |
|  | Floor mounted guide, rattle-free                     | Plastic  | black      | 1 pc. | 941.60.031 |
|  | Track stopper with adjustable retention spring       | –        | –          | 1 pc. | 941.60.041 |
|  | Wall buffer                                          | Rubber   | black      | 1 pc. | 941.60.051 |

### Note

Item numbers are valid only for 1 piece, when ordering individual components, please state the desired amount.  
Depending on application an additional track stopper has to be ordered with set. For 2 bi-parting sliding doors, please order 2 sets.

## Individual Components

|                                                                                     | Description              | Material | Finish         | Length           | Item No.   |
|-------------------------------------------------------------------------------------|--------------------------|----------|----------------|------------------|------------|
|  | Upper track, pre-drilled | Aluminum | clear anodized | 3 m (9' 10 1/8") | 941.60.301 |
|                                                                                     |                          |          |                | 4 m (13' 1 1/2") | 941.60.401 |
|                                                                                     |                          |          |                | 6 m (19' 8 1/4") | 941.60.601 |
|  | Guide rail, glue-in type | Plastic  | black          | 3 m (9' 10 1/8") | 941.61.130 |

### Installation Plan

(Included in fitting set), mounting instructions for planning and execution available upon request.



|                           |            |
|---------------------------|------------|
| Confort guides            | page 1.198 |
| Other lower guide options | page 1.199 |

## HAWA Junior 250/A Set

- For 1 sliding door without upper track and lower guide channel

|  | Item No.   |
|--|------------|
|  | 942.56.001 |



## Set Components

|                                                                                   | Description                                            | Material | Finish | Qty.   | Item No.   |
|-----------------------------------------------------------------------------------|--------------------------------------------------------|----------|--------|--------|------------|
|  | Double roller running gear                             | –        | –      | 2 pcs. | 942.56.012 |
|  | One-way suspension plate, M12 bolt and mounting screws | –        | –      | 2 pcs. | 942.56.022 |
|  | Floor mounted guide, rattle-free                       | Plastic  | black  | 1 pc.  | 941.60.031 |
|  | Track stopper with adjustable retention spring         | –        | –      | 1 pc.  | 942.56.041 |
|  | Wall buffer                                            | Rubber   | black  | 1 pc.  | 941.60.051 |
|  | Locking wrench                                         | Steel    | –      | 1 pc.  | 941.20.091 |

### Note

Item numbers are valid only for 1 piece, when ordering individual components, please state the desired amount.  
Depending on application an additional track stopper has to be ordered with set. For 2 bi-parting sliding doors, please order 2 sets.

## Individual Components

|                                                                                     | Description                        | Material | Finish         | Length           | Item No.   |
|-------------------------------------------------------------------------------------|------------------------------------|----------|----------------|------------------|------------|
|  | Upper track, pre-drilled           | Aluminum | clear anodized | 4 m (13' 1 1/2") | 942.56.940 |
|                                                                                     |                                    |          |                | 6 m (19' 8 1/4") | 942.56.960 |
|  | Guide rail, glue-in type           | Plastic  | black          | 3 m (9' 10 1/8") | 941.61.130 |
|  | Connecting bolts, for upper tracks | Steel    | galvanized     | –                | 942.56.090 |

### Installation Plan

(Included in fitting set), mounting instructions for planning and execution available upon request.

|                           |            |
|---------------------------|------------|
| Confort guides            | page 1.198 |
| Other lower guide options | page 1.199 |




Dimensions in mm  
Inches are approximate

## HAWA Junior 250/B Set

- For 1 sliding door without upper track and lower guide channel

|  | Item No.   |
|--|------------|
|  | 942.56.002 |




## Set Components

|                                                                                     | Description                                                | Material | Finish          | Qty.   | Item No.   |
|-------------------------------------------------------------------------------------|------------------------------------------------------------|----------|-----------------|--------|------------|
|    | Double roller running gear                                 | –        | –               | 2 pcs. | 942.56.012 |
|    | Carrier profile with suspension plates and M12 hanger bolt | –        | –               | 2 pcs. | 942.56.024 |
|    | End caps for carrier profile                               | Plastic  | anthracite gray | 2 pc.  | 942.56.029 |
|    | Floor mounted guide, rattle-free                           | Plastic  | black           | 1 pc.  | 941.60.031 |
|    | Track stopper with adjustable retention spring             | –        | –               | 1 pc.  | 942.56.041 |
|    | Wall buffer                                                | Rubber   | black           | 1 pc.  | 941.60.051 |
|  | Locking wrench                                             | Steel    | –               | 1 pc.  | 941.20.091 |

### Note

Item numbers are valid only for 1 piece, when ordering individual components, please state the desired amount.  
Depending on application an additional track stopper has to be ordered with set. For 2 bi-parting sliding doors, please order 2 sets.

## Individual Components

|                                                                                     | Description                        | Material | Finish         | Length               | Item No.   |
|-------------------------------------------------------------------------------------|------------------------------------|----------|----------------|----------------------|------------|
|  | Upper track, pre-drilled           | Aluminum | clear anodized | 4 m (13' 1 1/2")     | 942.56.940 |
|                                                                                     |                                    |          |                | 6 m (19' 8 1/4")     | 942.56.960 |
|  | Suspension profiles                | Aluminum | clear anodized | 2.5 m (8' 2 7/16")   | 946.14.925 |
|                                                                                     |                                    |          |                | 6.5 m (21' 3 15/16") | 946.08.651 |
|  | Guide rail, glue-in type           | Plastic  | black          | 3 m (9' 10 1/8")     | 941.61.130 |
|  | Connecting bolts, for upper tracks | Steel    | galvanized     | –                    | 942.56.090 |

### Installation Plan

(Included in fitting set), mounting instructions for planning and execution available upon request.

|                           |            |
|---------------------------|------------|
| Confort guides            | page 1.198 |
| Other lower guide options | page 1.199 |

Dimensions in mm  
Inches are approximate