




HAWA Variifold 80/H Set

		Item No.
	Basic set with lower pivot with lower guide	943.29.010
	Basic set with lower pivot without lower guide	943.29.011
	Additional set with guide channel	943.29.012

Set Components

	Description	Material	Finish	943.29.010	943.29.011	943.29.012	Item No.
	Upper pivot with suspension block	-	-	1 pc.	1 pc.	-	943.27.022
	Door stopper with adjustable catch	-	-	1 pc.	1 pc.	1 pc.	943.27.043
	Running gear, M10 with suspension plate	-	-	1 pc.	1 pc.	-	943.27.012
	Running gear, M10 with distance spacer	-	-	-	-	1 pc.	943.27.021
	Carrier profile, 208 mm (8 3/16")	Aluminum	anodized	5 pcs.	4 pcs.	3 pcs.	940.81.080
	Thrust bearing for lower guide channel, includes lower pivot	-	-	1 pc.	-	-	943.28.028
	Thrust bearing, used w/o lower guide channel, includes lower pivot	-	-	-	1 pc.	-	943.28.029
	Lower guide	Slider: Plastic	-	1 pc.	-	1 pc.	943.28.027
	Cover cap to carrier profile	Plastic	anthracite	5 pcs.	4 pcs.	3 pcs.	942.56.029
	Vertical adjustment wrench, 19 mm (3/4")	-	-	1 pc.	1 pc.	-	943.27.090
" data-bbox="95 528 130 555"/>	Wrench, 10/11 mm (13/32"/>" data-bbox="95 528 130 555"/>	-	-	1 pc.	1 pc.	-	941.20.091
	Wrench, 13 mm (1/2")	-	-	1 pc.	1 pc.	-	943.30.095

Set for Pivot Doors

		Item No.
	Pivot door set attached to folding doors	943.29.013
	Pivot door set with guide channel	943.29.014
	Pivot door set without guide channel	943.29.015




Set Components

	Description	Material	Finish	943.29.013	943.29.014	943.29.015	Item No.
	Upper pivot with suspension block	-	-	-	1 pc.	1 pc.	943.27.022
	Door stopper with suspension block	-	-	1 pc.	1 pc.	1 pc.	943.27.043
	Carrier profile, 208 mm (8 3/16")	Aluminum	anodized	1 pc.	3 pcs.	3 pcs.	940.81.080
	Thrust bearing for lower guide channel, includes lower pivot	-	-	-	1 pc.	-	943.28.028
	Thrust bearing, used w/o lower guide channel, includes lower pivot	-	-	-	-	1 pc.	943.28.029
	Cover cap to carrier profile	Plastic	anthracite	1 pc.	3 pcs.	3 pcs.	942.56.029

Note

Item numbers are valid for only 1 piece, when ordering individual components please state the desired amount.
Set does not include the upper tracks, lower guide channels, hinges or locks.


HAWA Centerfold 80/H Set

	Item No.
 Basic set with lower pivot	943.27.100
 Additional set	943.27.101
 Pivot door set attached to folding doors	943.29.013
 Pivot door set w/o guide channel	943.29.015

Set Components

Description	Material	Finish	943.27.100 Qty.	943.27.101 Qty.	943.29.013 Qty.	943.29.015 Qty.	Item No.
 Upper pivot with suspension block			1 pc.	–	–	1 pc.	943.27.022
 Door stopper with adjustable catch			1 pc.	1 pc.	1 pc.	1 pc.	943.27.043
 Running gear, M10 with suspension plate			1 pc.	–	–	–	943.27.012
 Running gear, M10 with distance spacer			–	1 pc.	–	–	943.27.021
 Carrier profile 208 mm (8 3/16")	Aluminum	anodized	2 pcs.	–	1 pc.	3 pcs.	940.81.080
 Carrier profile 550 mm (21 5/8")	Aluminum	anodized	1 pc.	1 pc.	–	–	940.81.081
 Thrust bearing, used w/o lower guide channel, includes lower pivot			1 pc.	–	–	1 pc.	943.28.029
 Cover cap to carrier profile	Plastic	anthracite	3 pcs.	1 pc.	1 pc.	3 pcs.	942.56.029
 Vertical adjustment wrench, 19 mm (3/4")			1 pc.	–	–	–	943.27.090
 Wrench, 10/11 mm (13/32"/7/16") for suspension assembly			1 pc.	–	–	–	941.20.091
 Wrench, 13 mm (1/2")			1 pc.	–	–	–	943.30.095

Installation Examples:




Dimensional data not binding. We reserve the right to alter specifications without notice.

Dimensions in mm
Inches are approximate

HAWA Aperto 60/H

Sliding Door

Individual Components

	Item No.
	Suspension carriage with integrated mounting block and M8 screw 943.30.020
	Running gear with 2 rollers and M8 screw 943.30.012
	Suspension profile 250 x 20 x 25 mm (9 27/32" x 28/32" x 1") 943.31.125
	Cover cap for suspension profile 20 x 25 mm (25/32" x 1") Plastic, anthracite gray 943.30.029
	Floor guide with mounting block 943.30.030
	Single bolt lock with square/hexagonal socket, clip-on escutcheon and Ø9 mm (11/32") bolt/guide pin 943.31.083
	Single bolt lock for 17 mm (11/16") profile cylinder, with Ø9 mm (11/32") bolt/guide pin 943.31.082
	Single bolt lock with square/hexagonal socket, clip-on escutcheon and Ø9 mm (11/32") bolt 943.31.080
	Single bolt lock for 17 mm (21/32") profile cylinder, with Ø9 mm (11/32") bolt 943.31.081
	Strike plate for 9 mm (11/32") bolt 943.31.090
	Socket key for bolt lock 943.04.090

Pivot Door

Individual Components

	Item No.
	Suspension profile 250 x 20 x 25 mm (9 27/32" x 28/32" x 1") 943.31.125
	Cover cap for suspension profile 20 x 25 mm (25/32" x 1") Plastic, gray 943.30.029
	Top pivot bearing for parallel parking area 943.30.022
	Pivot bearing for 90 mm (3 1/2") parking area 943.30.023
	Bottom pivot bearing for guide channel 943.30.032
	Bottom pivot bearing with thrust 2 bearing sleeve 20 mm (25/32") 943.30.033
	Adapter piece for inner running track Length: 300 mm (11 13/16") 943.30.090
	Adapter piece for outer running track Length: 300 mm (11 13/16") 943.30.091
	Mounting plate for 2 x single running track 943.30.024
	Wrench SW13 943.30.095

Note

Item numbers refer to only 1 pc. or 1 set. Please specify required quantity when ordering individual parts.

Dimensional data not binding. We reserve the right to alter specifications without notice.