


Measurements table for selecting the right model based on cabinet height and door weight including handle

Model Häfele Free space 1.11	B	C	D	E	F
Door height	Door weight (lbs)				
9"	5.1 - 9.5	8.4 - 15.6	14.1 - 20.5	20.2 - 29.5	29.5 - 42
10"	4.2 - 8.6	7.5 - 14.1	12.8 - 20	18.3 - 27.7	26.6 -37.8
11"	4.2 - 7.7	6.8 - 12.8	11.7 - 18.0	16.5 - 26.4	24.2 - 34.3
12"	3.7 - 7.0	6.2 - 11.7	10.6 - 16.5	15.2 - 24.2	22.2 - 31.5
13"	3.5 - 6.6	5.7 - 10.8	9.7 - 15.4	14.1 - 22.4	20.5 - 29.0
14"	3.3 - 6.2	5.3 - 10.1	9.0 - 14.3	13.0 - 20.9	18.9 - 27.1
15"	2.9 - 5.7	4.8 - 9.5	8.4 - 13.2	12.1 - 19.4	17.8 - 25.1
16"	2.6 - 5.3	4.6 - 8.8	7.9 - 12.3	11.4 - 18.3	16.7 - 23.5

Model Häfele Free space 1.11	B	C	D	E	F
Door height	Door weight (lbs)				
17"	2.4 - 5.1	4.4 - 8.4	7.5 - 11.7	10.8 - 17.2	15.6 - 22.2
18"	2.2 - 4.6	4.2 - 7.7	7.0 - 11.0	10.1 - 16.1	14.7 - 20.9
19"	2.2 - 4.4	4.0 - 7.5	6.6 - 10.3	9.5 - 15.4	14.1 - 19.8
20"	2.0 - 4.2	3.7 - 7.0	6.4 - 9.9	9.0 - 14.5	13.2 - 18.9
21"	2.0 - 4.0	3.5 - 6.6	5.9 - 9.5	8.6 - 13.9	12.5 - 18
22"	1.8 - 3.7	3.3 - 6.4	5.7 - 9.0	8.1 - 13.2	12.1 - 17.2
23"	1.8 - 3.7	3.1 - 6.2	5.5 - 8.6	7.9 - 12.5	11.4 - 16.3
24"	1.8 - 3.5	3.1 - 5.9	5.3 - 8.1	7.5 - 12.1	11.0 - 15.6
25"	1.5 - 3.3	2.9 - 5.5	5.1 - 7.9	7.3 - 11.7	10.6 - 15.0
26"	1.5 - 3.3	2.9 - 5.3	4.8 - 7.7	7.0 - 11.2	10.1 - 14.5

Planning



Front panel thickness Y mm (inches)	16	19	22	26
	(5/8")	(3/4")	(7/8")	(1")

Distance X mm	117	107	96	83
(inches)(with cabinet top panel thickness 16 mm)	(4 5/8")	(4 1/4")	(3 7/8")	(3 1/4")