


Spacious and ergonomic workplace with Ellipta swivel arms for flat screen monitors



For more flexibility




Better communication




More creative freedom


- Area of application: For clamp fixing or secured through hole in desktop with base pole or wall mounted with wall bracket
- Load bearing capacity: 3–5 kg and 5–7.5 kg, continuously adjustable to suit device weight
- Material: Aluminium
- Finish: Plastic coated, white aluminium, RAL 9006
- Adjustment facility: max. 228 mm vertically with 5 pivots in all directions
- Cable routing: With clip system in base pole and swivel arm
- Height adjustment: Continuously
- Connection: 4 x USB




- (1) Desk leg with 4 USB ports, with concealed clamp fixing or secured through hole up to \varnothing 80 mm, clamping range 8–75 mm
- (2) Table fixing height 260 or 570 mm
- (3) Clamp fixing for toolless/continuous height adjustment
- (4) Flexible pivoting action approx. 180° to both sides
- (5) Spring continuously adjustable
- (6) Vertical lift 228 mm for optimal height adjustment
- (7) 90° pivoting action to the left and right
- (8) 85° pivoting action upwards and downwards
- (9) Carrier plate complies with the VESA mounting standards 75/100, rotates through 180°, horizontal or vertical monitor position
- ⑩ Cable holders on swivel arm and on base pole allow reliable and tidy cable routing



Short swivel arm



Standard swivel arm



Long swivel arm