




THRESHOLDS & WEATHERSTRIPPING

JAMB WEATHERSTRIPPING


- Fasteners: #6 x 5/8" Pan head sheet metal screws
- Notes:
- MIL finish weatherstripping is supplied with zinc plated screws
 - Brass weatherstripping is supplied with brass screws
 - Color anodized weatherstripping is supplied with screws plated to match
 - Stainless steel weatherstripping is supplied with stainless steel screws

785S




- Finishes: MIL, DBA, GLD
- Inserts: N
- Category: H, J
- Certifications:
- 
- 
- 

800S




- Finishes: MIL, DBA, GLD
- Inserts: B
- Category: H, J
- Certifications:
- 
- 
- 
- 

802S




- Finishes: MIL, DBA, GLD
- Inserts: B
- Category: H, J
- Certifications:
- 
- 
- 
- 

803S



- Finishes: MIL, DBA, GLD
- Inserts: B
- Category: H, J
- Certifications:
- 
- 


808S



- Finishes: MIL, DBA, GLD
- Inserts: B
- Category: H, J
- Certifications:
- 
- 
- 

JAMB WEATHERSTRIPPING (CONTINUED)

858S




Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:



Notes:

- Use with stopless frames only
- Spring adjustable


861S



Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:



859S




Finishes: MIL, DBA, GLD
 Category: H, J
 Certifications:



Notes: Magnetic


862S



Finishes: DBA, GLD, CLR
 Inserts: N
 Category: H, J
 Certifications:



860S




Finishes: MIL, DBA, GLD
 Inserts: V, N, S, W
 Category: H, J
 Certifications:




Notes: Adjustable

863S




Finishes: DBA, GLD, CLR
 Inserts: N
 Category: H, J
 Certifications:



JAMB WEATHERSTRIPPING (CONTINUED)

864S




Finishes: DBA, GLD, CLR
 Inserts: N
 Category: H, J
 Certifications:



Notes: Adjustable

870S




Finishes: DBA, GLD, MIB, CLR, US32D
 Inserts: N
 Category: H, J
 Certifications:




Notes: Adjustable

865S




Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:



Notes: Adjustable


871S



Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:



866S




Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:



Notes: Spring adjustable

873S




Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:



JAMB WEATHERSTRIPPING (CONTINUED)


874S



Finishes: MIL, DBA, GLD, US32D
 Inserts: N
 Category: H, J
 Certifications:




878S



Finishes: DBA, GLD, CLR
 Inserts: N
 Category: H, J
 Certifications:




875S



Finishes: DBA, GLD, MIB, CLR
 Inserts: N, S
 Category: H, J
 Certifications:




880S



Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:




877S



Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:



881S




Finishes: MIL, DBA, GLD
 Inserts: V, N, S, W
 Category: H, J
 Certifications:



Notes: Hardware compatible. Testing showed product to withstand 600 lbs per square inch of force

JAMB WEATHERSTRIPPING (CONTINUED)


882S



Finishes: DBA, GLD, CLR
 Inserts: B
 Category: H, J
 Certifications:




885S




Finishes: DBA, GLD, CLR
 Inserts: V, N, S, W, F
 Category: H, J
 Certifications:




883S



Finishes: DBA, GLD, CLR
 Inserts: B
 Category: H, J
 Certifications:



887S




Finishes: MIL, DBA, GLD
 Inserts: N
 Category: H, J
 Certifications:




Notes: Adjustable


884S



Finishes: DBA, GLD, CLR
 Inserts: V
 Category: H, J
 Certifications:



890S




Finishes: MIL, DBA, GLD
 Inserts: V, N, S
 Category: H, J
 Certifications:



JAMB WEATHERSTRIPPING (CONTINUED)


891S



Finishes: MIL, DBA, GLD
Inserts: V, N, S, F
Category: H, J
Certifications:




896S



Finishes: MIL, DBA, GLD
Inserts: V, N, S
Category: H, J
Certifications:




892S



Finishes: MIL, DBA, GLD
Inserts: N
Category: H, J
Certifications:



893S



Finishes: MIL, DBA, GLD
Inserts: W
Category: J
Certifications:

