




THRESHOLDS & WEATHERSTRIPPING

SADDLE THRESHOLDS

To effectively seal out the elements, use in conjunction with a door bottom, sweep, shoe, or bumper strip.


- Fasteners:** #10 x 1-1/2" sheet metal screws, other screw types and anchors available upon request
- Options:** Available with Sure Step Non-Slip Abrasive Coating
- Notes:**
- MIL finish thresholds are supplied with zinc plated screws
 - Brass thresholds are supplied with brass screws
 - Color anodized thresholds are supplied with screws plated to match
 - Stainless steel thresholds are supplied with stainless steel screws

401S




Finishes: MIL, DBA, GLD, MIB

Certifications:



Notes: MIB threshold will have a flat surface

402S




Finishes: MIL, DBA, GLD

Certifications:




403S




Finishes: MIL, DBA, GLD, MIB, US32D

Certifications:




404S




Finishes: MIL, DBA, GLD, MIB, US32D

Certifications:




410S




Finishes: MIL, DBA, GLD, MIB

Certifications:




411S




Finishes: MIL, DBA, GLD, MIB

Certifications:




412S




Finishes: MIL, DBA, GLD, MIB, US32D

Certifications:




413S




Finishes: MIL, DBA, GLD, MIB, US32D

Certifications:




414S



Finishes: MIL, DBA, GLD


Certifications:





SADDLE THRESHOLDS (CONTINUED)

415S




Finishes:

MIL, DBA, GLD, MIB

Certifications:



427S



Finishes:

MIL, DBA


Fasteners:

#14 x 1-1/2" FHSMS

Certifications:




416S




Finishes:

MIL, DBA, GLD, MIB

Certifications:



428S




Finishes:

MIL, DBA, GLD, MIB

Certifications:




417S




Finishes:

MIL, DBA, GLD, MIB

Certifications:



430S




Finishes:

MIL, DBA, GLD

Certifications:




418S




Finishes:

MIL, DBA, GLD, MIB

Certifications:



436S




Finishes:

MIL, DBA, GLD

Certifications:




426S




Finishes:

MIL, DBA, GLD, MIB

Certifications:



448S



Finishes:

MIL, DBA

Certifications:






THRESHOLDS & WEATHERSTRIPPING

SADDLE THRESHOLDS (CONTINUED)

492S



Finishes:
Certifications:

MIL, DBA, GLD



THERMAL BARRIER SADDLE THRESHOLDS

High strength thermal barrier is permanently bonded in place to block the transfer of heat or cold. To provide a seal, use in conjunction with a door bottom, sweep, shoe or bumper strip.


Fasteners: #10 x 1-1/2" sheet metal screws, other screw types and anchors available upon request

Options: Available with Sure Step non-slip abrasive coating

Notes:

- MIL finish thresholds are supplied with zinc plated screws
- Brass thresholds are supplied with brass screws
- Color anodized thresholds are supplied with screws plated to match

420S




Finishes:
Certifications:

MIL, DBA, GLD



421S




Finishes:
Certifications:

MIL, DBA, GLD




422S




Finishes:
Certifications:

MIL, DBA, GLD



423S




Finishes:
Certifications:

MIL, DBA, GLD



424S




Finishes:
Certifications:

MIL, DBA, GLD



451S




Finishes:
Certifications:

MIL, DBA, GLD



452S



Finishes:
Certifications:

MIL, DBA, GLD

