



# Introducing Gorilla Glue®

## Retail Product Guide

FOR THE TOUGHEST JOBS ON  
PLANET EARTH®





- 100% Waterproof: Doesn't break down when exposed to outdoor elements
- Versatile: Easily bonds wood, stone, metal, ceramic, foam, glass and more!
- Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Temperature Resistant: Unaffected by hot and cold temperatures.
- Clamp Time: 1-2 hour

## GORILLA GLUE® MINIS

Item #	Master Pack Qty.
GG5000503	6



- 100% Waterproof: Doesn't break down when exposed to outdoor elements
- Versatile: Easily bonds wood, stone, metal, ceramic, foam, glass and more!
- Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Temperature Resistant: Unaffected by hot and cold temperatures.
- Clamp Time: 1-2 hour

## 2 OZ. ORIGINAL GORILLA GLUE®

Item #	Master Pack Qty.
GG5000201	10



- 100% Waterproof: Doesn't break down when exposed to outdoor elements
- Versatile: Easily bonds wood, stone, metal, ceramic, foam, glass and more!
- Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Temperature Resistant: Unaffected by hot and cold temperatures.
- Clamp Time: 1-2 hour

## 4 OZ. ORIGINAL GORILLA GLUE®

Item #	Master Pack Qty.
GG5000408	8



- 100% Waterproof: Doesn't break down when exposed to outdoor elements
- Versatile: Easily bonds wood, stone, metal, ceramic, foam, glass and more!
- Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Temperature Resistant: Unaffected by hot and cold temperatures.
- Clamp Time: 1-2 hour

## 8 OZ. ORIGINAL GORILLA GLUE®

Item #	Master Pack Qty.
GG5000806	6



- 100% Waterproof: Doesn't break down when exposed to outdoor elements
- Versatile: Easily bonds wood, stone, metal, ceramic, foam, glass and more!
- Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Temperature Resistant: Unaffected by hot and cold temperatures.
- Clamp Time: 1-2 hour

## 18 OZ. ORIGINAL GORILLA GLUE®

Item #	Master Pack Qty.
GG50018	4



- 100% Waterproof: Doesn't break down when exposed to outdoor elements
- Versatile: Easily bonds wood, stone, metal, ceramic, foam, glass and more!
- Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Temperature Resistant: Unaffected by hot and cold temperatures.
- Clamp Time: 1-2 hour

## 36 OZ. ORIGINAL GORILLA GLUE®

Item #	Master Pack Qty.
GG5003601	2



- Dries White: 2x Faster
- 100% Waterproof: Won't break down when exposed to outdoor elements
- Versatile: Bonds wood, stone, metal, ceramic, foam, glass and more
- Clamp Time: 30-60 Minutes
- Dries 2X faster than Original Gorilla Glue

## 2 OZ. WHITE GORILLA GLUE®

Item #	Master Pack Qty.
GG5201205	10



- Dries White: 2x Faster
- 100% Waterproof: won't break down with exposure to moisture
- Precision Applicator
- Versatile: Bonds wood, stone, metal, ceramic, foam, glass and more!
- Incredibly Strong: Expands 3 times into the materials to form an incredibly strong bond
- Clamp Time: 30-60 Minutes
- Dries 2X faster than Original Gorilla Glue

## WHITE GORILLA GLUE® PEN

Item #	Master Pack Qty.
GG5201103	6



- Impact Tough: Unique rubber particles increase impact resistance and strength
- Anti Clog Cap: Keeps glue from drying out. It's Gorilla Tough use after use.
- Fast-setting: Dries in 10-30 seconds, no clamping required.

### 3G GORILLA® SUPER GLUE

Item #	Master Pack Qty.
GG7800109	10



- Impact Tough: Unique rubber particles increase impact resistance and strength
- Anti Clog Cap: Keeps glue from drying out. It's Gorilla Tough use after use.
- Fast-setting: Dries in 10-30 seconds, no clamping required.

### 15G GORILLA® SUPER GLUE

Item #	Master Pack Qty.
GG7805009	12



- Impact Tough: Unique rubber particles increase impact resistance and strength
- Anti Clog Cap: Keeps glue from drying out. It's Gorilla Tough use after use.
- Fast-setting: Dries in 10-30 seconds, no clamping required.

### 3G GORILLA® SUPER GLUE

Item #	Master Pack Qty.
GG7900102	10



- No Run Control Gel Formula
- Anti Clog Cap: Keeps glue from drying out, its Gorilla Tough use after use.
- Impact Tough: Unique rubber particles increase impact resistance and strength
- Fast-Setting: Dries in 10-30 seconds, no clamping required
- Versatile: Bonds plastic, wood, metal, ceramic, rubber, leather, paper and more!

### 15G GORILLA® SUPER GLUE GEL

Item #	Master Pack Qty.
GG7600103	12



- Two ways to dispense for greater control and versatility!
- Fine bristle brush for controlled coverage with less mess
- Precision tip nozzle for quick, easy dispensing
- Impact Tough: Unique rubber particles increase impact resistance and strength
- Fast-setting: Dries in 10-30 seconds, no clamping required.
- Versatile: Bonds plastic, wood, metal, ceramic, rubber, leather, paper, and more

## 10G GORILLA® SUPER GLUE BRUSH/NOZZLE

Item #	Master Pack Qty.
GG7500102	6



- Complete Projects Faster: Requires only 20-30 minutes of clamp time, fully cured in 24 hours.
- Use Indoors or Outdoors: Passes ANSI/HPVA Type II water resistance.
- Versatile: Ideal for use on hardwoods, softwoods, and natural wood composites.
- Dries natural color: Offering a natural bond line.

## 4 OZ. GORILLA® WOOD GLUE

Item #	Master Pack Qty.
GG6202003	12



- Complete Projects Faster: Requires only 20-30 minutes of clamp time, fully cured in 24 hours.
- Use Indoors or Outdoors: Passes ANSI/HPVA Type II water resistance.
- Versatile: Ideal for use on hardwoods, softwoods, and natural wood composites.
- Dries natural color: Offering a natural bond line.

## 8 OZ. GORILLA® WOOD GLUE

Item #	Master Pack Qty.
GG6200002	12



- Complete Projects Faster: Requires only 20-30 minutes of clamp time, fully cured in 24 hours.
- Use Indoors or Outdoors: Passes ANSI/HPVA Type II water resistance.
- Versatile: Ideal for use on hardwoods, softwoods, and natural wood composites.
- Dries natural color: Offering a natural bond line.

## 18 OZ. GORILLA® WOOD GLUE

Item #	Master Pack Qty.
GG6205001	12



- Dries Clear: Ideal for clean, easy finishing
- 5 Minute Set: Plenty of repositioning time for the perfect fit.
- Gap-Filling: Fills voids and bonds uneven and vertical surfaces.
- Water Resistant: Withstands moderate exposure to water
- Solvent resistant and Non-Toxic once cured
- Easy-to-use syringe: Separate barrels of resin and hardener keep epoxy from hardening, plus syringe dispenses evenly and includes a cap for multiple uses

## .85 OZ. GORILLA® EPOXY

Item #	Master Pack Qty.
GG4200102	10



- All Weather – Indoor & Outdoor use
- Fast Grab – Holds in 30 seconds
- Paintable
- Gap Filling
- VOC Compliant
- Low Odor

## 9 OZ. GORILLA® CONSTRUCTION ADHESIVE

Item #	Master Pack Qty.
GG8010003	12



- All Weather – Indoor & Outdoor use
- Fast Grab – Holds in 30 seconds
- Paintable
- Gap Filling
- VOC Compliant
- Low Odor

## 2.5 OZ. TUBE GORILLA® CONSTRUCTION ADHESIVE

Item #	Master Pack Qty.
GG8020002	6



- 100% Silicone Sealant
- 30 Minute Water Ready
- Indoor/Outdoor - All Weather
- 100% Waterproof
- Won't Yellow, Shrink or Crack
- Mold & Mildew Resistant
- Clear
- Great for: Kitchen, Bath, Window, Door, Plumbing, Gutters, Auto, Marine and more!

## 2.7 OZ TUBE GORILLA® CLEAR SEALANT

Item #	Master Pack Qty.
GG8090002	6



- Double-Thick Adhesive: Grips smooth, rough and uneven surfaces
- Tough, Reinforced Backing: The tight weave contributes to the heft, but Gorilla Tape can still be ripped by hand.
- Rugged, Weather-Resistant Shell: Withstands moisture, UV rays and temperature extremes

## 1" X 30YD GORILLA® TAPE TO-GO

Item #	Master Pack Qty.
GG6100109	6



- Double-Thick Adhesive: Grips smooth, rough and uneven surfaces
- Tough, Reinforced Backing: The tight weave contributes to the heft, but Gorilla Tape can still be ripped by hand.
- Rugged, Weather-Resistant Shell: Withstands moisture, UV rays and temperature extremes

## 2" X 12YD BLACK GORILLA® TAPE

Item #	Master Pack Qty.
GG60124	10



- Double-Thick Adhesive: Grips smooth, rough and uneven surfaces
- Tough, Reinforced Backing: The tight weave contributes to the heft, but Gorilla Tape can still be ripped by hand.
- Rugged, Weather-Resistant Shell: Withstands moisture, UV rays and temperature extremes

## 2" X 35YD BLACK GORILLA® TAPE

Item #	Master Pack Qty.
GG6035060	6



- Double-Thick Adhesive: Grips smooth, rough and uneven surfaces
- Tough, Reinforced Backing: The tight weave contributes to the heft, but Gorilla Tape can still be ripped by hand.
- Rugged, Weather-Resistant Shell: Withstands moisture, UV rays and temperature extremes

## 3" X 30YD BLACK GORILLA® TAPE TOUGH&WIDE

Item #	Master Pack Qty.
GG6003001	6



- Double-Thick Adhesive: Grips smooth, rough and uneven surfaces
- Tough, Reinforced Backing: The tight weave contributes to the heft, but Gorilla Tape can still be ripped by hand.
- Rugged, Weather-Resistant Shell: Withstands moisture, UV rays and temperature extremes

## 2" X 35YD SILVER GORILLA® TAPE

Item #	Master Pack Qty.
GG6074004	6



- Tripler Layer Strength: Toughest White Tape available; sticks to smooth, rough, and uneven surfaces
- Weather Resistant: Ideal for indoor and outdoor applications
- Brilliant White Color With UV Resistance: Camouflages repairs on white surfaces; won't yellow outdoors

## 2" X 30YD WHITE GORILLA® TAPE

Item #	Master Pack Qty.
GG6025001	6



- Matte Finish: Perfect for hunting, fishing, camping, and backpacking applications
- 9 Yard Roll: More than enough to get the job done, but light enough to carry into the field
- Rugged Outer Shell: Stands-up to rugged, all-terrain surfaces
- Outer Shell is Both UV and Water-Resistant
- Heavy-Duty Cloth Backing: Gives the tape strength and durability, yet easily tears by hand
- Sticks to Smooth, Rough and Uneven Surfaces: Brick, Stucco, Concrete, Metal, Fabric and More

## 9YD CAMO GORILLA® TAPE

Item #	Master Pack Qty.
GG6010902	6



- Heavy Duty: Use on tough household repairs
- Gorilla Tape Strength: Extra thick adhesive layer
- Crystal Clear: Won't yellow outdoors
- Weatherproof: Water, UV and Temperature Resistant.
- Easy toTear by Hand: Notched edge design
- For thousands of uses, including: leather/seat cushions, automotive, plastic inflatables, tarps/awnings/covers, plastic repair/labeling, camping, cracked smartphones.

## 9YD GORILLA® CLEAR REPAIR

Item #	Master Pack Qty.
GG6027002	6



- Heavy Duty: Use on tough household repairs
- Gorilla Tape Strength: Extra thick adhesive layer
- Crystal Clear: Won't yellow outdoors
- Weatherproof: Water, UV and Temperature Resistant.
- Easy to Tear by Hand: Notched edge design
- For thousands of uses, including: leather/seat cushions, automotive, plastic inflatables, tarps/awnings/covers, plastic repair/labeling, camping, cracked smartphones.

## 5YD GORILLA® CLEAR REPAIR

Item #	Master Pack Qty.
GG6015002	5



- Tough & Wide: At nearly 3" wide, use JUST 1 STRIP™! Thick 3.4 mil. Tape construction
- Crystal clear for protecting box labels
- Smooth, quiet dispensing
- Easy to cut
- Easy refill dispenser
- Perfect for shipping, packing and moving
- Refill packs available

## 35YD GORILLA® PACKAGING TAPE

Item #	Master Pack Qty.
GG6045002	6



- Tough & Wide: At nearly 3" wide, use JUST 1 STRIP™! Thick 3.4 mil. Tape construction
- Crystal clear for protecting box labels
- Smooth, quiet dispensing
- Easy to cut
- Perfect for shipping, packing and moving

## GORILLA® PACKAGING TAPE 2-PACK REFILLS

Item #	Master Pack Qty.
GG6030402	6



- 10LB Strong Hold!\*
  - Sticks to smooth and rough surfaces.\*\*
  - Weatherproof for indoor and outdoor use.
  - Crystal clear adhesive won't yellow over time.
  - Bonds to: Brick, concrete, stone, glass, metal, plastic, tile, wood and more! Tough & Clear
  - Holds up to 10 lbs
- \*weight limits may vary depending on surface texture, porosity and flatness of surface.  
 \*\*both surfaces must be completely flat to make full contact with adhesive.

## 10 LBS CLEAR GORILLA® MOUNTING TAPE

Item #	Master Pack Qty.
GG6065003	6



- 30LB Strong Hold!\*
  - Sticks to smooth and rough surfaces.\*\*
  - Weatherproof for indoor and outdoor use.
  - Bonds to: Brick, concrete, stone, glass, metal, plastic, tile, wood and more!
  - Holds up to 30 lbs
- \*weight limits may vary depending on surface texture, porosity and flatness of surface.  
 \*\*both surfaces must be completely flat to make full contact with adhesive.

### 30 LBS BLACK GORILLA® MOUNTING TAPE

Item #	Master Pack Qty.
GG6055002	6



- Absolutely Odorless
- Non-greasy
- Guaranteed Relief in Days

### 3.4 OZ. JAR WORKING HANDS®

Item #	Master Pack Qty.
GGK0350007	6



- Absolutely Odorless
- Non Greasy
- Safe for people with Diabetes
- Guaranteed relief in days

### 3.2 OZ. JAR HEATHLY FEET

Item #	Master Pack Qty.
GGK0320005	6



- Absolutely Odorless
- Non-greasy
- Guaranteed Relief in Days

### 6.8 OZ. JAR WORKING HANDS®

Item #	Master Pack Qty.
GGK0680001	8



- Unscented
- Non-greasy
- Guaranteed Relief in Days

### 3.0 OZ. TUBE WORKING HANDS®

Item #	Master Pack Qty.
GGK0290001	5



- Unscented
- Non-greasy
- Safe for people with Diabetes
- Guaranteed Relief in Days

### 3.0 OZ. TUBE HEALTHY FEET

Item #	Master Pack Qty.
GGK0280001	5

## Customer Service



Formerly HBC Home & Hardware Products

**World and Main (Cranbury), LLC**  
324A Half Acre Rd  
Cranbury, NJ 08512

Customer Service: 800-523-1268  
Fax: 609-860-9991

customerservice-cranbury@worldandmain.com

**Order Online:**  
**www.cranbury.worldandmain.com**



**The Gorilla Glue Company**  
4550 Red Bank Expressway  
Cincinnati, OH 45227

Customer Service: 800-276-0771  
Fax: 800-522-7553

ggsales@gorillaglu.com

**www.gorillaglu.com**

**Supplemental Price Lists:** For a copy of a current price list & conditions of sale, please contact your sales representative.  
\*All prices subject to change.

Distributed by



*Formerly HBC Home & Hardware Products*