




FIRE EXTINGUISHER CABINETS



FC5R



FC10W


Available for 5, 10, & 20 lb. Fire Extinguishers

- Indoor/Outdoor Use
- Ultraviolet Inhibitors to Reduce Fading
- Injection Molded Frame
- Scored Break Front
- Plastic Cam Lock, Key, and Striker Assemblies
- All Parts Interchangeable with CATO Chief Cabinets

**Purchase in Case Quantities of 6 for
Additional Savings!**

FIRETECH™ MOLDED FIRE EXTINGUISHER CABINETS


Part #	Description	Dimensions
FC5R	5 lb. Molded Fire Extinguisher Cabinet, Red	8"W x 19"H x 6 $\frac{1}{2}$ "D
FC5W	5 lb. Molded Fire Extinguisher Cabinet, White	8"W x 19"H x 6 $\frac{1}{2}$ "D
FC10R	10 lb. Molded Fire Extinguisher Cabinet, Red	9"W x 23"H x 7"D
FC10W	10 lb. Molded Fire Extinguisher Cabinet, White	9"W x 23"H x 7"D
FC20R	20 lb. Molded Fire Extinguisher Cabinet, Red	11"W x 28"H x 9"D
FC20W	20 lb. Molded Fire Extinguisher Cabinet, White	11"W x 28"H x 9"D



FC5FR



FCHR



FC5RP



FCRL

FRAMES AND LOCKS

Part #	Description
FC5FR	5 lb. (FC5R) Frame and Lock, Red
FC5FW	5 lb. (FC5W) Frame and Lock, White
FC10FR	10 lb. (FC10R) Frame and Lock, Red
FC10FW	10 lb. (FC10W) Frame and Lock, White
FC20FR	20 lb. (FC20R) Frame and Lock, Red
FC20FW	20 lb. (FC20W) Frame and Lock, White

STRIKER ASSEMBLIES

Part #	Description
FCHR	Striker Assembly, Red
FCHW	Striker Assembly, White

PANELS

Part #	Description
FC5RP	5 lb. (FC5_) Panel
FC10RP	10 lb. (FC10_) Panel
FC20RP	20 lb. (FC20_) Panel

LOCK AND KEY ASSEMBLIES

Part #	Description
FCRL	Lock and Key Assembly, Red
FCWL	Lock and Key Assembly, White


FIRETECH™ METAL FIRE EXTINGUISHER CABINETS

Part #	Description	Dimensions
SMCAB5	5 lb. Metal Fire Extinguisher Cabinet - Surface Mount	8½"W x 19¾"H x 6¼"D
SMCAB10	10 lb. Metal Fire Extinguisher Cabinet - Surface Mount	9½"W x 25¾"H x 6¼"D
SMCAB20	20 lb. Metal Fire Extinguisher Cabinet - Surface Mount	10½"W x 29¾"H x 8¼"D



- **Constructed of 20 Gauge Galvanized Steel**
- **Powder Coated Finish for Rust Resistance**
- **Keyed-Alike**
- **Scored Polystyrene Break Front**

SMCAB5



- **Scored Polystyrene Break Front**

SMCAB5RP




SMCAB5RT, SMCAB10RT, SMCAB20RT

ACRYLIC PANELS

Part #	Description
SMCAB5RP	5 lb. (SMCAB5) Acrylic Panel
SMCAB10RP	10 lb. (SMCAB10) Acrylic Panel
SMCAB20RP	20 lb. (SMCAB20) Acrylic Panel


TOP PANELS

Part #	Description
SMCAB5RT	5 lb. (SMCAB5) Top Panel w/Lock
SMCAB10RT	10 lb. (SMCAB10) Top Panel w/Lock
SMCAB20RT	20 lb. (SMCAB20) Top Panel w/Lock



STRIKER ASSEMBLIES

Part #	Description
SMBB	Breaker Bar Assembly
FCHS	Striker Assembly



LOCK AND KEY ASSEMBLY

Part #	Description
FTKEY	Universal Cam Lock and Key Assembly

IT'S EASY! (Mount & Tub Style) + 2 (Door Style) + 3 (Finish Type) = Part#
SR36 + F + SS= SR36FSS

Semi-Recessed, 3" Trim, 6" Deep, Full Glass Door, Stainless Steel

A) Surface-Mounted = SM ____

B) Fully Recessed = FR ____*

***5 = 5½" (Shallow) Tub**

or

***6 = 6" (Deep) Tub**

Choices

FR5 = Fully Recessed with Shallow (5½") Tub

FR6 = Fully Recessed with Deep (6") Tub

C) Semi-Recessed = SR ____* ____**

***1 = 1½" Square Trim**

or

***3 = 3" Rolled Trim**

Plus

****5 = 5½" (Shallow) Tub or**

****6 = 6" (Deep) Tub Choices**



Choices

SR15 = Semi-Recessed with 1½" Square Trim and Shallow (5½") Tub

SR16 = Semi-Recessed with 1½" Square Trim and Deep (6") Tub

SR35 = Semi-Recessed with 3" Rolled Trim and Shallow (5½") Tub

SR36 = Semi-Recessed with 3" Rolled Trim and with Deep (6") Tub



	TRIM STYLE	TUB I.D.			FRAME O.D.		WALL OPENING: NON-RATED		
		A	B	C	E	W	H	D	
		Width	Height	Depth					
Surface Mount	SM	13 ¹¹ / ₁₆ "	27 ³ / ₁₆ "	6 ¹ / ₂ "	13 ⁷ / ₈ "	27 ³ / ₈ "	-	-	-
Fully Recessed	FR5	10 ¹ / ₂ "	24"	5 ¹ / ₂ "	13 ⁷ / ₈ "	27 ³ / ₈ "	11 ¹ / ₂ "	25"	5 ³ / ₈ "
	FR6	10 ¹ / ₂ "	24"	6"	13 ⁷ / ₈ "	27 ³ / ₈ "	11 ¹ / ₂ "	25"	5 ⁷ / ₈ "
Semi Recessed	SR15	10 ¹ / ₂ "	24"	5 ¹ / ₂ "	13 ⁷ / ₈ "	27 ³ / ₈ "	11 ¹ / ₂ "	25"	4 ¹ / ₈ "
	SR35	10 ¹ / ₂ "	24"	5 ¹ / ₂ "	13 ⁷ / ₈ "	27 ³ / ₈ "	11 ¹ / ₂ "	25"	2 ⁵ / ₈ "
	SR36	10 ¹ / ₂ "	24"	6"	13 ⁷ / ₈ "	27 ³ / ₈ "	11 ¹ / ₂ "	25"	3 ¹ / ₈ "


(2) DOOR STYLES



F = full



V = Vertical



S = solid

(3) FINISH TYPE

- A — Clear Anodized Hood
- SS — Stainless Steel
- Blank — White Powder Coat Steel

OPTIONS

- R — Fire-Rated
- L — Saf-T-Lok
- TG — Tempered Glass
- SG — Safety Glass

Cabinet Features

- Door Styles Available with Standard Acrylic Front and/or Clear Anodized Aluminum
- Tub Constructed of Cold-Rolled Steel
- Powder Coated Finish for Rust Resistance
- Flush Cabinet Doors with a 5/8" Embossed Door Stop
- Continuous Door Hinge
- Zinc Plated Handle & Roller Catch
- 1 3/4" Face Trim on Frames
- 1 1/4" Trim on Door



SR36F

SMF

FR6V

SR36S

SR36FSS

ACCESSORIES AND REPLACEMENT COMPONENTS

Part #	Description
JLHP	Hardware for JL Industries Fire Extinguisher Cabinets
JLSL	Lock Assembly for JL Industries Fire Extinguisher Cabinets
JLLC	Saf-T-Lok Cam for JL Industries Fire Extinguisher Cabinets
JLRA	Acrylic Panel for JL Industries Academy, Ambassador, and Cosmopolitan Models 10_ and 18_ Steel Fire Extinguisher Cabinets

**If you don't see what you're looking for, let us know.
2000+ different combinations of cabinets are available.**

FIBERGLASS FIRE EXTINGUISHER CABINETS AND STANDS



FC101

- Protects Fire Extinguishers in Harshes of Environments
- Gasket Provides Long Term Weather Protection



FGC2

FGC3

- Designed to Protect Extinguishers from Harmful Elements
- Chemical-Resistant Fiberglass Construction
- Corrosion Resistant Handle
- Designed for Indoor or Outdoor Use



FGC2S



34FES

- Red Finish Matches FGC2
- Pre-Drilled Holes for Permanent Attachment
- Base: 27½"H x 15½"W x 15½"D

- Holds Up to 20 lb. Extinguishers
- Wide Base Resists Tipping
- Meets OSHA Requirements
- Dimensions - 21"W x 34"H x 21"D

- Holds Up to 20 lb. Fire Extinguishers
- Constructed of Red Powder Coated Steel
- Dimensions - 16"L x 16"W Base
- Molded Handle for Easy Movement



48FES



10FES/20FES

- Constructed of Rust and Fade Proof Materials
- Meets Cal and OSHA Requirements
- Convenient and Easy Carry Handle
- Cabinets Come with Scored Acrylic Panels, Lock, and Decals
- Dimensions - 21"W x 34"H x 21"D
- Heavy-Duty Rubber Base
- Stackable Stand for Easy Storage and Transport

ABS FIRE EXTINGUISHER CABINET

Part #	Description	Dimensions
FC101	ABS Fire Extinguisher Cabinet	11"W x 30"H x 8¼"D

FIRETECH™ FIBERGLASS FIRE EXTINGUISHER CABINETS

Part #	Description
FGC1	Fiberglass Fire Extinguisher Cabinet fits up to 23½"H Fire Extinguishers
FGC2	Fiberglass Fire Extinguisher Cabinet fits up to 24½"H Fire Extinguishers
FGC3	Fiberglass Fire Extinguisher Cabinet fits up to 33"H Fire Extinguishers

FIRE EXTINGUISHER STANDS

Part #	Description
FGC2S	Fiberglass Fire Extinguisher Cabinet Stand for FGC2
48FES	Portable Fire Extinguisher Stand - Steel, 48"H
34FES	FireMate® Portable Fire Extinguisher Stand - Plastic, 34"H
10FES	Fire Extinguisher Stand with 10 lb. Cabinet
20FES	Fire Extinguisher Stand with 20 lb. Cabinet

ALARMS

Part #	Description
CAR	Fire Extinguisher Cabinet Alarm - Red
CAW	Fire Extinguisher Cabinet Alarm - White
153200	Fire Extinguisher Theft Stopper®




CABINET KEY SET

Part #	Description
CKEY	Cabinet Key Set



ACRYLIC BUBBLE PANELS

Part #	Description	Dimensions
BUBA2	Acrylic Bubble Panel for JL Industries JL1500 Series Cabinets	8½"W x 22¼"H x 4"D
BUBA3	Acrylic Bubble Panel for JL Industries JL2500 Series Cabinets	12"W x 28"H x 5"D
BUBXS	Acrylic Bubble Panel Larsens Cameo 2409 Series Cabinets	6¾"W x 22½"H x 4"D
BUBA4	Acrylic Bubble Panel for Larsens Cameo (Steel) 3216 Series Cabinets	12¾"W x 28½"H x 4"D
BUBA5	Acrylic Bubble Panel Larsens Cameo (Aluminum) 2409 Series Cabinets	13¼"W x 29½"H x 4"D



CABINET DECALS

Part #	Description
S124	"Fire Extinguisher" Self-Adhesive Vinyl Cabinet Decal - 2"W x 19"H
S138	Red "Fire" Die-Cut Self-Adhesive Vinyl Cabinet Decal - 3"W x 8½"H
CABLAB	Reversed "In Case of Fire Break Front" Self-Adhesive Vinyl Cabinet Decal - 1½"L x 4¾"W x 1½"H



FIRE EXTINGUISHER COVERS

Part #	Description	Dimensions
3900	Heavy-Duty Vinyl Fire Extinguisher Cover w/Window - 5 lb.	8½"W x 20"L
3910	Heavy-Duty Vinyl Fire Extinguisher Cover w/Window - 5 lb. - 10 lb.	12"W x 20"L
3920	Heavy-Duty Vinyl Fire Extinguisher Cover w/Window - 20 lb. - 30 lb.	16¾"W x 25¾"L
3901	Heavy-Duty Vinyl Fire Extinguisher Cover w/out Window - 5 lb.	8½"W x 20"L
3905	Heavy-Duty Vinyl Fire Extinguisher Cover w/out Window - 5 lb. - 10 lb.	12"W x 20"L
3915	Heavy-Duty Vinyl Fire Extinguisher Cover w/out Window - 20 lb. - 30 lb.	16¾"W x 25¾"L
2900	Reinforced Vinyl Fire Extinguisher Cover w/out Window - Small	11½"W x 20"L
2915	Reinforced Vinyl Fire Extinguisher Cover w/out Window - Medium	16½"W x 25"L
2925	Reinforced Vinyl Fire Extinguisher Cover w/out Window - Large	16½"W x 31"L
2910	Reinforced Vinyl Fire Extinguisher Cover w/Window - Small	11½"W x 20"L
2920	Reinforced Vinyl Fire Extinguisher Cover w/Window - Medium	16½"W x 25"L
2930	Reinforced Vinyl Fire Extinguisher Cover w/Window - Large	16½"W x 31"L





35 North Street, Suite 50
Canandaigua, NY 14424

PARTNER WITH US AND GET:

*Superior Quality Products • Exemplary Customer Service • Team of Knowledgeable Experts
Unwavering Commitment to You, Our Business Partner*

GUARANTEED!

MORE REASONS WHY... HEISER HAS IT!

1.800.828.9638
sales@heiserusa.com
www.heiserusa.com



**SAME-DAY SHIPPING AND 12 WILL-CALL
LOCATIONS ENSURE YOU HAVE FAST ACCESS
TO THE PARTS YOU NEED TO DO THE JOB!**

- **Chicago, IL**
- **Cincinnati, OH**
- **Denver, CO**
- **Edison, NJ**
- **Grand Prairie, TX**
- **Houston, TX**
- **Kent, WA**
- **Miami, FL**
- **Norcross, GA**
- **Orlando, FL**
- **Phoenix, AZ**
- **Reno, NV**