





# DEVICE OUTSIDE TRIM

## MODEL 88L AND 88E SERIES ESCUTCHEON LEVERS (SQUARE DESIGN)

### FEATURES:

1. Non handed, easily installed with exit device.
2. Easy operating lever handle allows convenient one hand operation.
3. Available finishes: US3, US4, US10, US10B, US26, US26B, US28 and US32D
4. Trim has 4 through-bolts to the device chassis directly for better security and durability. It fits 1-3/4" (44) door standard. For 2" (51mm), 2-1/4" (57mm) thick door or the shim-mounted exit device, specify the door thickness when ordering.
5. 88L Series Escutcheons are forged bronze and the levers are zinc alloy castings.
6. Anti-Vandalism design prevents the lock from being damaged when a key locks the lever.

### Models and Functions:

Operation Options	Key Locks & Unlocks Lever	Lever Always Active (No Cylinder)	Key Retracts Latchbolt (Rigid Lever)	Pull when Dogged (Rigid Lever)
				
Function	Classroom	Passage	Night Latch	Dummy
Trim Designation	Cylinder Escutcheon Lever	Blank Escutcheon Lever	Night Escutcheon Lever	Dummy Escutcheon Lever
Model Number and Use	88LO1A	88LO1B	88LO1C	88LO1D
	For Rim, Surface / Concealed Vertical Rod, LBR Exit Devices Use:			
	88EO1A	88EO1B	88EO1C	88EO1D
	For Mortise Lock Exit Devices Use Only			
Escutcheon Plate Size	9 7/16" x 2 15/16" x 13/16" (240mm x 75mm x 21mm)			
ANSI Function	08	14	03	02
Cylinder Type	1/4" Mortise	–	Rim	–

- When there is a key requirement, the trims may receive cylinders from other manufacturers.
- Cylinder is not furnished standard. Specify cylinder type (RC-Regular Cylinder, NC-No Cylinder) when the cylinder is required.

### Optional Lever Design



88L 01A  
#01 Lever



88L 05A  
#05 Lever



88L 17A  
#17 Lever

### Cylinder Selection

The cylinder has two types as shown below.



Mortis Cylinder  
526



Rim Cylinder  
426







# DEVICE OUTSIDE TRIM

## MODEL 89L AND 89E SERIES ESCUTCHEON LEVERS

### FEATURES:


- 1. Non-handed easy installation
- 2. Easy operating lever handle allows convenient one hand operation.
- 3. Available finishes: US3, US4, US10, US10B, US26, US26B, US28 and US32D
- 4. Trim has 4 through-bolts to the device chassis directly for better security and durability. It fits 1-3/4" (44) door standard. For 2" (51mm), 2-1/4" (57mm) thick door or the shim-mounted exit device, specify the door thickness when ordering.
- 5. Clutch freewheeling design. The lever rotates when the door is locked, preventing excessive force from being applied to the horizontal lever.

### Models and Functions:

Operation Options	Key Locks & Unlocks Lever	Lever Always Active (No Cylinder)	Key Retracts Latchbolt (Rigid Lever)	Pull when Dogged (Rigid Lever)
				
Function	Classroom	Passage	Night Latch	Dummy
Trim Designation	Cylinder Escutcheon Lever	Blank Escutcheon Lever	Night Escutcheon Lever	Dummy Escutcheon Lever
Model Number and Use	89LO1A	89LO1B	89LO1C	89LO1D
	For Rim, Surface / Concealed Vertical Rod, LBR Exit Devices Use:			
	89EO1A	89EO1B	89EO1C	89EO1D
	For Mortise Lock Exit Devices Use Only			
Escutcheon Plate Size	8 27/32" x 2 15/16" x 15/16" (255mm x 75mm x 24mm)			
ANSI Function	08	14	03	02
Cylinder Type	1/4" Mortise	—	Rim	—

- In order to meet key requirements, the trims may receive cylinders from other manufacturers.
- Cylinder is not furnished standard. Specify cylinder type (RC - Regular Cylinder, IC - Interchangeable Core, NC - No Cylinder) when the cylinder is required.
- The 88E or 89E Series trims, which are used for mortise lock exit devices only, are not available to be ordered individually. Any one trim must be packed together with a mortise lock exit device when ordered.

### Ordering Information:



Function code:  
A - Classroom  
B - Passage  
C - Storeroom  
D - Dummy