



VR810

VR814

Vandal Resistant Trim

All stainless steel, 11 gauge (0.120" thick), using stainless steel fasteners for door thickness of 1-3/4" to 2-1/4". Built-in lock protector prevents tampering on certain models. Protective cylinder collar spins to reduce damage from pipe wrench or other tools. Models are available with or without attractive black plastisol edge grip.

VR810-DT

With black grip Without black grip

- For use with Falcon XX or 25 Series Exit Device
- Non-handed
- Thru-bolts direct to the exit device
- Pull operation only

Prod. No.

Width

Height

Thru-Bolt Pattern

Clearance Grip to Door

Projection

VR810DT

5-1/4"

11"

1-3/4" wide x 7-3/4" high

1-1/2"

1-7/8"

Finishes

US Finish US32D

BHMA 630

VR810-NL

VR810-NL

VR814-NL

VR814-NL

LHR With black grip RHR With black grip LHR Without black grip RHR Without black grip

- For use with Falcon XX-V
- Thru-bolts direct to the exit device
- Night latch operation (cylinder not furnished)

Prod. No.

Width

Height

Thru-Bolt Pattern

Clearance Grip to Door

Projection

VR810NL

5-1/4"

11"

1-3/4" wide x 7-3/4" high

1-1/2"

1-7/8"

Finishes

US Finish US32D

BHMA 630

VR810-NL-V

VR814-NL-V

With black grip Without black grip

- For use with Falcon 25-R or 25-V Series exit devices
- Thru-bolts direct to the exit device
- Night latch operation (cylinder not furnished)

Prod. No.

Width

Height

Thru-Bolt Pattern

Clearance Grip to Door

Projection

VR810NL-V

5-1/4"

11"

1-3/4" wide x 7-3/4" high


1-1/2"


1-7/8"

Finishes

US Finish US32D


BHMA 630



**VR900 RHR With black grip****VR900 LHR With black grip****VR904 RHR Without black grip****VR904 LHR Without black grip**


- For use with most mortise locks on outswinging doors including
- Schlage L9000 Series with interior L or N escutcheon, and rose trim.
- Includes built-in lock protector and cylinder cutout.
- Handed design allows trim to be positioned to coordinate with the centerline of inside hardware.

Width	Height	Thru-Bolt Pattern	Clearance Grip to Door	Projection
7-1/4"	11"	2" wide x 10" high	1-1/2"	1-7/8"
Finishes				
US Finish	US32D			
BHMA	630			

**VR900LLP RH With black grip****VR900LLP LH With black grip****VR904LLP RH Without black grip****VR904LLP LH Without black grip**


- For use with most mortise locks on outswinging doors including
- Schlage L9000 Series with interior L or N escutcheon, and rose trim.
- Includes built-in lock protector and cylinder cutout.
- Handed design allows trim to be positioned to coordinate with the centerline of inside hardware.

Width	Height	Thru-Bolt Pattern	Clearance Grip to Door	Projection
5-1/4"	11"	1-3/4" wide x 10" high	1-1/2"	1-7/8"
Finishes				
US Finish	US32D			
BHMA	630			


VR910-DT
VR914-DT
With black grip
Without black grip


- For use with Von Duprin 98/99 Series rim and vertical rod exit device
- Non-handed
- Thru-bolts direct to the exit device
- Pull operation only.

Width	Height	Thru-Bolt Pattern	Clearance Grip to Door	Projection
5-1/4"	11"	1-3/8" wide x 7" high	1-1/2"	1-7/8"
Finishes				
US Finish	US32D			
BHMA	630			


VR910-NL
VR914-NL
With black grip
Without black grip


- For use with Von Duprin 98/99 rim and vertical rod exit device
- Non-handed
- Thru-bolts direct to the exit device

Width	Height	Thru-Bolt Pattern	Clearance Grip to Door	Projection
5-1/4"	11"	1-3/8" wide x 7" high	1-1/2"	1-7/8"
Finishes				
US Finish	US32D			
BHMA	630			


VR910M-DT With black grip
VR914M-DT Without black grip

- For use with Von Duprin 9875/9975 mortise lock exit device
- Non-handed
- Thru-bolts direct to the exit device

Width	Height	Thru-Bolt Pattern	Clearance Grip to Door	Projection
7-1/4"	11"	1-3/8" wide x 7" high	1-1/2"	1-7/8"
Finishes				
US Finish	US32D			
BHMA	630			


VR910M-NL RHR
VR910M-NL LHR
VR914M-NL RHR
VR914M-NL LHR
With black grip
With black grip
Without black grip
Without black grip

- For use with Von Duprin 9875/9975 Series mortise lock exit device
- Thru-bolts direct to the exit device
- Night latch operation (cylinder not furnished)

Width	Height	Thru-Bolt Pattern	Clearance Grip to Door	Projection
7-1/4"	11"	1-3/8" wide x 7" high	1-1/2"	1-7/8"
Finishes				
US Finish	US32D			
BHMA	630			

A
Hinges & PivotsB13
Pulls & PlatesC
Flush Bolts & CoordinatorsD
Latches, Catches & BoltsE
StopsF
Exterior HardwareG
Miscellaneous Hardware