KEIL

KEIL

CATALOG NO. 64 BH

Builders' Hardware


SINCE 1876

Manufacturers of Quality Key Machines, Key Blanks and Builders' Hardware

KEIL LOCK COMPANY, INC.
Charlestown, New Hampshire

RIM CYLINDER NIGHT LATCHES

No. 51030
No. 51039



A sturdy die cast Night Latch to meet the demand for a pin tumbler standard backset latch in the lower price range.

OPERATION: From inside by turn knob; outside by key. No. 51039 can be deadlocked by slide button.

SPECIAL KEYING: Not furnished master keyed, but can be keyed alike.

FINISHES: No. 51030—Statuary Bronze Lacquer. No. 51039—Statuary Bronze Wrinkle.

CYLINDER: 5 Pin Tumbler.


CHANGES: Practically unlimited.

HAND: Reversible.

FOR DOORS: 1 inch to 2½ inches.

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51030	Die Cast	Die Cast Brass Plated	2—No. 159AA	No. 29 Die Cast	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	45 lbs.
51039	Die Cast	Die Cast Brass Plated	2—No. 159AA	No. 29 Die Cast	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	45 lbs.



Rugged, dependable KEIL Night Latches afford extra security at no additional cost. The slide button holds the bolt retracted and can also be used to deadlock the bolt.

Nos. 51040H, 51040AH and 51043H are equipped with a "hold-back" feature, that automatically holds the bolt retracted when the latch is operated by the key, which allows you to open the door with one hand when carrying packages.

OPERATION: From inside by turn knob; outside by key. Can be deadlocked by slide button.

SPECIAL KEYING: Nos. 51040A, 51040AH, 51043, 51043H and B51043—can be master keyed in groups or keyed alike. Nos. 51040 and 51040H—keyed alike only.

FINISHES: Standard (except No. B51043)—Black Wrinkle and Statuary Bronze Wrinkle. No. B51043—Natural Bronze.

SPECIAL FINISHES: To order.

CHANGES: Practically unlimited.

HAND: Reversible.

FOR DOORS: 1 inch to 2½ inches.

No. 51040 **No. 51040A** **No. 51043*** **No. B51043***

No. 51040H (with hold-back) **No. 51040AH** (with hold-back) **No. 51043H** (with hold-back)

GENERAL DESCRIPTION

* Meets Federal Specifications — See Back Cover

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51040 51040H	Cast Iron	Cast Iron Brass Plated	2—No. 159AA	No. 29 Die Cast	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	57 lbs.
51040A 51040AH	Cast Iron	Cast Iron Brass Plated	2—No. 2KK	No. 30 Brass	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	58 lbs.
51043 51043H	Cast Iron	Cast Bronze	2—No. 2KK	No. 30 Brass	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	58 lbs.
B51043	Cast Bronze	Cast Bronze	2—No. 2KK	No. 30 Brass	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	67 lbs.

No. 51041


This handsome modern looking KEIL Night Latch fills the need for a narrow backset latch in the low price class where pin tumbler security is not essential.

OPERATION: From inside, by turn knob, outside by key.

SPECIAL KEYING: Can be keyed alike. NOT furnished master keyed.

FINISH: Black Wrinkle.


FOR DOORS: 1 inch to 2¼ inches.



GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51041	Cast Iron	Cast Iron Brass Plated	2—No. 181N	No. 31	2⅛"	2¼" x 3¼" x 1"	1 in a box 3 dz. carton	50 lbs.

No. 51060 No. 51060A No. 51063
No. 51060H No. 51060AH No. 51063H
(with hold-back) (with hold-back) (with hold-back)



Modern Streamlined Design

The KEIL Nos. 51060H, 51060AH and 51063H Night Latches can be unlocked with one hand. When the key is used to retract the bolt, the bolt stays in open position so that you are free to turn the regular knob with the same hand.

OPERATION: From inside by turn knob, outside by key.

SPECIAL KEYING: Nos. 51060A, 51060AH, 51063 and 51063H can be master keyed in groups, or keyed alike. Nos. 51060 and 51060H can be keyed alike only.

FINISH: Standard-Brass Wrinkle.

SPECIAL FINISHES: To order.

CHANGES: Practically unlimited.

HAND: Reversible.


FOR DOORS: 1 inch to 2½ inches.


GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51060 51060H	Cast Iron	Cast Iron Brass Plated	2—No. 159AA	No. 29 Die Cast	2⅜"	3¾" x 2½" x ⅞"	1 in a box 3 dz. carton	57 lbs.
51060A 51060AH	Cast Iron	Cast Iron Brass Plated	2—No. 2KK	No. 30 Brass	2⅜"	3¾" x 2½" x ⅞"	1 in a box 3 dz. carton	58 lbs.
51063 51063H	Cast Iron	Cast Bronze	2—No. 2KK	No. 30 Brass	2⅜"	3¾" x 2½" x ⅞"	1 in a box 3 dz. carton	58 lbs.

RIM CYLINDER NIGHT LATCHES

STREAMLINED NIGHT LATCH





No. 51061

Here, at last, is a rugged Streamlined Night Latch with a modern design flair which is available in the lower price range. This night latch has more selling features than any you have ever seen.

OPERATION: From inside by turn knob, outside by key.

SPECIAL KEYING: Can be keyed alike. Not furnished master keyed.

FINISH: Handsome Gray Mottle, blends with any decor.

CYLINDER: 5 Pin Tumbler.

CHANGES: Practically unlimited.

HAND: Reversible.

FOR DOORS: 1 inch to 2½ inches.

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51061	Die Cast	Die Cast Brass Plated	2—No. 159AA	No. 29 Die Cast	2⅜"	3¾" x 2⅜" x 1⅛"	1 in a box 3 dz. carton	52 lbs.

STREAMLINED RIM DEADLOCK

No. 51065

EXTRA SECURITY WITH MODERN DESIGN

OPERATION: From inside by turn knob, outside by key.

SPECIAL KEYING: Can be master keyed in groups, or keyed alike.


FINISH: Standard-Brass Wrinkle.


SPECIAL FINISHES: To order.

CHANGES: Practically unlimited.

HAND: Reversible.

FOR DOORS: 1 inch to 2½ inches.






GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51065	Cast Iron	Cast Bronze	2—No. 2KK	No. 30 Brass	2⅜"	3¾" x 2½" x ⅞"	1 in a box 3 dz. carton	57 lbs.

No. 51050* No. D51050



This conventional type deadlock combines sturdy construction, security and protection.

OPERATION: From inside by turn knob, outside by key.

SPECIAL KEYING: No. 51050 can be master keyed in groups or keyed alike. No. D51050 can be keyed alike only.

FINISHES: Standard-Black Wrinkle and Statuary Bronze.

SPECIAL FINISHES: To order.

CHANGES: Practically unlimited.

HAND: Reversible.


FOR DOORS: 1 inch to 2½ inches.

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51050	Cast Iron	Cast Bronze	2—No. 2KK	No. 30 Brass	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	63 lbs.
D51050	Cast Iron	Cast Bronze	2—No. 159AA	No. 29 Die Cast	2⅜"	2½" x 3⅝" x 1"	1 in a box 3 dz. carton	62 lbs.

* Meets Federal Specifications — See Back Cover

No. 51055
No. D51055
No. 51056



This KEIL series features an extra long and heavy bolt reinforced with two hardened steel saw-proof inserts. This safety feature plus neat, compact appearance and precision assembly, make it another KEIL favorite. Full one-inch throw.

OPERATION: Nos. 51055 and D51055—From inside by turn knob, outside by key. No. 51056—From both sides by key.

SPECIAL KEYING: Nos. 51055 and 51056 can be master keyed in groups or keyed alike. No. D51055 can be keyed alike only. No. 51056 has two brass cylinders for security on glass panelled doors.

FINISH: Standard-Brass Lacquer.

SPECIAL FINISHES: To order.

CHANGES: Practically unlimited.


HAND: Reversible.

FOR DOORS: 1 inch to 2½ inches.

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
51055	Die Cast	Die Cast Steel Inserts	2—No. 2KK	No. 30 Brass	2⅜"	2¾" x 3½" x 1⅛"	1 in a box 2 dz. carton	53 lbs.
D51055	Die Cast	Die Cast Steel Inserts	2—No. 159AA	No. 29 Die Cast	2⅜"	2¾" x 3½" x 1⅛"	1 in a box 2 dz. carton	52 lbs.
51056	Die Cast	Die Cast Steel Inserts	2—No. 2KK	2—No. 30 Brass	2⅜"	2¾" x 3½" x 1⅛"	1 in a box 2 dz. carton	65 lbs.


JIMMY-PROOF DEADLOCKS



2 BOLTS FOR TWICE THE STRENGTH


Precision assembled, beautifully finished KEIL Deadlocks combine a maximum of security with outstanding style and beauty. Easy to install and smooth operating, you'll find these numbers fast sellers. One piece mechanism, solid bolt.

No. 1066
No. D1066
No. D1066B



DOUBLE CYLINDER
No. 1088

OPERATION: Nos. 1066, D1066 and D1066B—From inside by turn knob, outside by key. No. 1088—From both sides by key.
SPECIAL KEYING: Nos. 1066 and 1088—Can be master keyed in groups or keyed alike. Nos. D1066 and D1066B—Keyed alike only.
FINISHES: Nos. 1066, D1066 and 1088—Brass Lacquer. No. D1066B—Polished Bronze Plated.
SPECIAL FINISHES: To order.
CHANGES: Practically unlimited.
HAND: Reversible.
FOR DOORS: 1 inch to 2½ inches.
STRIKES: Regularly furnished with angle strike. Flat strike for doors opening out, furnished when specified.




GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
1066	Die Cast	Die Cast	2—No. 2KK	No. 30 Brass	2½"	2⅞" x 4½" x ⅞"	1 in a box 2 dz. carton	41 lbs.
D1066	Die Cast	Die Cast	2—No. 159AA	No. 29 Die Cast	2½"	2⅞" x 4½" x ⅞"	1 in a box 2 dz. carton	41 lbs.
D1066B	Die Cast	Die Cast	2—No. 159AA	No. 29 Die Cast	2½"	2⅞" x 4½" x ⅞"	1 in a box 2 dz. carton	41 lbs.
1088	Die Cast	Die Cast	2—No. 2KK	2—No. 30 Brass	2½"	2⅞" x 4½" x ⅞"	1 in a box 2 dz. carton	47 lbs.


CAST BRONZE


Our best quality, heavy duty, cast bronze Deadlocks, also have a safety shutter attached to the back cover. This device provides additional protection if the cylinder is forcibly removed.


The shutter automatically covers the opening in the cam, when the cylinder is pulled out, so that the bolt cannot be operated. The shutter can only be moved from inside the door.



No. 1166
RUGGED RELIABLE SECURITY







DOUBLE CYLINDER
No. 1188

OPERATION: No. 1166—From inside by turn knob, outside by key. No. 1188—From both sides by key.
SPECIAL KEYING: Can be master keyed in groups or keyed alike.
FINISH: Natural Bronze.
SPECIAL FINISHES: To order.
CHANGES: Practically unlimited.
HAND: Reversible.
FOR DOORS: 1 inch to 2½ inches.
STRIKES: Regularly furnished with angle strike. Flat strike for doors opening out, furnished when specified.

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
1166	Cast Bronze	Forged Brass	2—No. 2KK	No. 30 Brass	2½"	2⅞" x 4½" x 1⅛	1 in a box 1 dz. carton	29 lbs.
1188	Cast Bronze	Forged Brass	2—No. 2KK	2—No. 30 Brass	2½"	2⅞" x 4½" x 1⅛	1 in a box 1 dz. carton	31 lbs.

SAW-PROOF DEADLOCKS

ROTARY BOLT

BURGLAR-JIMMY-SAW-PROOF LOCK

These KEIL Burglar-Jimmy-Saw-Proof Deadlocks have two bolts which shoot out, turn and lock in position, providing twin action, double security. The bolts contain revolving, hardened steel cores, which move with a saw stroke.

OPERATION: No. B51000—From inside by turn knob, outside by key. No. B51001—From both sides by key.

SPECIAL KEYING: Can be master keyed in groups or keyed alike.

FINISH: Natural Bronze.


SPECIAL FINISHES: To order.


CHANGES: Practically unlimited.

HAND: Reversible.


FOR DOORS: 1 inch to 2½ inches.


STRIKES: Regularly furnished with angle strike. Flat strike for doors opening out, furnished when specified.





Single Cylinder
No. B51000





Cutaway View of Bolt

DOUBLE CYLINDER
No. B51001

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight-Carton
B51000	Cast Bronze	Cast Bronze Steel Inserts	2—No.2KK	No. 30 Brass	2⅜"	3⅜" x 4" x 1¼"	1 in a box 2 dz. carton	73 lbs.
B51001	Cast Bronze	Cast Bronze Steel Inserts	2—No.2KK	2—No. 30 Brass	2⅜"	3⅜" x 4" x 1¼"	1 in a box 2 dz. carton	80 lbs.

ROTARY BOLT MORTISE DEADLOCKS

This lock is ideal for double store doors, swinging and sliding doors. It has revolving hardened steel bolt cores. Bolts shoot out, turn and rest in locked position. It is available in all finishes.

OPERATION: No. B51075 — Inside by turn knob, outside by key. No. B51076 — From both sides by key.

SPECIAL KEYING: Can be master keyed in groups or keyed alike.

FACE: Wrought Brass (armored) 5¾ inches x 1⅛ inches.


STRIKE: Cast brass.

TURN KNOB: Brass (No. S-95)

FINISH: Regular — Polished Brass.

SPECIAL FINISHES: To order.

CHANGES: Practically unlimited.




Cutaway View of Bolt

FOR DOORS: 1⅝ inches to 3 inches. HAND: Reversible.

SPECIAL: Rounded face and strikes to order at extra cost.

BURGLAR-JIMMY-SAW-PROOF LOCK

No. B51075
One Cylinder and Turn Knob



No. B51076
Two Cylinders

ARMORED FACE

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight
B51075	Cast Iron	Cast Bronze	2—No. 2KK	No. 36 Extension	2½"	3¾" x 3½" x ⅞"	1 in a box	3 lbs.
B51076	Cast Iron	Cast Bronze	2—No. 2KK	2—No. 36 Extension	2½"	3¾" x 3½" x ⅞"	1 in a box	3 lbs.

MORTISE NIGHT LATCHES

HOLD BACK: By button.

OPERATION: No. 20666: Inside by turn knob, outside by key. No. 20667: By key from both sides.

SPECIAL KEYING: Can be master keyed or keyed alike to order.

HUB: Brass, 5/16".

FACE: Wrought Brass (armored) 5" x 1⅛".

TURN KNOB: Brass (No. S-91)

STRIKE: Wrought Brass 2-9/16" x 1". Lip to center 1⅛".


CHANGES: Practically unlimited.

FINISHES: Standard Finish, Polished Brass.

SPECIAL FINISHES: To order.

FOR DOORS: 1⅝" to 3".

HAND: Reversible.



No. 20666 One Cylinder and Turn Knob

No. 20667 Two Cylinders

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight
20666	Cast Iron	Cast Brass	2—No. 2KK	No. 35 Extension	2¾"	3 5/16" x 3½" x 13/16"	1 in a box	3 lbs.
20667	Cast Iron	Cast Brass	2—No. 2KK	2—No. 35 Extension	2¾"	3 5/16" x 3½" x 13/16"	1 in a box	3 lbs.

ROTARY BOLT STORE DOOR DEADLOCK

BURGLAR-JIMMY-SAW-PROOF LOCK
No. B51090

This Lock is specially designed for use on store doors. It can be used with a variety of lock trims and comes in all finishes. It has revolving hardened steel bolt cores. Bolts shoot out, turn and rest in locked position.

OPERATION: Latch, by handle thumb piece. Bolts, by key from either side.

SPECIAL KEYING: Can be master keyed in groups or keyed alike.

FACE: Wrought Brass (armored) 8 inches x 1⅜ inches.

STRIKE: Cast brass heavy box strike. Lip to center 1½ inches.


CHANGES: Practically unlimited.

FINISHES: Available in all finishes.

FOR DOORS: 1⅝ inches to 3 inches.

HAND: Reversible.

SPACING: Trip to cylinder — 4–11/16 inches.



ARMORED FACE

Two Cylinders.

Cutaway View of Bolt

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight
B51090	Cast Iron	Cast Bronze Steel Inserts	2—No. 2KK	2—No. 36 Extension	2½"	5½" x 3½" x 1"	1 in a box	4½ lbs.


LOCK TRIM FOR NO. B51090 LOCK

Any one of these Lock Trims may be used with the No. B51090 lock. They are made of brass and are available in all finishes.


Set. No. 100: MONADNOCK DESIGN — Two thumbpiece plates, 14½ inches x 3 inches.

Set. No. 103: DARTMOUTH DESIGN — Two thumbpiece handles, 9½ inches, two cylinder rosettes.

Set No. 101: CHESHIRE DESIGN — Two thumbpiece handles, 8 inches, two cylinder rosettes.



100 TRIM



101 TRIM



103 TRIM

No. 20618 One-Cylinder Lock
No. 20619 One-Cylinder Lock and Turn Knob
No. 20620 Two-Cylinder Lock
No. 20622 One-Cylinder Lock
No. 20623 One-Cylinder Lock and Turn Knob
No. 20624 Two-Cylinder Lock



ARMORED FACE

OPERATION: No. 20618: Outside by key only. No. 20619: Inside by turn knob, outside by key. No. 20620: By key from both sides. No. 20622: Outside by key only. No. 20623: Inside by turn knob, outside by key. No. 20624: By key from both sides.
SPECIAL KEYING: Can be master keyed in groups or keyed alike.
FACE: Wrought Brass (armored) 4″ x 1⅛″.


STRIKE: Wrought Brass 2¾″ x 15/16″
CHANGES: Practically unlimited.
FINISHES: Regular-Polished Brass.
SPECIAL FINISHES: To order.
FOR DOORS: 1⅝″ to 3″.
HAND: Reversible.
FACE: Rounded face and strike to order at extra cost.

GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight
20618	Cast Iron	Cast Brass	2—No. 2KK	No. 35 Extension	2¼″	2⅜″ x 3⅛″ x 13/16″	1 in a box	1¾ lbs.
20619	Cast Iron	Cast Brass	2—No. 2KK	No. 35 Extension	2¼″	2⅜″ x 3⅛″ x 13/16″	1 in a box	2 lbs.
20620	Cast Iron	Cast Brass	2—No. 2KK	2—No. 35 Extension	2¼″	2⅜″ x 3⅛″ x 13/16″	1 in a box	2 lbs.
20622	Cast Iron	Cast Brass	2—No. 2KK	No. 35 Extension	2¾″	2⅜″ x 3⅝″ x 13/16″	1 in a box	1¾ lbs.
20623	Cast Iron	Cast Brass	2—No. 2KK	No. 35 Extension	2¾″	2⅜″ x 3⅝″ x 13/16″	1 in a box	2 lbs.
20624	Cast Iron	Cast Brass	2—No. 2KK	2—No. 35 Extension	2¾″	2⅜″ x 3⅝″ x 13/16″	1 in a box	2 lbs.

BIT KEY MORTISE LOCK SETS


BIT KEY FRONT DOOR LOCK SET




BB100
Wrought Steel Trim
US4 Finish

CASE: Iron, japanned, 5¼" x 3-9/16" x ⅝". FRONT: Steel, 7¼" x 1". HAND: Reversible. BACKSET: 2-7/16". TUMBLERS: one, 12 changes. SPACING: 3⅛". STRIKE: Steel, Lip 1-3/16" to center. BOLTS: Iron, 7/16" throw. Easy spring latch construction. HUB: Iron, for 5/16" swivel spindle. KNOBS: 2¼" diameter, two piece; projection 2⅜". ESCUTCHEONS: Inside 7" x 2¼", Outside 10" x 2¾". KEYS: Two, nickel plated iron. OPERATION: Latch bolt by knob inside at all times. Stop button locks outside knob. Then by key only outside. Dead bolt by key either side. PACKED: 6 per carton. SHIPPING WEIGHT: 20 lbs.

BIT KEY INSIDE LOCK SETS






BB101
Wrought Steel Trim
US4 Finish

CASE: Iron, japanned, 3⅞" x 3¼" x ⅝". FRONT: Steel, 5⅝" x ⅞". HAND: Reversible. BACKSET: 2⅜". TUMBLERS: One, 6 changes. SPACING: 2-3/16". STRIKE: Steel, Lip 1" to center. BOLTS: Iron. Latch bolt, ⅜" throw. Single compression spring. Dead bolt 7/16" throw. HUB: Iron for 5/16" spindle. KNOBS: 2¼" diameter, two piece; projection 2⅜". ESCUTCHEONS: 7" x 2¼". KEY: One, nickel plated iron. OPERATION: By knob or key either side. PACKED: 2½ dozen per carton. SHIPPING WEIGHT: 58 lbs.

BB102
Same as BB101, but with steel lock case. PACKED: 2½ dozen per carton. SHIPPING WEIGHT: 50 lbs.


BB103
Same as BB101, but with 3 tumbler lock, 24 changes. Two nickel plated steel keys. PACKED: 30 per carton. SHIPPING WEIGHT: 58 lbs.

BATHROOM LOCK SET



BB104
Wrought Steel Trim
US4 x 14 Finish

CASE: Iron, japanned, 3⅞" x 3¼" x ⅝". FRONT: Steel, 5⅝" x ⅞". HAND: Reversible. BACKSET: 2⅜". SPACING: 2-5/16". STRIKE: Steel, Lip 1" to center. BOLTS: Iron. Latch bolt, ⅜" throw. Single compression spring. Dead bolt 7/16" throw. HUBS: Knob hub, iron; for 5/16" spindle. Turn knob hub, bronze; for 3/16" spindle. KNOBS: 2¼" diameter, two piece, projection 2⅜". ESCUTCHEONS: 7" x 2¼". OPERATION: Latch bolt by knob either side. Dead bolt by turn knob inside. Emergency Key furnished at extra cost. PACKED: 30 per carton. SHIPPING WEIGHT: 62 lbs.





FRONT DOOR LOCK SET


BB105
Wrought Brass Trim
US3 Finish

CASE: Iron, black wrinkle finish, 5⅝" x 3¾" x ¾". FRONT: Forged Brass, 7-11/16" x 1". HAND: Reversible. BACKSET: 2½". SPACING: Knob to cylinder 3-11/16". Knob to turn knob 2-9/32". STRIKE: Brass. Lip to center 1-5/16". BOLTS: Brass, ½" throw. HUBS: Brass, knob hub ⅜". Turn knob hub 3/16". KNOBS: 2¼" diameter, projection 2⅜". ESCUTCHEONS: Inside 7" x 2¼", Outside 10" x 2¾". CYLINDER: Brass, 5 pin tumbler. No. 35. Two keys No. 2KK. Can be keyed alike and master keyed.

OPERATION: Latch bolt by knob inside at all times. Stop button locks outside knob. Then by key only outside. Dead bolt by key outside, turn knob inside. PACKED: 6 per carton. SHIPPING WEIGHT: 29 lbs.







VESTIBULE LOCK SET


BB108
Wrought Brass Trim
US3 Finish

CASE: Iron, black wrinkle finish, 5⅝" x 3¾" x ¾". FRONT: Forged Brass, 7-11/16" x 1". HAND: Reversible. BACKSET: 2½". SPACING: Knob to cylinder 3-11/16". STRIKE: Brass. Lip to center 1-5/16". BOLT: Brass, ½" throw. HUBS: Brass, ⅜". KNOBS: 2¼" diameter, projection 2⅜". ESCUTCHEONS: Inside 7" x 2¼", Outside 10" x 2¾". CYLINDER: Brass, 5 pin tumbler. No. 35. Two keys No. 2KK. Can be keyed alike and master keyed.

OPERATION: Latch bolt by knob inside at all times. Stop button locks outside knob. Then by key only. PACKED: 6 per carton. SHIPPING WEIGHT: 27 lbs.

STORE DOOR LOCK SET





BB106
Wrought Brass Trim
US3, US26 and US26D Finishes

CASE: Iron, black wrinkle finish, 5½" x 3¾" x ¾". FRONT: Brass, 7-11/16" x 1". HAND: Reversible. BACKSET: 2½". SPACING: Trip to cylinder 4¾". STRIKE: Brass. Lip to center 1-5/16". BOLTS: Brass, ½" throw. HANDLES: 14½" x 3". CYLINDERS: Brass, 5 pin tumbler. No. 35 (two). Two keys No. 2KK. Can be keyed alike and master keyed.

OPERATION: Latch bolt by thumbpiece either side. Dead bolt by key either side. PACKED: 6 per carton. SHIPPING WEIGHT: 41 lbs.

RESIDENCE HANDLE LOCK SET







BB107
Cast Brass Trim
US3 Finish

CASE: Iron, black wrinkle finish, 5½" x 3¾" x ¾" FRONT: Brass, 7-11/16" x 1" HAND: Reversible. BACKSET: 2½". SPACING: Trip to cylinder 4¾". Trip to turn knob 3-11/32". Knob to turn knob 2-9/32". STRIKE: Brass. Lip to center 1-5/16". BOLTS: Brass, ½" throw. HUBS: Brass. Knob hub 5/16". Turn knob hub 3/16". KNOB: 2" diameter, projection 2¼". HANDLE: Overall 16⅜" x 2½". CYLNDER: Brass, 5 pin tumbler. No. 35. Two keys No. 2KK. Can be keyed alike and master keyed.


OPERATION: Latch bolt by knob inside, thumbpiece outside except when thumbpiece is locked by stop button. Then by key only outside. Dead bolt by key outside, turn knob inside. PACKED: 6 per carton. SHIPPING WEIGHT: 31 lbs.




TUBULAR CYLINDER DEADLOCKS




No. 720*
Single Cylinder



No. 721*
Single Cylinder
& Turn Knob



No. 722*
Double Cylinder



Our newest deadlock, designed to meet the demand of modern streamlined architecture.


Dependable security coupled with today's style. Most attractive, beautifully finished and easy to install.

OPERATION: No 720: From outside by key. No. 721: From outside by key, inside by turn knob. No. 722: From both sides by key. SPECIAL KEYING: Can be master keyed in groups or keyed alike. CHANGES: Practically unlimited. FACE: Brass, 2¼" x 1". STRIKE: Brass. TURN KNOB: Brass (No. S-96). COLLAR: Brass. SPECIAL FINISHES: to order. FINISH: Standard-Polished Brass. HAND: Reversible. FOR 1⅜" to 1¾" DOORS


GENERAL DESCRIPTION

Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight
720	Steel	Forged Brass	2—No. 2KK	No. 32 Brass	2⅜"	15/16" x 3 3/16" x ⅝"	1 in a box	1 lb.
721	Steel	Forged Brass	2—No. 2KK	No. 32A Brass	2⅜"	15/16" x 3 3/16" x ⅝"	1 in a box	1 lb.
722	Steel	Forged Brass	2—No. 2KK	No. 32B Brass and No. 32C Brass	2⅜"	15/16" x 3 3/16" x ⅝"	1 in a box	1 lb.


SLIM LINE TUBULAR CYLINDER DEADLOCKS




No. 730
Single Cylinder



No. 731
Single Cylinder
& Turn Knob



No. 732
Double Cylinder




A new line with a cylinder projection of only ½" Excellent for communicating doors.

OPERATION: No. 730: From outside by key. No. 731: From outside by key, inside by turn knob. No. 732: From both sides by key. SPECIAL KEYING: Can be keyed alike. NOT furnished master keyed. CHANGES: Practically unlimited. FACE: Brass, 2¼" x 1". STRIKE: Brass. TURN KNOB: Brass. COLOR: Brass. FINISH: Standard-Polished Brass. HAND: Reversible. FOR 1¾" DOORS.

GENERAL DESCRIPTION


Number	Case	Bolt	Keys	Cylinder	Backset	Size	Packing	Weight
730	Steel	Forged Brass	2—No. 159AA	No. 33 Die Cast	2½"	15/16" x 3 3/16" x ⅝"	1 in a box	1 lb.
731	Steel	Forged Brass	2—No. 159AA	No. 33A Die Cast	2½"	15/16" x 3 3/16" x ⅝"	1 in a box	1 lb.
732	Steel	Forged Brass	2—No. 159AA	No. 33B Die Cast and No. 33C	2½"	15/16" x 3 3/16" x ⅝"	1 in a box	1 lb.

* Meets Federal Specifications — See Back Cover




No. 541

FOR DOORS: 5/8" to 1 1/8" thick. Fits stile widths as narrow as 1 1/2" wide. Three 5/16" holes, 7/8" on centers. Lifetime oilite bronze bearings. Semmes through bolts for non-loosening. OPERATION: By knob outside or lever handle inside, except when both are locked with positive slide lock. DIMENSIONS: Knob 1 3/4" diameter, projection 2". Lever 3 1/8" long, projection 1 1/2". Escutcheons 7/8" x 3 5/8". FINISH: Automotive Chrome. PACKED: 20 per carton, 14 lbs.



No. 545


FOR DOORS: 5/8" to 1" thick. Minimum stile width 1 1/2" wide. Three 5/16" holes, 7/8" on centers and a 3/4" hole for cylinder. Die cast alloy. Lifetime oilite bronze bearings. OPERATION: By knob outside or lever handle inside, except when both are locked either by key outside or slide lock inside. DIMENSIONS: Knob 1 3/4" diameter, projection 2". Lever handle 3 1/8" long, projection 1 1/2". Escutcheons 7/8" x 3 5/8". 2 keys furnished. FINISH: Automotive Chrome. PACKED: 20 per carton, 18 lbs.



No. 551 ZENITH LATCH


At last a ruggedly and beautifully built entrance handle latch that is free hanging for simple three hole installation.

FOR DOORS: 5/8" to 1 3/8" thick. Minimum stile width 1 3/8". OPERATION: Push button outside, paddle push inside. Fingertip locking action inside. DIMENSIONS: Handle 7/8" x 6". Outside mounting base 7/8" x 2 1/2". Inside 3/4" x 2 1/4". Projection 2" outside, 1 3/4" inside. FINISH: Automotive Chrome. PACKED: 20 per carton, 18 lbs.



No. 555 ZENITH LOCK

FOR DOORS: 5/8" to 1 3/8" thick. Minimum stile width 1 3/8". 5/16" holes, 7/8" on centers. OPERATION: Push button outside, paddle push inside. Fingertip locking action inside. Key locks or unlocks outside button and inside lever. DIMENSIONS: Handle 7/8" x 6". Outside mounting base 7/8" x 2 1/2". Inside 3/4" x 2 1/4". Projection 2" outside, 1 3/4" inside. 2 keys furnished. FINISH: Automotive Chrome. PACKED: 20 per carton, 18 lbs.



No. 561 ASTRA LATCH


FOR DOORS: 5/8" to 1 3/8" thick. Minimum stile width 1 3/8".

OPERATION: By push button outside; panic bar, paddle type handle inside. Fingertip locking action inside.

DIMENSIONS: Easy 3 hole installation (5/16" holes, 3/8" on centers). Outside 3 1/8" x 3 1/8" overall. Mounting Base 7/8" x 2 1/4". Inside 3/4" x 2 1/4". Projection 1 7/8" outside, 1 3/4" inside.

FINISH: Automotive Chrome.

PACKED: 20 per carton, 18 lbs.




No. 581 GEM LATCH

FOR DOORS: 5/8" to 1 3/8" thick. Minimum stile width 1 3/8".

DIMENSIONS: Outside handle 4 3/4" overall with top base of 1" x 2 1/4" and bottom base of 3/8" x 5/8". Inside 3/4" x 2 1/4". Projection 2" outside, 1 3/4" inside.

FINISH: Automotive Chrome.

PACKED: 20 per carton, 20 lbs.



No. 526 PUSH-PULL

Die cast alloy — polished brass plated.

PLATES: 2 1/8" x 2-11/16".


LEVERS: 2 3/4".

STRIKE: 1-13/16" x 3/4".

OPERATION: By pushing inside handle or pulling outside handle except when both handles are locked by slide stop on inside plate. An automatic kickoff prevents accidental lockout.

PACKED: 2 1/2 dz. per carton.

SHIPPING WEIGHT: 29 lbs.



Nos. 501-521-531
TUBULAR


501: Solid brass trim — polished finish. 521: Wrought steel trim — dull brass plated. 531: Aluminum trim — anodized satin finish.

CASE: Die cast alloy, 3/4" x 2 5/8". BACKSET: 1 3/4". HUB: Bronze, 1/4". BOLT: Bronze. STRIKE: Lip 3/4" to center. KNOB: 1 3/4" diameter; Lever, 1 7/8". ESCUTCHEONS: 4" x 1 3/8". PROJECTION: Knob, 1-15/16"; Lever, 1 3/8".

OPERATION: By knob from outside and lever inside except when both knob and lever are locked by slide stop on inside escutcheon.

PACKED: 5 Dz. per carton.

SHIPPING WEIGHT: 501: 44 lbs.; 521: 42 lbs.; 531: 30 lbs.



Nos. 505-535
CYLINDER TUBULAR


505: Solid brass trim — polished finish. 535: Aluminum trim — anodized satin finish.

CASE: Die cast alloy, 3/4" x 2 5/8". BACKSET: 1 3/4". HUB: Bronze, 1/4". BOLT: Bronze. STRIKE: Lip 3/4" to center. KNOB: 1 3/4" diameter; Lever, 1 7/8". ESCUTCHEONS: 4" x 1 3/8". PROJECTION: Knob, 1-15/16"; Lever, 1 3/8". CYLINDER: Die cast alloy, 5 disc tumbler, 500 changes.

OPERATION: By knob from outside and lever inside except when both are locked by key outside or slide stop inside. Stop may be set or released by key from outside.

PACKED: 5 Dz. per carton.

SHIPPING WEIGHT: 505: 52 lbs.; 535: 37 lbs.



No. 522
MORTISE


522: Wrought steel trim — dull brass plated.

CASE: Die cast alloy, 1 3/8" x 1 3/4" x 1/2". FRONT: Die cast alloy, 2 5/8" x 11/16". BACKSET: 1 1/4". HUB: Bronze, 1/4". BOLT: Die cast alloy. STRIKE: Lip 3/4" to center. KNOB: 1 3/4" diameter; Lever, 1 7/8". ESCUTCHEONS: 4" x 1 3/8". PROJECTION: Knob, 1-15/16"; Lever, 1 3/8".

OPERATION: By knob from outside and lever inside except when both knob and lever are locked by slide stop on inside escutcheon.

PACKED: 5 Dz. per carton.

SHIPPING WEIGHT: 44 lbs.



No. 525
RIM

525: Wrought steel — polished brass plated.


CASE: 2 1/4" x 2". BACKSET: 1 1/4". HUB: 1/4". STRIKE: See below. KNOB: 1 3/4" diameter. LEVER: 1 5/8". ESCUTCHEON: 4" x 1 3/8". PROJECTION: Knob, 1-15/16"; Lever, 1 1/8".

OPERATION: Latch bolt by knob from outside and lever inside except when deadlocked by stop on case. Regularly furnished with reverse bevel strike for doors opening out.

PACKED: 5 Dz. per carton.

SHIPPING WEIGHT: 45 lbs.

CLOSERS



SC-8


DESCRIPTION: The smoothest working, best performing air closer on the market. One piece forged aluminum tube gives 20% more air cushion. Absolutely no slam — no bounce. Closes the door as quietly as a kitten. Fully adjustable. Universal for right or left hand doors.


PACKED: 10 per carton, 13 lbs.

SC-9 HYDRAULIC

DESCRIPTION: Size overall 15½". One piece impact extruded aluminum tube 1⅛" diameter. Lifetime seal with superior oil additive. Heavy rod adds to strong construction. Power adjustment and bracket assures perfect closing every time.

PACKED: 10 per carton, 13 lbs.





SC-5


DESCRIPTION: Size overall 17¼". One piece forged aluminum tube, 1½" diameter provides 20% more air cushion. Heavy, concealed compression type spring. Universal for right or left hand doors. Nylon bearing surfaces never need lubrication. Precision speed control. Hold-open ring holds door open at any desired angle.

PACKED: 1 Dz. per carton, 15 lbs.

SC-6

DESCRIPTION: Size overall 17¼". Seamless, corrosion free aluminum tube, 1½" diameter provides 20% more air cushion. Extra powered torsion spring with bumper spring to absorb shock when slammed open. Double ratchet provides right or left hand installation. Nylon bearing surfaces never need lubrication. Hold-open ring holds door open at any desired angle.

PACKED: 1 Dz. per carton, 24 lbs.





Solid Brass — Pin Tumbler

MATERIAL: Case, solid forged brass.

FINISH: Natural brass, satin finish.

SHACKLE: Steel or Brass (see below). Steel shackles are case hardened, bright zinc plated.

MECHANISM: Nos. P82, P82B four pin tumbler. All others five pin tumbler.

KEY CHANGES: Nos. P82, P82B - 1600 changes. Others practically unlimited.

KEYS: Two, brass.

SPECIAL KEYING: Can be master keyed in groups, or keyed alike.

Number	CASE Width	CASE Height	SHACKLE Metal	SHACKLE Diameter	SHACKLE Opening	†Available With Chain	Key Blank Number	Packing Per Box	Weight Per Box
P82	1⅛"	1⅛"	Steel	7/32"	9/16"	Steel	2PS	12	3 Lbs.
P82B	1⅛"	1⅛"	Brass	7/32"	9/16"	Brass	2PS	12	3 Lbs.
P83	1½"	1 5/16"	Steel	9/32"	⅞"	Steel	2PS	12	5⅛ Lbs.
P83A	1½"	1 5/16"	Steel	9/32"	1½"	Steel	2PS	12	5¼ Lbs.
P83B	1½"	1 5/16"	Brass	9/32"	⅞"	Brass	2PS	12	5⅛ Lbs.
P83N	1½"	1 5/16"	Steel	9/32"	2"	Steel	2PS	6	2⅝ Lbs.
P83NB	1½"	1 5/16"	Brass	9/32"	2"	Brass	2PS	6	2⅝ Lbs.
P83W	1½"	1 5/16"	Steel	9/32"	2½"	Steel	2PS	6	2⅝ Lbs.
P83WB	1½"	1 5/16"	Brass	9/32"	2½"	Brass	2PS	6	2⅝ Lbs.
P84	1¾"	1⅝"	Steel	11/32"	1"	Steel	2KK	6	4⅛ Lbs.
P84A	1¾"	1⅝"	Steel	11/32"	2"	Steel	2KK	6	4⅝ Lbs.
P84B	1¾"	1⅝"	Brass	11/32"	1"	Brass	2KK	6	4⅛ Lbs.
P85	2"	1⅝"	Steel	⅜"	15/16"	Steel	2KK	6	5⅛ Lbs.
P85B	2"	1⅝"	Brass	⅜"	15/16"	Brass	2KK	6	5⅛ Lbs.



Solid Brass — Deadlocking Type

MATERIAL: Case, solid forged brass.

FINISH: Natural brass, satin finish.

SHACKLE: Steel or Brass (see below). Steel shackles are case hardened, bright zinc plated.

MECHANISM: Deadlocking type. Double locking bolt. Nos. P52, P52B four pin tumbler. All others five pin tumbler. Key may be removed in locked position only.

KEY CHANGES: Nos. P52, P52B - 1600 changes. Others practically unlimited.

KEYS: Two, brass.

SPECIAL KEYING: Can be master keyed in groups, or keyed alike.

Number	CASE Width	CASE Height	SHACKLE Metal	SHACKLE Diameter	SHACKLE Opening	†Available With Chain	Key Blank Number	Packing Per Box	Weight Per Box
P52	1⅛"	1⅛"	Steel	7/32"	⅝"	Steel	2PS	12	3 Lbs.
P52B	1⅛"	1⅛"	Brass	7/32"	⅝"	Brass	2PS	12	3 Lbs.
P53	1½"	1¼"	Steel	9/32"	13/16"	Steel	2PS	12	5 Lbs.
P53B	1½"	1¼"	Brass	9/32"	13/16"	Brass	2PS	12	5 Lbs.
P53WB	1½"	1¼"	Brass	9/32"	2½"	Brass	2PS	6	2⅝ Lbs.
P54	1¾"	1½"	Steel	11/32"	27/32"	Steel	2KK	6	4 Lbs.
P54B	1¾"	1½"	Brass	11/32"	27/32"	Brass	2KK	6	4 Lbs.



† Padlocks With Chain

Any of the above padlocks can be furnished with 9 in. galvanized steel or brass chain (see above) attached to case by a clevis as shown. To specify in ordering, merely add ½ to number, thus: P82½ or P82½B.

Padlocks To Government Specifications

GOVERNMENT SPECIFICATIONS NO. FF-P-101C

Gov't. Type	Size	Keil Number	Gov't. Type	Size	Keil Number	Gov't. Type	Size	Keil Number	Gov't. Type	Size	Keil Number
EPB	1⅛"	P82	EPB	1½"	P83	EPB	1¾"	P84	EPB	2"	P85
†EPB	1⅛"	P82½	†EPB	1½"	P83½	† EPB	1¾"	P84½	†EPB	2"	P85½
EPE	1⅛"	P82B	EPE	1½"	P83B	EPE	1¾"	P84B	EPE	2"	P85B
†EPE	1⅛"	P82½B	†EPE	1½"	P83½B	†EPE	1¾"	P84½B	†EPE	2"	P85½B

†with chain

GOVERNMENT SPECIFICATIONS NO. MS35647

Stamped "U. S." in accordance with government specifications

MS35647-1	P52½B	MS35647-3	P53½B	MS35647-5	P53½WB	MS35647-7	P54½B
MS35647-2	P52B	MS35647-4	P53B	MS35647-6	P53WB	MS35647-8	P54B

GOVERNMENT SPECIFICATIONS NO. MIL-P-17802

Stamped "U. S." in accordance with government specifications

I	1⅛"	P82B	I	1½"	P83B	II	1⅛"	P82½B	II	1½"	P83½

Solid Brass — Pin Tumbler



MATERIAL: Case, solid forged brass.

FINISH: Natural brass, satin finish.

SHACKLE: See below. Steel shackles are case hardened, bright zinc plated.

MECHANISM: Five pin tumbler.


KEY CHANGES: Practically unlimited.

KEYS: Two, brass.

SPECIAL KEYING: Can be master keyed in groups, or keyed alike.

Number	CASE Width	CASE Height	SHACKLE Metal	SHACKLE Diameter	SHACKLE Opening	†Available With Chain	Key Blank Number	Packing Per Box	Weight Per Box
P73	1½"	1⅜"	Steel	9/32"	⅞"	Steel	2PS	12	4½ Lbs.
P73A	1½"	1⅜"	Steel	9/32"	1½"	Steel	2PS	12	4¾ Lbs.
P73B	1½"	1⅜"	Brass	9/32"	⅞"	Brass	2PS	12	4½ Lbs.
P73N	1½"	1⅜"	Steel	9/32"	2"	Steel	2PS	6	2¾ Lbs.
P73NB	1½"	1⅜"	Brass	9/32"	2"	Brass	2PS	6	2¾ Lbs.
P73W	1½"	1⅜"	Steel	9/32"	2½"	Steel	2PS	6	3 Lbs.
P73WB	1½"	1⅜"	Brass	9/32"	2½"	Brass	2PS	6	3 Lbs.

Laminated Padlocks



MATERIAL: Case, laminated steel.

FINISH: Cadmium Plated.

SHACKLE: Steel, case hardened, bright zinc plated. Locks both heel and toe.

MECHANISM: No. P43, 4 pin tumbler.
No. P44, 5 disc tumbler.

KEY CHANGES: No. P43, 1600 changes.
No. P44, 500 changes.

KEYS: Two.

SPECIAL KEYING: No. P43, can be master keyed in groups. All can be keyed alike.

Number	CASE Width	CASE Height	SHACKLE Metal	SHACKLE Diameter	SHACKLE Opening	Key Blank Number	Packed Per Box	Weight Per Box
P43	1½"	1 5/16"	Steel	9/32"	¾"	2PS	12	5½ Lbs.
P44	1½"	1 5/16"	Steel	9/32"	¾"	181N	12	5¼ Lbs.

Die Cast Case — Disc Tumbler



MATERIAL: Case, special cast alloy of high tensile strength. Phosphor bronze springs.

FINISH: Silver bronze.

SHACKLE: Steel, bright zinc plated.

MECHANISM: Five disc tumbler, non-spill type.

KEY CHANGES: 500.

KEYS: Two, brass.

SPECIAL KEYING: Not furnished master keyed. Can be furnished keyed alike.

Number	CASE Width	CASE Height	SHACKLE Metal	SHACKLE Diameter	SHACKLE Opening	Key Blank Number	Packing Per Box	Weight Per Box
P20	1½"	1½"	Steel	¼"	¾"	181N	12	4½ Lbs.
P20A	1½"	1½"	Steel	¼"	1½"	181N	12	4⅝ Lbs.

Die Cast Case — Disc Tumbler



MATERIAL: Case, special cast alloy of high tensile strength.

FINISH: Silver bronze.

SHACKLE: Steel, case hardened, bright zinc plated.

MECHANISM: Five disc tumbler, non-spill type.

KEY CHANGES: 250.

KEYS: Two, brass.

SPECIAL KEYING: Not furnished master keyed. Can be furnished keyed alike.

Number	CASE Width	CASE Height	SHACKLE Metal	SHACKLE Diameter	SHACKLE Opening	Key Blank Number	Packing Per Box	Weight Per Box
P24	15/16"	1"	Steel	3/16"	17/32"	155C	12	1¾ Lbs.

AUTOMATIC KEYHOLE LOCK

No. 4 KEYHOLE LOCK

Gives Pin Tumbler Security To Any Bit-Key Lock

Locks into any bit key lock — blocking keyway. Supplied with 2 keys each. One lock in an envelope. One dozen on an attractive counter card. Weight — 1 lb. per card.




TELEPHONE DIAL LOCK

No. TL60


Protection Against Unauthorized Toll Calls

Protects subscriber against unauthorized use of phone. Locks into first opening of dial, thereby prevents dialing number or operator. Can be furnished keyed alike. Regularly furnished 12 in clearview envelopes on attractive display card, lustrous hammertone lacquer finish. Weight — 1½ lbs.



SECRET GATE LATCH

No. 9528 SECRET GATE LATCH





OPERATION: Pressure on trip, under case, retracts latch bolt. Case, cast iron 2-1/16" x 2½" x 11/16". Cast iron bolt, brass plated. Brass knob.
FINISH: Black or Bronze Wrinkle.
PACKED: 1 per box. WEIGHT: 10 oz. per box.

CABINET LOCKS

CL54* FINISH DULL BRASS


CYLINDER: Die cast, 5 disc tumbler, 500 changes, 2 keys, No. 181N. Can be keyed alike.
MATERIALS: Case: Steel, Brass plated; die cast housing. Bolt: Die cast. OPERATION: By 180° turn of key.
PACKED: 12 per carton. WEIGHT: 3 lbs.






CL68* FINISH DULL BRASS


CYLINDER: Die cast 5 disc tumbler, 500 changes, 2 keys, No. 181N. Can be keyed alike.
MATERIALS: Case: Die cast. Bolt: Steel.
OPERATION: By 180° turn of key.
PACKED: 12 per carton. WEIGHT: 2¾ lbs.






*Meets Federal Specifications — See Back Cover

RIM LOCK SETS




RL200 Wrought Steel Trim Japanned Finish
CASE: Iron, japanned, 3⅞" x 3⅛". HAND: Reversible. BACKSET: 2⅜". SPACING: 2-3/16". STRIKE: Iron, japanned. Rim type. BOLTS: Iron. HUB: Iron, for 5/16" spindle. KNOBS: 2¼" diameter, two piece; projection 2⅜". ESCUTCHEON: 1¾" x ¾". ROSE: 2" diameter. KEY: One, nickel plated iron.
OPERATION: Latch bolt by knob either side, except when deadlocked by stop on case. Dead bolt by key either side. PACKED: 2½ dozen per carton. SHIPPING WEIGHT: 54 lbs.



RL201 Wrought Steel Trim Japanned Finish
CASE: Iron, japanned, 3¼" x 4⅛". HAND: Reversible. BACKSET: To keyhole 2⅜", to knob hub 3-5/16". STRIKE: Iron, japanned. Rim type. BOLTS: Iron. HUB: Iron, for 5/16" spindle. KNOBS: 2¼" diameter, two piece; projection 2⅜". ESCUTCHEON: 1¾" x ¾". ROSE: 2" diameter. KEY: One, nickel plated iron.
OPERATION: Latch bolt by knob either side, except when deadlocked by stop on case. Dead bolt by key either side. PACKED: 2½ dozen per carton. SHIPPING WEIGHT: 53 lbs.


DOOR KNOBS

DK1 Wrought Steel Japanned Finish
One pair knobs with spindle and one rose. KNOB: 2¼" diameter, two piece. PROJECTION: 2⅜". ROSE: 2" diameter.
PACKED: ½ dozen pair per box, 5 dozen pair (10 boxes) per carton. SHIPPING WEIGHT: 29 lbs. per carton.




DK2 Wrought Steel US4 Finish
One pair knobs with spindle, no roses. Same dimensions as DK1.
PACKED: 1 dozen spindled pair per box, 4 dozen pair (4 boxes) per carton. SHIPPING WEIGHT: 22 lbs. per carton.

MORTISE BOLTS



MB50 US4 Finish For Doors 1" to 2⅛" thick
CASE: Wrought brass, ⅝" x 2-15/16". FRONT: 11/16" diameter. BOLT: Steel, plated, ½" diameter, ⅝" throw. BACKSET: 2". STRIKE: Wrought steel, plated, 2⅛" x ⅞". TURN KNOB: Die cast, plated, 1¼" x 9/16". HAND: Universal.
OPERATION: By turn knob one side only. PACKED: ½ dozen per box, 12 dozen (24 boxes) per carton. SHIPPING WEIGHT: 37 lbs. per carton.



MB51 US4 Finish For Doors 1¼" to 1¾" thick
CASE: Wrought brass, ⅝" x 2-15/16". FRONT: 11/16" diameter. BOLT: Steel, plated, ½" diameter, ⅝" throw. PLATES: Outside, die cast; Inside, steel. Plated, 2⅜" x 1¼". BACKSET: 2". STRIKE: Wrought steel, plated, 2⅛" x ⅞". CYLINDER: Die cast, 5 disc tumbler, 500 changes. Two No. 181N keys. Can be keyed alike.
OPERATION: By key outside *only*. PACKED: 5 dozen per carton. SHIPPING WEIGHT: 25 lbs.

FOR RIGHT OR LEFT HAND DOORS WITHOUT CHANGE *

Features

HELICAL COIL SPRING which permits the use of an entirely automatic reversing mechanism, so that the closer is ready for right or left hand doors without change.

FORGED STEEL CRANKSHAFT is a heavy one-piece alloy-steel, drop forged to withstand severe usage.

PRECISION FIT PISTON for dependable checking action.

WELDED STEEL LINK joining the piston to the crankshaft.

COMBINATION PACKING NUT AND GLAND eliminates leakage.

ONE CONTROL VALVE regulates both closing and latching speeds.

CLOSER NUMBERS WITH REGULAR ARMS

NUMBERS		DOOR SIZE (Maximum)			
With Non-Holder Arm	With 90°-135° Holder Arm	Exterior	Interior	Packed Per Case	Average Weight Per Case
21	—	Screen or Storm door 1⅛" x 2' 6" x 6' 6"	1⅜" x 2' 6" x 6' 6"	6	42 lbs.
22	—	Screen or Storm door 1⅜" x 2' 8" x 7' 0"	1⅜" x 3' 0" x 7' 0"	4	41 lbs.
23	123	1¾" x 2' 6" x 7' 0"	1¾" x 3' 4" x 7' 0"	4	50 lbs.
24	124	2¼" x 3' 0" x 7' 6"	2¼" x 4' 0" x 7' 6"	4	62 lbs.
25	125	Extra heavy or subject to strong drafts		4	83 lbs.

*In ordering Parallel Arm Closers, state hand.

For closers that meet Government specifications — See Back Cover

WITH PARALLEL ARM FOR INSTALLATION TO RECESSED SIDE OF DOOR — WITHOUT BRACKET

In this installation the closer is attached directly to the recessed side of the door and the arms stand parallel to the door when closed. Thus, when door is swung open, the closer is carried out of the opening, leaving headroom free.


CLOSER NUMBERS WITH PARALLEL ARMS (Arm is reversible)

NUMBERS		DOOR SIZE (Maximum)			
With Non-Holder Arm	With 90°-135° Parallel Holder Arm	Exterior	Interior	Packed Per Case	Average Weight Per Case
821	—		Extra light doors	6	42 lbs.
822	—	Screen or Storm door 1⅛" x 2' 6" x 6' 6"	1⅜" x 2' 6" x 6' 6"	4	41 lbs.
823	1123	1⅜" x 2' 8" x 7' 0"	1⅜" x 3' 0" x 7' 0"	4	50 lbs.
824	1124	1¾" x 2' 6" x 7' 0"	1¾" x 3' 4" x 7' 0"	4	62 lbs.
825	1125	2¼" x 3' 0" x 7' 6"	2¼" x 4' 0" x 7' 6"	4	83 lbs.


*In ordering Parallel Arm Closers, state hand.

FINISHES — Regularly furnished Brown Lacquer finish. Can also be furnished Sprayed Dull Bronze (BZ), or Silver Bronze (SB), when so specified. To order, merely add finish symbol to number. Example: No. 23BZ.


For closers with Key Valves, suffix symbol K to number. Example: 23K. Regularly furnished without key. Specify quantity of keys required. Corner brackets and other type brackets are available.




With Non-Holder Arm



With Holder Arm




With Parallel Arm



Corner Bracket


FOR APARTMENT ENTRANCE DOORS

*INQUIRER NO. 99



Die Cast

TO OPERATE simply move the ball "Right" or "Left" and lift slide. It closes and locks automatically. No springs or catches to get out of order. Standard finish — sprayed Black or Silver — other sprayed finishes to order. Number Panel optional.




From Outside — No Back Plate. SIZE: 3½ x 3¼ inches (Panel opening 1⅞ inches). SIZE: 4⅞ x 3¼ inches (With Number Panel attached.)

Back Plate Assembly — Die Cast. Used for all Inquirers.

From Inside — SHOWN OPEN. Door Cut-out — 2 inches diameter.

*KNOCK-QUIRER NO. 100



Die Cast

The Number Panel hooks on under the Inquirer and is supplied only when ordered. It is supplied blank or numbered to order. The inside part is alike for all Inquirers. Standard finish — sprayed Black or Silver.



From Outside — SHOWN CLOSED. Same size as No. 99.




NUMBER PANEL:

The number panel hooks on under the Nos. 99 or 100 Inquirers and is supplied only when ordered. It is available blank or numbered to order.



*IMPORTANT: Packed (1) in a box, with screws for ⅜" metal doors as regular stock. When ordering for doors over ⅜", specify thickness, so that proper length screws are supplied. When applied to very thick doors, a finishing off tube to fit and fill the opening may be procured, at extra cost.




Cast Bronze

***104** Inquirer has a Cast Bronze face (outside) and Die Cast Back Plate (inside). Standard finish, Dull Black with highlights polished. Other finishes to order. From Outside — SHOWN CLOSED. Size: 4¾ x 3¼ inches.


Cast Bronze

*105 Inquirer has a Cast Bronze face and knocker (outside) and Die Cast Back Plate (inside). Standard finish, Dull Black with highlights polished. Other finishes to order. From Outside — SHOWN CLOSED. Size: 2⅞ x 5 inches.


All Locks on this page have Brass Works and Brass Plated Steel Case
2 Keys No. 1286 A- 120 Changes




No. C25388
For "Amalgamated," "Columbia" and "Cole"
Letter Boxes
Size, 1¼ x 2⅛ inches
Packed 1 doz. in a box — Wgt. 1 lb. 5 ozs.



No. H25391
For "Couch" Letter Boxes
Size, 1¼ x 1½ inches
Packed 1 doz. in a box — Wgt. 1 lb. 5 ozs.




No. K25388
For "Old Style Auth" Letter Boxes
Size, 1¼ x 1⅜ inches
Packed 1 doz. in a box — Wgt. 1 lb. 5 ozs.



No. AU25388
For "Auth" and "United" Letter Boxes
Size, 1¼ x 1¾ inches
Packed 1 doz. in a box — Wgt. 1 lb. 4 ozs.

One Dozen in a Box, 2 Keys each

Full Size Cuts



No. P25388
For "Pryne" Letter Boxes
Size, 1¼ x 1 inches
Packed 1 doz. in a box — Wgt. 1 lb. 4 ozs.



NIGHT LATCH **51030-KP**

This fast moving night latch is the backbone of the replacement security hardware business. 5 Pin tumbler cylinder. Statuary Bronze Finish.

PACK: 10 per carton. WT.: 14 lbs.



JIMMYPROOF LOCK D1066-KP

Here is the most secure lock the homeowner can own. Two bolts which interlock with the strike give twice the protection. 5 Pin tumbler cylinder. Brass Lacquer Finish.


PACK: 10 per carton. WT.: 20 lbs.



STREAMLATCH **51061-KP**

The smooth curved lines of this night latch are geared for plus sales. 5 Pin tumbler outside. Handsome pearl gray finish.

PACK: 10 per carton. WT.: 14 lbs.



REPLACEMENT KNOBS DK2-KP

Popular knob design fits all standard mortise type locks. Two piece steel knob is plated with a Dull Brass Finish. Beautiful and sturdy.


PACK: 10 per carton. WT.: 5½ lbs.



DOOR KNOCKER **K67-KP**

Solid brass construction gives the look and feel of elegance. Fits beautifully into any architecture. Lasting Brass Finish.

PACK: 10 per carton. WT.: 23 lbs.



RIM CYLINDER **29-KP**

Die cast construction with 5 pin tumbler security. Handsome Dull Brass Finish. Can be used with all Keil Rim Locks and most other makes of night latches. Includes cylinder collar, back plate and throughbolts.

PACK: 10 per carton. WT.: 4 lbs.



CABINET LOCK **CL68-KP**

A general purpose cabinet and drawer lock that has dozens of uses in the home. 5 Disc tumbler, Dull Brass Finish.


PACK: 10 per carton. WT.: 3 lbs.



TELEPHONE DIAL LOCK **TL60-KP**

Ends long distance larceny. Locks into dial of phone. Prevents dialing operator or number.

PACK: 10 per carton. WT.: 2 lbs.



MORTISE BOLT **MB50-KP**

Dozens of uses. Operates by turn knob one side only. Dull Brass.

PACK: 10 per carton. WT.: 3 lbs.

PADLOCKS



SILVER SENTRY 1½" PADLOCK P20-KP

Special formula alloy die cast case. 5 Disc tumbler. Silver case.

PACK: 10 per carton
WEIGHT: 4¼ lbs.

COMMANDO 1-5/16" PADLOCK P24-KP

Die cast case—hardened steel shackle. 5 Disc tumbler. Silver case.

PACK: 10 per carton
WEIGHT: 2 lbs.





GUARDSMAN PADLOCK P43-KP

Steel laminations for extra strength and security. 4 Pin tumbler, 1½" case.

PACK: 10 per carton. WT.: 4½ lbs.



STEELOK PADLOCK P44-KP

Same rugged construction as P43-KP but with 5 Disc tumbler locking mechanism.

PACK: 10 per carton. WT.: 4½ lbs.



DEFENDER PADLOCK P73-KP

Solid brass case. Hardened steel shackle and 5 pin tumbler mechanism. Our finest padlock.

PACK: 10 per carton. WT.: 4¼ lbs.

CLOSERS



AIR CLOSER SC-8-KP

The smoothest working, best performing air closer on the market. One piece forged aluminum tube gives 20% more air cushion. Absolutely no slam — no bounce. Closes the door as quietly as a kitten. Fully adjustable. Universal for right or left hand doors.

PACK: 10 per carton. WT.: 13 lbs.


HYDRAULIC STORM AND SCREEN CLOSER SC-9-KP

Size overall 15½". One piece impact extruded aluminum tube 1⅛" diameter. Lifetime seal with Keil's superior oil additive. Heavy rod adds to strong construction. Power adjustment and bracket assures perfect closing every time.

PACK: 10 per carton. WT.: 13 lbs.




SCREEN AND STORM DOOR HARDWARE



541-KP LATCH

Automotive Chrome Finish. Sells on sight. Has secure slide lock on inside. For wood or aluminum doors.


PACK: 10 per carton. WT.: 9 lbs.



545-KP LOCK

Handsome Tulip Design with Automotive Chrome Finish. Has 5 Disc tumbler locking mechanism and two keys.


PACK: 10 per carton. WT.: 10 lbs.



551-KP ZENITH LATCH

Modern entrance handle without the necessity to bore an extra hole at bottom of handle. Ruggedly constructed for years of service. Push button outside. Paddle handle inside.

PACK: 10 per carton. WT.: 9 lbs.



555-KP ZENITH LOCK

Same design and installation features as Latch, but with added security of 5 Disc tumbler cylinder in outside push button.

PACK: 10 per carton
WEIGHT: 9 lbs.



5 61-KP ASTRA LATCH

Modern pull type handle with push button outside, push paddle inside.

PACK: 10 per carton
WEIGHT: 10 lbs.



581-KP GEM LATCH

Modern entrance handle design push button latch —push paddle inside. Automotive Chrome Finish.

PACK: 10 per carton
WEIGHT: 9 lbs.




501-KP LATCH

Has mortise type latch for use on wood doors only. Locks from inside. Handsome Polished Brass Finish.

PACK: 10 per carton
WEIGHT: 10 lbs.

SCREEN AND STORM DOOR ACCESSORIES



DELUXE CHAIN PROTECTOR SA60-KP

High tensile plated spring and chain for excellent door protection. Hold-up-spring, prevents rattling of chain against glass.


PACK: 10 per carton
WEIGHT: 5 lbs.



STANDARD CHAIN PROTECTOR SA61-KP

Two heavy duty springs and chain designed to prevent damage to door. Complete with hold-up-spring to prevent rattling against glass.

PACK: 10 per carton. WT.: 5 lbs.



ADJUSTABLE STRIKER SA62-KP

Stainless steel spring has patented spring action. Rustproof, wear-proof. Adjustable for easy installation. A Universal replacement for all sets.

PACK: 20 per carton. WT.: 3 lbs.



ALUMINUM HINGES SA63-KP

Three to a set. Oversized stainless steel screws make a "hold tight" replacement. Oilite bearings give years of service.

PACK: 10 per carton. WT.: 5 lbs.



DOOR CLIPS SA64-KP

Ten per card. Holds storm door, screens and windows in place. A big replacement item in colorful visual pack.

PACK: 20 per carton. WT.: 1 lb.




DOOR SWEEP SA65-KP

An easy to install Door Sweep visual packed in a protective poly bag topped off with colorful fold-over card. Constructed of rust-proof aluminum and flexible vinyl.

PACK: 20 per carton
WEIGHT: 6 lbs.

BRASS KEY CHECKS


Full Size Cuts



No. 7010
.030" thick
1 lb. in a box



No. 7001
Approximately 100 to the lb.
Spring Steel, Coppered
One gross per box.
Weight — 2 ozs.



No. 7006
.040" thick
1 lb. in a box

LOCK PICKS LPS-10 Lock Pick Set


Consists of five lock picks, one broken key extractor, and one tension wrench, packed in neat genuine leather case, as illustrated.



Leather Case



LP-1 Disc Tumbler riffle pick
LP-2 Disc Tumbler one tooth pick
LP-3 Disc Tumbler two tooth pick
LP-4 Pin Tumbler short curve pick
LP-5 Pin Tumbler long curve pick
LP-6 Broken key extractor
LP-7 Tension Wrench



No. W-50
12-Unit Counter Card

Lub-a-Spray

Reg. U.S. Pat. Off.



No. L-400
6-Unit Display Carton

America's fastest selling all-purpose, all-season graphite. Nos. W-50 and L-900 contain puffer guns for counter display and resale.

No. L-500 is ideal for shop use and refilling the L-400.

No. L-400 is a convenient shop size refillable puffer gun. Can be carried in a pocket.




No. L-500
One-Half Pound
Bulk Canister


Stock No.	Packing/Case	Weight
W-50	12 Cards	11 lbs.
L-400	12 Cartons	24 lbs.
L-500	12 Canisters	10 lbs.
L-900	12 Cards	10 lbs.



No. L-900
12-Unit Counter Card



Nos. 29, 29V*, 30 and 30E*



No. 31

KEIL RIM LOCK CYLINDERS

Conventional Type

TWO WAY BAR ADJUSTMENT
For Doors 1 to 2½ inches

One in a box, with No. S8 cylinder ring, No. S13 cylinder back plate, and cylinder connecting screws.

No. 29 Cylinder — Die Cast

5 pin tumblers, 2 No. 159AA keys. Key changes practically unlimited. Can be keyed alike; NOT furnished master keyed. **No. 29V** — Same as 29 with vertical connecting bar.

No. 30 Cylinder — Solid Brass

5 pin tumblers, 2 No. 2KK keys. Key changes practically unlimited. Can be master keyed in groups or keyed alike. **No. 30E** — Same as 30 with square connecting bar.

Also available with 2K Keyway.

FINISH: Standard — Dull Brass.

Special finishes on order.


No. 31 Cylinder — Die Cast


5 disc tumblers, 2 No. 181N keys. 500 key changes. Can be keyed alike; NOT furnished master keyed.

FINISH: Standard — Polished Brass Plated.

GENERAL SPECIFICATIONS

Number	Cylinder Body	Plug	Keys	Packing	Weight
29	Die Cast	Die Cast	2—No. 159AA	1 in a box 1 dz. carton	3½ lb. ctn.
29V	Die Cast	Die Cast	2—No. 159AA		3½ lb. ctn.
30	Solid Brass	Brass	2—No. 2KK		4 lb. ctn.
30E	Solid Brass	Brass	2—No. 2KK		4 lb. ctn.
31	Die Cast	Die Cast	2—No. 181N		3½ lb. ctn.





Nos. 35 and 36

MORTISE LOCK CYLINDERS

Extension Type

Adjustable to Doors 1⅝ to 3 inches. On Doors 1½" or less cylinder rings must be used to make up for lesser door thickness.


5 pin tumblers, 2 No. 2KK keys. Key changes practically unlimited. Keyed alike or master keyed to order. One in a box, with adjustable cylinder ring No. S5. Also available with 2K Keyway.

FINISH: Standard — Polished Brass.


Special finishes on order.

GENERAL SPECIFICATIONS


Number	Cylinder Body	Plug	Shell	Keys	Packing	Weight
35	Solid Brass	Brass	Brass	2—No. 2KK	1 in a box 1 dz. carton	5 lbs. per ctn.
36	Solid Brass	Brass	Brass	2—No. 2KK	1 in a box 1 dz. carton	5 lbs. per ctn.




No. A7434



No. 7468




No. 7469
No. 7470




No. A7469

GENERAL DESCRIPTION


Number	Material	Finish	Packing	Weight
A7434	Steel	Pol. Brass Plated	2 dz. in a box	1 lb.
7460	Cast Iron	Black Wrinkle	1 " " " "	2½ lbs.
A7460	Cast Iron	Stat. Bronze Wrinkle	1 " " " "	2½ "
7466	Cast Iron	Black Wrinkle	1 " " " "	4 "
A7466	Cast Iron	Stat. Bronze Wrinkle	1 " " " "	4 "
7468	Die Cast	Brass Lacquer	1 " " " "	7 "
7469	Die Cast	Brass Lacquer	1 " " " "	3½ "
A7469	Die Cast	Brass Lacquer	1 " " " "	2 "
7470	Cast Bronze	Natural Bronze	1 " " " "	4½ "
A7470	Cast Bronze	Natural Bronze	1 " " " "	4 "



No. 7460
No. A7460



No. 7466
No. A7466




No. A7470

BRASS CYLINDER RINGS


For Mortise Cylinders



No. S5
Thickness compressed 5/16". 1/8" adjustment additional.
PACKED: 3 dz. in a box
WEIGHT: 12 ozs.




No. S9
WEIGHT: 3 ozs.
(3 doz. in a box)




No. S10
WEIGHT: 5 ozs.
(3 doz. in a box)

For Rim Cylinders



No. S8
"Sunken Center."
PACKED: 3 dz. in a box
WEIGHT: 15 ozs.

CYLINDER BACKPLATE




No. S13
For General Use

TURN KNOB DISC

For Mortise Locks
Fits Either Flat or Square Spindles


No. S80
Steel, Brass Plated
Fits All Locks
PACKED: 1 dz. in a box
WEIGHT: 10 ozs.



BRASS DUMMY CYLINDER PLUG

with Wrought Collar and
2—No. S8 Rings
For Covering Hole in Door


No. 35D
Cast Brass
Finish — Dull Brass
Special Finishes Available
PACKED: 1 in a box
1 dz. per carton WEIGHT: 2½ lbs. per carton




BRASS TURN KNOBS

STANDARD FINISH, POLISHED BRASS

Special Finishes on Order




No. S93
Cast Brass Knob
Cast Brass Plate, 2" x 2½"
PACKED: ½ dz. in a box
WEIGHT: 1 lb.




No. S94
Cast Brass Knob
Cast Brass Plate, 2" x 2½"
PACKED: ½ dz. in a box
WEIGHT: 1 lb.

No. S95
Cast Brass Knob
Wrought Brass Plate
1⅛" x 2"




PACKED: 1 dz. in a box
WEIGHT: 1 lb.

No. S91
Cast Brass Knob
Wrought Brass Plate
1⅛" x 2"



PACKED: ½ dz. in a box
WEIGHT: 1 lb., 4 ozs.

No. S92
Cast Brass Knob
Wrought Brass Plate
1⅛" x 2"



PACKED: 1 dz. in a box
WEIGHT: 1 lb., 6 ozs.

SCREWS FOR DOOR LOCKS AND RIM CYLINDERS

RETAINER SCREW



No. S224
7/32 x 3-48

F. H. LOCK CAP SCREWS




No. S225
3/8 x 8-32


OVAL HEAD KNOB SCREWS




No. S226 — Blued
No. S226A — Brass Plated
3/8 x 9-24



PADLOCK CHAIN, CLEVIS AND PIN
No. PC-80 Includes chain, clevis and pin. Chain is of steel, galvanized, 9 in. long. Packed 12 sets per box.



KNOB WASHERS
One Lb. in a Box



Steel
No. S228
For 5/16" Spindle


Steel
No. S229
For 3/8" Spindle

RIM CYLINDER CONNECTING SCREW




No. S235
Blued Iron, Right Hand Thread, No. 12-24
(3 doz. in a Box)


PARTS FOR KEIL LOCK CYLINDERS



No. S201
Top Pins, Brass
(3 Sizes Assorted) .115 dia.




No. S202
Bottom Pins, Brass
(10 Sizes Assorted) .115 dia.




No. S205
Master Pins, Brass
Sizes:
(9 Sizes Assorted) .115 dia.



No. S200
Spring, Phosphor Bronze
.009 wire, .115 dia.




No. S203
Top Plate
Steel — Brass Plated
.025 thick, .175 wide
7/8 in. long




No. S204
Connecting Bar
Retainer




No. S203A
Top Plate
Steel — Brass Plated
.20 thick, .115 wide,
7/8 in. long



No. S213
Connecting Bar
Steel — Brass Plated
Length — 1 3/4"




No. S215
Connecting Bar
Steel — Brass Plated
For "Old Style" Keil Cylinders
Length — 2 3/8"



No. S216
Connecting Pin
Steel — Brass Plated
For "Old Style" Keil Cylinders


MERCHANDISING AIDS

KEY SIGNS



500B
with Bracket





500C with Chains


This Giant KEIL Two-sided Key Sign is made of heavy cast aluminum pointed a striking red with white letters. It is available with chain mount or bracket. Bracket and sign are designed so that sign may be set in any desired angle — right or left.

SPECIFICATIONS: Shipping Weight — 500B, 9 lbs.; 500C, 8 lbs. Packing — One to a carton. Size — 12" x 27".

ASK YOUR JOBBER TO SHOW YOU THIS SIGN

WINDOW DECALS

This Sign on your window will bring new business to your store.




(Size 8" x 3¾")

FREE MAT SERVICE

1

LOST KEY?...

. . . may mean costly delay and inconvenience. The simple answer is to have a spare key made today—quickly, inexpensively.




Your Name

2

WOULD YOU LIKE A HAND...



It's just like having an extra one when opening doors equipped with a Keil hold-back latch. A twist of the key holds the latch back until withdrawn.



Your Name

3




KEYS ARE HARD TO GROW!

. . . and more expensive than orchids when you've misplaced your only one! Before this happens let us make you a spare set of car and house keys.

Your Name

4



Be twice smart!

ORDER AN EXTRA KEY TODAY

Save needless worry and aggravation. Get spare keys made here, today. Quickly and professionally and at low cost.

Your Name

ORDER BY NUMBER

FEDERAL SPECIFICATIONS

BUILDERS HARDWARE — FEDERAL SPECIFICATIONS NO. FF-H-106a, November 23, 1948 and Amendment—1, Dec. 10, 1952.

TUBULAR DEADLOCKS

U.S. Type No.	Keil No.	U.S. Type No.	Keil No.	U.S. Type No.	Keil No.
181K	721	181L	720	181M	722

RIM LATCHES AND DEADLOCKS

U.S. Type No.	Keil No.	U.S. Type No.	Keil No.	U.S. Type No.	Keil No.
194	51043	195	B51043	196	51050

DOOR CLOSING DEVICES — FEDERAL SPECIFICATIONS NO. FF-H-121c, July 18, 1954

DOOR CLOSERS

U.S. Type No.	Keil No.	U.S. Type No.	Keil No.
3004—II	22	3004H—III	123
3004—III	23	3004H—IV	124
3004—IV	24	3004H—V	125
3004—V	25		

DOOR CLOSERS WITH KEY VALVES

Door Closers are regularly furnished with valve screw for regulating closing speed of door. When required with key valves suffix "K" to catalog number. Example: 23K. Order one valve key for each closer.

MOUNTING BRACKETS

U.S. Type No.	Keil Numbers
Type R — Corner Bracket	Catalog Nos. vary size and type.
Type S — Soffit Bracket	See catalog.
Type T — Adjustable Bracket	

FEDERAL SPECIFICATIONS NO. FF-L-486, June 5, 1950

DRAWER AND CABINET LOCKS

U.S. Type No.	Keil No.
929	CL54
934	CL68

FEDERAL SPECIFICATIONS NO. OO-K-200, February 26, 1927 and Amendment—1, July 11, 1960.

KEY DUPLICATING MACHINES

U.S. Type No.	Keil No.
I	4 1/2F
II	6 1/2

PADLOCKS

See Page No. **19**

KEIL

KEIL LOCK CO., INC. Charlestown, N.H.

KEIL